

SECURITY ASSESSMENT REPORT

Automated Incident Response & Vulnerability Scan Analysis

Target IP Address: 1.1.1.1

Scan Timestamp: 2026-08-30T19:13:18Z

Report Generated: 2026-08-30 19:13:46 UTC

OVERALL THREAT RISK LEVEL

CRITICAL

1. Executive Summary & AI Analysis

What This Scan Found

The scan looked at a device at 1.1.1.1 and saw five services listening for traffic: DNS on port 53, a regular website on port 80, a secure website on port 443, a proxy service on port 8080, and another secure site on port 8443. The proxy service (port 8080) has several known security holes, including one rated *critical* and a few rated *high*. The other services didn't show any known problems.

Should You Be Worried?

There are some concerns – the proxy service has serious vulnerabilities that should be fixed quickly.

The 3 Most Important Things

- **Critical bug in the proxy (port 8080).** It could let an attacker take control of the server or steal data. *Fix:* update or replace the proxy software with a version that patches the bug.
- **High-severity bugs in the same proxy.** They can crash the server (Denial of Service) or run malicious code. *Fix:* disable the proxy if you don't need it, or apply the latest security patches.
- **Open ports exposed to the internet.** Any open service can be scanned and probed by attackers. *Fix:* close any ports you don't use (especially the proxy) or restrict access with a firewall.

What To Do Next

- **Turn off or block port 8080** if the proxy isn't needed; otherwise, install the newest, patched version of the proxy software.
- **Run a quick firewall check** and block any unused ports (53, 80, 443, 8443 are okay only if you actually run those services).
- **Ask your IT team or hosting provider** to run a follow-up security review and confirm all software is up-to-date.

2. Open Ports & Detected Services

Port	Service	Version	Risk
------	---------	---------	------

53/tcp	domain	N/A	LOW
80/tcp	http	N/A	MEDIUM
443/tcp	https	N/A	MEDIUM
8080/tcp	http-proxy	N/A	LOW
8443/tcp	https-alt	N/A	LOW

3. Discovered Vulnerabilities (CVEs)

CVE-2012-2632 — CVSS Score: 2.6 | Published: N/A

LOW SEVERITY

SEIL routers with firmware SEIL/x86 1.00 through 2.35, SEIL/X1 2.30 through 3.75, SEIL/X2 2.30 through 3.75, and SEIL/B1 2.30 through 3.75, when the http-proxy and application-gateway features are enabled, do not properly handle the CONNECT command, which allows remote attackers to bypass intended URL restrictions via a TCP session.

CVE-2017-16014 — CVSS Score: 7.5 | Published: N/A

HIGH SEVERITY

Http-proxy is a proxying library. Because of the way errors are handled in versions before 0.7.0, an attacker that forces an error can crash the server, causing a denial of service.

CVE-2017-16075 — CVSS Score: 7.5 | Published: N/A

HIGH SEVERITY

http-proxy.js was a malicious module published with the intent to hijack environment variables. It has been unpublished by npm.

CVE-2019-10196 — CVSS Score: 9.8 | Published: N/A

CRITICAL SEVERITY

A flaw was found in http-proxy-agent, prior to version 2.1.0. It was discovered http-proxy-agent passes an auth option to the Buffer constructor without proper sanitization. This could result in a Denial of Service through the usage of all available CPU resources and data exposure through an uninitialized memory leak in setups where an attacker could submit typed input to the auth parameter.

CVE-2024-21536 — CVSS Score: 7.5 | Published: N/A

HIGH SEVERITY

Versions of the package http-proxy-middleware before 2.0.7, from 3.0.0 and before 3.0.3 are vulnerable to Denial of Service (DoS) due to an UnhandledPromiseRejection error thrown by micromatch. An attacker could kill the Node.js process and crash the server by making requests to certain paths.

4. MITRE ATT&CK; Mappings

Port	Technique ID	Technique Name	Tactic
53	T1046	Network Service Discovery	Discovery
80	T1190	Exploit Public-Facing Application	Initial Access
443	T1190	Exploit Public-Facing Application	Initial Access
8080	T1046	Network Service Discovery	Discovery
8443	T1046	Network Service Discovery	Discovery

5. Immediate Remediation & Hardening

- **Patch & Update Software:** Immediately apply vendor security updates for all identified outdated services and libraries.
- **Enforce Strict Firewall Policies:** Restrict inbound network access to essential ports only; block unused open ports.
- **Implement Strong Authentication:** Enforce multi-factor authentication (MFA) and disable password-based SSH authentication in favor of key pairs.
- **Continuous Monitoring & Auditing:** Enable continuous log monitoring, intrusion detection systems (IDS), and regular automated vulnerability assessment.