Dear Team Chartreuse,

I am at a bit of a loss as to how to provide feedback on your proposal. Overall, I sensed that you were focusing almost entirely on the algorithms and "data science" stuff (data in → predictions out) and not as much on the formulation itself. I liked some of the ideas you introduced, but they often seemed divorced from the reality of banking and/or practical considerations of implementation. While you did a decent job of describing the use case and requirements, you did not seem to connect these in any meaningful way to the proposal for prosecuting the project.

For example, you did not discuss any substantive strategies for dealing with missing data or leveraging the financial structure of the problem more generally. On the other hand, your proposals for the ML-related aspects often ignore material we discussed in class, or suggested redundant metrics..

Project Proposal

You have not provided specifics on your plans for variable selection, calibration, etc. You have similarly not discussed why you selected the algorithms you plan to use. More generally, how would you respond if asked why your approach would be superior to any other?

Group: **Chartreuse**

How will your team differentiate its submission from those of other teams, and how will you leverage the financial context and intuition of the problem?

October 5, 2026

Serial Number	**Name**	**NetID**
1	Anubhav Prasad	ap10732
2	Nyal Dhirajlal Kakadia	ndk3760
3	Nikitaa Ganesh	ng3334

Table 1: Group Members

While you did go into into a fair amount of detail regarding data-science techniques, your discussion and consideration of the financial structure of the problem (even the variables you plan to evaluate), seemed to have relied entirely on the lecture notes. You did provide a number of technical references, but these were entirely related to data-science and machine learning. Notably absent were any references to the finance literature on corporate default prediction — the subject of this project! This showed up in particular in your discussions of things like missing values, EL, etc. where it seemed that the team did not fully think through how your proposals would work in practice . I sensed that your understanding of some of the approaches you advocated, and of credit modeling more generally, would have benefitted from a more careful and deeper literature review. When you are asked to do a project in industry, nobody will tell you how to find out what others have done — but you will be expected not to either reinvent the wheel or omit well-known results, on the one hand, and to bring something different to the approaches you take, beyond what is available in a single source.
Finally, I did not see any statements about how, if at all, you used AI, so I will assume that you are stating that you did not use AI tools for any part of this document.

Overall, this felt very much like a standard data science proposal, rather than one that took a finance-oriented perspective. This was a good effort, but it still has a ways to go. Please consider reviewing the literature on statistical default prediction and also try to think through how you would implement — practically — some of the ideas you proposed.

I suggest you take another run at your plan, this time focusing on the problem and context and with attention to the grading structure, which allocates the majority of points to *formulation.* One way to think about the challenge is to remember that since everyone gets the same data for this project, you need to think deeply about how you, as a modeling team, will add value, beyond what an employer or client could do on their own with the project instructions and an LLM. If you cannot answer this clearly, you are probably not adding much value on this project and will have a hard time convincing an employer or client that they should pay for your model.

Contents

1 Business Problem **1**
1.1 The Use case Scenario 1
1.2 Data Science View of the Business Problem 1

2 Modeling Framework **2**
2.1 Exploratory Data Analysis on Sample data 2
2.2 Feature Engineering 3
2.3 Feature Selection 3
2.4 Modeling Experiments 4
2.5 Evaluation 4
2.6 Expected Outcomes and Next Steps 4

Problem Statement

1 Business Problem

what does this mean??

Banca Massiccia (BM) lends to businesses and loses money when borrowers fail to repay. Its loan officers currently set approval decisions, interest rates and underwriting fees using a mix of human judgment and statistical models. Because those inputs depend on how likely a borrower is to default, weak default predictions lead to mispriced loans and avoidable credit losses. BM therefore wants a more accurate estimate of each prospective borrower's one-year probability of default (PD), so that it can price loans according to risk, approve fewer loans that are likely to default, and reduce losses from bad loans without turning away creditworthy firms.

How will you calculate this?

We translate this into a supervised data science problem: estimate the probability that the firm defaults within the next 12 months. Each firm-year is one observation, and the target is whether a default occurs within 12 months of the statement date. The model outputs one PD per borrower, which loan officers use for approval and risk-based pricing decisions.

1.1 The Use case Scenario

The model is used at loan origination. When a firm applies for a loan, the loan officer enters its latest annual financial statement into the model, which returns one PD over the next 12 months. This PD supports two downstream decisions:

- **Credit approval:** The loan officer uses the PD alongside other financial information and the scores of any other models the bank runs, to judge whether the borrower is likely to default in the next year. Because officers must justify and sometimes override these decisions, ~~hence,~~ explainability of a model is very importance to loan officers. We will use SHapley Additive exPlanations (SHAP) [5] to show which financial characteristics, such as leverage, profitability or liquidity, push an individual firm's PD up or down, and to check that the model's overall behavior is financially sensible.

- **Risk-based pricing:** The loan officer will also use the PD to set the interest rate and underwriting fees so that the loan is profitable given its default risk. A higher PD means a higher rate or fee, or a decision not to lend.

1.2 Data Science View of the Business Problem

We frame this as a supervised binary classification problem. Each observation is one firm-year, described by the firm's annual financial statement and descriptive data such as legal structure and industry. The target is 1 if the firm defaults within 12 months after the statement date and 0 otherwise. The model outputs a score between 0 and 1 that we interpret as the one-year PD. We chose this setup because of how the bank actually uses the number. A loan officer need to know how likely a firm might default rather than just a label or default. PD estimates provides the exact estimates.

But how does this solve the business problem? BM wants to lose less on bad loans. If our model works, the firms that go on to default (the bads) will consistently get higher PDs than the firms that don't (the goods). That lets the bank decline, reprice or tighten terms for the riskiest applicants. Where to set the PD cutoff is the bank's call: it depends on how much risk it can accept, and how many good borrowers it's willing to turn away to catch a given share of the bads.

What do the other metrics provide that is not available in the ROC analysis?

Our job as data scientists is to separate the goods from the bads as cleanly as possible. We'll measure that with the Kolmogorov-Smirnov (KS) [6] test statistic, where higher is better, and with capture rate: if we flag a% of firms, we want to catch b% of the bads, with a as low as possible and b as high as possible. The PD also sets the interest rate, so ranking firms correctly isn't enough. We'll also check calibration using the Brier score [2], log-loss and calibration curves, because accurate rankings with inaccurate probabilities would still mean mispriced loans.

Solving Problem Using Data Science

2 Modeling Framework

We will build the model in stages, and we expect to loop back between them as we learn from the data. We start with the data itself, work toward features that carry a financial meaning, and then pick and test models. We judge the result on how it would perform on future borrowers, not on the data it was trained on. Following are the steps involved in our modeling framework:

How will you handle this at test time (e.g., in your harness)?

- **Exploratory Data Analysis & cleaning:** Here we look at how we treat zeros, missing values. A missing value might have some predictive power so dropping it always does not makes sense.
- **Feature engineering:** Convert raw euro amounts into ratios (profitability, leverage, liquidity, coverage, cash flow, activity), crossing income-statement and balance-sheet items.

what does this mean?

I don't understand how this will work.

- **Feature selection:** Pick the best set of features before training any model by removing co-linearity and other feature dependencies Test by category and individually.
- **Modeling experiments:** Start with regularized logistic regression as the baseline, then compare with other complex models like tree-based models, etc.
- **Evaluation:** Fix the metrics and time boundaries up front. Use Area Under Curve (AUC) [**smith2026**], KS and capture rate for separation, and Brier score, log-loss and calibration for probability accuracy.

2.1 Exploratory Data Analysis on Sample data

Why are you showing me this? What is the purpose of including it?

We reviewed a 1,000-row sample of the training data. It covers 977 firms with annual statements from 2007 to 2012, and each row is one firm-year. A few findings shape our approach:

- **Defaults are rare, and the label horizon matters:** 93 of the 1,000 firm-years (9.3%) belong to a firm that eventually defaults, but only 21 of the 779 labeled firm-years (2.7%) default within 12 months of the statement date. Remaining defaults eventually, so a label that only checks whether a default date exists measures lifetime default, not the one-year PD. We therefore define the target with the 12-month window.
- **Missing values:** The group-equity field is entirely empty, and days receivable is missing for 69% of rows. Several debt and payables fields are missing for about 10–12% of rows, with no clear link to default.
- **The data is heavily skewed.** Total assets range from about 1.5M euros to several billion euros, with a skew of 30. This motivates ratios, logs and winsorizing.
- **Loss-making and over-indebted firms stand out.** 6.6% of the total firms have negative equity, with a default rate of 33%. Firms with negative equity eventually default.

Statement year	Firms	Eventually default (%)	Default within 12 months
2007	241	10.0	0
2008	177	18.1	3
2009	111	25.2	10
2010	116	5.2	5
2011	134	2.2	3
2012	221	0.0	not observable

Table 2: Defaults by statement year in the sample.

2.2 Feature Engineering

The data contains roughly 35 raw financial statement variables in euros, which mostly reflect firm size. These variables are highly skewed. For example, the "total asset" has a skew of 29.6 and "COGS" has a skew of 31.36. Extreme values like these dominate the fit of the logistic regression baseline and make coefficients unstable. We therefore plan to do data transformations. Applying log1p transformation to "total asset" and "COGS" reduces their skew to 1.48 and -0.73 respectively. Figure 1 shows the log1p transformation of Asset total variable.

Why are you showing me this? What is the purpose of including it?




Figure 1: Asset total feature and it's logarithmic transformed compared side by side

We also plan to construct two types of ratio based features:

- *Within-category*: divide two items from the same statement to make relationships inside it explicit. Examples are operating margin (`prof_operations/rev_operating`) and the current ratio (`asst_current/debt_st`).
- *Cross-category*: divide items from different statements, such as the income statement and balance sheet, to capture relationships no single field conveys. Examples are ROA (`profit/asst_tot`) and debt-to-equity (`debt_st + debt_lt) / eqty_tot`

2.3 Feature Selection

Currently, the sample size is too small to perform any feature selection and judge the quality of the feature. Hence, we plan to run a series of steps once we receive the full dataset. We plan to run feature selection only on the training data split, so that no information from validation or later periods leaks in. We plan the following steps:

1. *Descriptive statistics*: check NULL rate and deviation for each feature, and drop those that are mostly empty $\geq x\%$ or nearly constant $\sigma \to 0$.
2. *Univariate analysis*: bin each feature and compute Weight of Evidence and Information Value (IV) against the 12-month default flag, keeping features with meaningful IV.

$$\text{IV} = \sum(\%\text{goods} - \%\text{bads}) \cdot \ln\left(\frac{\%\text{goods}}{\%\text{bads}}\right)$$

3. *Stability*: compute the Characteristic Stability Index (CSI) [8] between earlier and later statement years, and drop or re-engineer features whose distribution drifts strongly.

$$\text{CSI} = \sum(\%\text{Actual} - \%\text{Expected}) \cdot \ln\left(\frac{\%\text{Actual}}{\%\text{Expected}}\right)$$

Is this the best way to this catch multicolinearity?

4. *Multicollinearity*: compute pairwise correlations and within each highly correlated group, keep the feature with the highest IV and clearest financial interpretation.

2.4 Modeling Experiments

We will experiment and compare models in increasing complexity, so we can visualize what each complexity addition adds up in accuracy and what it costs in interpretability:

- *Baseline*: logistic regression with L1/L2 regularization on the selected features. It is transparent, its coefficients are easy to explain.
- *Tree-based models*: random forest and gradient boosting (e.g., XGBoost [3]. These capture nonlinearities and interactions between ratios without manual specification, and they handle missing values natively. We also plan to use other variants of boosting algorithm particularly CatBoost [7], because our data has categorical features and CatBoost can handle these kind of features.
- *Neural network*: We also plan to experiment with neural network based models, however it will be difficult to explain the predictions.

Defaults are rare, so the data is highly imbalanced. We will use class weights so that the models do not simply favor the majority class. Weighting can improve the ranking of firms but distorts the predicted probabilities, which matters because the PD sets the interest rate. We will therefore recalibrate the final scores after modeling. We also plan to tune hyperparameters with Optuna [1], which starts with random trials and then uses the results to concentrate its search on the regions of the hyperparameter space where the validation metric improves.

How will you do this?

2.5 Evaluation

Models are evaluated at two stages: (1) during development and (2) after deployment in production. We will discuss both, but in our project we will be using development metrics. Development evaluation also has two parts:

1. *Model metrics*: statistical measures of how well the model separates defaulters from non-defaulters and how good is the model. Here we use AUC, KS, precision and recall. We will also use Receiver Operating Characteristic (ROC) [4] because it provide loan officers a full picture of the trade-off between catching bad loans and turning away creditworthy firms, so the they can choose a cutoff based on risk appetite.
2. *Business metrics*: measures of what the model is worth to the bank at a given cutoff. The `approval rate` (share of accepted applicants), the `bad rate` (share of approved loans that defaulted), and the `expected loss` (PD × LGD × EAD) summed over the approved portfolio, under assumed loss-given-default and exposure values. These are the quantities a bank tracks during underwriting, and we also plan to compare our models on these metrics.

How do these differ?

How will you calculate and what value will it provide??

Once the model is deployed in production, we monitor model stability. We track drift at a regular frequency (e.g., monthly or quarterly, since firms submit annual statements). We compute the Population Stability Index (PSI) of the model scores, and the CSI of key features, against the training period. If PSI exceeds a threshold (e.g., 0.25), the model is investigated and refreshed, since a distribution shift can degrade performance.

For this project we plan to hold out two evaluation sets that are never used for training or tuning: an out-of-sample (OOS) set of firms not seen in training, drawn from the same period, and an out-of-time (OOT) set of the latest statement years. OOS will test how better a model generalized to new borrowers, while OOT will test how the model performs on future periods, so we will report model and business metrics on both. We will also compute the PSI of the model scores on the OOT set to check stability.

2.6 Expected Outcomes and Next Steps

We expect our pipeline to deliver well-calibrated PD estimates that separate defaulters from non-defaulters better than a regularized logistic baseline, with SHAP explanations that loan officers can use to justify decisions. Once we receive the full dataset, we will:

1. clean the data and build the training, validation, OOS and OOT datasets
2. perform feature engineering and feature selection on the training data
3. train and tune the models, iterating on validation performance
4. evaluate the final model once on the OOS and OOT sets using the model and business metrics

References

[1] Takuya Akiba et al. "Optuna: A Next-generation Hyperparameter Optimization Framework". In: *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. 2019, pp. 2623–2631.

[2] Glenn W. Brier. "Verification of Forecasts Expressed in Terms of Probability". In: *Monthly Weather Review* 78.1 (1950), pp. 1–3. DOI: 10.1175/1520-0493(1950)078<0001:VOFEIT>2.0.CO;2.

[3] Tianqi Chen and Carlos Guestrin. "XGBoost: A Scalable Tree Boosting System". In: *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. KDD '16. San Francisco, California, USA: Association for Computing Machinery, 2016, pp. 785–794. ISBN: 978-1-4503-4232-2. DOI: 10.1145/2939672.2939785. URL: https://doi.org/10.1145/2939672.2939785.

[4] Tom Fawcett. "An introduction to ROC analysis". In: *Pattern Recognition Letters* 27.8 (2006), pp. 861–874.

[5] Scott M Lundberg and Su-In Lee. "A Unified Approach to Interpreting Model Predictions". In: *Advances in Neural Information Processing Systems 30*. Curran Associates, Inc., 2017, pp. 4765–4774.

[6] Frank J. Massey. "The Kolmogorov-Smirnov Test for Goodness of Fit". In: *Journal of the American Statistical Association* 46.253 (1951), pp. 68–78. DOI: 10.1080/01621459.1951.10500769.

[7] Liudmila Prokhorenkova et al. "CatBoost: unbiased boosting with categorical features". In: *Advances in Neural Information Processing Systems (NeurIPS)*. Vol. 31. 2018, pp. 6639–6649. URL: https://papers.nips.cc/paper/7898-catboost-unbiased-boosting-with-categorical-features.

[8] Bilal Yurdakul and Joshua Naranjo. "Statistical Properties of the Population Stability Index". In: *Journal of Risk Model Validation* (2020).