


SQL PROJECT ON PIZZA SALES



HELLO! I AM ANUBHAV

In this project, I used SQL queries to analyze Pizza Sales data and solve various business-related questions, including sales, revenue, order trends, and popular pizza categories.

OVERVIEW OF THE DATASET





RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.

```
SELECT  
    COUNT(Order_id) AS Total_Orders  
FROM  
    orders;
```

Result Grid	
	Total_Orders
▶	21350



CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.


```
SELECT  
    ROUND(SUM(order_details.Quantity * pizzas.price),  
          2) AS Total_revenue  
FROM  
    order_details  
JOIN  
    pizzas ON order_details.Pizza_id = pizzas.pizza_id;
```

Result Grid

	Total_revenue
▶	817860.05

IDENTIFY THE HIGHEST-PRICED PIZZA.

```
SELECT
    pizza_types.name, pizzas.Price
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```



Result Grid			Filter Rows
	name	Price	
▶	The Greek Pizza	35.95	

IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED.

```
SELECT
    pizzas.size,
    COUNT(order_details.Order_details_id) AS Order_Count
FROM
    order_details
    JOIN
    pizzas ON order_details.Pizza_id = pizzas.pizza_id
GROUP BY pizzas.size
ORDER BY Order_Count DESC;
```



	size	Order_Count
▶	L	18526
	M	15385
	S	14137
	XL	544
	XXL	28

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.

```
SELECT
    pizza_types.name,
    SUM(order_details.quantity) AS Total_quantity
FROM
    pizzas
    JOIN
    order_details ON pizzas.pizza_id = order_details.Pizza_id
    JOIN
    pizza_types ON pizza_types.pizza_type_id = pizzas.pizza_type_id
GROUP BY pizza_types.name
ORDER BY Total_quantity DESC
LIMIT 5;
```



01
02
03
04
05

Result Grid			Filter Rows:
	name	Total_quantity	
▶	The Classic Deluxe Pizza	2453	
	The Barbecue Chicken Pizza	2432	
	The Hawaiian Pizza	2422	
	The Pepperoni Pizza	2418	
	The Thai Chicken Pizza	2371	



JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED

```
SELECT
    pizza_types.category,
    SUM(order_details.Quantity) AS Quantity
FROM
    pizzas
    JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
    JOIN
    order_details ON order_details.Pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY Quantity DESC;
```

Result Grid		
	category	Quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050

DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.

```
SELECT
    HOUR(order_time) AS Hours, COUNT(order_id) AS Order_Count
FROM
    orders
GROUP BY Hours
ORDER BY Order_Count DESC;
```



	Hours	Order_Count
▶	12	2520
	13	2455
	18	2399
	17	2336
	19	2009
	16	1920
	20	1642
	14	1472
	15	1468
	11	1231
	21	1198
	22	663
	23	28
	10	8
	9	1



JOIN RELEVANT TABLES TO FIND THE CATEGORY WISE DISTRIBUTION OF PIZZAS.

```
SELECT  
    category, COUNT(name) AS Names  
FROM  
    pizza_types  
GROUP BY category;
```

Result Grid		
	category	Names
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9





GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

```
SELECT
    ROUND(AVG(Quantity), 0)
FROM
    (SELECT
        orders.Order_date, SUM(order_details.Quantity) AS Quantity
    FROM
        orders
    JOIN order_details ON orders.Order_id = order_details.Order_id
    GROUP BY orders.Order_date) AS Order_Quantity;
```



Result Grid	
	Avg_Orders
▶	138



DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE

```
SELECT
    pizza_types.name,
    SUM(order_details.Quantity * pizzas.price) AS revenue
FROM
    pizzas
    JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
    JOIN
    order_details ON order_details.Pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

Result Grid			Filter Rows:	
	name	revenue		
▶	The Thai Chicken Pizza	43434.25		
	The Barbecue Chicken Pizza	42768		
	The California Chicken Pizza	41409.5		

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.



```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.Quantity * pizzas.price) / (SELECT
        ROUND(SUM(order_details.Quantity * pizzas.price),
            2) AS Total_revenue
    FROM
        order_details
        JOIN
        pizzas ON order_details.Pizza_id = pizzas.pizza_id) * 100,
    2) AS revenue
FROM
    order_details
    JOIN
    pizzas ON order_details.Pizza_id = pizzas.pizza_id
    JOIN
    pizza_types ON pizza_types.pizza_type_id = pizzas.pizza_type_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

Result Grid		
	category	revenue
▶	Classic	26.91
	Supreme	25.46
	Chicken	23.96
	Veggie	23.68

ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME.

```
select order_date,  
sum(revenue) over(order by order_date) as cum_revenue  
from  
(select orders.order_date,  
sum(order_details.quantity * pizzas.price) as revenue  
from order_details join pizzas  
on order_details.pizza_id = pizzas.pizza_id  
join orders  
on orders.order_id = order_details.order_id  
group by orders.order_date) as sales;
```

Result Grid			Filter Rows:
	order_date	cum_revenue	
▶	2015-01-01	2713.8500000000004	
	2015-01-02	5445.75	
	2015-01-03	8108.15	
	2015-01-04	9863.6	
	2015-01-05	11929.55	
	2015-01-06	14358.5	
	2015-01-07	16560.7	
	2015-01-08	19399.05	
	2015-01-09	21526.4	
	2015-01-10	23990.350000000002	
	2015-01-11	25862.65	
	2015-01-12	27781.7	
	2015-01-13	29831.300000000003	
	2015-01-14	32358.700000000004	
	2015-01-15	34343.50000000001	
	2015-01-16	36937.65000000001	
	2015-01-17	39001.75000000001	
	2015-01-18	40978.600000000006	
	2015-01-19	43365.75000000001	
	2015-01-20	45763.65000000001	

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE FOR EACH PIZZA CATEGORY.

```
select category, name, revenue,
rank() over (partition by category order by revenue desc) as Ranks
from
(select pizza_types.category, pizza_types.name,
sum((order_details.quantity) * pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a;
```

Result Grid					Filter Rows:	Export:	Wrap Cell
	category	name	revenue	Ranks			
▶	Chicken	The Thai Chicken Pizza	43434.25	1			
	Chicken	The Barbecue Chicken Pizza	42768	2			
	Chicken	The California Chicken Pizza	41409.5	3			
	Chicken	The Southwest Chicken Pizza	34705.75	4			
	Chicken	The Chicken Alfredo Pizza	16900.25	5			
	Chicken	The Chicken Pesto Pizza	16701.75	6			
	Classic	The Classic Deluxe Pizza	38180.5	1			
	Classic	The Hawaiian Pizza	32273.25	2			
	Classic	The Pepperoni Pizza	30161.75	3			
	Classic	The Greek Pizza	28454.1000000000013	4			
	Classic	The Italian Capocollo Pizza	25094	5			
	Classic	The Napolitana Pizza	24087	6			
	Classic	The Big Meat Pizza	22968	7			
	Classic	The Pepperoni, Mushroom, ...	18834.5	8			
	Supreme	The Spicy Italian Pizza	34831.25	1			
	Supreme	The Italian Supreme Pizza	33476.75	2			
	Supreme	The Sicilian Pizza	30940.5	3			
	Supreme	The Pepper Salami Pizza	25529	4			
	Supreme	The Prosciutto and Arugula ...	24193.25	5			

THANK YOU

ONE MORE SLICE?

