ANUBHAV KUMAR

+91 72238 27840 | anubhavkumarkanth123@gmail.com | linkedin.com/in/anubhavkumar021 | github.com/Anubhavkumarkanth | anubhav-kumar.vercel.app
Bengaluru, Karnataka | B.E. Electronics and Communication, NMIT | 2026 graduate

SUMMARY

2026 Electronics and Communication graduate looking for an entry-level Data Analyst role. I clean and check data in SQL and Python (pandas), test whether a finding holds up, and present it in Power BI, Excel and live dashboards. In 1.07 million retail sales rows I showed that half the cancelled value was orders reversed within 24 hours, so the real cancellation rate is 1.88%, not 3.65%; in NPCI's UPI data my checks caught an error in NPCI's own published figures. Kaggle-certified in Intro and Advanced SQL; completed Microsoft & LinkedIn's Career Essentials in Data Analysis.

TECHNICAL SKILLS

SQL: joins, aggregation, CTEs, window functions, CASE, indexes (SQLite, PostgreSQL, DuckDB), query plans with EXPLAIN ANALYZE (PostgreSQL)
Python: pandas, NumPy, scikit-learn, matplotlib, Plotly, pytest
Analysis: data cleaning and validation, EDA, KPI definition, bootstrap confidence intervals, robust z-score anomaly checks, regression against baselines
Reporting: Power BI (star schema, DAX measures), Excel (summary workbooks, formulas), HTML dashboards
Tools: Git, GitHub, GitHub Actions, VS Code

PROJECTS

Retail Cancellation Leakage Analysis | SQL, Python, pandas, Power BI (DAX), Excel
anubhavkumarkanth.github.io/retail-cancellation-leakage | github.com/Anubhavkumarkanth/retail-cancellation-leakage

- Tells an online shop how much money it really loses to cancelled orders, and which part of that it can fix. First cleaned 1.07 million sales rows in SQL, removing 34,453 bad ones (duplicates, zero prices, postage codes).
- Found that half the cancelled value (49.5%) was orders cancelled within 24 hours of being placed; counted separately, the cancellation rate falls from 3.65% to 1.88%. Two huge orders, placed and cancelled within minutes, explained the two worst months.
- Showed where to start: 5% of products hold 53% of the remaining cancelled value, and Spain's high 12% rate comes from a single customer (0.8% without them), confirmed with bootstrap confidence intervals.
- Recommended reporting quick cancellations separately, a quantity check when orders are entered, and a first look at the few products cancelled more than 20% of the time. Shared as a live dashboard, an Excel summary and a Power BI report that matches the analysis exactly.

UPI Pulse: UPI Reliability Tracker | Python, pandas, DuckDB, SQL, pytest, FastAPI, Gemini API
anubhavkumarkanth.github.io/upi-pulse | github.com/Anubhavkumarkanth/upi-pulse

- Shows which of India's 50 busiest banks fail UPI payments most, month by month, so a shop or a payments team can tell bank-side failures from customer-side ones and see whether things are improving. Built from NPCI's monthly reports, Jan 2022 to Sep 2026 (5,699 bank-months).
- Found that failures caused by banks' systems fell from 1.45% of payments in 2022 to 0.26% in 2026, with 45 of 50 banks under RBI's reported 1% target, while customer-side declines such as a wrong PIN doubled to about 10%.
- 50 automatic data checks run before every update; they caught a mistake in NPCI's own figures (August 2022 rates missing the decimal point). Alerts flag a bank's unusual months (about 3% of bank-months), and a calculator estimates a shop's failed payments.
- Anyone can ask the data a question in plain English: an AI model writes the database query and code checks it before it runs (30 of 30 test questions right). The monthly AI summary is published only if every number in it matches the data.

Dietbot: Calorie-Intake Prediction on NHANES Data | Python, pandas, NumPy, scikit-learn, PostgreSQL
dietbot-for-athletes.onrender.com | github.com/Anubhavkumarkanth/Dietbot_For_Athletes

- Rebuilt an inherited calorie model whose training labels turned out to be a formula (every macro value a fixed multiple of calories), so it could only relearn that formula. Replaced them with a repeatable pipeline: three public CDC survey files (NHANES 2017-2018) joined in pandas and filtered to 4,624 adults.
- Tested against simple baselines on a 60/20/20 split: average error on held-out people was 684 kcal for a plain average, 651 for the standard formula and 632-633 for linear regression and a Random Forest. Documented the limits (R^2 0.13); live as a Streamlit app.

EXPERIENCE

Full Stack Development Intern | Redevelopers Automate Solution Pvt. Ltd. | Feb 2026 - Apr 2026

- Designed and managed the database side of an application, in SQL and NoSQL, for storing its data.
- Built REST APIs in Java Spring Boot, found and fixed defects, and wrote unit and integration tests.

EDUCATION

Bachelor of Engineering (B.E.), Electronics and Communication Engineering
Nitte Meenakshi Institute of Technology (NMIT), Bengaluru | Sep 2022 - Aug 2026

CERTIFICATIONS

Kaggle: Intro to SQL and Advanced SQL | 2026
Career Essentials in Data Analysis | Microsoft & LinkedIn (Power BI, Python, Excel, PostgreSQL) | 2026