
Install and Configure Jenkins on a Sushi Operating System

Logging into the system and installing the requirements:



```
Backend:  classic_rpmtrans
Continue? [y/n/v/...? shows all options] (y): y
Preloading: javapackages-filesystem-6.5.1-160000.2.1.x86_64.rpm [done]
Preloading: libasound2-1.2.14-160000.3.1.x86_64.rpm [done]
Preloading: libgif7-5.2.2-160000.4.1.x86_64.rpm [done]
Preloading: libpcsclite1-2.0.1-160000.2.2.x86_64.rpm [done]
Preloading: pcsc-lite-2.0.1-160000.2.2.x86_64.rpm [done]
Preloading: mozilla-nss-sysinit-3.112.5-160000.1.1.x86_64.rpm [done]
Preloading: wget-1.25.0-160000.4.1.x86_64.rpm [done]
Preloading: javapackages-tools-6.5.1-160000.2.1.x86_64.rpm [done]
Preloading: java-21-openjdk-headless-21.0.12.1-160000.1.1.x86_64.rpm [done]
Preloading: java-21-openjdk-21.0.12.1-160000.1.1.x86_64.rpm [done]
Preload finished. [success (15.7 KiB/s) ] ..................................[done]
Retrieving: javapackages-filesystem-6.5.1-160000.2.1.x86_64
(SLE-Product-SLES-16.0)
                                                        (1/10),  28.5 KiB
Retrieving: libasound2-1.2.14-160000.3.1.x86_64 (SLE-Product-SLES-16.0)
                                                        (2/10), 591.3 KiB
Retrieving: libgif7-5.2.2-160000.4.1.x86_64 (SLE-Product-SLES-16.0)
                                                        (3/10),  37.9 KiB
Retrieving: libpcsclite1-2.0.1-160000.2.2.x86_64 (SLE-Product-SLES-16.0)
                                                        (4/10),  55.2 KiB
Retrieving: pcsc-lite-2.0.1-160000.2.2.x86_64 (SLE-Product-SLES-16.0)
                                                        (5/10), 105.4 KiB
Retrieving: mozilla-nss-sysinit-3.112.5-160000.1.1.x86_64
(SLE-Product-SLES-16.0)
                                                        (6/10), 193.4 KiB
Retrieving: wget-1.25.0-160000.4.1.x86_64 (SLE-Product-SLES-16.0)
                                                        (7/10), 404.2 KiB
Retrieving: javapackages-tools-6.5.1-160000.2.1.x86_64 (SLE-Product-SLES-16.0)
                                                        (8/10),  50.1 KiB
Retrieving: java-21-openjdk-headless-21.0.12.1-160000.1.1.x86_64
(SLE-Product-SLES-16.0)
                                                        (9/10),  45.9 MiB
Retrieving: java-21-openjdk-21.0.12.1-160000.1.1.x86_64 (SLE-Product-SLES-16.0)
                                                       (10/10), 497.5 KiB

Checking for file conflicts: ..............................................[done]
( 1/10) Installing: javapackages-filesystem-6.5.1-160000.2.1.x86_64 ......[done]
( 2/10) Installing: libasound2-1.2.14-160000.3.1.x86_64 ..................................[done]
( 3/10) Installing: libgif7-5.2.2-160000.4.1.x86_64 ......................................[done]
( 4/10) Installing: libpcsclite1-2.0.1-160000.2.2.x86_64 ..................................[done]
/usr/bin/systemd-sysusers --replace=/usr/lib/sysusers.d/scard.conf -
Creating group 'scard' with GID 472.
Creating user 'scard' (Smart Card Reader) with UID 472 and GID 472.
Created symlink '/etc/systemd/system/sockets.target.wants/pcscd.socket' -> '/usr/lib/systemd/sy
stem/pcscd.socket'.
```

Adding the repository before installation of Jenkins

```
ip-172-31-3-16:~ # wget -O /etc/zypp/repos.d/jenkins.repo \
>       https://pkg.jenkins.io/rpm-stable/jenkins.repo
--2026-10-21 09:08:33--  https://pkg.jenkins.io/rpm-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io)... 199.232.174.133, 2a04:4e42:6b::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|199.232.174.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 267 [application/octet-stream]
Saving to: '/etc/zypp/repos.d/jenkins.repo'

/etc/zypp/repos.d/jenki 100%[============================>]     267  --.-KB/s    in 0s

2026-10-21 09:08:33 (18.0 MB/s) - '/etc/zypp/repos.d/jenkins.repo' saved [267/267]
```

Installing Jenkins

```
ip-172-31-3-16:~ #  zypper install jenkins
Refreshing service 'SUSE_Linux_Enterprise_Server_x86_64'.
Looking for gpg keys in repository Jenkins-stable.
  gpgkey=https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key

New repository or package signing key received:

  Repository:       Jenkins-stable
  Key Fingerprint:  5E38 6EAD B55F 0150 4CAE 8BCF 7198 F4B7 14AB FC68
  Key Name:         Jenkins Project <jenkinsci-board@googlegroups.com>
  Key Algorithm:    RSA 4096
  Key Created:      Mon 22 Dec 2025 01:24:19 PM UTC
  Key Expires:      Thu 21 Dec 2028 01:24:19 PM UTC
  Rpm Name:         gpg-pubkey-14abfc68-69494683



    Note: Signing data enables the recipient to verify that no modifications occurred after the
    data were signed. Accepting data with no, wrong or unknown signature can lead to a
    corrupted system and in extreme cases even to a system compromise.

    Note: A GPG pubkey is clearly identified by its fingerprint. Do not rely on the key's name.
    If you are not sure whether the presented key is authentic, ask the repository provider or
    check their web site. Many providers maintain a web page showing the fingerprints of the
    GPG keys they are using.

Do you want to reject the key, trust temporarily, or trust always? [r/t/a/?] (r): t
Retrieving repository 'Jenkins-stable' metadata .....................................[done]
Building repository 'Jenkins-stable' cache ..........................................[done]
Loading repository data...
Reading installed packages...
Resolving package dependencies...


The following NEW package is going to be installed:
  jenkins

The following package has no support information from its vendor:
  jenkins


1 new package to install.

Package download size:    51.4 MiB
```

Checking The status whether Jenkins is running or not:



Opening Jenkins in the web-browser



Dowloading Required Plugins

