Linux Commands(8)

1)

```
Anudeep:~# dmesg -T
[Sat Oct 24 05:26:39 2026] Linux version 6.6.87.2-microsoft-standard-WSL2 (root@439a258ad544) (gcc (GCC) 11.2.0, GNU ld (GNU B
ls) 2.37) #1 SMP PREEMPT_DYNAMIC Thu Jun  5 18:30:46 UTC 2025
[Sat Oct 24 05:26:39 2026] Command line: initrd=\initrd.img WSL_ROOT_INIT=1 panic=-1 nr_cpus=16 hv_utils.timesync_implicit=1 c
e=hvc0 debug pty.legacy_count=0 WSL_ENABLE_CRASH_DUMP=1
[Sat Oct 24 05:26:39 2026] KERNEL supported cpus:
[Sat Oct 24 05:26:39 2026]   Intel GenuineIntel
[Sat Oct 24 05:26:39 2026]   AMD AuthenticAMD
[Sat Oct 24 05:26:39 2026] BIOS-provided physical RAM map:
[Sat Oct 24 05:26:39 2026] BIOS-e820: [mem 0x0000000000000000-0x000000000009ffff] usable
[Sat Oct 24 05:26:39 2026] BIOS-e820: [mem 0x00000000000e0000-0x00000000000e0fff] reserved
[Sat Oct 24 05:26:39 2026] BIOS-e820: [mem 0x0000000000100000-0x00000000001fffff] ACPI data
[Sat Oct 24 05:26:39 2026] BIOS-e820: [mem 0x0000000000200000-0x00000000f7ffffff] usable
[Sat Oct 24 05:26:39 2026] BIOS-e820: [mem 0x0000000100000000-0x00000001fd9fffff] usable
[Sat Oct 24 05:26:39 2026] NX (Execute Disable) protection: active
[Sat Oct 24 05:26:39 2026] APIC: Static calls initialized
[Sat Oct 24 05:26:39 2026] DMI not present or invalid.
[Sat Oct 24 05:26:39 2026] Hypervisor detected: Microsoft Hyper-V
[Sat Oct 24 05:26:39 2026] Hyper-V: privilege flags low 0xae7f, high 0x3b8030, hints 0x9a4e24, misc 0xe0bed7b2
[Sat Oct 24 05:26:39 2026] Hyper-V: Nested features: 0x3e0101
[Sat Oct 24 05:26:39 2026] Hyper-V: LAPIC Timer Frequency: 0xc3500

[Sat Oct 24 05:26:39 2026] clocksource: hyperv_clocksource_tsc_page: mask: 0xffffffffffffffff max_cycles: 0x24e6a1710, max_idle_ns:
 440795202120 ns
[Sat Oct 24 05:26:39 2026] clocksource: hyperv_clocksource_msr: mask: 0xffffffffffffffff max_cycles: 0x24e6a1710, max_idle_ns: 4407
95202120 ns
[Sat Oct 24 05:26:39 2026] tsc: Detected 2112.008 MHz processor
[Sat Oct 24 05:26:39 2026] e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
[Sat Oct 24 05:26:39 2026] e820: remove [mem 0x000a0000-0x000fffff] usable
[Sat Oct 24 05:26:39 2026] last_pfn = 0x1fda00 max_arch_pfn = 0x400000000
[Sat Oct 24 05:26:39 2026] MTRR map: 5 entries (4 fixed + 1 variable; max 20), built from 8 variable MTRRs
[Sat Oct 24 05:26:39 2026] x86/PAT: Configuration [0-7]: WB  WC  UC- UC  WB  WP  UC- WT
[Sat Oct 24 05:26:39 2026] last_pfn = 0xf8000 max_arch_pfn = 0x400000000
[Sat Oct 24 05:26:39 2026] Using GB pages for direct mapping
[Sat Oct 24 05:26:39 2026] RAMDISK: [mem 0x04be4000-0x04e7ffff]
[Sat Oct 24 05:26:39 2026] ACPI: Early table checksum verification disabled
[Sat Oct 24 05:26:39 2026] ACPI: RSDP 0x00000000000E0000 000024 (v02 VRTUAL)
[Sat Oct 24 05:26:39 2026] ACPI: XSDT 0x0000000000100000 000044 (v01 VRTUAL MICROSFT 00000001 MSFT 00000001)
[Sat Oct 24 05:26:39 2026] ACPI: FACP 0x0000000000101000 000114 (v06 VRTUAL MICROSFT 00000001 MSFT 00000001)
[Sat Oct 24 05:26:39 2026] ACPI: DSDT 0x00000000001011B8 01E11C (v02 MSFTVM DSDT01   00000001 INTL 20230628)
[Sat Oct 24 05:26:39 2026] ACPI: FACS 0x0000000000101114 000040
[Sat Oct 24 05:26:39 2026] ACPI: OEM0 0x0000000000101154 000064 (v01 VRTUAL MICROSFT 00000001 MSFT 00000001)
[Sat Oct 24 05:26:39 2026] ACPI: SRAT 0x000000000011F2D4 0003B0 (v02 VRTUAL MICROSFT 00000001 MSFT 00000001)
[Sat Oct 24 05:26:39 2026] ACPI: APIC 0x000000000011F684 0000C8 (v04 VRTUAL MICROSFT 00000001 MSFT 00000001)
[Sat Oct 24 05:26:39 2026] ACPI: Reserving FACP table memory at [mem 0x101000-0x101113]
[Sat Oct 24 05:26:39 2026] ACPI: Reserving DSDT table memory at [mem 0x1011b8-0x11f2d3]
[Sat Oct 24 05:26:39 2026] ACPI: Reserving FACS table memory at [mem 0x101114-0x101153]
[Sat Oct 24 05:26:39 2026] ACPI: Reserving OEM0 table memory at [mem 0x101154-0x1011b7]
[Sat Oct 24 05:26:39 2026] ACPI: Reserving SRAT table memory at [mem 0x11f2d4-0x11f683]
[Sat Oct 24 05:26:39 2026] ACPI: Reserving APIC table memory at [mem 0x11f684-0x11f74b]
[Sat Oct 24 05:26:39 2026] SRAT: PXM 0 -> APIC 0x00 -> Node 0
[Sat Oct 24 05:26:39 2026] SRAT: PXM 0 -> APIC 0x01 -> Node 0
[Sat Oct 24 05:26:39 2026] SRAT: PXM 0 -> APIC 0x02 -> Node 0
[Sat Oct 24 05:26:39 2026] SRAT: PXM 0 -> APIC 0x03 -> Node 0
```

2)

```
Anudeep:~# lsof -i:8080
1       /init   0       /dev/null
1       /init   1       /dev/null
1       /init   2       /dev/kmsg
1       /init   3       /dev/hvc1
1       /init   4       mnt:[4026532217]
1       /init   5       socket:[2242]
1       /init   7       socket:[2248]
1       /init   8       socket:[2249]
1       /init   100     socket:[4878]
5       /init   0       /dev/null
5       /init   1       /dev/null
5       /init   2       /dev/kmsg
5       /init   3       /dev/kmsg
5       /init   4       /dev/hvc1
5       /init   5       /
5       /init   6       socket:[2243]
5       /init   7       socket:[2244]
5       /init   8       anon_inode:[eventpoll]
8       /init   0       /dev/null
8       /init   1       /dev/null
8       /init   2       /dev/kmsg
8       /init   3       /dev/hvc1
8       /init   4       mnt:[4026532217]
8       /init   5       socket:[2242]
8       /init   6       socket:[2250]
8       /init   7       socket:[2248]
8       /init   8       socket:[2249]
8       /init   9       socket:[8202]
```

3)

```
Anudeep:~# uptime
 05:42:00 up 15 min,  0 users,  load average: 0.00, 0.00, 0.00
```

4)

```
Anudeep:~# watch -n 2 free -h
Every 2.0s: free -h                                                                 2026-10-24 05:43:00

               total        used        free      shared  buff/cache   available
Mem:           7.6G      317.6M        7.2G        2.9M      101.8M        7.2G
Swap:          2.0G           0        2.0G
```

5)top

```
Mem: 432336K used, 7530476K free, 3000K shrd, 428K buff, 94880K cached
CPU:   0% usr   0% sys   0% nic 100% idle   0% io   0% irq   0% sirq
Load average: 0.00 0.00 0.00 1/230 70
  PID  PPID USER     STAT   VSZ %VSZ CPU %CPU COMMAND
   68    67 root     S     3088   0%   9   0% {Relay(69)} /init
   67     1 root     S     3088   0%   7   0% {SessionLeader} /init
    1     0 root     S     3072   0%   3   0% {init(docker-des} /init
    5     1 root     S     3072   0%   4   0% {init} plan9 --control-socket 6 --log-level 4 --server-fd 7 --pipe-fd 9 --
   69    68 root     S     1708   0%  12   0% -sh
   70    69 root     R     1624   0%  15   0% top
```

6)

```
Anudeep:/mnt/host/c/WINDOWS/system32# ipaddr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet 10.255.255.254/32 brd 10.255.255.254 scope global lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP qlen 1000
    link/ether 00:15:5d:36:3d:d5 brd ff:ff:ff:ff:ff:ff
    inet 172.20.226.49/20 brd 172.20.239.255 scope global eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::215:5dff:fe36:3dd5/64 scope link
       valid_lft forever preferred_lft forever
Anudeep:/mnt/host/c/WINDOWS/system32# ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet 10.255.255.254/32 brd 10.255.255.254 scope global lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
```

7)

```
Anudeep:/mnt/host/c/WINDOWS/system32# ps aux
PID   USER     TIME  COMMAND
    1 root      0:00 {init(docker-des} /init
    5 root      0:00 {init} plan9 --control-socket 6 --log-level 4 --server-fd 7 --pipe-fd 9 --log-truncate
   67 root      0:00 {SessionLeader} /init
   68 root      0:00 {Relay(69)} /init
   69 root      0:00 -sh
   73 root      0:00 ps aux
```

8)

```
Anudeep:/mnt/host/c/WINDOWS/system32# kill %1
-sh: kill: %1: no such job
```

9)

```
Anudeep:/mnt/host/c/WINDOWS/system32# hostname -I
hostname: unrecognized option: I
BusyBox v1.36.1 (2024-05-21 13:38:37 UTC) multi-call binary.

Usage: hostname [-sidf] [HOSTNAME | -F FILE]

Show or set hostname or DNS domain name

        -s      Short
        -i      Addresses for the hostname
        -d      DNS domain name
        -f      Fully qualified domain name
        -F FILE Use FILE's content as hostname
Anudeep:/mnt/host/c/WINDOWS/system32# hostname -s
Anudeep
Anudeep:/mnt/host/c/WINDOWS/system32# hostname -i
127.0.1.1
Anudeep:/mnt/host/c/WINDOWS/system32# hostname -d
localdomain
```

10)

```
Anudeep:/mnt/host/c/WINDOWS/system32# ip route
default via 172.20.224.1 dev eth0
172.20.224.0/20 dev eth0 scope link  src 172.20.226.49
```