






EC2Admin user group created.
View group
IAM user groups (1) Info
A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.
Delete
Create group
Search
1
Group name
Users
Permissions
Creation time
EC2Admin
0
Defined
Now



User created successfully
You can view and download the user's password and email instructions for signing in to the AWS Management Console.
View user
IAM users (1) Info
An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.
Delete user
Create user
Search
1
User name
Path
Group:
Last activity
MFA
Password age
Console last sign-in
Acc
SharanTeja
/
1
-
-
-
-
-



IAM > IAM users > Create user
User created successfully
You can view and download the user's password and email instructions for signing in to the AWS Management Console.
View user
Step 1
Specify user details
Step 2
Set permissions
Step 3
Review and create
Step 4
Retrieve password
Retrieve password
You can view and download the user's password below or email users instructions for signing in to the AWS Management Console. This is the only time you can view and download this password.
Console sign-in details
Email sign-in instructions
Console sign-in URL
https://devops-day2-development.signin.aws.amazon.com/console
User name
SharanTeja
Console password
sharanteja@12
Hide
Cancel
Download .csv file
Return to users list



Search
[Alt+S]
Europe (Stockholm)
Account ID: 0224-4444-6661
SharanTeja
Give your coding agent current AWS knowledge and safe resource access
Agent Toolkit for AWS provides up-to-date documentation, tested procedures, and IAM guardrails configured through a single setup prompt in your IDE.
Get setup prompt
Free | Works with Kiro, Claude Code, Codex and more
Console Home Info
Reset to default layout
+ Add widgets
Recently visited Info
All services
No recently visited services
Explore one of these commonly visited AWS services.
EC2 S3 CloudWatch IAM
Welcome to AWS
Getting started with AWS
Learn the fundamentals and find valuable information to get the most out of AWS.
Training and certification
Learn from AWS experts and advance your skills and knowledge.
AWS Builder Center
Learn, build, and connect with builders in the AWS community.
AWS Health Info
No health data
You don't have permissions to access AWS Health.



Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (0) Info
Copy ARN
Empty
Delete
Create bucket
Buckets are containers for data stored in S3.
Find buckets by name
1
Name
AWS Region
Creation date
You don't have permissions to list buckets
After you or your AWS administrator has updated your permissions to allow the s3:ListAllMyBuckets action, refresh this page. Learn more about Identity and access management in Amazon S3
Diagnose with Amazon Q



IAM > IAM users > SharanTeja > Add permissions
Step 1
Add permissions
Step 2
Review
Add permissions
Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. Learn more
Permissions options
Add user to group
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.
Copy permissions
Copy all group memberships, attached managed policies, inline policies, and any existing permissions boundaries from an existing user.
Attach policies directly
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.
Permissions policies (1/1586)
Filter by Type
Search
Customer managed
1 match
1
Policy name
Type
Attached entities
s3adminaccess
Customer managed
0
Cancel
Next



Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (0) Info
Copy ARN
Empty
Delete
Create bucket
Buckets are containers for data stored in S3.
Find buckets by name
1
Name
AWS Region
Creation date
No buckets
You don't have any buckets.
Create bucket
Account snapshot Info
Updated daily
View dashboard
Storage Lens provides visibility into storage usage and activity trends.
External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.



1 policy added
Step 2
Set up device
MFA device name
Device name
This name will be used within the identifying ARN for this device.
IQOO neo 7 pro
Maximum 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)
MFA device
Device options
In addition to username and password, you will use this device to authenticate into your account.
Passkey or security key
Authenticate using your fingerprint, face, or screen lock. Create a passkey on this device or use another device, like a FIDO2 security key.
AWS recommends using a passkey or security key as an MFA device as they provide the most protection against attacks such as phishing.


Search
[Alt+S]
Global
AnudeepGandham (022444446661)
AnudeepGandham
IAM
IAM users
SharanTeja
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
Passkey MFA device assigned
As a security best practice, we encourage registering multiple devices in the case that your primary method is lost, disabled, or unavailable. Choose any of your MFA devices to use to sign in to your AWS account.
SharanTeja Info
Delete
Summary
ARN
arn:aws:iam::022444446661:user/SharanTeja
Console access
Access key 1
Create access key
Created
October 13, 2026, 16:51 (UTC+05:30)
Last console sign-in
Today
Permissions
Groups (1)
Tags
Security credentials
Last Accessed
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



AnudeepGandham
IAM > IAM users > Create user
Specify user details
Step 2
Set permissions
Step 3
Review and create
Step 4
Retrieve password
Review and create
Review your choices. After you create the user, you can view and download the autogenerated password, if enabled.
User details
User name
UdayKiran
Console password type
Custom password
Require password reset
Yes
Permissions summary
Name
Type
Used as
IAMUserChangePassword
AWS managed
Permissions policy
testers
Group
Permissions group
Tags - optional
Tags are key-value pairs you can add to AWS resources to help identify, organize, or search for resources. Choose any tags you want to associate with this user.
No tags associated with the resource.
Add new tag
You can add up to 50 more tags.



[ec2-user@ip-172-31-2-147 ~]$ aws configure
Tip: You can deliver temporary credentials to the AWS CLI using your AWS Console session by running the command 'aws login'.
[ec2-user@ip-172-31-2-147 ~]$ aws configure
Tip: You can deliver temporary credentials to the AWS CLI using your AWS Console session by running the command 'aws login'.
AWS Access Key ID [None]: AKIAQKOOLCPCQBJGPFLF
AWS Secret Access Key [None]: LVOUayEXqgg4HVozJ/1j1jiTbUyUfCTTQo1HWO+B
Default region name [None]: us-east-1
Default output format [None]: json
[ec2-user@ip-172-31-2-147 ~]$ aws ec2 describe-instances --query "Reservations[].Instances[][InstanceId, State.Name, InstanceType, PublicIpAddress]" --output table
[ec2-user@ip-172-31-2-147 ~]$ aws configure
AWS Access Key ID [****************PFLF]: AKIAQKOOLCPCTFPE5PX2
AWS Secret Access Key [****************WO+B]: 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
AKIAQKOOLCPCTFPE5PX2
[ec2-user@ip-172-31-2-147 ~]$ aws configure
AWS Access Key ID [****************PFLF]: AKIAQKOOLCPCTFPE5PX2
AWS Secret Access Key [****************WO+B]: 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
Default region name [us-east-1]: us-east-1
Default output format [json]: json
[ec2-user@ip-172-31-2-147 ~]$ aws ec2 describe-instances --query "Reservations[].Instances[][InstanceId, State.Name, InstanceType, PublicIpAddress]" --output table
[ec2-user@ip-172-31-2-147 ~]$


Amazon S3 > Buckets > anudeepgandham-s3-buckets > Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (1 total, 786.0 B)
All files and folders in this table will be uploaded.
Remove
Add files
Add folder
Find by name
Name
Folder
Type
Size
report.txt.txt
-
text/plain
786.0 B
Destination Info
Destination
s3://anudeepgandham-s3-buckets
Destination details
Bucket settings that impact new objects stored in the specified destination.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG
IN
17:45
13-10-2026




PUBLIC BUCKET CREATION




Search [Alt+S]
Europe (Stockholm)
AnudeepGandham (022444446661)
AnudeepGandham
Amazon S3 > Buckets > gandham-s3-newbucket > report.txt.txt
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
report.txt.txt Info
Copy S3 URI
Download
Open
Object actions
Properties
Permissions
Versions
Object overview
Owner
168d21dd829af01cc309e98149b010e7fd01049fee05ca86da4aa8a4d7336b29
AWS Region
Europe (Stockholm) eu-north-1
Last modified
October 13, 2026, 17:49:39 (UTC+05:30)
Size
786.0 B
Type
txt
Key
report.txt.txt
S3 URI
s3://gandham-s3-newbucket/report.txt.txt
Amazon Resource Name (ARN)
arn:aws:s3:::gandham-s3-newbucket/report.txt.txt
Entity tag (Etag)
000d327d3e1f1bd46700a2fec287eebf
Object URL
https://gandham-s3-newbucket.s3.eu-north-1.amazonaws.com/report.txt.txt
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG
IN
17:52
13-10-2026

Amazon S3 > Buckets > gandham-s3-newbucket > report.txt.txt
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
Bucket Versioning
When enabled, multiple variants of an object can be stored in the bucket to easily recover from unintended user actions and application failures.
Disabled
Bucket "gandham-s3-newbucket" doesn't have Bucket Versioning enabled
We recommend that you enable Bucket Versioning to help protect against unintentionally overwriting or deleting objects. Learn more
Enable Bucket Versioning
Replication status
When a replication rule is applied to an object the replication status indicates the progress of the operation.
-
View replication rules
Expiration rule
You can use a lifecycle configuration to define expiration rules to schedule the removal of this object after a pre-defined time period.
-
Expiration date
The object will be permanently deleted on this date.
-
Storage class
Edit
Amazon S3 offers a range of storage classes designed for different use cases. Learn more or see Amazon S3 pricing
Storage class
Standard
Server-side encryption settings Info
Edit
Server-side encryption protects data at rest.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG
IN
17:52
13-10-2026


anudeepbuckets-dev.s3.eu-north-1.amazonaws.com/report.txt.txt
Google
Dashboard | Hacker...
Home
Learn Dashboard | C...
Algorithms, Part I -...
Algorithms, Part II -...
CodePen
GitHub
Main Page - Algorit...
YouTube
Linux System Administration Report
Project: AWS Cloud and DevOps Lab
Environment: Linux EC2 Instance
Purpose: Linux Command Practice
Tasks Completed
1. Created directories and files.
2. Practiced file copying and directory navigation.
3. Modified file permissions using chmod.
4. Inspected environment variables.
5. Monitored system processes.
6. Checked disk space and memory usage.
7. Practiced file searching and text processing.
8. Learned basic networking commands.
Permission Details
File Name: report.txt
Owner Permissions: Read, Write, Execute
Group Permissions: Read, Execute
Other Permissions: Read
Permission Code: 754
Status
Linux command practice is in progress.
Next Goal: Learn shell scripting and AWS automation.
End of Report.
ENG
IN