


1) Created the Web Activity for listing the total number of pools with their status:



Web

array_of_pool

General Settings User properties

URL * ⓘ

⚠ Information will be sent to the URL specified. Please ensure you trust the URL entered.

Method * ⓘ

Authentication ⓘ

Resource * ⓘ

Headers ⓘ [+ New](#)


> Advanced

Output:

```
{
  "value": [
    {
      "properties": {
        "status": "Paused",
        "maxSizeBytes": 26388279066240,
        "collation": "SQL_Latin1_General_CP1_CI_AS",
        "creationDate": "2026-04-28T05:37:13.153Z",
        "storageAccountType": "GRS",
        "provisioningState": "Succeeded"
      },
      "sku": {
        "name": "DW100c",
        "capacity": 0
      },
      "id": "/subscriptions/091bd188-d92a-43f7-baea-bf20120f6f76/resourceGroups/synapse-rg/providers/Microsoft.Synapse/workspaces/synapse-workspace-2026/sqlPools/dedicatedpool1",
      "name": "dedicatedpool1",
      "type": "Microsoft.Synapse/workspaces/sqlPools",
      "location": "centralindia",
      "tags": {}
    }
  ],
  "ADFHttpStatusCodeInResponse": "200",
  "ADFWebActivityResponseHeaders": {
    "Pragma": "no-cache",
    "x-ms-original-request-ids": "58eba0e4-68af-4ea1-8fce-f806be40827b",
    "Strict-Transport-Security": "max-age=31536000; includeSubDomains",
    "x-ms-ratelimit-remaining-subscription-reads": "249",
    "x-ms-ratelimit-remaining-subscription-global-reads": "3749",
    "x-ms-request-id": "a5cb7181-cd5b-4fc4-97a5-d706fc22d891",
    "x-ms-correlation-request-id": "a5cb7181-cd5b-4fc4-97a5-d706fc22d891",
    "x-ms-routing-request-id": "CENTRALINDIA:20260428T054757Z:a5cb7181-cd5b-4fc4-97a5-d706fc22d891",
    "X-Content-Type-Options": "nosniff",
    "X-Cache": "CONFIG_NOCACHE",
    "X-MSEdge-Ref": "Ref A: D29B993E4FF848818D585B548A06C001 Ref B: PNQ231110907023 Ref C: 2026-04-28T05:47:56Z",
    "Cache-Control": "no-cache",
    "Date": "Tue, 28 Apr 2026 05:47:56 GMT",
    "Content-Length": "536",
    "Content-Type": "application/json; charset=utf-8",
    "Expires": "-1"
  },
  "effectiveIntegrationRuntime": "AutoResolveIntegrationRuntime (Central India)",
}
```

Pool is currently paused as seen in above image

2) Created the for each to loop the activity and find out the status of each pools:



General	Settings	Activities (1)	User properties
Sequential	☒		
Items		@activity('array_of_pool').output.value	

3) Created the if Condition Activity to check status as Online or not:

The screenshot shows the Logic App Designer interface for 'Pipeline 1'. A Web activity named 'array_of_pool' is connected to a ForEach loop. The ForEach loop is named 'loop_status' and contains a 'checkStatus' activity. The 'checkStatus' activity has an expression '@equals(item().properties.status, 'Online')'. The right-hand pane shows the 'ForEach iterator' tab with a search bar and a list of variables: 'loop_status' and 'Current item'.


Expression ①: `@equals(item().properties.status, 'Online')`

Case	Activity
True	No activities
False	No activities

4) Write the Web Activity inside True and False Activity:

A) pausePool:

Pipeline 1 > loop_status > checkStatus > True activities



General Settings User properties

URL: `https://management.azure.com/subs...`

Method: POST

Body: `{}`

Authentication: System-assigned managed identity


Resource: `https://management.azure.com/subscrip...`

Headers: + New

> Advanced

B) startPool:

Pipeline 1 > loop_status > checkStatus > False activities



General **Settings** User properties

URL	https://management.azure.com/subs... ⚠ Information will be sent to the URL specified. Please ensure you trust the URL entered.
Method * ⓘ	POST
Body ⓘ	{}
Authentication ⓘ	System-assigned managed identity
Resource * ⓘ	https://management.azure.com/subscrip...
Headers ⓘ	+ New
> Advanced	

5) Output:

Expand resources pane

Parameters Variables Settings **Output**

Pipeline run ID: cb4201d0-859e-4d20-9485-3d2a0f14428d Pipeline status: ✔ Succeeded [View debug run consumption](#)

All status ▾ List ▾ [Monitor in Azure Metrics](#) [Export to CSV](#)

Showing 1 - 4 of 4 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime	User prop...	Activity
startPool	✔ Succeeded	Web	4/28/2026, 11:40:55 AM	3m 31s	AutoResolveIntegrationRuntime (Central India)		fe2dfb4...
checkStatus	✔ Succeeded	If Condition	4/28/2026, 11:40:55 AM	3m 33s			aff2dd5...
loop_status	✔ Succeeded	ForEach	4/28/2026, 11:40:54 AM	3m 35s			1dba08...
array_of_pool	✔ Succeeded	Web	4/28/2026, 11:40:39 AM	15s	AutoResolveIntegrationRuntime (Central India)		fc33068...

6) Output from the SqlPools:

Validate all [Publish all](#) 2

SQL pools

The serverless SQL pool, Built-in, is immediately available for your workspace. Dedicated SQL pools can be configured to adapt to team or organizational requirements and const

[+ New](#) [Refresh](#)

[Filter by name](#)

Showing 1-2 of 2 items (1 Serverless, 1 Dedicated)

Name	Type	Status	Size
Built-in	Serverless	✔ Online	Auto
dedicatedpool1	Dedicated	✔ Online	DW100c

Output: Started as it was paused earlier