

1) Created a folder hierarchy and added the csv files into it:

The screenshot shows the Synapse Studio interface. On the left, the 'Data' pane is active, showing a workspace with a folder named 'data'. The 'Linked' tab is selected, and a filter 'Filter resources by name' is applied. The 'data' folder is expanded, showing its contents: 'data1', 'data2', 'one.csv', 'three.csv', and 'two.csv'. The 'data' folder is highlighted. On the right, a table lists the contents of the 'data' folder:

Name	Last Modified	Content Type	Size
data1	4/28/2026, 2:34:56 PM	Folder	
data2	4/28/2026, 2:34:59 PM	Folder	
one.csv	4/28/2026, 2:37:09 PM	File	152 B
three.csv	4/28/2026, 2:36:52 PM	File	139 B
two.csv	4/28/2026, 2:36:52 PM	File	130 B

2) Create the code snippet to recursive read folders and csv files:

The screenshot shows the Synapse Studio interface with a code editor. The 'data' folder is selected, and the 'recursive_extract' tab is active. The code editor contains the following SQL query:

```
1 select *
2 from
3 OPENROWSET
4 (
5     BULK 'https://synpasedatalake2026.dfs.core.windows.net/data/**',
6     FORMAT = 'CSV',
7     PARSER_VERSION = '2.0',
8     HEADER_ROW=TRUE
9 ) AS db_data
10 order by id
```

3) Output:

id	name	age	city	salary
1	Name_1	56	Delhi	86557
2	Name_2	46	Pune	97189
3	Name_3	32	Pune	98953
4	Name_4	25	Ahmedabad	72995
5	Name_5	38	Delhi	60757
6	Name_6	56	Surat	29692
7	Name_7	36	Delhi	65758
8	Name_8	40	Surat	92409
9	Name_9	28	Ahmedabad	91211
10	Name_10	28	Mumbai	85697
11	Name_11	41	Pune	57065
12	Name_12	53	Ahmedabad	112093
13	Name_13	57	Pune	119299
14	Name_14	41	Mumbai	52606
15	Name_15	20	Mumbai	31534
16	Name_16	39	Ahmedabad	114663
17	Name_17	19	Mumbai	60397
18	Name_18	41	Surat	111387