

1) Created the dedicated sql pool:

Showing 1-2 of 2 items (1 Serverless, 1 Dedicated)

Name	Type	Status	Size
Built-in	Serverless	✓ Online	Auto
dedicatedsqlpool	Dedicated	✓ Online	DW100c

2) Create the table for loading the data:

```
1 CREATE TABLE orders (  
2     order_id INT,  
3     customer_id INT,  
4     product VARCHAR(50),  
5     category VARCHAR(50),  
6     quantity INT,  
7     order_date DATE  
8 )  
9 WITH (  
10     DISTRIBUTION = HASH(customer_id),  
11     CLUSTERED COLUMNSTORE INDEX  
12 );
```

3) Create the loading of data script:

```
1 COPY INTO orders  
2 FROM 'https://azuredatalake2026.blob.core.windows.net/azuresynapsefilesystem/data/data/orders.csv'  
3 WITH (  
4     FILE_TYPE = 'CSV',  
5     FIRSTROW = 2  
6 );
```

4) Create the materialized view:

```
1 CREATE MATERIALIZED VIEW mv_orders_by_category
2 WITH (
3     DISTRIBUTION = HASH(category)
4 )
5 AS
6 SELECT
7     category,
8     COUNT_BIG(*) AS total_orders,
9     SUM(ISNULL(quantity, 0)) AS total_quantity
10 FROM dbo.orders
11 GROUP BY category;
```

5) Queried the data before and after addition of new data:

```
1 select * from mv_orders_by_category
```

Results		
Messages		
View		
Table		
Chart		
Export results		
Search		
category	total_orders	total_quantity
Electronics	5	6
Fashion	3	6

After:

Run

Undo

Publish

Query plan

Connect to

dedicatedsqlpool

 Use database

dedicatedsqlpool

1 `select * from dbo.mv_orders_by_category`

Results

Messages

View

Table

Chart

Export results

Search

category	total_orders	total_quantity
Electronics	11	13
Fashion	6	12

Note: need to rerun the copy into script after adding the new data as the internal data does not point directly to the adls.