

1) Data Lake and SQL DB Linked Services:

New linked service

 Azure Data Lake Storage Gen2 [Learn more](#)

Name *

Description

Connect via integration runtime * ⓘ

 AutoResolveIntegrationRuntime

Authentication type

Account key

Account selection method ⓘ

☒ From Azure subscription ☐ Enter manually

Azure subscription ⓘ

Azure for Students (091bd188-d92a-43f7-baea-bf20120f6f76)

Storage account name *

Imspracmod2

Test connection ⓘ

☒ To linked service ☐ To file path

Annotations

+ New

> Parameters

> Advanced ⓘ

Create

Back

 Connection successful

 Test connection

Cancel

New linked service

 Azure SQL Database [Learn more](#) 

☒ 2.0 (Recommended) ☐ 1.0

 Import from connection string

Account selection method ^①

☒ From Azure subscription ☐ Enter manually

Azure subscription

Azure for Students (091bd188-d92a-43f7-baea-bf20120f6f76) 

Server name *

lmspracmod2 



Database name *

lmspracdmo2026 



Authentication type *

SQL authentication 

User name *

anuj

Password

[Azure Key Vault](#)

Password *

.....

Always encrypted ^①

☐

Encrypt ^①

Mandatory 

Trust server certificate ^①

☐

Host name in certificate

 Connection successful

Create

Back



Test connection

Cancel

2) ADLS and SQL db Datasets:

Set properties

Name

Linked service *



File path

/ /

 | 

First row as header ☒

Import schema

☒ From connection/store ☐ From sample file ☐ None

Set properties

Name

Linked service *



Table name





☐ Enter manually

Import schema

☒ From connection/store ☐ None

3) Added Source and Sink:



4) Debug the Pipeline for testing the copy activitiy (from both side).

Data Factory | Validate all | Publish all 3

datalake | sqlDB | pipeline1

Activities

Search activities

- Move and transform
 - Copy data
 - Data flow
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Validate | Debug | Add trigger

Copy data

dataLake_to_sqlDB

Parameters | Variables | Settings | **Output**

Pipeline 1feb3138-5ca9-4d7e-8
run ID c51-f0b388bbd0a4

Pipeline status Succeeded

[View debug run consumption](#)

All status [Monitor in Azure Metrics](#) [Export to CSV](#)

Showing 1 - 1 of 1 items

Activity name	Activity st...	Activit...	Run start	Duration
dataLake_to_sqlDB	Succeeded	Copy data	4/17/2026, 2:47:57 PM	14s

Activity runs

Pipeline run ID 523764f6-faf1-4bb7-bcc4-43b2cfcbec2a

All status [Monitor in Azure Metrics](#) [Export to CSV](#)

Showing 1 - 2 of 2 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
sqlDB_to_dataLake	Succeeded	Copy data	4/17/2026, 2:53:06 PM	14s	AutoResolveIntegrationRuntime (C

6)Checked both side for data:

Run

Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as

1

`select * from employees`

MessagesResults

	emp_id	first_name	last_name	email	phone	salary
1	101	John	Doe	john.doe@g...	9876543210	50000.00
2	102	Jane	Smith	jane.smith@g...	9123456780	60000.00
3	103	Robert	Brown	robert.brown...	9988776655	55000.00
4	104	Emily	Davis	emily.davis@...	9871234567	70000.00
5	105	Michael	Wilson	michael.wilso...	9090909090	65000.00

data_b173e38e-b568-494f-a733-1f9ea8304f46_ef6f1fd5-c20b-4a30-9a6a-39f3f588a71e.csv

Save

Discard

Download

Refresh

Delete

OverviewVersionsEditGenerate SAS

1

emp_id,first_name,last_name,email,phone,salary,department,hire_date

2

101,"John","Doe","john.doe@gmail.com","9876543210",50000.00,"IT",2022-01-15 00:00:00.0000000

3

102,"Jane","Smith","jane.smith@gmail.com","9123456780",60000.00,"HR",2021-03-10 00:00:00.0000000

4

103,"Robert","Brown","robert.brown@gmail.com","9988776655",55000.00,"Finance",2020-07-25 00:00:00.0000000

5

104,"Emily","Davis","emily.davis@gmail.com","9871234567",70000.00,"IT",2019-11-05 00:00:00.0000000

6

105,"Michael","Wilson","michael.wilson@gmail.com","9090909090",65000.00,"Sales",2023-06-20 00:00:00.0000000

7