


1) Created the data storage and containers for demo copy activity:



input: data added by user

output: data copied by the copy activity


2) Created Logic app and configure three components :

1) When HTTP is triggered : when activity call the web activity

2) Condition : check for the status of the pipeline

3) Outlook Email Service (v2) : for sending the mail to the user for the status of pipeline

Overall Design:



A) Http:

When an HTTP request is received

Changing the trigger name updates the callback URL when you save the workflow.

forEmailService

Parameters

Settings

Code view

About

HTTP URL

https://prod-08.centralindia.logic.azure.com:443/workflows/4918b9cd94474817a5ca70fc012e1542...

Method


Default (Allow All Methods)

Request Body JSON Schema

```
{
  "type": "object",
  "properties": {
    "pipelineName": {
      "type": "string"
    },
    "status": {
      "type": "string"
    },
    "runId": {
      "type": "string"
    }
  }
}
```

Use sample payload to generate schema

## B) Condition:



## C) Outlook mail Service:

### 1) Success:

**To \***  
anujdemo230304@gmail.com

**Subject \***  
Success Trigger for copying Data

**Body \***  
Trigger Run Successfully

**Advanced parameters**  
Search Show all Clear all

**Importance**  
Normal

### 2) Failure:


**To \***  
anujshah230304@gmail.com

**Subject \***  
Failure of Trigger

**Body \***  
Failed to copy the data

3) Created Pipeline in the ADF Factory and debug trigger also:

Overall Design:



A) For Success:

General Settings User properties

URL \* ⓘ

Method \* ⓘ

Body

Authentication ⓘ

Headers \* ⓘ

+ New | Delete

| Name         | Value            |
|--------------|------------------|
| Content-Type | application/json |

Body:

```
{
  "emailNotifyPipeline": "@{pipeline().Pipeline}",
  "status": "Succeeded",
  "runId": "@{pipeline().RunId}"
}
```

B) For Failure:

URL \* ⓘ

⚠ Information will be sent to the URL specified. Please ensure you trust the URL entered.

Method \* ⓘ

Body

Authentication ⓘ

Headers \* ⓘ [+ New](#) | [Delete](#)

| <input type="checkbox"/> | Name         | Value            |
|--------------------------|--------------|------------------|
| <input type="checkbox"/> | Content-Type | application/json |

```
{
  "emailNotifyPipeline": "@{pipeline().Pipeline}",
  "status": "Failed",
  "runId": "@{pipeline().RunId}"
}
```

Output from montior:

Parameters

Variables

Settings

Output

Pipeline run ID

b8e66824-4b9d-44fa-992a-47a6c09fd5ae

Pipeline status

✔ Succeeded

View debug run consumption

All status

Monitor in Azure Metrics

Export to CSV

Showing 1 - 2 of 2 items

| Activity name       | Activity st... | Activit... | Run start              | Duration | Integration runtime |
|---------------------|----------------|------------|------------------------|----------|---------------------|
| emailServiceSuccess | ✔ Succeeded    | Web        | 4/22/2026, 10:13:49 AM | 15s      | AutoResolveIntegrat |
| copyDataBlob        | ✔ Succeeded    | Copy data  | 4/22/2026, 10:13:36 AM | 13s      | AutoResolveIntegrat |

Output from gmail:

