

1) Parametrized Linked Service for SQL db:

Edit linked service

 Azure SQL Database [Learn more](#)

Version

☒ 2.0 (Recommended) ☐ 1.0

Account selection method ⓘ

☐ From Azure subscription ☒ Enter manually

Fully qualified domain name *

sqlserverlms.database.windows.net

Database name *

@{linkedService().databaseName}

Authentication type *

SQL authentication

User name *

anuj

Password Azure Key Vault

Password *

.....

Always encrypted ⓘ ☐

Encrypt ⓘ

Mandatory

Trust server certificate ⓘ ☐

Host name in certificate

Additional connection properties

Save Cancel

✓ Connection successful

 Test connection

2) Parameterized Dataset for input and output:

ConnectionSchemaParameters

Linked service *

adlsLinkedService

Test connectionEditNewLearn more

File path

input

/

Directory

/

@dataset().fileName

Browse

Compression type

No compression

Column delimiter ①

Comma (,)

Row delimiter ①

Default (\r\n, or \n)

Encoding ①

Default(UTF-8)

Quote character ①

Double quote (")

Escape character ①

Backslash (\)

First row as header ①

☒

Null value ①

Annotations

+ New

ConnectionSchemaParameters

Linked service *

sqlLinkedService

Test connectionEditNewLearn more

Linked service properties ①

Name	Value	Type
databaseName	@dataset().databaseName	String

Table

dbo


.

@dataset().tableName

☒ Enter manually

Preview data

3) Parameterized the Copy Activity:



General **Source** Sink Mapping Settings User properties

Source dataset * AzureSqlTable1 [Open](#) [New](#) [Preview data](#) [Learn more](#)

Dataset properties ⓘ

Name	Value	Type
tableName	@pipeline().parameters.tableName	String
databaseName	@pipeline().parameters.databaseName	String

Use query ☒ Table ☐ Query ☐ Stored procedure

Query timeout (minutes) ⓘ

Isolation level ⓘ Select...

Partition option ⓘ ☒ None ☐ Physical partitions of table ⓘ ☐ Dynamic range ⓘ

General Source **Sink** Mapping Settings User properties

Sink dataset * adlsDataset [Open](#) [New](#) [Learn more](#)

Dataset properties ⓘ

Name	Value
fileName	@concat(pipeline().parameters.table...

Copy behavior ⓘ Select...

Max concurrent connections ⓘ

Block size (MB) ⓘ

4) Debug the pipeline as:

Pipeline run

Parameters

Name	Type	Value
tableName	String	products
fileName	String	Value
databaseName	String	lmspracmodule4sql

5)

☐	pipeline1	4/21/2026, 3:44:06	4/21/2026, 3:44:27	21s	✓ Succeeded	Manual trigger	58f30775-3cc2-4e02...
☐	pipeline1	4/21/2026, 3:50:10	4/21/2026, 3:50:30	21s	✓ Succeeded	Manual trigger	dadb99cb-ae2e-491...
☐	pipeline1	4/21/2026, 3:53:20	4/21/2026, 3:53:40	21s	✓ Succeeded	Manual trigger	5675dea2-a0d4-419...

6) File created inside table name folder(products) as yyyyymmdd_HH:mm:ss format

showing all 1 items

☐	Name	Last modified	Access tier
☐	 products	4/21/2026, 3:53:38 PM	
☐	 [.]		...
☒	 20260421_102326	4/21/2026, 3:53:38 PM	Hot (Inferred) Block blob 287 B Available ...