








# HTML Tags Chart

To use any of the following HTML tags, simply select the HTML code you'd like and copy and paste it into your web page.

Tag	Name	Code Example	Browser View
<!--	comment	<!-- This can be viewed in the <b>HTML</b> part of a document-->	Nothing will show <a href="#">(Tip)</a>
<a -	anchor	<a href="http://www.domain.com/">Visit Our Site</a>	<a href="#">Visit Our Site</a> <a href="#">(Tip)</a>
<b>	bold	<b>Example</b>	<b>Example</b>
<big>	big (text)	<big>Example</big>	Example <a href="#">(Tip)</a>
<body>	body of HTML document	<body>The content of your HTML page</body>	Contents of your web page <a href="#">(Tip)</a>
 	line break	The contents of your page The contents of your page	The contents of your web page The contents of your web page
<center>	center	<center>This will center your contents</center>	This will center your contents
<dd>	definition description	<dl> <dt>Definition Term</dt> <dd> <b>Definition of the term</b> </dd> <dt>Definition Term</dt> <dd> <b>Definition of the term</b> </dd> </dl>	Definition Term <b>Definition of the term</b> Definition Term <b>Definition of the term</b>
<dl>	definition list	<dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term</dt> <dd>Definition of the term</dd> </dl>	Definition Term Definition of the term Definition Term Definition of the term
<dt>	definition term	<dl> <dt> <b>Definition Term</b> </dt> <dd>Definition of the term</dd> <dt> <b>Definition Term</b> </dt> <dd>Definition of the term</dd> </dl>	<b>Definition Term</b> Definition of the term <b>Definition Term</b> Definition of the term
<em>	emphasis	This is an <em>Example</em> of using the emphasis tag	This is an <i>Example</i> of using the emphasis tag
<embed>	embed object	<embed src="yourfile.mid" width="100%" height="60" align="center">	<a href="#">(Tip)</a>
<embed>	embed object	<embed src="yourfile.mid" autostart="true" hidden="false" loop="false"> <noembed><bgsound src="yourfile.mid" loop="1"></noembed>	Music will begin playing when your page is loaded and will only play one time. A control panel will be displayed to enable your visitors to stop the music.
<font>	font	<font face="Times New Roman">Example</font>	Example <a href="#">(Tip)</a>

<font>	font	<font face="Times New Roman" size="4">Example</font>	Example <a href="#">(Tip)</a>
<font>	font	<font face="Times New Roman" size="+3" color="#ff0000">Example</font>	Example <a href="#">(Tip)</a>
<form>	form	<form action="mailto:you@yourdomain.com"> Name: <input name="Name" value="" size="10">  Email: <input name="Email" value="" size="10">  <center><input type="submit"></center> </form>	Name: <input type="text"/> <a href="#">(Tip)</a> Email: <input type="text"/> <input type="submit" value="Submit"/>
<h1> <h2> <h3> <h4> <h5> <h6>	heading 1 heading 2 heading 3 heading 4 heading 5 heading 6	<h1>Heading 1 Example</h1> <h2>Heading 2 Example</h2> <h3>Heading 3 Example</h3> <h4>Heading 4 Example</h4> <h5>Heading 5 Example</h5> <h6>Heading 6 Example</h6>	<b>Heading 1</b> <b>Heading 2</b> Heading 3 Heading 4 Heading 5 Heading 6
<head>	heading of HTML document	<head>Contains elements describing the document</head>	Nothing will show
<hr>	horizontal rule	<hr />	Contents of your web page <a href="#">(Tip)</a> <hr/> Contents of your web page
<hr>	horizontal rule	<hr width="50%" size="3" />	Contents of your web page <hr style="width: 50%;"/> Contents of your web page
<hr>	horizontal rule	<hr width="50%" size="3" noshade />	Contents of your web page <hr style="width: 50%; border: none; border-top: 3px solid black;"/> Contents of your web page
<hr> (Internet Explorer)	horizontal rule	<hr width="75%" color="#ff0000" size="4" />	Contents of your web page <hr style="width: 75%; border: none; border-top: 4px solid red;"/> Contents of your web page
<hr> (Internet Explorer)	horizontal rule	<hr width="25%" color="#6699ff" size="6" />	Contents of your web page <hr style="width: 25%; border: none; border-top: 6px solid blue;"/> Contents of your web page
<html>	hypertext markup language	<html> <head> <meta> <title>Title of your web page</title> </head> <body>HTML web page contents</body> </html>	Contents of your web page
<i>	italic	<i>Example</i>	Example
<img>	image		 <a href="#">(Tip)</a>

<input>	<b>input field</b>	<p>Example 1:</p> <pre>&lt;form method=post action="/cgi-bin/example.cgi"&gt; &lt;input type="text" size="10" maxlength="30"&gt; &lt;input type="Submit" value="Submit"&gt; &lt;/form&gt;</pre>	<p>Example 1: <a href="#">(Tip)</a></p> 
<input> (Internet Explorer)	<b>input field</b>	<p>Example 2:</p> <pre>&lt;form method=post action="/cgi-bin/example.cgi"&gt; &lt;input type="text" style="color: #ffffff; font-family: Verdana; font-weight: bold; font-size: 12px; background-color: #72a4d2;" size="10" maxlength="30"&gt; &lt;input type="Submit" value="Submit"&gt; &lt;/form&gt;</pre>	<p>Example 2: <a href="#">(Tip)</a></p> 
<input>	<b>input field</b>	<p>Example 3:</p> <pre>&lt;form method=post action="/cgi-bin/example.cgi"&gt; &lt;table border="0" cellspacing="0" cellpadding="2"&gt;&lt;tr&gt;&lt;td bgcolor="#8463ff"&gt;&lt;input type="text" size="10" maxlength="30"&gt;&lt;/td&gt;&lt;td bgcolor="#8463ff" valign="Middle"&gt; &lt;input type="image" name="submit" src="yourimage.gif"&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/table&gt; &lt;/form&gt;</pre>	<p>Example 3: <a href="#">(Tip)</a></p> 
<input>	<b>input field</b>	<p>Example 4:</p> <pre>&lt;form method=post action="/cgi-bin/example.cgi"&gt; Enter Your Comments: &lt;br&gt; &lt;textarea wrap="virtual" name="Comments" rows=3 cols=20 maxlength=100&gt;&lt;/textarea&gt;&lt;br&gt; &lt;input type="Submit" value="Submit"&gt; &lt;input type="Reset" value="Clear"&gt; &lt;/form&gt;</pre>	<p>Example 4: <a href="#">(Tip)</a></p> 
<input>	<b>input field</b>	<p>Example 5:</p> <pre>&lt;form method=post action="/cgi-bin/example.cgi"&gt; &lt;center&gt; Select an option: &lt;select&gt; &lt;option &gt;option 1&lt;/option&gt; &lt;option selected&gt;option 2&lt;/option&gt; &lt;option&gt;option 3&lt;/option&gt; &lt;option&gt;option 4&lt;/option&gt; &lt;option&gt;option 5&lt;/option&gt; &lt;option&gt;option 6&lt;/option&gt; &lt;/select&gt;&lt;br&gt; &lt;input type="Submit" value="Submit"&gt; &lt;/center&gt; &lt;/form&gt;</pre>	<p>Example 5: <a href="#">(Tip)</a></p> <p>Select an option:</p> 
<input>	<b>input field</b>	<p>Example 6:</p>	<p>Example 6: <a href="#">(Tip)</a></p>

		<pre> &lt;form method=post action="/cgi-bin/example.cgi"&gt; Select an option: &lt;br&gt; &lt;input type="radio" name="option"&gt; Option 1 &lt;input type="radio" name="option" checked&gt; Option 2 &lt;input type="radio" name="option"&gt; Option 3 &lt;br&gt; &lt;br&gt; Select an option: &lt;br&gt; &lt;input type="checkbox" name="selection"&gt; Selection 1 &lt;input type="checkbox" name="selection" checked&gt; Selection 2 &lt;input type="checkbox" name="selection"&gt; Selection 3 &lt;input type="Submit" value="Submit"&gt; &lt;/form&gt; </pre>	<p>Select an option:</p> <p><input type="radio"/> Option 1</p> <p><input type="radio"/> Option 2</p> <p><input type="radio"/> Option 3</p> <p>Select an option:</p> <p><input type="checkbox"/> Selection 1</p> <p><input checked="" type="checkbox"/> Selection 2</p> <p><input type="checkbox"/> Selection 3</p> <p><input type="button" value="Submit"/></p>
<li>	list item	<p>Example 1:</p> <pre> &lt;menu&gt; &lt;li type="disc"&gt;List item 1&lt;/li&gt; &lt;li type="circle"&gt;List item 2&lt;/li&gt; &lt;li type="square"&gt;List item 3&lt;/li&gt; &lt;/MENU&gt; </pre> <p>Example 2:</p> <pre> &lt;ol type="i"&gt; &lt;li&gt;List item 1&lt;/li&gt; &lt;li&gt;List item 2&lt;/li&gt; &lt;li&gt;List item 3&lt;/li&gt; &lt;li&gt;List item 4&lt;/li&gt; &lt;/ol&gt; </pre>	<p>Example 1: <a href="#">(Tip)</a></p> <ul style="list-style-type: none"> <li>• List item 1</li> <li>○ List item 2</li> <li>▪ List item 3</li> </ul> <p>Example 2:</p> <ol style="list-style-type: none"> <li>i. List item 1</li> <li>ii. List item 2</li> <li>iii. List item 3</li> <li>iv. List item 4</li> </ol>
<link>	link	<pre> &lt;head&gt; &lt;link rel="stylesheet" type="text/css" href="style.css" /&gt; &lt;/head&gt; </pre>	
<marquee> (Internet Explorer)	scrolling text	<pre> &lt;marquee bgcolor="#cccccc" loop="-1" scrollamount="2" width="100%"&gt;Example Marquee&lt;/marquee&gt; </pre>	 <p><a href="#">(Tip)</a></p>
<menu>	menu	<pre> &lt;menu&gt; &lt;li type="disc"&gt;List item 1&lt;/li&gt; &lt;li type="circle"&gt;List item 2&lt;/li&gt; &lt;li type="square"&gt;List item 3&lt;/li&gt; &lt;/menu&gt; </pre>	<ul style="list-style-type: none"> <li>• List item 1</li> <li>○ List item 2</li> <li>▪ List item 3</li> </ul>
<meta>	meta	<pre> &lt;meta name="Description" content="Description of your site"&gt; &lt;meta name="keywords" content="keywords describing your site"&gt; </pre>	Nothing will show <a href="#">(Tip)</a>
<meta>	meta	<pre> &lt;meta HTTP-EQUIV="Refresh" CONTENT="4; URL=http://www.yourdomain.com/"&gt; </pre>	Nothing will show <a href="#">(Tip)</a>

<meta>	meta	<meta http-equiv="Pragma" content="no-cache">	Nothing will show <a href="#">(Tip)</a>
<meta>	meta	<meta name="rating" content="General">	Nothing will show <a href="#">(Tip)</a>
<meta>	meta	<meta name="robots" content="all">	Nothing will show <a href="#">(Tip)</a>
<meta>	meta	<meta name="robots" content="noindex,follow">	Nothing will show <a href="#">(Tip)</a>
<ol>	ordered list	<p><b>Numbered</b></p> <pre>&lt;ol&gt; &lt;li&gt;List item 1 &lt;/li&gt; &lt;li&gt;List item 2 &lt;/li&gt; &lt;li&gt;List item 3 &lt;/li&gt; &lt;li&gt;List item 4 &lt;/li&gt; &lt;/ol&gt;</pre> <p><b>Numbered Special Start</b></p> <pre>&lt;ol start="5"&gt; &lt;li&gt;List item 1 &lt;/li&gt; &lt;li&gt;List item 2 &lt;/li&gt; &lt;li&gt;List item 3 &lt;/li&gt; &lt;li&gt;List item 4 &lt;/li&gt; &lt;/ol&gt;</pre> <p><b>Lowercase Letters</b></p> <pre>&lt;ol type="a"&gt; &lt;li&gt;List item 1 &lt;/li&gt; &lt;li&gt;List item 2 &lt;/li&gt; &lt;li&gt;List item 3 &lt;/li&gt; &lt;li&gt;List item 4 &lt;/li&gt; &lt;/ol&gt;</pre> <p><b>Capital Letters</b></p> <pre>&lt;ol type="A"&gt; &lt;li&gt;List item 1 &lt;/li&gt; &lt;li&gt;List item 2 &lt;/li&gt; &lt;li&gt;List item 3 &lt;/li&gt; &lt;li&gt;List item 4 &lt;/li&gt; &lt;/ol&gt;</pre> <p><b>Capital Letters Special Start</b></p> <pre>&lt;ol type="A" start="3"&gt; &lt;li&gt;List item 1 &lt;/li&gt; &lt;li&gt;List item 2 &lt;/li&gt; &lt;li&gt;List item 3 &lt;/li&gt; &lt;li&gt;List item 4 &lt;/li&gt; &lt;/ol&gt;</pre> <p><b>Lowercase Roman Numerals</b></p> <pre>&lt;ol type="i"&gt; &lt;li&gt;List item 1 &lt;/li&gt; &lt;li&gt;List item 2 &lt;/li&gt; &lt;li&gt;List item 3 &lt;/li&gt; &lt;li&gt;List item 4 &lt;/li&gt; &lt;/ol&gt;</pre>	<p><b>Numbered</b></p> <ol style="list-style-type: none"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> <p><b>Numbered Special Start</b></p> <ol style="list-style-type: none"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> <p><b>Lowercase Letters</b></p> <ol style="list-style-type: none"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> <p><b>Capital Letters</b></p> <ol style="list-style-type: none"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> <p><b>Capital Letters Special Start</b></p> <ol style="list-style-type: none"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> <p><b>Lowercase Roman Numerals</b></p> <ol style="list-style-type: none"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> <p><b>Capital Roman Numerals</b></p> <ol style="list-style-type: none"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol>

		<b>Capital Roman Numerals</b>  <code>&lt;ol type="I"&gt;</code> <code>&lt;li&gt;List item 1&lt;/li&gt;</code> <code>&lt;li&gt;List item 2&lt;/li&gt;</code> <code>&lt;li&gt;List item 3&lt;/li&gt;</code> <code>&lt;li&gt;List item 4&lt;/li&gt;</code> <code>&lt;/ol&gt;</code>  <b>Capital Roman Numerals Special Start</b>  <code>&lt;ol type="I" start="7"&gt;</code> <code>&lt;li&gt;List item 1&lt;/li&gt;</code> <code>&lt;li&gt;List item 2&lt;/li&gt;</code> <code>&lt;li&gt;List item 3&lt;/li&gt;</code> <code>&lt;li&gt;List item 4&lt;/li&gt;</code> <code>&lt;/ol&gt;</code>	<b>Capital Roman Numerals Special Start</b>  VII. List item 1 VIII. List item 2 IX. List item 3 X. List item 4
<code>&lt;option&gt;</code>	<b>listbox option</b>	<code>&lt;form method=post action="/cgi-bin/example.cgi"&gt;</code> <code>&lt;center&gt;</code> Select an option: <code>&lt;select&gt;</code> <code>&lt;option&gt;option 1&lt;/option&gt;</code> <code>&lt;option selected&gt;option 2&lt;/option&gt;</code> <code>&lt;option&gt;option 3&lt;/option&gt;</code> <code>&lt;option&gt;option 4&lt;/option&gt;</code> <code>&lt;option&gt;option 5&lt;/option&gt;</code> <code>&lt;option&gt;option 6&lt;/option&gt;</code> <code>&lt;/select&gt;&lt;br&gt;</code> <code>&lt;/center&gt;</code> <code>&lt;/form&gt;</code>	Select an option: <a href="#">(Tip)</a> <div>option 2 ▼</div>
<code>&lt;p&gt;</code>	<b>paragraph</b>	This is an example displaying the use of the paragraph tag. <code>&lt;p&gt;</code> This will create a line break and a space between lines.  Attributes:  Example 1: <code>&lt;br&gt;</code> <code>&lt;br&gt;</code> <code>&lt;p align="left"&gt;</code> This is an example <code>&lt;br&gt;</code> displaying the use <code>&lt;br&gt;</code> of the paragraph tag. <code>&lt;br&gt;</code> <code>&lt;br&gt;</code> Example 2: <code>&lt;br&gt;</code> <code>&lt;br&gt;</code> <code>&lt;p align="right"&gt;</code> This is an example <code>&lt;br&gt;</code> displaying the use <code>&lt;br&gt;</code> of the paragraph tag. <code>&lt;br&gt;</code> <code>&lt;br&gt;</code> Example 3: <code>&lt;br&gt;</code> <code>&lt;br&gt;</code> <code>&lt;p align="center"&gt;</code> This is an example <code>&lt;br&gt;</code> displaying the use <code>&lt;br&gt;</code> of the paragraph tag.	This is an example displaying the use of the paragraph tag.  This will create a line break and a space between lines.  Attributes:  Example 1:  This is an example displaying the use of the paragraph tag.   Example 2:  This is an example displaying the use of the paragraph tag.   Example 3:  This is an example displaying the use of the paragraph tag.
<code>&lt;small&gt;</code>	<b>small (text)</b>	<code>&lt;small&gt;Example&lt;/small&gt;</code>	Example <a href="#">(Tip)</a>

<strike>	deleted text	<strike>Example</strike>	Example												
<strong>	strong emphasis	<strong>Example</strong>	Example												
<table>	table	<p>Example 1:</p> <pre>&lt;table border="4" cellpadding="2" cellspacing="2" width="100%"&gt; &lt;tr&gt; &lt;td&gt;Column 1&lt;/td&gt; &lt;td&gt;Column 2&lt;/td&gt; &lt;/tr&gt; &lt;/table&gt;</pre> <p>Example 2: (Internet Explorer)</p> <pre>&lt;table border="2" bordercolor="#336699" cellpadding="2" cellspacing="2" width="100%"&gt; &lt;tr&gt; &lt;td&gt;Column 1&lt;/td&gt; &lt;td&gt;Column 2&lt;/td&gt; &lt;/tr&gt; &lt;/table&gt;</pre> <p>Example 3:</p> <pre>&lt;table cellpadding="2" cellspacing="2" width="100%"&gt; &lt;tr&gt; &lt;td bgcolor="#cccccc"&gt;Column 1&lt;/td&gt; &lt;td bgcolor="#cccccc"&gt;Column 2&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Row 2&lt;/td&gt; &lt;td&gt;Row 2&lt;/td&gt; &lt;/tr&gt; &lt;/table&gt;</pre>	<p>Example 1: <a href="#">(Tip)</a></p> <table><tr><td>Column 1</td><td>Column 2</td></tr></table> <p>Example 2: <a href="#">(Tip)</a></p> <table><tr><td>Column 1</td><td>Column 2</td></tr></table> <p>Example 3: <a href="#">(Tip)</a></p> <table><tr><td>Column 1</td><td>Column 2</td></tr><tr><td>Row 2</td><td>Row 2</td></tr></table>	Column 1	Column 2	Column 1	Column 2	Column 1	Column 2	Row 2	Row 2				
Column 1	Column 2														
Column 1	Column 2														
Column 1	Column 2														
Row 2	Row 2														
<td>	table data	<pre>&lt;table border="2" cellpadding="2" cellspacing="2" width="100%"&gt; &lt;tr&gt; &lt;td&gt;Column 1&lt;/td&gt; &lt;td&gt;Column 2&lt;/td&gt; &lt;/tr&gt; &lt;/table&gt;</pre>	<table><tr><td>Column 1</td><td>Column 2</td></tr></table>	Column 1	Column 2										
Column 1	Column 2														
<th>	table header	<pre>&lt;div align="center"&gt; &lt;table&gt; &lt;tr&gt; &lt;th&gt;Column 1&lt;/th&gt; &lt;th&gt;Column 2&lt;/th&gt; &lt;th&gt;Column 3&lt;/th&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Row 2&lt;/td&gt; &lt;td&gt;Row 2&lt;/td&gt; &lt;td&gt;Row 2&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Row 3&lt;/td&gt; &lt;td&gt;Row 3&lt;/td&gt; &lt;td&gt;Row 3&lt;/td&gt; &lt;/tr&gt; &lt;/table&gt;</pre>	<table><tr><th>Column n 1</th><th>Column n 2</th><th>Column n 3</th></tr><tr><td>Row 2</td><td>Row 2</td><td>Row 2</td></tr><tr><td>Row 3</td><td>Row 3</td><td>Row 3</td></tr><tr><td>Row 4</td><td>Row 4</td><td>Row 4</td></tr></table>	Column n 1	Column n 2	Column n 3	Row 2	Row 2	Row 2	Row 3	Row 3	Row 3	Row 4	Row 4	Row 4
Column n 1	Column n 2	Column n 3													
Row 2	Row 2	Row 2													
Row 3	Row 3	Row 3													
Row 4	Row 4	Row 4													

		<div>&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Row 4&lt;/td&gt; &lt;td&gt;Row 4&lt;/td&gt; &lt;td&gt;Row 4&lt;/td&gt; &lt;/tr&gt; &lt;/table&gt; &lt;/div&gt;</div>			
<title>	document title	<title>Title of your <b>HTML page</b> </title>	Title of your web page will be viewable in the title bar. <a href="#">(Tip)</a>		
<tr>	table row	<table border="2" cellpadding="2" cellspacing="2" width="100%"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table>	<table><tr><td>Column 1</td><td>Column 2</td></tr></table>	Column 1	Column 2
Column 1	Column 2				
<tt>	teletype	<tt>Example</tt>	Example		
<u>	underline	<u>Example</u>	<u>Example</u>		
<ul>	unordered list	Example 1:     <ul> <li>List item 1</li> <li>List item 2</li> </ul>   Example 2:   <ul type="disc"> <li>List item 1</li> <li>List item 2</li> <ul type="circle"> <li>List item 3</li> <li>List item 4</li> </ul> </ul> </ul>	Example 1: <ul style="list-style-type: none"><li>List item 1</li><li>List item 2</li></ul> Example 2: <ul style="list-style-type: none"><li>List item 1</li><li>List item 2<ul style="list-style-type: none"><li>List item 3</li><li>List item 4</li></ul></li></ul>		