


Experiment No-1

Code:-

```
<html>
<head>
<title> 2077 Shankar Beve</title>
  Metadata name " Batch B"
</head>
<body >
  <h1> This is My first HTML code</h1>
  <h2> This is My first HTML code </h2>
  <h3> This is My first HTML code </h3>
  <h4> This is My first HTML code </h4>
  <h5> This is My first HTML code </h5>
  <h6> This is My first HTML code </h6>
  <p> <b> HTML</b> is Hypertext Mark-up language Which is used
for
  Designing websites. <br> HTML is stands for Hypertext mark up
language.</p>
  <hr>
  <p> This is<b> Bold text</b> in HTML formatting text</p>
  <p> This is<i> Italic text</i> in HTML formatting text</p>
  <p> This is<big> Big text</big> in HTML formatting text</p>
  <p> This is <small> small text</small> in HTML formatting text</p>
  <p> This is <del> deleted text</del> in HTML formatting text</p>
  <p> This is <strike> striked text</strike> in HTML formatting text</p>
  <p> This is <sup> superscripted text</sup> in HTML formatting
text</p>
  <p> This is <sub> subscripted text</sub> in HTML formatting text</p>

</body>
</html>
```

Output:-



Experiment No-2

Index.html

```
<!DOCTYPE html>
<html>
<head>
<title></title>
<link rel="stylesheet" type="text/css" href="style.css">
<link href="https://fonts.googleapis.com/css?family=Josefin+Sans&display=swap" rel="stylesheet">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.2/animate.min.css">
</head>
<body>

<header>

<nav>
<div class="logo"> <h1 style="font-size: 20px;"> Mera bharat </h1> </div>
<div class="menu">
<a href="#" style="font-size: ">Home</a>
<a href="#">gallery</a>
<a href="https://www.youtube.com/channel/UCwfaAHy4zQUb2APNOGXUCCA"
target="_blank">about</a>
<a href="#">contact</a>
</div>
</nav>

<main>
<section>
<h3>Welcome To India</h3>
<h1>DO COME & VISIT <span class="change_content"> </span> <span style="margin-top: -10px;"> |
</span> </h1>
<p>"India once is not enough"</p>
<a href="#" class="btnone">learn more</a>
<a href="#" class="btntwo">signup here</a>
</section>
</main>

</header>

</body>
</html>
```

Style.css

```
* {
margin: 0;
padding: 0;
```

```
    box-sizing: border-box;
    font-family: "Josefin Sans", sans-serif;
}
```

```
header {
    width: 100%;
    height: 100vh;
    background-image: linear-gradient(rgba(0, 0, 0, 0.3), rgba(0, 0, 0, 0.15)),
        url("https://th.bing.com/th/id/OIP.uH4wjGqTZl3pazzcea6F-
        QHaEK?w=324&h=182&c=7&r=0&o=5&pid=1.7");
    background-repeat: no-repeat;
    background-size: cover;
}
```

```
nav {
    width: 100%;
    height: 15vh;
    background: rgba(0, 0, 0, 0.2);
    color: white;
    display: flex;
    justify-content: space-between;
    align-items: center;
    text-transform: uppercase;
}
```

```
nav .logo {
    width: 25%;
    text-align: center;
    /*background: red;*/
}
```

```
nav .menu {
    width: 40%;
    display: flex;
    justify-content: space-around;
}
```

```
nav .menu a {
    width: 25%;
    text-decoration: none;
    color: white;
    font-weight: bold;
}
```

```
nav .menu a:first-child {
    color: #00b894;
}
```

```
main {
    width: 100%;
    height: 85vh;
```

```
display: flex;
justify-content: center;
align-items: center;
text-align: center;
color: white;
}
```

```
section h3 {
font-size: 35px;
font-weight: 200;
letter-spacing: 3px;
text-shadow: 1px 1px 2px black;
}
```

```
section h1 {
margin: 30px 0 20px 0;
font-size: 55px;
font-weight: 700;
text-shadow: 2px 1px 5px black;
text-transform: uppercase;
}
```

```
section p {
font-size: 25px;
word-spacing: 2px;
margin-bottom: 25px;
text-shadow: 1px 1px 1px black;
}
```

```
section a {
padding: 12px 30px;
border-radius: 4px;
outline: none;
text-transform: uppercase;
font-size: 13px;
font-weight: 500;
text-decoration: none;
letter-spacing: 1px;
transition: all 0.5s ease;
}
```

```
section .btnone {
/*background: #00b894;*/
background: #fff;
color: #000;
}
```

```
.btnone:hover {
background: #00b894;
color: white;
}
```


```
section .btntwo {
  background: #00b894;
  color: white;
}

.btntwo:hover {
  background: #fff;
  color: #000;
}

.change_content:after {
  content: "";
  animation: changetext 10s infinite linear;
  color: #00b894;
}

@keyframes changetext {
  0% {
    content: "Darjeeling";
  } 20%
  {
    content: "Agra";
  } 35%
  {
    content: "Jaipur";
  } 60%
  {
    content: "kerala";
  } 80%
  {
    content: "delhi";
  }
  100% {
    content: "Mumbai";
  }
}
```

Output:-



Experiment No-3

Code:

```
<Html>
  <head>
    <title>
      Registration Page
    </title>
  </head>
  <body bgcolor="lightyellow">
    <br>
    <br>
    <h2>Registration form</h2>
    <form>

      <label> Firstname </label>
      <input type="text" name="firstname" size="15" spellcheck="firstname"> <br> <br>
      <label> Middlename: </label>
      <input type="text" name="middlename" spellcheck="true" size="15"/> <br> <br>
      <label> Lastname: </label>
      <input type="text" name="lastname" size="15"/> <br> <br>

      <label>
        Course :
      </label>
      <select>
        <option value="Course">Course</option>
        <option value="BCA">BCA</option>
        <option value="BBA">BBA</option>
        <option value="B.Tech">B.Tech</option>
        <option value="MBA">MBA</option>
        <option value="MCA">MCA</option>
        <option value="M.Tech">M.Tech</option>
      </select>

      <br>
      <br>
      <label>
        Gender :
      </label><br>
      <input type="radio" name="male"/> Male <br>
      <input type="radio" name="female"/> Female <br>
      <input type="radio" name="other"/> Other
      <br>
      <br>

      <label>
        Phone :
```

```

</label>
<input type="text" name="country code" value="+91" size="2"/>
<input type="text" name="phone" size="10"/> <br> <br>
Email:
<input type="email" id="email" name="email"/> <br>
<br> <br>
Date and Time:

<input type="datetime-local" />
<br><br>
Password:
<input type="Password" id="pass" name="pass"> <br>
<br> <br>
Re-type password:
<input type="Password" id="repass" name="repass"> <br> <br>
<input type="button" value="Submit"/>
</form>
</body>
<footer>
  <p>Author: Hege Refsnes</p>
  <p><a href="mailto:hege@example.com">hege@example.com</a></p>
</footer>
</html>

```

Output:-

Registration Page

127.0.0.1:5500/registration/SD.html

You can fill all the details to register to the website

Registration form

Firstname:

Middlename:

Lastname:

Course:

Gender:

☐ Male

☐ Female

☐ Other

Phone: +91

Email:

Date and Time:

Password:

Author: Hege Refsnes

hege@example.com

Experiment No-4

Drag and drop code

```
<!DOCTYPE HTML>
<html>
  <head>
    <style type = "text/css">

      #boxA, #boxB {
        float:left;padding:10px;margin:10px; -moz-user-select:none;
      }
      #boxA { background-color: #6633FF; width:75px; height:75px; }
      #boxB { background-color: #FF6699; width:150px; height:150px; }
    </style>

    <script type = "text/javascript">

      function dragStart(ev) {
        ev.dataTransfer.effectAllowed = 'move';
        ev.dataTransfer.setData("Text", ev.target.getAttribute('id'));
        ev.dataTransfer.setDragImage(ev.target,0,0);

        return true;
      }
    </script>
    <script type="text/javascript">
      function dragStart(ev) {
        ev.dataTransfer.effectAllowed='move';
        ev.dataTransfer.setData("Text", ev.target.getAttribute('id'));
        ev.dataTransfer.setDragImage(ev.target,0,0);
        return true;
      }
      function dragEnter(ev) {
        event.preventDefault();
        return true;
      }
      function dragOver(ev) {
        return false;
      }
      function dragDrop(ev) {
        var src = ev.dataTransfer.getData("Text");
        ev.target.appendChild(document.getElementById(src));
        ev.stopPropagation();
        return false;
      }
    </script>

  </head>
```

```

<body>

<!-- <center>
  <h2>Drag and drop HTML5 demo</h2>
  <div>Try to drag the purple box around.</div>



  <div id = "boxA" draggable = "true"
    ondragstart = "return dragStart(ev)">
    <p>Drag Me</p>
  </div>

  <div id = "boxB">Dustbin</div>
</center> -->
<center>
  <h2>Drag and drop HTML5 demo</h2>
  <div>Try to move the purple box into the pink box.</div>
  <div id="boxA" draggable="true" ondragstart="return dragStart(event)">
    <p>Drag Me</p>
  </div>
  <div id="boxB" ondragenter="return dragEnter(event)" ondrop="return dragDrop(event)"
ondragover="return dragOver(event)">Dustbin</div>
</center>

</body>
</html>

```

Output:-



Local storage and Session storage

Code:


```
<!DOCTYPE HTML>
<html>
  <body>
    <h2>Session storage</h2>
    <script type="text/javascript">
      if( localStorage.hits ){
        localStorage.hits = Number(localStorage.hits) +1;
      } else{
        localStorage.hits = 1;
      }
    </script>
  </body>
</html>
```

```

    }
    document.write("Total Hits :" + localStorage.hits );
</script>
<p>Refresh the page to increase number of hits.</p>
<p>Close the window and open it again and check the result.</p>
</body>
</html>
<!DOCTYPE HTML>
<html>
<body>
<h2>Local storage</h2>
<script type="text/javascript">
    if( sessionStorage.hits ){
        sessionStorage.hits = Number(sessionStorage.hits) + 1;
    } else{
        sessionStorage.hits = 1;
    }
    document.write("Total Hits :" + sessionStorage.hits );
</script>
<p>Refresh the page to increase number of hits.</p>
<p>Close the window and open it again and check the result.</p>
</body>
</html>

```

Output:-



Experiment No-5

Appointment.html

```
<html>
<head>
<style>
.aa{
margin:auto;
width:40%;
height:40%;
border:5px solid darkmagenta ;
align:center;
font-size:20px;
background-color:lavender;
padding:25px 25px;
}
.button {
border: none;
color: white;
padding: 15px 32px;
text-align: center;
align:center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
}

.button1 {background-color: green;}
.button2 {background-color: red;}

</style>
<link rel="stylesheet" href="mystyle.css">
</head>
<body style= "background-image:url('https://thumbs.dreamstime.com/b/medical-healthcare-
background-flat-lay-objects-copy-space-stethoscope-laptop-computer-colored-table-medicine-
concept-172196481.jpg');">
<header>
<nav>
<ul>
<li>
<a href="#"> Home </a>
</li>
<li>
<a href="#"> About </a>
</li>
<li>
<a href="#"> Contact </a>
</li>
```

```

<li><a href="#"> Terms of use </a>
</li>
<li>
<a href="#"> Join Us </a>
</li>
</ul>
</nav>
</header>
<h1>Welcome to Shree Hospital!</h1>
<p style="text-align:center" font-size:10px> You can Login into Account by entering the
deatils.... </p>
<p style="text-align:center" font-size:10px> If New to website. Kindly Visit About us and Join Our
Community Digitally</p>

<p style="text-align:center" font-size:10px";></p>
<form action="file:///C:/Users/Priyanka/OneDrive/Desktop/HTML/app2.html">
<div class="aa">
<label for ="ufname"><b>UserName</b></label><br>
<input type="text" name="Username" id="fname" placeholder="Enter Username"><br><br>
<label for ="psd"><b>password</b></label><br>
<input type="Password" name="Password" id="Password" placeholder="Enter Password"><br><br>
<button class="button button1">submit</button>
<button type="button" class="button button2">Cancel</button> <br>
<a href="file:///C:/Users/Priyanka/OneDrive/Desktop/HTML/appx.html">
<span class="psw"><address="a">New user?</a></span>
</div>
</body>
</html>

```

Mystyle.css

```

body
{
height: 125vh;
margin-top: 80px;
padding: 30px;
background-size: cover;
font-family: sans-serif;
}
header {
background-color: orange;
position: fixed;
left: 0;
right: 0;
top: 5px;
height: 30px;
display: flex;
align-items: center;
box-shadow: 0 0 25px 0 black;
}
header * {

```



```
display: inline;
}
header li {
margin: 20px;
}
header li a {
color: blue;
text-decoration: none;
}

h1{text-align:center;
color:yellow;}
```

Output:-

