Solving analytical queries on Redshift Cluster

Queries used for solving the question and the screenshots of the table which is outputted after

the query is run on the AWS RedShift Query editor UI:

1. Top 10 ATMs where most transactions are in the ’inactive’ state

```
select a.atm_number, a.atm_manufacturer, l.location,
count(trans_id) as total_transaction_count,
sum(case when atm_status = 'Inactive' then 1 else 0 end) as
inactive_count,
(inactive_count/total_transaction_count)*100 as count_percent
from atm_data.fact_atm_trans f, atm_data.dim_atm a, atm_data.dim_location l
where f.atm_id = a.atm_id and a.atm_location_id = l.location_id
group by a.atm_number, a.atm_manufacturer, l.location
having count_percent > 50
order by inactive_count desc
limit 10;
```



atm_number	atm_manufacturer	location	total_transaction_count	inactive_count	count_percent
16	NCR	Skive	44043	44043	100
68	NCR	Intern Vejle	33982	33982	100
2	NCR	Vejgaard	33725	33725	100
88	NCR	Storcenter indg. A	32183	32183	100
30	NCR	NykÃƒÂ¸bing Mors	30883	30883	100
51	NCR	Gistrup	27361	27361	100
50	NCR	Aarhus	23416	23416	100
29	NCR	Skelagervej 15	20773	20773	100
49	NCR	Bindslev	20148	20148	100

2. **Number of ATM failures corresponding to the different weather conditions recorded at the time of the transactions**

```
select f.weather_main,
count(trans_id) as total_transaction_count,
```

```
sum(case when atm_status = 'Inactive' then 1 else 0 end) as inactive_count,
case when coalesce(inactive_count, 0) = 0 then 0.0000
else trunc((cast(inactive_count as
numeric(10,4))/total_transaction_count)*100, 2)
end as inactive_count_percent
from atm_data.fact_atm_trans f
where f.weather_main != ''
group by f.weather_main
order by inactive_count_percent desc
limit 10;
```



3. **Top 10 ATMs with the most number of transactions throughout the year**

```
select a.atm_number, a.atm_manufacturer, l.location,
count(trans_id) as total_transaction_count
from atm_data.fact_atm_trans f, atm_data.dim_atm a, atm_data.dim_location l
where f.atm_id = a.atm_id and a.atm_location_id = l.location_id
group by a.atm_number, a.atm_manufacturer, l.location
order by total_transaction_count desc
limit 10;
```



4. Number of overall ATM transactions going inactive per month for each month

```
select d.year, d.month,
count(trans_id) as total_transaction_count,
sum(case when atm_status = 'Inactive' then 1 else 0 end) as inactive_count,
case when coalesce(inactive_count, 0) = 0 then 0.0000
else trunc((cast(inactive_count as
numeric(10,4))/total_transaction_count)*100, 2)
end as inactive_count_percent
from atm_data.fact_atm_trans f inner join atm_data.dim_date d on f.date_id =
d.date_id
group by d.year, d.month
order by d.year, d.month
```



year	month	total_transaction_count	inactive_count	inactive_count_percent
2017	April	218865	41830	19.1100
2017	August	217218	36713	16.9000
2017	December	197048	20476	10.3900
2017	February	182659	36656	20.0600
2017	January	180195	35953	19.9500
2017	July	227682	38139	16.7500
2017	June	225166	36789	16.3300
2017	March	209586	41046	19.5800
2017	May	222418	37679	16.9400
2017	November	193967	21684	11.1700
2017	October	191667	21780	11.3600
2017	September	202101	28913	14.3000

5. Top 10 ATMs with the highest total withdrawn amount throughout the year

```
select a.atm_number, a.atm_manufacturer, l.location,
sum(transaction_amount) as total_transaction_amount
from atm_data.fact_atm_trans f, atm_data.dim_atm a, atm_data.dim_location l
where f.atm_id = a.atm_id and a.atm_location_id = l.location_id
group by a.atm_number, a.atm_manufacturer, l.location
order by total_transaction_amount desc
limit 10;
```



atm_number	atm_manufacturer	location	total_transaction_amount
39	NCR	Svenstrup	277097637
54	NCR	Durup	271008803
21	NCR	Intern ÃƒÆœsterÃƒÂ¥	268289882
10	NCR	NÃƒÂ¸rresundby	267379103
79	NCR	Middelfart	265639616
16	NCR	Skive	220677013
40	Diebold Nixdorf	Frederikshavn	219812287
41	Diebold Nixdorf	Skagen	214127315
1	NCR	NÃƒÂ¦stved	213721117
48	Diebold Nixdorf	BrÃƒÂ¸nderslev	212883099

6. Number of failed ATM transactions across various card types

```
select ct.card_type,
count(trans_id) as total_transaction_count,
sum(case when atm_status = 'Inactive' then 1 else 0 end) as inactive_count,
case when coalesce(inactive_count, 0) = 0 then 0.0000
else trunc((cast(inactive_count as
numeric(10,4))/total_transaction_count)*100, 2)
end as inactive_count_percent
from atm_data.fact_atm_trans f, atm_data.dim_card_type ct
where f.card_type_id = ct.card_type_id
group by ct.card_type
order by inactive_count_percent desc
limit 10;
```



fact_atm_trans

Search rows

1

card_type	total_transaction_count	inactive_count	inactive_count_percent
Mastercard - on-us	458226	86000	18.7600
VISA	170828	30713	17.9700
Dankort - on-us	143813	24680	17.1600
CIRRUS	17362	2953	17.0000
HÃƒÂ¼vekort - on-us	62487	10331	16.5300
Dankort	28581	4557	15.9400
MasterCard	400507	63482	15.8500
Visa Dankort - on-us	748805	112972	15.0800
HÃƒÂ¼vekort	8459	1208	14.2800
Visa Dankort	427840	60547	14.1500

7. Number of transactions happening on an ATM on weekdays and on weekends throughout the year. Order this by the ATM_number, ATM_manufacturer, location, weekend_flag and then total_transaction_count

```
select a.atm_number, a.atm_manufacturer, l.location,
case when d.weekday in ('Saturday','Sunday') then 1 else 0 end as
weekend_flag,
count(trans_id) as total_transaction_count
from atm_data.fact_atm_trans f, atm_data.dim_atm a, atm_data.dim_location l,
atm_data.dim_date d
where f.atm_id = a.atm_id and a.atm_location_id = l.location_id and f.date_id
= d.date_id
group by a.atm_number, a.atm_manufacturer, l.location, weekend_flag
order by a.atm_number, a.atm_manufacturer, l.location, weekend_flag,
total_transaction_count
limit 10;
```



8. **Most active day in each ATMs from location "Vejgaard"**

```
select a.atm_number, a.atm_manufacturer, l.location, d.weekday,
count(trans_id) as total_transaction_count
from atm_data.fact_atm_trans f inner join atm_data.dim_atm a on f.atm_id =
a.atm_id
inner join atm_data.dim_location l on a.atm_location_id = l.location_id
inner join atm_data.dim_date d on f.date_id = d.date_id
where l.location = 'Vejgaard' and d.weekday in
( select d.weekday
from atm_data.fact_atm_trans f inner join atm_data.dim_date d
on f.date_id = d.date_id
inner join atm_data.dim_location l on f.weather_loc_id = l.location_id
where l.location = 'Vejgaard'
group by d.weekday
order by count(f.trans_id) desc
limit 1 )
group by a.atm_number, a.atm_manufacturer, l.location, d.weekday
order by total_transaction_count;
```