IoT Enabling Technology Internet of Things, Lecture: 7

Rahul Shandilya

► A Wireless Sensor Network (WSN) comprises of distributed devices with sensors which are used to monitor the environmental and physical conditions.

- ► A Wireless Sensor Network (WSN) comprises of distributed devices with sensors which are used to monitor the environmental and physical conditions.
- ► A WSN consist of a number of end-nodes and routers and a coordinator. End nodes have several sensors attached to them. End nodes can also act as routers.

- ► A Wireless Sensor Network (WSN) comprises of distributed devices with sensors which are used to monitor the environmental and physical conditions.
- ➤ A WSN consist of a number of end-nodes and routers and a coordinator. End nodes have several sensors attached to them. End nodes can also act as routers.
- ► Routers are responsible for routing the data packets from end-nodes to the coordinator. The coordinator collects the data from all the nodes.

- ► A Wireless Sensor Network (WSN) comprises of distributed devices with sensors which are used to monitor the environmental and physical conditions.
- ➤ A WSN consist of a number of end-nodes and routers and a coordinator. End nodes have several sensors attached to them. End nodes can also act as routers.
- ► Routers are responsible for routing the data packets from end-nodes to the coordinator. The coordinator collects the data from all the nodes.
- ► Coordinator also acts as a gateway that connects the WSN to the Internet.

- ► A Wireless Sensor Network (WSN) comprises of distributed devices with sensors which are used to monitor the environmental and physical conditions.
- ➤ A WSN consist of a number of end-nodes and routers and a coordinator. End nodes have several sensors attached to them. End nodes can also act as routers.
- ► Routers are responsible for routing the data packets from end-nodes to the coordinator. The coordinator collects the data from all the nodes.
- Coordinator also acts as a gateway that connects the WSN to the Internet.
- ► The power of WSNs lies in their ability to deploy large number of low-cost and low-power sensing nodes for continuous monitoring of environmental and physical conditions.


- ► A Wireless Sensor Network (WSN) comprises of distributed devices with sensors which are used to monitor the environmental and physical conditions.
- ➤ A WSN consist of a number of end-nodes and routers and a coordinator. End nodes have several sensors attached to them. End nodes can also act as routers.
- ► Routers are responsible for routing the data packets from end-nodes to the coordinator. The coordinator collects the data from all the nodes.
- ► Coordinator also acts as a gateway that connects the WSN to the Internet.
- ► The power of WSNs lies in their ability to deploy large number of low-cost and low-power sensing nodes for continuous monitoring of environmental and physical conditions.
- ► WSNs are self-organizing networks. Since WSNs have large number of nodes, manual configuration for each node is not possible. The self-organizing capability of WSN makes the network robust.

► WSNS are enabled by wireless communication protocols such as IEEE 802.15.4. ZigBee is one of the most popular wireless technologies used by WSNs.

- ▶ WSNS are enabled by wireless communication protocols such as IEEE 802.15.4. ZigBee is one of the most popular wireless technologies used by WSNs.
- ➤ ZigBee operates at 2.4 GHz frequency and offers data rates upto 250 KB/s and range from 10 to 100 meters depending on the power output and environmental conditions.

- ► WSNS are enabled by wireless communication protocols such as IEEE 802.15.4. ZigBee is one of the most popular wireless technologies used by WSNs.
- ➤ ZigBee operates at 2.4 GHz frequency and offers data rates upto 250 KB/s and range from 10 to 100 meters depending on the power output and environmental conditions.

- ▶ WSNS are enabled by wireless communication protocols such as IEEE 802.15.4. ZigBee is one of the most popular wireless technologies used by WSNs.
- ➤ ZigBee operates at 2.4 GHz frequency and offers data rates upto 250 KB/s and range from 10 to 100 meters depending on the power output and environmental conditions.



Some examples of WSNs used in IoT systems are described as follows:

► Weather monitoring systems use WSNs in which the nodes collect temperature, humidity and other data, which is aggregated and analyzed.

- ► Weather monitoring systems use WSNs in which the nodes collect temperature, humidity and other data, which is aggregated and analyzed.
- ► Indoor air quality monitoring systems use WSNs to collect data on the indoor air quality and concentration of various gases.

- Weather monitoring systems use WSNs in which the nodes collect temperature, humidity and other data, which is aggregated and analyzed.
- ► Indoor air quality monitoring systems use WSNs to collect data on the indoor air quality and concentration of various gases.
- ► Soil moisture monitoring systems use WSNs to monitor soil moisture at various locations.

- ► Weather monitoring systems use WSNs in which the nodes collect temperature, humidity and other data, which is aggregated and analyzed.
- ► Indoor air quality monitoring systems use WSNs to collect data on the indoor air quality and concentration of various gases.
- ➤ Soil moisture monitoring systems use WSNs to monitor soil moisture at various locations.
- ► Surveillance systems use WSNs for collecting surveillance data (such as motion detection data)

- Weather monitoring systems use WSNs in which the nodes collect temperature, humidity and other data, which is aggregated and analyzed.
- Indoor air quality monitoring systems use WSNs to collect data on the indoor air quality and concentration of various gases.
- Soil moisture monitoring systems use WSNs to monitor soil moisture at various locations.
- Surveillance systems use WSNs for collecting surveillance data (such as motion detection data)
- ► Smart grids use WSNs for monitoring the grid at various points.

- Weather monitoring systems use WSNs in which the nodes collect temperature, humidity and other data, which is aggregated and analyzed.
- ► Indoor air quality monitoring systems use WSNs to collect data on the indoor air quality and concentration of various gases.
- Soil moisture monitoring systems use WSNs to monitor soil moisture at various locations.
- Surveillance systems use WSNs for collecting surveillance data (such as motion detection data)
- Smart grids use WSNs for monitoring the grid at various points.
- Structural health monitoring systems use WSNs to monitor the health of structures (buildings, bridges) by collecting vibration data from sensor nodes deployed at various points in the structure.

An Embedded System is a computer system that has computer hardware and software embedded to perform specific tasks. In contrast to general purpose computers or personal computers (PCs) which can perform various types of tasks, embedded systems are designed to perform a specific set of tasks.

► Key components of an embedded system include, microprocessor or microcontroller, memory (RAM, ROM, cache), networking units (Ethernet, WiFi adapters), input/output units (display, keyboard, etc.) and storage (such as flash memory).

An Embedded System is a computer system that has computer hardware and software embedded to perform specific tasks. In contrast to general purpose computers or personal computers (PCs) which can perform various types of tasks, embedded systems are designed to perform a specific set of tasks.

- Key components of an embedded system include, microprocessor or microcontroller, memory (RAM, ROM, cache), networking units (Ethernet, WiFi adapters), input/output units (display, keyboard, etc.) and storage (such as flash memory).
- ► Some embedded systems have specialized processors such as digital signal processors (DSPs), graphics processors and application specific processors.

An Embedded System is a computer system that has computer hardware and software embedded to perform specific tasks. In contrast to general purpose computers or personal computers (PCs) which can perform various types of tasks, embedded systems are designed to perform a specific set of tasks.

- Key components of an embedded system include, microprocessor or microcontroller, memory (RAM, ROM, cache), networking units (Ethernet, WiFi adapters), input/output units (display, keyboard, etc.) and storage (such as flash memory).
- Some embedded systems have specialized processors such as digital signal processors (DSPs), graphics processors and application specific processors.
- ► Embedded systems run embedded operating systems such as real-time operating systems (RTOS).

An Embedded System is a computer system that has computer hardware and software embedded to perform specific tasks. In contrast to general purpose computers or personal computers (PCs) which can perform various types of tasks, embedded systems are designed to perform a specific set of tasks.

- Key components of an embedded system include, microprocessor or microcontroller, memory (RAM, ROM, cache), networking units (Ethernet, WiFi adapters), input/output units (display, keyboard, etc.) and storage (such as flash memory).
- Some embedded systems have specialized processors such as digital signal processors (DSPs), graphics processors and application specific processors.
- Embedded systems run embedded operating systems such as real-time operating systems (RTOS).
- ► Embedded systems range from low-cost miniaturized devices such as digital watches to devices such as digital cameras, point of sale terminals, vending machines, appliances (such as washing machines), etc.

► Communication protocols form the backbone of IoT systems and enable network connectivity and coupling to applications.

- Communication protocols form the backbone of IoT systems and enable network connectivity and coupling to applications.
- ► Communication protocols allow devices to exchange data over the network.

- Communication protocols form the backbone of IoT systems and enable network connectivity and coupling to applications.
- ► Communication protocols allow devices to exchange data over the network.
- ► These protocols define the data exchange formats, data encoding, addressing schemes for devices and routing of packets from source to destination.

- Communication protocols form the backbone of IoT systems and enable network connectivity and coupling to applications.
- ► Communication protocols allow devices to exchange data over the network.
- ► These protocols define the data exchange formats, data encoding, addressing schemes for devices and routing of packets from source to destination.
- ▶ Other functions of the protocols include sequence control (that helps in ordering packets determining lost packets), flow control (that helps in controlling the rate at which the sender is sending the data so that the receiver or the network is not overwhelmed) and retransmission of lost packets.

Cloud computing is a transformative computing paradigm that involves delivering applications and services over the Internet. Cloud computing involves provisioning of computing, networking and storage resources on demand and providing these resources as metered services to the users, in a "pay as you go" model.

► Cloud computing resources can be provisioned on-demand by the users, without requiring interactions with the cloud service provider. The process of provisioning resources is automated.

Cloud computing is a transformative computing paradigm that involves delivering applications and services over the Internet. Cloud computing involves provisioning of computing, networking and storage resources on demand and providing these resources as metered services to the users, in a "pay as you go" model.

- ► Cloud computing resources can be provisioned on-demand by the users, without requiring interactions with the cloud service provider. The process of provisioning resources is automated.
- ► Cloud computing resources can be accessed over the network using standard access mechanisms that provide platform-independent access through the use of heterogeneous client platforms such as workstations, laptops, tablets and smart-phones.

Cloud computing is a transformative computing paradigm that involves delivering applications and services over the Internet. Cloud computing involves provisioning of computing, networking and storage resources on demand and providing these resources as metered services to the users, in a "pay as you go" model.

- ► Cloud computing resources can be provisioned on-demand by the users, without requiring interactions with the cloud service provider. The process of provisioning resources is automated.
- ➤ Cloud computing resources can be accessed over the network using standard access mechanisms that provide platform-independent access through the use of heterogeneous client platforms such as workstations, laptops, tablets and smart-phones.
- ► The computing and storage resources provided by cloud service providers are pooled to serve multiple users using multi-tenancy. Multi-tenant aspects of the cloud allow multiple users to be served by the same physical hardware.

Cloud computing is a transformative computing paradigm that involves delivering applications and services over the Internet. Cloud computing involves provisioning of computing, networking and storage resources on demand and providing these resources as metered services to the users, in a "pay as you go" model.

- ► Cloud computing resources can be provisioned on-demand by the users, without requiring interactions with the cloud service provider. The process of provisioning resources is automated.
- ➤ Cloud computing resources can be accessed over the network using standard access mechanisms that provide platform-independent access through the use of heterogeneous client platforms such as workstations, laptops, tablets and smart-phones.
- ► The computing and storage resources provided by cloud service providers are pooled to serve multiple users using multi-tenancy. Multi-tenant aspects of the cloud allow multiple users to be served by the same physical hardware.
- Users are assigned virtual resources that run on top of the physical resources.

Cloud computing services are offered to users in different forms:

▶ Infrastructure-as-a-Service (laaS): laaS provides the users the ability to provision computing and storage resources. These resources are provided to the users as virtual machine instances and virtual storage. Users can start, stop, configure and manage the virtual machine instances and virtual storage. Users can deploy operating systems and applications of their choice on the virtual resources provisioned in the cloud. The cloud service provider manages the underlying infrastructure.

Cloud computing services are offered to users in different forms:

- ▶ Infrastructure-as-a-Service (laaS): laaS provides the users the ability to provision computing and storage resources. These resources are provided to the users as virtual machine instances and virtual storage. Users can start, stop, configure and manage the virtual machine instances and virtual storage. Users can deploy operating systems and applications of their choice on the virtual resources provisioned in the cloud. The cloud service provider manages the underlying infrastructure.
- ▶ Platform-as-a-Service (PaaS): PaaS provides the users the ability to develop and deploy application in the cloud using the development tools, application programming interfaces (APIs), software libraries and services provided by the cloud service provider. The cloud service provider manages the underlying cloud infrastructure including servers, network, operating systems and storage. The users, themselves, are responsible for developing, deploying, configuring and managing applications on the cloud infrastructure.

Cloud computing services are offered to users in different forms:

- ▶ Infrastructure-as-a-Service (laaS): laaS provides the users the ability to provision computing and storage resources. These resources are provided to the users as virtual machine instances and virtual storage. Users can start, stop, configure and manage the virtual machine instances and virtual storage. Users can deploy operating systems and applications of their choice on the virtual resources provisioned in the cloud. The cloud service provider manages the underlying infrastructure.
- Platform-as-a-Service (PaaS): PaaS provides the users the ability to develop and deploy application in the cloud using the development tools, application programming interfaces (APIs), software libraries and services provided by the cloud service provider. The cloud service provider manages the underlying cloud infrastructure including servers, network, operating systems and storage. The users, themselves, are responsible for developing, deploying, configuring and managing applications on the cloud infrastructure.
- ➤ Software-as-a-Service (SaaS): SaaS provides the users a complete software application or the user interface to the application itself. The cloud service provider manages the underlying cloud infrastructure including servers, network, operating systems, storage and application software, and the user is unaware of the underlying architecture of the cloud.

Big data is defined as collections of data sets whose volume, velocity (in terms of its temporal variation), or variety, is so large that it is difficult to store, manage, process and analyze the data using traditional databases and data processing tools. Big data analytics involves several steps starting from data cleansing, data munging (or wrangling), data processing and visualization. Some examples of big data generated by IoT systems are described as follows:

► Sensor data generated by IoT systems such as weather monitoring stations.

- ► Sensor data generated by IoT systems such as weather monitoring stations.
- ► Machine sensor data collected from sensors embedded in industrial and energy systems for monitoring their health and detecting failures.

- ► Sensor data generated by IoT systems such as weather monitoring stations.
- ► Machine sensor data collected from sensors embedded in industrial and energy systems for monitoring their health and detecting failures.
- ► Health and fitness data generated by IoT devices such as wearable fitness bands.

- ► Sensor data generated by IoT systems such as weather monitoring stations.
- ► Machine sensor data collected from sensors embedded in industrial and energy systems for monitoring their health and detecting failures.
- ► Health and fitness data generated by IoT devices such as wearable fitness bands.
- ▶ Data generated by IoT systems for location and tracking of vehicles.

- ► Sensor data generated by IoT systems such as weather monitoring stations.
- ► Machine sensor data collected from sensors embedded in industrial and energy systems for monitoring their health and detecting failures.
- ► Health and fitness data generated by IoT devices such as wearable fitness bands.
- ▶ Data generated by IoT systems for location and tracking of vehicles.
- Data generated by retail inventory monitoring systems.

The underlying characteristics of big data include:

➤ Volume: Though there is no fixed threshold for the volume of data to be considered as big data, however, typically, the term big data is used for massive scale data that is difficult to store, manage and process using traditional databases and data processing architectures. The volumes of data generated by modern IT, industrial, and health-care systems, for example, is growing exponentially driven by the lowering costs of data storage and processing architectures and the need to extract valuable insights from the data to improve bi processes, efficiency and service to consumers.

The underlying characteristics of big data include:

- ➤ Volume: Though there is no fixed threshold for the volume of data to be considered as big data, however, typically, the term big data is used for massive scale data that is difficult to store, manage and process using traditional databases and data processing architectures. The volumes of data generated by modern IT, industrial, and health-care systems, for example, is growing exponentially driven by the lowering costs of data storage and processing architectures and the need to extract valuable insights from the data to improve bi processes, efficiency and service to consumers.
- ▶ Velocity: Velocity is another important characteristic of big data and the primary reason for exponential growth of data. Velocity of data refers to how fast the data is generated and how frequently it varies. Modern IT, industrial and other systems are generating data at increasingly higher speeds.

The underlying characteristics of big data include:

- Volume: Though there is no fixed threshold for the volume of data to be considered as big data, however, typically, the term big data is used for massive scale data that is difficult to store, manage and process using traditional databases and data processing architectures. The volumes of data generated by modern IT, industrial, and health-care systems, for example, is growing exponentially driven by the lowering costs of data storage and processing architectures and the need to extract valuable insights from the data to improve bi processes, efficiency and service to consumers.
- Velocity: Velocity is another important characteristic of big data and the primary reason for exponential growth of data. Velocity of data refers to how fast the data is generated and how frequently it varies. Modern IT, industrial and other systems are generating data at increasingly higher speeds.
- ► Variety: Variety refers to the forms of the data. Big data comes such as structured or unstructured data. including text data. image. audio. video and sensor data.