

UAT IMPORT TESTING GUIDE

GCC Web Application - Bulk Import Functionality

Document Version: 1.0

Last Updated: December 2025

Classification: Internal Use Only

Green Circle Certified Database Solution

Prepared for UAT Testing Team

Table of Contents

1. Overview 3

2. Test Environment Setup 4

3. Test Data Location 5

4. Test Execution Guide 6

5. Test Scenarios 8

6. Expected Results Matrix 14

7. Defect Reporting 16

8. Page-Specific Test Scenarios 18

9. Import Popup/Modal Guide 24

10. Help & FAQ 28

11. Appendix 30

1. Overview

This guide provides comprehensive step-by-step instructions for User Acceptance Testing (UAT) of the bulk import functionality across the GCC Web Application admin pages. The import feature enables administrators to efficiently upload CSV files to create or update multiple records simultaneously.

1.1 Purpose

The purpose of this document is to provide UAT testers with detailed guidance on testing the bulk import functionality, including test data, expected results, and defect reporting procedures.

1.2 Features Under Test

Feature	Admin Page	URL Path	Priority
Company Import	Company Management	`/Company/Index`	High
User Import	User Management	`/Admin/UserManagement`	High
Tag Import	Tag Management	`/Admin/Tags`	Medium
Product Import	Product Management	`/Admin/ProductManagement`	High

1.3 Pre-Requisites

- Valid Admin or Analyst login credentials
- Access to test environment (localhost:5101 or production URL)
- Test data CSV files (provided in TestData folder)
- Modern web browser (Chrome, Edge, or Firefox recommended)

2. Test Environment Setup

2.1 Application Access

1 **Development Environment**

```
URL: http://localhost:5101
```

2 **Production Environment**

```
URL: https://gccwebapp.com
```

2.2 Test Credentials

Role	Username	Password	Access Level
Admin	`admin`	`TestPass123!`	Full access to all Admin pages and imports
Analyst	`analyst`	`TestPass123!`	Read/write certificates only - NO Admin page access
External	`external`	`TestPass123!`	View and download certificates only - NO Admin access

Critical: Role Access Restrictions

Only Admin role has access to Admin pages (/Admin/*) where import functionality resides. Analyst and External users should be denied access to User Management, Tag Management, Product Management, and Company Management pages. Verify this as part of security testing.

3. Test Data Location

3.1 File Path

```
C:\Users\swest\OneDrive - PointSolve Technology Inc\LocalWest\Projects\
GCC Database Solution\GCCWebApp\GCCWebApp\TestData\ImportTemplates\
```

3.2 Available Test Files

Entity	Positive	Negative	Boundary	Mixed
Company	company_positive.csv	company_negative.csv	company_boundary.csv	company_mixed.csv
User	user_positive.csv	user_negative.csv	user_boundary.csv	user_mixed.csv
Tag	tag_positive.csv	tag_negative.csv	tag_boundary.csv	tag_mixed.csv
Product	product_positive.csv	product_negative.csv	product_boundary.csv	product_mixed.csv

3.3 Test File Categories

Positive Tests (*_positive.csv)

Contains only valid data. All rows should import successfully without errors.

Negative Tests (*_negative.csv)

Contains only invalid data. All rows should be rejected with clear error messages.

Boundary Tests (*_boundary.csv)

Tests field length limits. Mix of pass (at limit) and fail (exceeding limit).

Mixed Tests (*_mixed.csv)

Realistic scenario with both valid and invalid data. Best for preview testing.

4. Test Execution Guide

4.1 Step-by-Step Import Process

1 Navigate to Admin Page

Login and navigate to the appropriate admin page:

- **Companies:** Click "Companies" in navigation
- **Users:** Admin → User Management
- **Tags:** Admin → Tags
- **Products:** Admin → Product Management

2 Initiate Import

Locate and click the **Import** button in the action toolbar (top-right area).

3 Select Test File

Navigate to the test data folder, select the appropriate CSV file, and click **Open**.

4 Review Import Preview

The Import Preview Modal will display with status indicators:

New	Record will be created (does not exist)
Modified	Record exists and will be updated
Unchanged	Record exists and matches exactly
Error	Validation failed - will not import

5 Execute Import

Review each row and click **Apply Import** to import valid rows, or **Cancel** to abort.

6 Verify Results

Confirm success notification appears and data grid refreshes with new records.

4.2 Verification Checklist

Row counts are correct

- [ ] Status colors are appropriate
- [ ] Error messages are clear and actionable
- [ ] Preview data matches CSV content
- [ ] Success notification appears after import
- [ ] Data grid refreshes with new records
- [ ] No duplicate records created

5. Test Scenarios

5.1 Scenario 1: Positive Testing (Happy Path)

Objective: Verify all valid data imports successfully

Test Case	File	Expected Result
TC-IMP-001	company_positive.csv	All 10 rows show "New" status, import succeeds
TC-IMP-002	user_positive.csv	All 10 rows show "New" status, import succeeds
TC-IMP-003	tag_positive.csv	All 12 rows show "New" status, import succeeds
TC-IMP-004	product_positive.csv	All 10 rows show "New" status, import succeeds

Sample Valid Data (company_positive.csv)

```
Name,Email,URL
Acme Corporation,info@acmecorp.com,https://www.acmecorp.com
Green Products Inc,contact@greenproducts.org,https://greenproducts.org
Sustainable Materials Co,,
```

5.2 Scenario 2: Negative Testing (Error Handling)

Objective: Verify invalid data is rejected with clear error messages

Test Case	Invalid Data Type	Expected Error
TC-IMP-005	Missing required name	"Name is required"
TC-IMP-006	Invalid email format	"Invalid email format"
TC-IMP-007	Invalid URL format	"Invalid URL format"
TC-IMP-008	Invalid role name	"Invalid role"
TC-IMP-009	Duplicate email	"Email already exists"
TC-IMP-010	Invalid tag type	"Type must be internal or external"

5.3 Scenario 3: Boundary Testing (Edge Cases)

Objective: Verify field length limits and special cases

Test Case	Field	Test	Expected
TC-IMP-011	Company Name	255 chars (max)	Pass
TC-IMP-012	Company Name	256 chars (over)	Fail
TC-IMP-013	User Name	1 char (min)	Pass
TC-IMP-014	User Email	255 chars	Pass
TC-IMP-015	Tag Name	50 chars (max)	Pass
TC-IMP-016	Tag Name	51 chars (over)	Fail

5.4 Scenario 4: Mixed Data Testing

Objective: Test real-world scenario with mix of valid and invalid data

Sample Mixed Data (company_mixed.csv)

```
Name,Email,URL
Valid Company One,valid1@company.com,https://valid1.com      ← Should import
,missing.name@test.com,https://noname.com                    ← Error: missing name
Valid Company Two,invalid-email,https://valid2.com           ← Error: invalid email
Valid Company Three,valid3@company.com,not-a-url             ← Error: invalid URL
"Company With, Comma",comma@company.com,https://comma.com    ← Should import
```

Test Case	File	Expected Valid	Expected Errors
TC-IMP-017	company_mixed.csv	5 rows	4 rows
TC-IMP-018	user_mixed.csv	5 rows	5 rows
TC-IMP-019	tag_mixed.csv	6 rows	6 rows
TC-IMP-020	product_mixed.csv	5 rows	5 rows

5.5 Scenario 5: Security Testing

Objective: Verify protection against malicious input

> **Critical Security Tests**
>
> These tests verify the application properly handles malicious input attempts.

Test Case	Attack Type	Test Input	Expected Behavior
TC-IMP-021	SQL Injection	`'; DROP TABLE;--`	Input rejected or escaped
TC-IMP-022	XSS Attack	`<script>alert(1)</script>`	HTML encoded, not executed
TC-IMP-023	Path Traversal	`../../../etc/passwd`	Input rejected
TC-IMP-024	Email Injection	Headers in email field	Input rejected

5.6 Scenario 6: Duplicate Handling

Objective: Verify behavior when importing existing records

Test Case	Scenario	Expected Result
TC-IMP-025	Import same company twice	Second import shows "Unchanged"
TC-IMP-026	Import existing with different data	Shows "Modified" with diff
TC-IMP-027	Import with same email, different name	Shows "Modified"

6. Expected Results Matrix

6.1 Company Import Results

File	Total	New	Modified	Unchanged	Errors
company_positive.csv	10	10	0	0	0
company_negative.csv	10	0	0	0	10
company_boundary.csv	10	5	0	0	5
company_mixed.csv	9	5	0	0	4

6.2 User Import Results

File	Total	New	Modified	Unchanged	Errors
user_positive.csv	10	10	0	0	0
user_negative.csv	10	0	0	0	10
user_boundary.csv	10	5	0	0	5
user_mixed.csv	10	5	0	0	5

6.3 Tag Import Results

File	Total	New	Modified	Unchanged	Errors
tag_positive.csv	12	12	0	0	0
tag_negative.csv	10	0	0	0	10
tag_boundary.csv	10	5	0	0	5
tag_mixed.csv	12	6	0	0	6

6.4 Product Import Results

File	Total	New	Modified	Unchanged	Errors
product_positive.csv	10	10	0	0	0
product_negative.csv	10	0	0	0	10
product_boundary.csv	10	5	0	0	5
product_mixed.csv	10	5	0	0	5

7. Defect Reporting

7.1 When to Log a Defect

Log a defect when any of the following occur:

- Import succeeds but data is incorrect
- Import fails for valid data
- Invalid data imports without error
- Error messages are unclear or missing
- UI does not display correct status colors
- Security test cases are not properly handled

- Application crashes or shows unexpected behavior

7.2 Defect Report Template

```
Title: [IMP] Brief description of issue

Environment: [Development/Production]
Test Case: TC-IMP-XXX
Test File: [filename.csv]

Steps to Reproduce:
1. Navigate to [page]
2. Click Import
3. Select [test file]
4. [Additional steps]

Expected Result:
[What should happen]

Actual Result:
[What actually happened]

Evidence:
[Screenshots, error messages, console logs]

Severity: [Critical/High/Medium/Low]
Priority: [P1/P2/P3/P4]
```

7.3 Severity Guidelines

Severity	Definition	Example
Critical	System crash, data loss, security breach	SQL injection succeeds
High	Feature unusable, incorrect data saved	Valid data rejected
Medium	Feature impaired, workaround exists	Unclear error message
Low	Cosmetic, minor inconvenience	Wrong status color

8. Page-Specific Test Scenarios

This section provides detailed test scenarios for each admin page, including page layout verification, button functionality, and specific import behaviors.

8.1 Company Management Page

Page Location

URL: `/Company/Index`
Navigation: Main Menu → Companies

Page Layout Verification

Test ID	Element	Expected Behavior	Status
TC-CMP-001	Page Title	"Company Management" displayed in header	
TC-CMP-002	Export Button	Visible, downloads CSV when clicked	
TC-CMP-003	Template Button	Visible, downloads import template CSV	
TC-CMP-004	Import Button	Visible, opens file picker when clicked	
TC-CMP-005	Add New Button	Visible, opens Add Company modal	
TC-CMP-006	Data Grid	Displays all companies with Name, Email, URL columns	
TC-CMP-007	Search Box	Filters companies as user types	
TC-CMP-008	Edit Action	Opens edit modal for selected company	
TC-CMP-009	Delete Action	Shows confirmation modal, then deletes	

Company Import Test Cases

Test ID	Scenario	Test Data	Expected Result
TC-CMP-010	Import with all fields	Name, Email, URL all populated	Company created with all fields
TC-CMP-011	Import with name only	Name only, Email/URL blank	Company created successfully
TC-CMP-012	Import duplicate name	Existing company name	Shows "Unchanged" or "Modified"
TC-CMP-013	Import with comma in name	"Smith & Jones, LLC"	Name parsed correctly with comma
TC-CMP-014	Import with special chars	Name with &, quotes, etc.	Special characters preserved

8.2 User Management Page

Page Location

URL: `/Admin/UserManagement`
Navigation: Admin Menu → User Management
Access: Admin Only

Page Layout Verification

Test ID	Element	Expected Behavior	Status
TC-USR-001	Page Title	"User Management" displayed in header	
TC-USR-002	Export Button	Visible, downloads CSV of users	
TC-USR-003	Template Button	Visible, downloads user import template	
TC-USR-004	Import Button	Visible, opens file picker	
TC-USR-005	Add New Button	Visible, opens Add User modal	
TC-USR-006	Data Grid	Shows Name, Email, Role, Status columns	
TC-USR-007	Role Filter	Dropdown to filter by Admin/Analyst/External	
TC-USR-008	Status Filter	Filter by Active/Inactive status	
TC-USR-009	2FA Status	Shows 2FA enabled/disabled indicator	
TC-USR-010	Reset 2FA Action	Button to reset user's 2FA settings	

User Import Test Cases

Test ID	Scenario	Test Data	Expected Result
TC-USR-011	Import Admin user	Role = "Admin"	User created with Admin role
TC-USR-012	Import Analyst user	Role = "Analyst"	User created with Analyst role
TC-USR-013	Import External user	Role = "External"	User created with External role
TC-USR-014	Import with invalid role	Role = "SuperAdmin"	Error: Invalid role
TC-USR-015	Import duplicate email	Existing email address	Error: Email already exists
TC-USR-016	Import inactive user	Status = "inactive"	User created as inactive
TC-USR-017	Import case-sensitive role	Role = "admin" (lowercase)	Error: Role is case-sensitive

8.3 Tag Management Page

Page Location

URL: `/Admin/Tags`
Navigation: Admin Menu → Tags
Access: Admin Only

Page Layout Verification

Test ID	Element	Expected Behavior	Status
TC-TAG-001	Page Title	"Tag Management" displayed in header	
TC-TAG-002	Export Button	Visible, downloads CSV of tags	
TC-TAG-003	Template Button	Visible, downloads tag import template	
TC-TAG-004	Import Button	Visible, opens file picker	
TC-TAG-005	Add New Button	Visible, opens Add Tag modal	
TC-TAG-006	Data Grid	Shows Name, Type, Description columns	
TC-TAG-007	Type Filter	Filter by Internal/External type	
TC-TAG-008	Type Badge	Internal = blue, External = green badge	

Tag Import Test Cases

Test ID	Scenario	Test Data	Expected Result
TC-TAG-009	Import internal tag	Type = "internal"	Tag created as internal
TC-TAG-010	Import external tag	Type = "external"	Tag created as external
TC-TAG-011	Import uppercase type	Type = "INTERNAL"	Error: Type must be lowercase
TC-TAG-012	Import duplicate name	Existing tag name	Error: Tag name must be unique
TC-TAG-013	Import 50-char name	Name with exactly 50 chars	Tag created successfully
TC-TAG-014	Import 51-char name	Name with 51 chars	Error: Name exceeds limit

8.4 Product Management Page

Page Location

URL: `/Admin/ProductManagement`
Navigation: Admin Menu → Product Management
Access: Admin Only

Page Layout Verification

Test ID	Element	Expected Behavior	Status
TC-PRD-001	Page Title	"Product Management" displayed in header	
TC-PRD-002	Export Button	Visible, downloads CSV of products	
TC-PRD-003	Template Button	Visible, downloads product import template	
TC-PRD-004	Import Button	Visible, opens file picker	
TC-PRD-005	Add New Button	Visible, opens Add Product modal	
TC-PRD-006	Data Grid	Shows Name, Description, Company, Type columns	
TC-PRD-007	Company Filter	Dropdown to filter by company	
TC-PRD-008	Product Type Filter	Dropdown to filter by product type	


Product Import Test Cases

Test ID	Scenario	Test Data	Expected Result
TC-PRD-009	Import with valid company	CompanyName = existing company	Product linked to company
TC-PRD-010	Import with invalid company	CompanyName = "NonExistent Inc"	Error: Company not found
TC-PRD-011	Import with product type	ProductTypeName = existing type	Product linked to type
TC-PRD-012	Import name only	Only Name field populated	Product created with name only
TC-PRD-013	Import 100-char name	Name with exactly 100 chars	Product created successfully
TC-PRD-014	Import 500-char description	Description at max length	Product created successfully

9. Import Popup/Modal Guide

This section provides a detailed walkthrough of the import popup/modal interface, explaining each component and how to interact with it effectively.

9.1 Import Workflow Overview



9.2 Import Preview Modal Components

Modal Header

Title	"Import Preview" - Indicates you are reviewing data before import
Close Button (X)	Top-right corner - Cancels import and closes modal
File Name	Shows the selected CSV file name for confirmation

Summary Statistics Bar

New: X	Count of records that will be created (do not exist in database)
Modified: X	Count of existing records that will be updated
Unchanged: X	Count of records matching existing data exactly
Errors: X	Count of records with validation errors (will not import)

Data Preview Table

Status Column	Color-coded badge indicating New/Modified/Unchanged/Error
Data Columns	Shows each field from CSV (Name, Email, etc.)
Error Column	For error rows, displays specific validation error message
Action Column	Per-row actions: Apply, Skip, Keep Current

Modal Footer Buttons

Apply Import (Green)	Imports all valid rows, skips error rows
Cancel (Gray)	Cancels entire import, no changes made

9.3 Status Indicators Explained

NEW (Green)

Meaning: This record does not exist in the database and will be created.

Action: Click "Apply Import" to create this record.

Example: Importing a company named "New Corp" when no company with that name exists.

MODIFIED (Blue)

Meaning: A matching record exists but with different values. Import will update the existing record.

Action: Review the changes. Click "Apply Import" to update, or "Keep Current" to skip this row.

Example: Company "Acme Corp" exists with email "old@acme.com", CSV has "new@acme.com".

UNCHANGED (Gray)

Meaning: A matching record exists with identical values. No changes needed.

Action: This row will be skipped automatically. No action required.

Example: Company "Acme Corp" in CSV matches exactly what's in the database.

ERROR (Red)

Meaning: This row has validation errors and cannot be imported.

Action: Review the error message. Fix the CSV and re-import, or skip this row.

Example: Missing required field, invalid email format, or value exceeds max length.

9.4 Row-Level Actions

Action	Button	Description	When to Use
Apply Import	Apply	Import this specific row	When you want to import this row
Skip	Skip	Do not import this row	When you want to exclude this row
Keep Current	Keep	Keep existing database value	For "Modified" rows when you prefer existing data

9.5 Error Messages Reference

Error Message	Cause	Solution
"Name is required"	Name field is empty	Add a value to the Name column
"Invalid email format"	Email doesn't match pattern	Use format: user@domain.com
"Invalid URL format"	URL missing protocol	Start with http:// or https://
"Email already exists"	Duplicate email in database	Use a unique email address
"Invalid role"	Role not Admin/Analyst/External	Use exact case: Admin, Analyst, or External
"Type must be internal or external"	Tag type invalid	Use lowercase: internal or external
"Name exceeds maximum length"	Value too long	Shorten to within field limit
"Company not found"	Referenced company doesn't exist	Create company first or check spelling

9.6 Toast Notifications

After import operations, the system displays toast notifications in the **top-right corner** of the screen. These auto-dismiss after a few seconds.

GCC Toast Notification Colors


Type	Color	Auto-Dismiss	Use Case
Success	#92C83E	5 seconds	Import completed successfully
Error	#FF5252	8 seconds	Import failed or has errors
Warning	#FFC107	8 seconds	Partial import or validation warnings
Info	#002B76	5 seconds	General information messages

Toast Notification Examples


Success Toast - After successful import:



Warning Toast - Partial import with some errors:



Error Toast - Import failed:



Technical Note

Toast notifications are triggered via `AdminCore.showNotification(message, type)` where type is 'success', 'error', 'warning', or 'info'.

10. Help & FAQ

10.1 Frequently Asked Questions

Q: What file format is required for import?

A: CSV (Comma-Separated Values) files only. The first row must contain column headers that match the expected field names. Use the **Template** button to download a correctly formatted template.

Q: Can I import Excel files (.xlsx)?

A: No, Excel files are not supported. Save your Excel file as CSV first:
File → Save As → Select "CSV (Comma delimited)" → Save

Q: What happens if my CSV has extra columns?

A: Extra columns are ignored. Only columns matching the expected field names will be processed.

Q: How do I include a comma in a field value?

A: Wrap the entire value in double quotes. Example: `"Smith & Jones, LLC"`

Q: How do I include a quote character in a value?

A: Use two double quotes to escape. Example: `"He said ""Hello"""` becomes: He said "Hello"

Q: What encoding should my CSV file use?

A: UTF-8 encoding is recommended. This ensures special characters and international text display correctly.

Q: Can I undo an import?

A: No, imports cannot be automatically undone. However, you can manually edit or delete imported records. For large imports, consider testing with a small subset first.

Q: Why does my import show "Modified" when I expected "New"?

A: A record with a matching unique identifier (usually Name or Email) already exists. The import will update that record instead of creating a duplicate.

10.2 Troubleshooting Common Issues

Problem	Possible Cause	Solution
Import button not visible	Insufficient permissions	Verify you are logged in as Admin role
File picker doesn't open	Browser popup blocked	Allow popups for this site in browser settings
"Invalid file format" error	File is not CSV or is corrupted	Re-save file as CSV from Excel or text editor
All rows show errors	Column headers don't match	Download template and use exact column names
Special characters display incorrectly	Wrong file encoding	Save file as UTF-8 encoded CSV
Empty preview modal	CSV file is empty or has only headers	Verify CSV has data rows below the header
Import completes but data not visible	Page needs refresh or filter applied	Clear filters and refresh the page
Modal closes unexpectedly	Session timeout or network error	Log in again and retry the import

10.3 Getting Additional Help

Contact Support

If you encounter issues not covered in this guide:

- **Email:** support@greencirclecertified.com
- **Include:** Screenshot, CSV file, error message, and steps taken

10.4 Quick Reference Card

Import Steps

1. Navigate to admin page
2. Click Import button
3. Select CSV file
4. Review preview modal
5. Click Apply Import
6. Verify success message

Status Colors

Green = New record

Blue = Will be updated

Gray = No changes

Red = Has errors

11. Appendix

A. Validation Rules Quick Reference

Entity	Field	Required	Max Length	Format
Company	Name	Yes	255	Text
Company	Email	No	255	email@domain.tld
Company	URL	No	500	http(s)://...
User	Name	Yes	100	Text
User	Email	Yes	255	email@domain.tld (unique)
User	Role	Yes	-	Admin, Analyst, External
User	Status	No	20	active, inactive
Tag	Name	Yes	50	Text (unique)
Tag	Type	Yes	20	internal, external
Product	Name	Yes	100	Text
Product	Description	No	500	Text

B. Role Permissions Matrix

Important: Admin Pages Access

Analyst role does NOT have access to Admin pages (/Admin/*). Only Admin role can access User Management, Tag Management, and other admin functions. Analyst has read/write access to certificates but NO admin page access.

Role	Company Import	User Import	Tag Import	Product Import
Admin	Full Access	Full Access	Full Access	Full Access
Analyst	No Access	No Access	No Access	No Access
External	No Access	No Access	No Access	No Access

C. Test Execution Checklist

Before Testing

- [ ] Application is running and accessible
- [ ] Test credentials are working
- [ ] Test data files are available
- [ ] Database is in known state (consider backup)

During Testing

- [ ] Document actual results for each test case
- [ ] Capture screenshots of errors
- [ ] Note any unexpected behavior
- [ ] Verify data in database if needed

After Testing

- [ ] Log all defects found

Update test results matrix

- [ ] Clean up test data if required
- [ ] Report test completion status

For questions, contact the QA Team Lead