

COMPARISON OF CATEGORIZATION OF ASSESSMENT UNITS (2017 AND 2013)									
TAMIL NADU									
S. No	District	Assessment Unit	Stage of Ground Water Extraction 2013	Categorization 2013	District	Assessment Unit	Stage of Ground Water Extraction (%) in 2017	Categorization 2017	Remark
<b>Improved</b>									
50	Vellore	Kaveripakkam	91.33	Critical	Vellore	Kaveripakkam	83.91	Semi-Critical	Improved
51	Vellore	Melpadi	87.38	Semi-Critical	Vellore	Melpadi	69.25	Safe	Improved
52	Vellore	Sholinghur	83.38	Semi-Critical	Vellore	Sholinghur	54.09	Safe	Improved
53	Vellore	Ussoor	110.39	Over Exploited	Vellore	Ussoor	98.21	Critical	Improved
54	Villupuram	Arakandanallur	70.94	Semi-Critical	Villupuram	Arakandanallur	65.35	Safe	Improved
55	Villupuram	Arasur	104.19	Over Exploited	Villupuram	Arasur	97.59	Critical	Improved
56	Villupuram	Chinnaselam	91.38	Critical	Villupuram	Chinnaselam	88.72	Semi-Critical	Improved
57	Villupuram	Chithalingamadam	101.61	Over Exploited	Villupuram	Chithalingamadam	99.05	Critical	Improved
58	Villupuram	Kalvarayan Malai	82.16	Semi-Critical	Villupuram	Kalvarayan Malai	68.35	Safe	Improved
59	Villupuram	Nagalur	150.09	Over Exploited	Villupuram	Nagalur	97.82	Critical	Improved
60	Villupuram	Olakkur	102.11	Over Exploited	Villupuram	Olakkur	97.09	Critical	Improved
61	Villupuram	T.V.Nallur	126.06	Over Exploited	Villupuram	T.V.Nallur	70.54	Semi-Critical	Improved
62	Villupuram	Thirukoilur	78.78	Semi-Critical	Villupuram	Thirukoilur	52.02	Safe	Improved
63	Villupuram	Ulundurpettai	123.48	Over Exploited	Villupuram	Ulundurpettai	99.08	Critical	Improved
64	Villupuram	Vadasiruvalur	114.08	Over Exploited	Villupuram	Vadasiruvalur	99.93	Critical	Improved
65	Villupuram	Vanur	95.21	Critical	Villupuram	Vanur	89.08	Semi-Critical	Improved
66	Villupuram	Vikkiravandi	107.34	Over Exploited	Villupuram	Vikkiravandi	60.25	Safe	Improved
67	Virudhunagar	Nalli	74.60	Semi-Critical	Virudhunagar	Nalli	70.06	Safe	Improved