## :: Tamil Nadu Transmission Corporation Ltd ::

(A Subsidiary of TNEB Ltd.)

Grid Details				Date :	1-Jul-16	Day:	Friday	
SI.		Details		Total	Lighting	Minimum	Morning	Cons-
No.				Capacity	Peak	Load	Peak	umption
				MW	MW	MW	MW	MU
		Date			30-6-2016	1-7-2016	1-7-2016	30-6-2016
		Time	Hrs.		19:05	1:50	7:50	
		Frequency	HZ.		50.01	49.99	50.08	
1		TNEB						
a)		Hydro		2307.9	372	149	275	8.515
b)		Thermal		4660.0	2115	1935	2090	49.711
c)		Gas		516.08	186	189	182	4.314
2		Independent Power Plant						
		PPN, MPCL		436.5	0	0	0	0.000
	(ii)	TAQA, ABAN, PENNA		416.0	276	274	274	6.546
3		Captive Power Plant(Intra state	)		805	721	749	
(	(ii)	CPP (Purchase)		0.0	0	0	0	
(	(iii)	CPP (Wheeling)	*2142		805	721	749	
4		Non-Conventional Energy Schen	nes		88	106	94	20.352
	(i)	Cogen	*659.4		88	96	94	
	(ii)	Bio mass	*230		0	10	0	
					3480	2376	3522	61.960
	(iii)	Wind	*7598.155		3480	2376	3427	58.650
	(iv)	SOLAR	*1142.41		0	0	95	3.310
5		CGS (capacity) - Share for TNEB		5464.0	4279	3125	3701	83.589
		Neyveli TS1	475	475	345	335	315	8.382
	(ii)	NTPC (2600) + SIMHADRI (1000 )	887					
	(iii)	Neyveli TS2 (1470)	474					
	(iv)	NeyveliTS1Expansion (420)	228					
	(v)	NeyveliTS2Expansion (500)	271	4954	3901	2758	3353	74
		Talcher St 2 (2000)	490					
		VALLUR (1500)	1067					
		NTPL (1000)	415					
	` ′	MAPS (440)	331					
		KAPS (880)	228					
		KOODANKULAM ( 1000)	563					
-	(XII)	Eastern region power (External Assis	stance)	35	33	33	33	0.786
	(ii)	Power Purchase ( MTOA + LTOA	+STOA)	3189.5	1634	1225	1415	43.780
		Total		16990	13235	10100	12302	278.767
7	(i)	Load Shedding			0	Nil	0	0.000
		HT Relief & R&C			0	0	0	0.000
All time High Consumption			345.617	MU on	29-4-2016			
Demand			15343	MW on	29-4-2016	19:05	50.14 Hz	

**Note:** \* All these items and new projects are not included in total Installed capacity.

# yesterday's solar generation(max): 660 MW

(min): 32 MW