# Singly Linear Linked List - Add First







**//1. create a node with given data**
**//2. add head into next of newnode**
**//3. add newnode into head**

Time complexity : O(1)

# Singly Linear Linked List - Display




$T(n) = O(n)$

**//1. create a trav referance and start at head**
**//2. print/visit current node (trav.data)**
**//3. go on next node (trav.next)**
**//4. repeat step 2 and 3 till last node**

# Singly Linear Linked List - Add Last




```
Node trav = head;
while(trav.next != null)
    trav = trav.next;
```




```
//1. create a newnode for given data
//2. if list is empty
      // add newnode into head itself
//3. if list is not wmpty
      //a. traverse till last node
      //b. add newnode into next of last node
```

$T(n) = O(n)$

# Singly Linear Linked List - Delete First







```
//1. if list is empty
     return;
//2. if list is not empty
     //a. move head on second node
```

T(n) = O(1)

# Singly Linear Linked List - Delete Last







trav = head

while(trav.next.next != null)

trav = trav.next;

T(n) = O(n)

**//1. if list is empty**

**return;**

**//2. if list has single node**

**head = null;**

**//3. if list has multiple node**

**//a. traverse till second last node**

**//b. add null into next of second last node**

# Singly Linear Linked List - Add position




```
trav=head
for(i=1; i<pos-1; i++)
    trav=trav.next;
```

```
pos=3
trav  i   i<2
100   1   T
200   2   F
```

```
pos=5
trav  i   i<4
100   1   T
200   2   T
300   3   T
400   4   F
```

**//1. create node with given data**
**//2. if list is empty**
**// add newnode into head itself**
**//3. if list is not empty**
**//a. traverse till pos - 1 node**
**//b. add pos node into next of newnode**
**//c. add newnode into next of pos - 1 node**

$T(n) = O(n)$

# Singly Linear Linked List - Delete position







```
//1. if list is empty
    return;
//2. if list is not empty
    //a. traverse till pos - 1 node
    //b. add pos + 1 node into next of pos - 1
```

T(n) = O(n)

# Singly Circular Linked List - Display




**//1. create trav and start at head**
**//2. print/visit current node (trav.data)**
**//3. go on next node**
**//4. repeat step 2 and 3 till last node**

$T(n) = O(n)$

```
trav=head;
do
{
    sysout(trav.data)
    trav=trav.next;
} while(trav != head);
```

# Singly Circular Linked List - Add First







```
//1. create node with given data
//2. if list is empty
      //a. add newnode into head
      //b. make list circular
//3. if list is not empty
      //a. add first node into next of newnode
      //b. traverse till last  node
      //c. add newnode into next of last node
      //d. move head on newnode
```

$T(n) = O(n)$

# Singly Circular Linked List - Add Last






```
//1. create node with given data
//2. if list is empty
        //a. add newnode into head
        //b. make list circular
//3. if list is not empty
        //a. add head into next of newnode
        //b. traverse till last node
        //c. add nenwode into next of last node
```

T(n) = O(n)

# Singly Circular Linked List - Add Position






```
//1. create node
//2. if list is empty
        //a. add newnode into head
        //b. make it circular
//3. if list is not empty
        //a. traverse till pos-1
        //b. add pos node into next of newnode
        //c. add newnode into next of pos-1 node
```

T(n) = O(n)

# Singly Circular Linked List - Delete First







```
//1. if list is empty
      return;
//2. if list has single node
      // make head = null
//3. if list has multiple nodes
      //a. traverse till last node
      //b. add second node into next of last node
      //c. move head on second node
```

$T(n) = O(n)$

# Singly Circular Linked List - Delete Last




```
//1. if list is empty
        return;
//2. if list has single node
        // make head = null
//3. if list has multiple nodes
        //a. traverse till second last node
        //b. add head into next of second last node
```

T(n) = O(n)

# Singly Circular Linked List - Delete Position




```
//1. if list is empty
      // print msg and return
//2. if list has single node
      // make head = null
//3. if last has multiple node
      //a. traverse till pos - 1 node
      //b. add pos+1 node into next of pos-1 node
```

**Time complexity : O(n)**

# Doubly Linear Linked List - Display




**// forward list**
**//1. create a trav pointer and start at head**
**//2. print current node**
**//3. go on next node**
**//4. repeat step 2 and 3 till last node**

**// backward list**
**//1. create a trav pointer and start at tail**
**//2. print current node**
**//3. go on prev node**
**//4. repeat step 2 and 3 till first node**

$T(n) = O(n)$

# Doubly Linear Linked List - Add First




T(n) = O(1)

```
//1. create newnode
//2. if list is empty
      // add newnode into head and tail
//3. if list is not empty
   //a. add first node into next of newnode
   //b. add newnode into prev of first node
   //c. move head on newnode
```

# Doubly Linear Linked List - Add Last




**//1. create newnode**
**//2. if list is empty**
**// add newnode into head and tail**
**//3. if list is not empty**
**//a. add last node into prev of newnode**
**//b. add newnode into next of last node**
**//c. move tail on newnode**

$T(n) = O(1)$

# Doubly Linear Linked List - Delete First and Last




```
//1. if list is empty
       return;
//2. if list has single node
       head = tail = null;
//3. if list has multiple nodes
       //a. add null into prev of second node
       //c. move head on second node
```

T(n) = O(1)

```
//1. if list is empty
       return;
//2. if list has single node
       head = tail = null;
//3. if list has multiple nodes
       //a. add null into next of second last n
       //c. move tail on second last node
```

T(n) = O(1)

# Doubly Linear Linked List - Add Position






T(n) = O(n)

```
//1. create newnode
//2. if list is empty
        // add newnode into head and tail
//3. if list is not empty
        //a. traverse till pos -1 node
        //b. add pos node into next of newnode
        //c. add pos -1 node into prev of newnode
        //d. add newnode into prev of pos node
        //e. add newnode into next of pos -1 node
```

# Doubly Linear Linked List - Delete Position




```
//1. if list is empty
        return;
//2. if list has single node
        head = tail = null;
//3. if list has multiple nodes
        //a. traverse till pos node
        //b. add pos +1 node into next of pos -1 node
        //c. add pos -1 node into prev of pos+1 node
```

T(n) = O(n)