

Machine Learning: The No-Nonsense (But Fun) Guide — Day 3

Logistic Regression: The "Yes or No" Machine

1. What Is the Goal of Logistic Regression?

Imagine you have data and need to answer a yes/no question. Linear regression gives you any number—but what does "1.5 spam" even mean?

Logistic regression squishes predictions into a 0-to-1 probability.

Example

Email Length (words)	Contains "Free"	Is Spam?
50	No	0 (Not Spam)
200	Yes	1 (Spam)
30	No	0 (Not Spam)
500	Yes	1 (Spam)

Logistic regression finds a boundary that helps answer:

"If an email has 300 words and contains 'free', is it spam?"

2. The Problem with Linear Regression for Classification

If you use linear regression for spam detection:

Predicted Value	What It Means
1.5	150% spam? Nonsense.
-0.3	Negative spam? Nonsense.
0.7	Okay, but what's the threshold?

Linear regression outputs unbounded numbers, while classification requires bounded probabilities.


3. The Sigmoid Function: The "Squish" Magic

Formula

$$\sigma(z) = 1 / (1 + e^{(-z)})$$

Where:

$$z = wx + b$$



What It Does

- Input: Any number ($-\infty$ to $+\infty$)
 - Output: A number between 0 and 1
-

4. Machine Learning Notation

$$\hat{y} = \sigma(wx + b) = 1 / (1 + e^{-(wx + b)})$$

Symbol	Meaning	Description
x	Feature	Input value
y	Actual value	True label (0 or 1)
$\hat{y}$	Predicted value	Probability (0 to 1)
w	Weight	Importance of the feature
b	Bias	Base adjustment
σ	Sigmoid	Probability squish function

Example

Spam Probability = $\sigma(\text{Word Count Influence} \times \text{Word Count} + \text{"Free" Influence} \times \text{Has "Free"} + \text{Base})$

5. The Decision Boundary

Pick a threshold (usually 0.5):

Probability	Prediction
≥ 0.5	Class 1 (Yes / Spam / Positive)
< 0.5	Class 0 (No / Not Spam / Negative)

The boundary is where:

$$\sigma(z) = 0.5$$

This happens when:

$$wx + b = 0$$

$$x = -b / w$$

This is your decision boundary—the line that separates the two classes.

6. Measuring Error: Log Loss (Cross-Entropy)

We cannot use Mean Squared Error (MSE) because the sigmoid function makes optimization difficult.

Instead, logistic regression uses Log Loss:

$$\text{Cost} = -[y \times \log(\hat{y}) + (1-y) \times \log(1-\hat{y})]$$

Scenario	$\hat{y}$	y	Cost
Confident correct	0.99	1	~0
Confident wrong	0.01	1	Huge
Unsure	0.50	1	Medium

Interpretation

- Lower Log Loss = Better model
 - Higher Log Loss = Poor predictions
-

7. How Does the Model Learn?

The learning process involves finding the best weights and bias to minimize Log Loss.

Training Steps

1. Start with random weights and bias.
2. Calculate: $z = wx + b$
3. Apply sigmoid to get probability $\hat{y}$

4. Calculate Log Loss.
5. Adjust weights using gradient descent.
6. Repeat until the error becomes minimal.

Learning Workflow

Initialize Parameters



Calculate $z = wx + b$



Apply Sigmoid $\rightarrow \hat{y}$



Calculate Log Loss



Update Parameters



Repeat Process

8. Understanding the Learning Rate

Learning Rate	Result
Too Small	Learning is very slow
Too Large	May overshoot the minimum
Just Right	Converges efficiently

9. Linear vs Logistic Regression

Feature	Linear Regression	Logistic Regression
Output	Any number ($-\infty$ to $+\infty$)	Probability (0 to 1)
Problem Type	Regression	Classification
Cost Function	MSE	Log Loss
Equation	$\hat{y} = wx + b$	$\hat{y} = \sigma(wx + b)$

Interpretation	"The value is..."	"The probability of Yes is..."
----------------	-------------------	--------------------------------

10. Applications of Logistic Regression

Logistic regression works best when predicting categories.

Common Applications

- Email spam detection
 - Loan default prediction
 - Disease diagnosis
 - Customer churn prediction
 - Ad click prediction
 - Fraud detection
-

11. Imp Interview Questions

1. Why can't we use MSE in Logistic Regression?
 2. What is the sigmoid function and why do we need it?
 3. How do you interpret the output of Logistic Regression?
 4. What is the decision boundary?
 5. What is Log Loss and why is it used?
 6. What happens if the learning rate is too high?
 7. How is Logistic Regression different from Linear Regression?
 8. Can Logistic Regression handle multi-class problems?
 9. What are the assumptions of Logistic Regression?
 10. How do you handle imbalanced datasets?
-

Thank You

Please practice the coding part.

Happy Learning!! 🚀