In [3]:

```
import warnings
warnings.filterwarnings("ignore")
import pandas as pd
import sqlite3
import csv
import matplotlib.pyplot as plt
import seaborn as sns
import numpy as np
#from wordcloud import WordCloud
import re
import os
from sqlalchemy import create_engine # database connection
import datetime as dt
from nltk.corpus import stopwords
from nltk.tokenize import word tokenize
from nltk.stem.snowball import SnowballStemmer
from sklearn.feature extraction.text import CountVectorizer
from sklearn.feature extraction.text import TfidfVectorizer
from sklearn.multiclass import OneVsRestClassifier
from sklearn.linear model import SGDClassifier
from sklearn import metrics
from sklearn.metrics import f1_score,precision_score,recall_score
from sklearn import svm
from sklearn.linear model import LogisticRegression
from skmultilearn.adapt import mlknn
from skmultilearn.problem transform import ClassifierChain
from skmultilearn.problem_transform import BinaryRelevance
from skmultilearn.problem_transform import LabelPowerset
from sklearn.naive bayes import GaussianNB
from datetime import datetime
```

Stack Overflow: Tag Prediction

1. Business Problem

1.1 Description

Description

Stack Overflow is the largest, most trusted online community for developers to learn, share their programming knowledge, and build their careers.

Stack Overflow is something which every programmer use one way or another. Each month, over 50 million developers come to Stack Overflow to learn, share their knowledge, and build their careers. It features questions and answers on a wide range of topics in computer programming. The website serves as a platform for users to ask and answer questions, and, through membership and active participation, to vote questions and answers up or down and edit questions and answers in a fashion similar to a wiki or Digg. As of April 2014 Stack Overflow has over 4,000,000 registered users, and it exceeded 10,000,000 questions in late August 2015. Based on the type of tags assigned to questions, the top eight most discussed topics on the site are: Java, JavaScript, C#, PHP, Android, jQuery, Python and HTML.

Problem Statemtent

Suggest the tags based on the content that was there in the question posted on Stackoverflow.

Source: https://www.kaggle.com/c/facebook-recruiting-iii-keyword-extraction/

1.2 Source / useful links

Data Source: https://www.kaggle.com/c/facebook-recruiting-iii-keyword-extraction/data

(https://www.kaggle.com/c/facebook-recruiting-iii-keyword-extraction/data)

Youtube: https://youtu.be/nNDqbUhtIRg)

Research paper: https://www.microsoft.com/en-us/research/wp-content/uploads/2016/02/tagging-1.pdf

(https://www.microsoft.com/en-us/research/wp-content/uploads/2016/02/tagging-1.pdf)

Research paper: https://dl.acm.org/citation.cfm?id=2660970&dl=ACM&coll=DL

(https://dl.acm.org/citation.cfm?id=2660970&dl=ACM&coll=DL)

1.3 Real World / Business Objectives and Constraints

- 1. Predict as many tags as possible with high precision and recall.
- 2. Incorrect tags could impact customer experience on StackOverflow.
- 3. No strict latency constraints.

2. Machine Learning problem

2.1 Data

2.1.1 Data Overview

Refer: https://www.kaggle.com/c/facebook-recruiting-iii-keyword-extraction/data (https://www.kaggle.com/c/facebook-recruiting-iii-keyword-extraction/data)

All of the data is in 2 files: Train and Test.

Train.csv contains 4 columns: Id, Title, Body, Tags.

Test.csv contains the same columns but without the Tags, which you are to predict.

Size of Train.csv - 6.75GB

Size of Test.csv - 2GB

Number of rows in Train.csv = 6034195

The questions are randomized and contains a mix of verbose text sites as well as sites related to math and programming. The number of questions from each site may vary, and no filtering has been performed on the questions (such as closed questions).

Data Field Explaination

Dataset contains 6,034,195 rows. The columns in the table are:

Id - Unique identifier for each question

Title - The question's title

Body - The body of the question

Tags - The tags associated with the question in a space-seperated format (all lo wercase, should not contain tabs '\t' or ampersands '&')

2.1.2 Example Data point

Title: Implementing Boundary Value Analysis of Software Testing in a C++ progra

m?

Body:

```
#include<
        iostream>\n
        #include<
        stdlib.h>\n\n
        using namespace std;\n\n
        int main()\n
        {\n
                  int n,a[n],x,c,u[n],m[n],e[n][4];\n
                  cout<<"Enter the number of variables";\n</pre>
                                                                        cin>>
n; \n\n
                  cout<<"Enter the Lower, and Upper Limits of the variable</pre>
s";\n
                  for(int y=1; y<n+1; y++)\n
                  {\n
                     cin>>m[y];\n
                     cin>>u[y];\n
                  }\n
                  for(x=1; x<n+1; x++)\n
                  {\n
                     a[x] = (m[x] + u[x])/2; \n
                  }\n
                  c=(n*4)-4;\n
                  for(int a1=1; a1<n+1; a1++)\n
                  \{ \n \n
                     e[a1][0] = m[a1]; \n
                     e[a1][1] = m[a1]+1; \n
                     e[a1][2] = u[a1]-1;\n
                     e[a1][3] = u[a1]; \n
                  }\n
                  for(int i=1; i<n+1; i++)\n</pre>
                  {\n
                     for(int l=1; l<=i; l++)\n
                     {\n
                          if(1!=1)\n
                          {\n
                              cout<<a[1]<<"\\t";\n</pre>
                          }\n
                     }\n
                     for(int j=0; j<4; j++)\n
                     {\n
                          cout<<e[i][j];\n</pre>
                          for(int k=0; k< n-(i+1); k++) n
                          {\n
                              cout << a[k] << "\t"; \n
                          }\n
                          cout<<"\\n";\n</pre>
                     }\n
```

2.2 Mapping the real-world problem to a Machine Learning Problem

2.2.1 Type of Machine Learning Problem

It is a multi-label classification problem

Multi-label Classification: Multilabel classification assigns to each sample a set of target labels. This can be thought as predicting properties of a data-point that are not mutually exclusive, such as topics that are relevant for a document. A question on Stackoverflow might be about any of C, Pointers, FileIO and/or memory-management at the same time or none of these.

__Credit__: http://scikit-learn.org/stable/modules/multiclass.html

2.2.2 Performance metric

Micro-Averaged F1-Score (Mean F Score): The F1 score can be interpreted as a weighted average of the precision and recall, where an F1 score reaches its best value at 1 and worst score at 0. The relative contribution of precision and recall to the F1 score are equal. The formula for the F1 score is:

F1 = 2 * (precision * recall) / (precision + recall)

In the multi-class and multi-label case, this is the weighted average of the F1 score of each class.

'Micro f1 score':

Calculate metrics globally by counting the total true positives, false negatives and false positives. This is a better metric when we have class imbalance.

'Macro f1 score':

Calculate metrics for each label, and find their unweighted mean. This does not take label imbalance into account.

https://www.kaggle.com/wiki/MeanFScore (https://www.kaggle.com/wiki/MeanFScore) http://scikit-learn.org/stable/modules/generated/sklearn.metrics.f1_score.html (http://scikit-learn.org/stable/modules/generated/sklearn.metrics.f1_score.html)

Hamming loss: The Hamming loss is the fraction of labels that are incorrectly predicted. https://www.kaggle.com/wiki/HammingLoss (https

3. Exploratory Data Analysis

3.1 Data Loading and Cleaning

3.1.1 Using Pandas with SQLite to Load the data

```
#Creating db file from csv
#Learn SQL: https://www.w3schools.com/sql/default.asp
if not os.path.isfile('train.db'):
    start = datetime.now()
    disk_engine = create_engine('sqlite:///train.db')
    start = dt.datetime.now()
    chunksize = 180000
    j = 0
    index_start = 1
    for df in pd.read csv('Train.csv', names=['Id', 'Title', 'Body', 'Tags'], chunksize
=chunksize, iterator=True, encoding='utf-8', ):
        df.index += index start
        j+=1
        print('{} rows'.format(j*chunksize))
        df.to_sql('data', disk_engine, if_exists='append')
        index start = df.index[-1] + 1
    print("Time taken to run this cell :", datetime.now() - start)
```

3.1.2 Counting the number of rows

In []:

```
if os.path.isfile('train.db'):
    start = datetime.now()
    con = sqlite3.connect('train.db')
    num_rows = pd.read_sql_query("""SELECT count(*) FROM data""", con)
    #ALways remember to close the database
    print("Number of rows in the database :","\n",num_rows['count(*)'].values[0])
    con.close()
    print("Time taken to count the number of rows :", datetime.now() - start)
else:
    print("Please download the train.db file from drive or run the above cell to genara
te train.db file")
```

3.1.3 Checking for duplicates

```
#Learn SQL: https://www.w3schools.com/sql/default.asp
if os.path.isfile('train.db'):
    start = datetime.now()
    con = sqlite3.connect('train.db')
    df_no_dup = pd.read_sql_query('SELECT Title, Body, Tags, COUNT(*) as cnt_dup FROM d
ata GROUP BY Title, Body, Tags', con)
    con.close()
    print("Time taken to run this cell :", datetime.now() - start)
else:
    print("Please download the train.db file from drive or run the first to genarate tr
ain.db file")
```

```
In [ ]:
```

```
df_no_dup.head()
# we can observe that there are duplicates
```

```
In [ ]:
```

```
print("number of duplicate questions :", num_rows['count(*)'].values[0]- df_no_dup.shap
e[0], "(",(1-((df_no_dup.shape[0])/(num_rows['count(*)'].values[0])))*100,"% )")
```

```
# number of times each question appeared in our database
df_no_dup.cnt_dup.value_counts()
```

In []:

```
start = datetime.now()
df_no_dup["tag_count"] = df_no_dup["Tags"].str.count(' ') + 1
# adding a new feature number of tags per question
print("Time taken to run this cell :", datetime.now() - start)
df_no_dup.head()
```

In []:

```
# distribution of number of tags per question
df_no_dup.tag_count.value_counts()
```

In []:

```
#Creating a new database with no duplicates
if not os.path.isfile('train_no_dup.db'):
    disk_dup = create_engine("sqlite:///train_no_dup.db")
    no_dup = pd.DataFrame(df_no_dup, columns=['Title', 'Body', 'Tags'])
    no_dup.to_sql('no_dup_train',disk_dup)
```

In []:

```
#This method seems more appropriate to work with this much data.
#creating the connection with database file.
if os.path.isfile('train_no_dup.db'):
    start = datetime.now()
    con = sqlite3.connect('train_no_dup.db')
    tag_data = pd.read_sql_query("""SELECT Tags FROM no dup train""", con)
    #Always remember to close the database
    con.close()
    # Let's now drop unwanted column.
    tag_data.drop(tag_data.index[0], inplace=True)
    #Printing first 5 columns from our data frame
    tag data.head()
    print("Time taken to run this cell :", datetime.now() - start)
else:
    print("Please download the train.db file from drive or run the above cells to genar
ate train.db file")
```

3.2 Analysis of Tags

3.2.1 Total number of unique tags

```
In [ ]:
```

```
# Importing & Initializing the "CountVectorizer" object, which
#is scikit-learn's bag of words tool.

#by default 'split()' will tokenize each tag using space.
vectorizer = CountVectorizer(tokenizer = lambda x: x.split())
# fit_transform() does two functions: First, it fits the model
# and learns the vocabulary; second, it transforms our training data
# into feature vectors. The input to fit_transform should be a list of strings.
tag_dtm = vectorizer.fit_transform(tag_data['Tags'])
```

```
print("Number of data points :", tag_dtm.shape[0])
print("Number of unique tags :", tag_dtm.shape[1])
```

In []:

```
#'get_feature_name()' gives us the vocabulary.
tags = vectorizer.get_feature_names()
#Lets look at the tags we have.
print("Some of the tags we have :", tags[:10])
```

3.2.3 Number of times a tag appeared

In []:

```
# https://stackoverflow.com/questions/15115765/how-to-access-sparse-matrix-elements
#Lets now store the document term matrix in a dictionary.
freqs = tag_dtm.sum(axis=0).A1
result = dict(zip(tags, freqs))
```

In []:

```
#Saving this dictionary to csv files.
if not os.path.isfile('tag_counts_dict_dtm.csv'):
    with open('tag_counts_dict_dtm.csv', 'w') as csv_file:
        writer = csv.writer(csv_file)
        for key, value in result.items():
            writer.writerow([key, value])
tag_df = pd.read_csv("tag_counts_dict_dtm.csv", names=['Tags', 'Counts'])
tag_df.head()
```

In []:

```
tag_df_sorted = tag_df.sort_values(['Counts'], ascending=False)
tag_counts = tag_df_sorted['Counts'].values
```

```
plt.plot(tag_counts)
plt.title("Distribution of number of times tag appeared questions")
plt.grid()
plt.xlabel("Tag number")
plt.ylabel("Number of times tag appeared")
plt.show()
```

```
plt.plot(tag_counts[0:10000])
plt.title('first 10k tags: Distribution of number of times tag appeared questions')
plt.grid()
plt.xlabel("Tag number")
plt.ylabel("Number of times tag appeared")
plt.show()
print(len(tag_counts[0:10000:25]), tag_counts[0:10000:25])
```

In []:

```
plt.plot(tag_counts[0:1000])
plt.title('first 1k tags: Distribution of number of times tag appeared questions')
plt.grid()
plt.xlabel("Tag number")
plt.ylabel("Number of times tag appeared")
plt.show()
print(len(tag_counts[0:1000:5]), tag_counts[0:1000:5])
```

In []:

```
plt.plot(tag_counts[0:500])
plt.title('first 500 tags: Distribution of number of times tag appeared questions')
plt.grid()
plt.xlabel("Tag number")
plt.ylabel("Number of times tag appeared")
plt.show()
print(len(tag_counts[0:500:5]), tag_counts[0:500:5])
```

```
plt.plot(tag_counts[0:100], c='b')
plt.scatter(x=list(range(0,100,5)), y=tag_counts[0:100:5], c='orange', label="quantiles
with 0.05 intervals")
# quantiles with 0.25 difference
plt.scatter(x=list(range(0,100,25)), y=tag_counts[0:100:25], c='m', label = "quantiles
with 0.25 intervals")

for x,y in zip(list(range(0,100,25)), tag_counts[0:100:25]):
    plt.annotate(s="({} , {})".format(x,y), xy=(x,y), xytext=(x-0.05, y+500))

plt.title('first 100 tags: Distribution of number of times tag appeared questions')
plt.grid()
plt.ylabel("Tag number")
plt.ylabel("Tag number")
plt.legend()
plt.show()
print(len(tag_counts[0:100:5]), tag_counts[0:100:5])
```

```
# Store tags greater than 10K in one list
lst_tags_gt_10k = tag_df[tag_df.Counts>10000].Tags
#Print the length of the list
print ('{} Tags are used more than 10000 times'.format(len(lst_tags_gt_10k)))
# Store tags greater than 100K in one list
lst_tags_gt_100k = tag_df[tag_df.Counts>100000].Tags
#Print the length of the list.
print ('{} Tags are used more than 100000 times'.format(len(lst_tags_gt_100k)))
```

Observations:

- 1. There are total 153 tags which are used more than 10000 times.
- 2. 14 tags are used more than 100000 times.
- 3. Most frequent tag (i.e. c#) is used 331505 times.
- 4. Since some tags occur much more frequenctly than others, Micro-averaged F1-score is the appropriate metric for this probelm.

3.2.4 Tags Per Question

In []:

```
#Storing the count of tag in each question in list 'tag_count'
tag_quest_count = tag_dtm.sum(axis=1).tolist()
#Converting list of lists into single list, we will get [[3], [4], [2], [2], [3]] and w
e are converting this to [3, 4, 2, 2, 3]
tag_quest_count=[int(j) for i in tag_quest_count for j in i]
print ('We have total {} datapoints.'.format(len(tag_quest_count)))
print(tag_quest_count[:5])
```

In []:

```
print( "Maximum number of tags per question: %d"%max(tag_quest_count))
print( "Minimum number of tags per question: %d"%min(tag_quest_count))
print( "Avg. number of tags per question: %f"% ((sum(tag_quest_count)*1.0)/len(tag_quest_count)))
```

In []:

```
sns.countplot(tag_quest_count, palette='gist_rainbow')
plt.title("Number of tags in the questions ")
plt.xlabel("Number of Tags")
plt.ylabel("Number of questions")
plt.show()
```

Observations:

- 1. Maximum number of tags per question: 5
- 2. Minimum number of tags per question: 1
- 3. Avg. number of tags per question: 2.899
- 4. Most of the questions are having 2 or 3 tags

3.2.5 Most Frequent Tags

In []:

```
# Ploting word cloud
start = datetime.now()
# Lets first convert the 'result' dictionary to 'list of tuples'
tup = dict(result.items())
#Initializing WordCloud using frequencies of tags.
wordcloud = WordCloud(
                          background_color='black',
                          width=1600,
                          height=800,
                    ).generate_from_frequencies(tup)
fig = plt.figure(figsize=(30,20))
plt.imshow(wordcloud)
plt.axis('off')
plt.tight_layout(pad=0)
fig.savefig("tag.png")
plt.show()
print("Time taken to run this cell :", datetime.now() - start)
```

Observations:

A look at the word cloud shows that "c#", "java", "php", "asp.net", "javascript", "c++" are some of the most frequent tags.

3.2.6 The top 20 tags

In []:

```
i=np.arange(30)
tag_df_sorted.head(30).plot(kind='bar')
plt.title('Frequency of top 20 tags')
plt.xticks(i, tag_df_sorted['Tags'])
plt.xlabel('Tags')
plt.ylabel('Counts')
plt.show()
```

Observations:

- 1. Majority of the most frequent tags are programming language.
- 2. C# is the top most frequent programming language.
- 3. Android, IOS, Linux and windows are among the top most frequent operating systems.

3.3 Cleaning and preprocessing of Questions

3.3.1 Preprocessing

- 1. Sample 1M data points
- 2. Separate out code-snippets from Body
- 3. Remove Spcial characters from Question title and description (not in code)
- 4. Remove stop words (Except 'C')
- 5. Remove HTML Tags
- 6. Convert all the characters into small letters
- 7. Use SnowballStemmer to stem the words

In [8]:

```
def striphtml(data):
    cleanr = re.compile('<.*?>')
    cleantext = re.sub(cleanr, ' ', str(data))
    return cleantext
stop_words = set(stopwords.words('english'))
stemmer = SnowballStemmer("english")
```

In [4]:

```
#http://www.sqlitetutorial.net/sqlite-python/create-tables/
def create connection(db file):
    """ create a database connection to the SQLite database
        specified by db file
    :param db file: database file
    :return: Connection object or None
    try:
        conn = sqlite3.connect(db_file)
        return conn
    except Error as e:
        print(e)
    return None
def create_table(conn, create_table_sql):
    """ create a table from the create_table_sql statement
    :param conn: Connection object
    :param create_table_sql: a CREATE TABLE statement
    :return:
    11 11 11
    try:
        c = conn.cursor()
        c.execute(create_table_sql)
    except Error as e:
        print(e)
def checkTableExists(dbcon):
    cursr = dbcon.cursor()
    str = "select name from sqlite master where type='table'"
    table_names = cursr.execute(str)
    print("Tables in the databse:")
    tables =table_names.fetchall()
    print(tables[0][0])
    return(len(tables))
def create_database_table(database, query):
    conn = create connection(database)
    if conn is not None:
        create table(conn, query)
        checkTableExists(conn)
    else:
        print("Error! cannot create the database connection.")
    conn.close()
sql create table = """CREATE TABLE IF NOT EXISTS QuestionsProcessed (question text NOT
NULL, code text, tags text, words pre integer, words post integer, is code intege
r);"""
create database table("Processed.db", sql create table)
```

Tables in the databse: OuestionsProcessed

```
In [ ]:
```

```
# http://www.sqlitetutorial.net/sqlite-delete/
# https://stackoverflow.com/questions/2279706/select-random-row-from-a-sqlite-table
start = datetime.now()
read_db = 'train_no_dup.db'
write db = 'Processed.db'
if os.path.isfile(read_db):
    conn_r = create_connection(read_db)
    if conn_r is not None:
        reader =conn_r.cursor()
        reader.execute("SELECT Title, Body, Tags From no dup train ORDER BY RANDOM() LI
MIT 1000000;")
if os.path.isfile(write_db):
    conn_w = create_connection(write_db)
    if conn_w is not None:
        tables = checkTableExists(conn w)
        writer =conn_w.cursor()
        if tables != 0:
            writer.execute("DELETE FROM QuestionsProcessed WHERE 1")
            print("Cleared All the rows")
print("Time taken to run this cell :", datetime.now() - start)
```

we create a new data base to store the sampled and preprocessed questions

```
#http://www.bernzilla.com/2008/05/13/selecting-a-random-row-from-an-sqlite-table/
start = datetime.now()
preprocessed data list=[]
reader.fetchone()
questions_with_code=0
len_pre=0
len_post=0
questions_proccesed = 0
for row in reader:
    is code = 0
    title, question, tags = row[0], row[1], row[2]
    if '<code>' in question:
        questions_with_code+=1
        is code = 1
    x = len(question)+len(title)
    len_pre+=x
    code = str(re.findall(r'<code>(.*?)</code>', question, flags=re.DOTALL))
    question=re.sub('<code>(.*?)</code>', '', question, flags=re.MULTILINE|re.DOTALL)
    question=striphtml(question.encode('utf-8'))
    title=title.encode('utf-8')
    question=str(title)+" "+str(question)
    question=re.sub(r'[^A-Za-z]+',' ',question)
    words=word_tokenize(str(question.lower()))
    #Removing all single letter and and stopwords from question except  for the letter
    question=' '.join(str(stemmer.stem(j)) for j in words if j not in stop_words and (1
en(j)!=1 or j=='c'))
    len post+=len(question)
    tup = (question,code,tags,x,len(question),is_code)
    questions proccesed += 1
    writer.execute("insert into QuestionsProcessed(question,code,tags,words_pre,words_p
ost,is_code) values (?,?,?,?,?)",tup)
    if (questions proccesed%100000==0):
        print("number of questions completed=",questions_proccesed)
no dup avg len pre=(len pre*1.0)/questions proccesed
no dup avg len post=(len post*1.0)/questions proccesed
print( "Avg. length of questions(Title+Body) before processing: %d"%no_dup_avg_len_pre)
print( "Avg. length of questions(Title+Body) after processing: %d"%no_dup_avg_len_post)
print ("Percent of questions containing code: %d"%((questions_with_code*100.0)/question
s proccesed))
print("Time taken to run this cell :", datetime.now() - start)
```

```
In [ ]:
```

```
# dont forget to close the connections, or else you will end up with locks
conn_r.commit()
conn_w.commit()
conn_r.close()
conn_w.close()
```

```
if os.path.isfile(write_db):
    conn_r = create_connection(write_db)
    if conn_r is not None:
        reader =conn_r.cursor()
        reader.execute("SELECT question From QuestionsProcessed LIMIT 10")
        print("Questions after preprocessed")
        print('='*100)
        reader.fetchone()
        for row in reader:
            print(row)
            print('-'*100)
conn_r.commit()
conn_r.close()
```

In []:

```
#Taking 1 Million entries to a dataframe.
write_db = 'Processed.db'
if os.path.isfile(write_db):
    conn_r = create_connection(write_db)
    if conn_r is not None:
        preprocessed_data = pd.read_sql_query("""SELECT question, Tags FROM QuestionsPr
ocessed""", conn_r)
conn_r.commit()
conn_r.close()
```

In []:

```
preprocessed_data.head()
```

In []:

```
print("number of data points in sample :", preprocessed_data.shape[0])
print("number of dimensions :", preprocessed_data.shape[1])
```

4. Machine Learning Models

4.1 Converting tags for multilabel problems

```
        X
        y1
        y2
        y3
        y4

        x1
        0
        1
        1
        0

        x1
        1
        0
        0
        0

        x1
        0
        1
        0
        0
```

```
# binary='true' will give a binary vectorizer
vectorizer = CountVectorizer(tokenizer = lambda x: x.split(), binary='true')
multilabel_y = vectorizer.fit_transform(preprocessed_data['tags'])
```

We will sample the number of tags instead considering all of them (due to limitation of computing power)

In [17]:

```
def tags_to_choose(n):
    t = multilabel_y.sum(axis=0).tolist()[0]
    sorted_tags_i = sorted(range(len(t)), key=lambda i: t[i], reverse=True)
    multilabel_yn=multilabel_y[:,sorted_tags_i[:n]]
    return multilabel_yn

def questions_explained_fn(n):
    multilabel_yn = tags_to_choose(n)
    x= multilabel_yn.sum(axis=1)
    return (np.count_nonzero(x==0))
```

In []:

```
questions_explained = []
total_tags=multilabel_y.shape[1]
total_qs=preprocessed_data.shape[0]
for i in range(500, total_tags, 100):
    questions_explained.append(np.round(((total_qs-questions_explained_fn(i))/total_qs)
*100,3))
```

In []:

```
fig, ax = plt.subplots()
ax.plot(questions_explained)
xlabel = list(500+np.array(range(-50,450,50))*50)
ax.set_xticklabels(xlabel)
plt.xlabel("Number of tags")
plt.ylabel("Number Questions coverd partially")
plt.grid()
plt.show()
# you can choose any number of tags based on your computing power, minimun is 50(it covers 90% of the tags)
print("with ",5500,"tags we are covering ",questions_explained[50],"% of questions")
```

```
multilabel_yx = tags_to_choose(5500)
print("number of questions that are not covered :", questions_explained_fn(5500),"out o
f ", total_qs)
```

```
In [ ]:
```

```
print("Number of tags in sample :", multilabel_y.shape[1])
print("number of tags taken :", multilabel_yx.shape[1],"(",(multilabel_yx.shape[1]/multilabel_y.shape[1])*100,"%)")
```

We consider top 15% tags which covers 99% of the questions

4.2 Split the data into test and train (80:20)

In []:

```
total_size=preprocessed_data.shape[0]
train_size=int(0.80*total_size)

x_train=preprocessed_data.head(train_size)
x_test=preprocessed_data.tail(total_size - train_size)

y_train = multilabel_yx[0:train_size,:]
y_test = multilabel_yx[train_size:total_size,:]
```

In []:

```
print("Number of data points in train data :", y_train.shape)
print("Number of data points in test data :", y_test.shape)
```

4.3 Featurizing data

In []:

```
print("Dimensions of train data X:",x_train_multilabel.shape, "Y :",y_train.shape)
print("Dimensions of test data X:",x_test_multilabel.shape,"Y:",y_test.shape)
```

```
In [ ]:
```

```
# https://www.analyticsvidhya.com/blog/2017/08/introduction-to-multi-label-classificati
#https://stats.stackexchange.com/questions/117796/scikit-multi-label-classification
# classifier = LabelPowerset(GaussianNB())
from skmultilearn.adapt import MLkNN
classifier = MLkNN(k=21)
# train
classifier.fit(x train multilabel, y train)
# predict
predictions = classifier.predict(x_test_multilabel)
print(accuracy_score(y_test,predictions))
print(metrics.f1_score(y_test, predictions, average = 'macro'))
print(metrics.f1_score(y_test, predictions, average = 'micro'))
print(metrics.hamming_loss(y_test,predictions))
.....
# we are getting memory error because the multilearn package
# is trying to convert the data into dense matrix
#MemoryError
                                           Traceback (most recent call last)
#<ipython-input-170-f0e7c7f3e0be> in <module>()
#----> classifier.fit(x_train_multilabel, y_train)
```

4.4 Applying Logistic Regression with OneVsRest Classifier

```
In [ ]:
```

```
# this will be taking so much time try not to run it, download the lr_with_equal_weigh
t.pkl file and use to predict
# This takes about 6-7 hours to run.
classifier = OneVsRestClassifier(SGDClassifier(loss='log', alpha=0.00001, penalty='l1'
), n_jobs=-1)
classifier.fit(x_train_multilabel, y_train)
predictions = classifier.predict(x_test_multilabel)

print("accuracy :",metrics.accuracy_score(y_test, predictions))
print("macro f1 score :",metrics.f1_score(y_test, predictions, average = 'macro'))
print("micro f1 scoore :",metrics.f1_score(y_test, predictions, average = 'micro'))
print("hamming loss :",metrics.hamming_loss(y_test, predictions))
print("Precision recall report :\n",metrics.classification_report(y_test, predictions))
```

```
In [ ]:
```

```
from sklearn.externals import joblib
joblib.dump(classifier, 'lr_with_equal_weight.pkl')
```

4.5 Modeling with less data points (0.5M data points) and more weight to title and 500 tags only.

In [5]:

```
sql_create_table = """CREATE TABLE IF NOT EXISTS QuestionsProcessed (question text NOT
NULL, code text, tags text, words_pre integer, words_post integer, is_code intege
r);"""
create_database_table("Titlemoreweight.db", sql_create_table)
```

Tables in the databse: QuestionsProcessed

In [6]:

```
# http://www.sqlitetutorial.net/sqlite-delete/
# https://stackoverflow.com/questions/2279706/select-random-row-from-a-sqlite-table
read db = 'train no dup.db'
write db = 'Titlemoreweight.db'
train datasize = 400000
if os.path.isfile(read_db):
    conn_r = create_connection(read_db)
    if conn_r is not None:
        reader =conn r.cursor()
        # for selecting first 0.5M rows
        reader.execute("SELECT Title, Body, Tags From no_dup_train LIMIT 500001;")
        # for selecting random points
        #reader.execute("SELECT Title, Body, Tags From no_dup_train ORDER BY RANDOM() L
IMIT 500001;")
if os.path.isfile(write db):
    conn w = create connection(write db)
    if conn_w is not None:
        tables = checkTableExists(conn_w)
        writer =conn_w.cursor()
        if tables != 0:
            writer.execute("DELETE FROM QuestionsProcessed WHERE 1")
            print("Cleared All the rows")
```

Tables in the databse: QuestionsProcessed Cleared All the rows

4.5.1 Preprocessing of questions

- 1. Separate Code from Body
- 2. Remove Spcial characters from Question title and description (not in code)
- 3. Give more weightage to title: Add title three times to the question
- 4. Remove stop words (Except 'C')
- 5. Remove HTML Tags
- 6. Convert all the characters into small letters
- 7. Use SnowballStemmer to stem the words

In [9]:

```
#http://www.bernzilla.com/2008/05/13/selecting-a-random-row-from-an-sqlite-table/
start = datetime.now()
preprocessed_data_list=[]
reader.fetchone()
questions_with_code=0
len_pre=0
len_post=0
questions_proccesed = 0
for row in reader:
    is code = 0
    title, question, tags = row[0], row[1], str(row[2])
    if '<code>' in question:
        questions with code+=1
        is code = 1
    x = len(question)+len(title)
    len_pre+=x
    code = str(re.findall(r'<code>(.*?)</code>', question, flags=re.DOTALL))
    question=re.sub('<code>(.*?)</code>', '', question, flags=re.MULTILINE|re.DOTALL)
    question=striphtml(question.encode('utf-8'))
    title=title.encode('utf-8')
    # adding title three time to the data to increase its weight
    # add tags string to the training data
    question=str(title)+" "+str(title)+" "+str(title)+" "+question
#
      if questions_proccesed<=train_datasize:</pre>
          question=str(title)+" "+str(title)+" "+str(title)+" "+guestion+" "+str(tags)
#
#
      else:
          question=str(title)+" "+str(title)+" "+str(title)+" "+question
#
    question=re.sub(r'[^A-Za-z0-9#+.\-]+',' ',question)
    words=word_tokenize(str(question.lower()))
    #Removing all single letter and and stopwords from question exceptt for the letter
    question=' '.join(str(stemmer.stem(j)) for j in words if j not in stop_words and (1
en(j)!=1 or j=='c'))
    len post+=len(question)
    tup = (question,code,tags,x,len(question),is code)
    questions proccesed += 1
    writer.execute("insert into QuestionsProcessed(question,code,tags,words_pre,words_p
ost,is_code) values (?,?,?,?,?)",tup)
    if (questions_proccesed%100000==0):
        print("number of questions completed=",questions proccesed)
no dup avg len pre=(len pre*1.0)/questions proccesed
no_dup_avg_len_post=(len_post*1.0)/questions_proccesed
print( "Avg. length of questions(Title+Body) before processing: %d"%no_dup_avg_len_pre)
print( "Avg. length of questions(Title+Body) after processing: %d"%no dup avg len post)
print ("Percent of questions containing code: %d"%((questions with code*100.0)/question
```

```
s_proccesed))
print("Time taken to run this cell :", datetime.now() - start)

number of questions completed= 100000
number of questions completed= 200000
number of questions completed= 300000
number of questions completed= 400000
Avg. length of questions(Title+Body) before processing: 1239
Avg. length of questions(Title+Body) after processing: 424
Percent of questions containing code: 57
Time taken to run this cell : 0:18:51.052368
```

In [10]:

```
# never forget to close the conections or else we will end up with database locks
conn_r.commit()
conn_w.commit()
conn_r.close()
conn_w.close()
```

Sample quesitons after preprocessing of data

In [11]:

```
if os.path.isfile(write_db):
    conn_r = create_connection(write_db)
    if conn_r is not None:
        reader =conn_r.cursor()
        reader.execute("SELECT question From QuestionsProcessed LIMIT 10")
        print("Questions after preprocessed")
        print('='*100)
        reader.fetchone()
        for row in reader:
            print(row)
            print('-'*100)
conn_r.commit()
conn_r.close()
```

Questions after preprocessed

('java.sql.sqlexcept microsoft odbc driver manag invalid descriptor index java.sql.sqlexcept microsoft odbc driver manag invalid descriptor index ja va.sql.sqlexcept microsoft odbc driver manag invalid descriptor index use follow code display caus solv',)

('better way updat feed fb php sdk better way updat feed fb php sdk better way updat feed fb php sdk novic facebook api read mani tutori still confus ed.i find post feed api method like correct second way use curl someth like way better',)

('btnadd click event open two window record ad btnadd click event open two window record ad btnadd click event open two window record ad open window search.aspx use code hav add button search.aspx nwhen insert record btnadd click event open anoth window nafter insert record close window',)

('sql inject issu prevent correct form submiss php sql inject issu prevent correct form submiss php sql inject issu prevent correct form submiss php check everyth think make sure input field safe type sql inject good news s afe bad news one tag mess form submiss place even touch life figur exact h tml use templat file forgiv okay entir php script get execut see data post none forum field post problem use someth titl field none data get post cur rent use print post see submit noth work flawless statement though also me ntion script work flawless local machin use host come across problem state list input test mess',)

('countabl subaddit lebesgu measur countabl subaddit lebesgu measur countabl subaddit lebesgu measur let lbrace rbrace sequenc set sigma -algebra ma thcal want show left bigcup right leq sum left right countabl addit measur defin set sigma algebra mathcal think use monoton properti somewher proof start appreci littl help nthank ad han answer make follow addit construct given han answer clear bigcup bigcup cap emptyset neq left bigcup right le ft bigcup right sum left right also construct subset monoton left right le q left right final would sum leq sum result follow',)

('hql equival sql queri hql equival sql queri hql equival sql queri hql qu eri replac name class properti name error occur hql error',)

('undefin symbol architectur i386 objc class skpsmtpmessag referenc error undefin symbol architectur i386 objc class skpsmtpmessag referenc error un defin symbol architectur i386 objc class skpsmtpmessag referenc error import framework send email applic background import framework i.e skpsmtpmessag somebodi suggest get error collect2 ld return exit status import framework correct sorc taken framework follow mfmailcomposeviewcontrol question lock field updat answer drag drop folder project click copi nthat',)

('java.lang.nosuchmethoderror javax.servlet.servletcontext.geteffectiveses siontrackingmod ljava util set java.lang.nosuchmethoderror javax.servlet.s ervletcontext.geteffectivesessiontrackingmod ljava util set java.lang.nosu chmethoderror javax.servlet.servletcontext.geteffectivesessiontrackingmod ljava util set want servlet process input standalon java program deploy se rvlet jboss put servlet.class file web-inf class web.xml gave servlet url

map .do java client program open connect servlet use url object use localh ost 8080 .do get folow error error org.apache.catalina.connector.coyoteada pt except error occur contain request process java.lang.nosuchmethoderror javax.servlet.servletcontext.geteffectivesessiontrackingmod ljava util set org.apache.catalina.connector.coyoteadapter.postparserequest coyoteadapte r.java 567 org.apache.catalina.connector.coyoteadapter.servic coyoteadapte r.java 359 org.apache.coyote.http11.http11processor.process http11processo r.java 877 org.apache.coyote.http11.http11protocol http11connectionhandle r.process http11protocol.java 654 org.apache.tomcat.util.net.jioendpoint w orker.run jioendpoint.java 951 web.xml file content',)

('obtain updat locat use gps servic obtain updat locat use gps servic obtain updat locat use gps servic app two button start track stop track strart track button click gps start listen locat stop listen use besid toast ever i new updat locat want thing use background servic alway updat locat even activ closed.a toast appear everi new updat location.pleas hint link would appreci',)

Saving Preprocessed data to a Database

In [12]:

```
#Taking 0.5 Million entries to a dataframe.
write_db = 'Titlemoreweight.db'
if os.path.isfile(write_db):
    conn_r = create_connection(write_db)
    if conn_r is not None:
        preprocessed_data = pd.read_sql_query("""SELECT question, Tags FROM QuestionsPr
ocessed""", conn_r)
conn_r.commit()
conn_r.close()
```

In [13]:

```
preprocessed_data.head()
```

Out[13]:

	question	tags
0	java.lang.noclassdeffounderror javax servlet j	jsp jstl
1	java.sql.sqlexcept microsoft odbc driver manag	java jdbc
2	better way updat feed fb php sdk better way up	facebook api facebook-php-sdk
3	btnadd click event open two window record ad b	javascript asp.net web
4	sql inject issu prevent correct form submiss p	php forms

In [14]:

```
print("number of data points in sample :", preprocessed_data.shape[0])
print("number of dimensions :", preprocessed_data.shape[1])
number of data points in sample : 499998
```

```
number of dimensions : 2
```

Converting string Tags to multilable output variables

In [15]:

```
vectorizer = CountVectorizer(tokenizer = lambda x: x.split(), binary='true')
multilabel_y = vectorizer.fit_transform(preprocessed_data['tags'])
```


Selecting 500 Tags

In [18]:

```
questions_explained = []
total_tags=multilabel_y.shape[1]
total_qs=preprocessed_data.shape[0]
for i in range(500, total_tags, 100):
    questions_explained.append(np.round(((total_qs-questions_explained_fn(i))/total_qs)
*100,3))
```

In [19]:

```
fig, ax = plt.subplots()
ax.plot(questions_explained)
xlabel = list(500+np.array(range(-50,450,50))*50)
ax.set_xticklabels(xlabel)
plt.xlabel("Number of tags")
plt.ylabel("Number Questions coverd partially")
plt.grid()
plt.show()
# you can choose any number of tags based on your computing power, minimun is 500(it covers 90% of the tags)
print("with ",5500,"tags we are covering ",questions_explained[50],"% of questions")
print("with ",500,"tags we are covering ",questions_explained[0],"% of questions")
```



with 5500 tags we are covering 99.157 % of questions with 500 tags we are covering 90.956 % of questions

```
In [20]:
```

```
# we will be taking 500 tags
multilabel_yx = tags_to_choose(500)
print("number of questions that are not covered :", questions_explained_fn(500),"out of
", total_qs)
```

number of questions that are not covered : 45221 out of 499998

In [21]:

```
x_train=preprocessed_data.head(train_datasize)
x_test=preprocessed_data.tail(preprocessed_data.shape[0] - 400000)

y_train = multilabel_yx[0:train_datasize,:]
y_test = multilabel_yx[train_datasize:preprocessed_data.shape[0],:]
```

In [22]:

```
print("Number of data points in train data :", y_train.shape)
print("Number of data points in test data :", y_test.shape)
```

```
Number of data points in train data: (400000, 500)
Number of data points in test data: (99998, 500)
```

4.5.2 Featurizing data with Tfldf vectorizer

In []:

In [23]:

```
from sklearn.feature_extraction.text import CountVectorizer
start = datetime.now()
vectorizer = CountVectorizer(min_df=0.00009, max_features=20000,tokenizer = lambda x: x
.split(),ngram_range=(1,2))
x_train_multilabel = vectorizer.fit_transform(x_train['question'])
x_test_multilabel = vectorizer.transform(x_test['question'])
print("Time taken to run this cell :", datetime.now() - start)
```

Time taken to run this cell: 0:01:42.011543

In [24]:

```
print("Dimensions of train data X:",x_train_multilabel.shape, "Y:",y_train.shape)
print("Dimensions of test data X:",x_test_multilabel.shape,"Y:",y_test.shape)
```

```
Dimensions of train data X: (400000, 20000) Y: (400000, 500) Dimensions of test data X: (99998, 20000) Y: (99998, 500)
```

In [25]:

```
x_train_multilabel=x_train_multilabel[0:160000]
y_train=y_train[0:160000]
```

In [26]:

```
x_test_multilabel=x_test_multilabel[0:40000]
y_test=y_test[0:40000]
```

In [44]:

```
x_train_multilabel=pd.DataFrame.sparse.from_spmatrix(x_train_multilabel)
y_train=pd.DataFrame.sparse.from_spmatrix(y_train)

x_test_multilabel=pd.DataFrame.sparse.from_spmatrix(x_test_multilabel)
y_test=pd.DataFrame.sparse.from_spmatrix(y_test)
```

In [27]:

```
print("Dimensions of train data X:",x_train_multilabel.shape, "Y:",y_train.shape)
print("Dimensions of test data X:",x_test_multilabel.shape,"Y:",y_test.shape)
```

```
Dimensions of train data X: (160000, 20000) Y: (160000, 500) Dimensions of test data X: (40000, 20000) Y: (40000, 500)
```

In [28]:

```
print(type(x_train_multilabel))
print(type(y_train))
print(type(x_test_multilabel))
print(type(y_test))
```

```
<class 'scipy.sparse.csr.csr_matrix'>
<class 'scipy.sparse.csr.csr_matrix'>
<class 'scipy.sparse.csr.csr_matrix'>
<class 'scipy.sparse.csr.csr_matrix'>
```

4.5.3 Applying Logistic Regression with OneVsRest Classifier

In [29]:

```
start = datetime.now()
classifier = OneVsRestClassifier(SGDClassifier(loss='log', alpha=0.00001, penalty='l1'
))
classifier.fit(x_train_multilabel, y_train)
predictions = classifier.predict (x test multilabel)
print("Accuracy :",metrics.accuracy_score(y_test, predictions))
print("Hamming loss ",metrics.hamming_loss(y_test,predictions))
precision = precision_score(y_test, predictions, average='micro')
recall = recall_score(y_test, predictions, average='micro')
f1 = f1_score(y_test, predictions, average='micro')
print("Micro-average quality numbers")
print("Precision: {:.4f}, Recall: {:.4f}, F1-measure: {:.4f}".format(precision, recall,
f1))
precision = precision_score(y_test, predictions, average='macro')
recall = recall_score(y_test, predictions, average='macro')
f1 = f1_score(y_test, predictions, average='macro')
print("Macro-average quality numbers")
print("Precision: {:.4f}, Recall: {:.4f}, F1-measure: {:.4f}".format(precision, recall,
f1))
print (metrics.classification_report(y_test, predictions))
print("Time taken to run this cell :", datetime.now() - start)
```

Accuracy: 0.069875 Hamming loss 0.00880855 Micro-average quality numbers

Precision: 0.1881, Recall: 0.4859, F1-measure: 0.2712 Macro-average quality numbers Precision: 0.1347, Recall: 0.4231, F1-measure: 0.1956 recall f1-score precision support 0 0.80 0.67 0.73 1936 1 0.37 0.40 0.38 3047 2 0.47 0.52 0.49 2805 3 0.49 0.66 0.56 1644 4 0.51 0.57 0.53 2441 5 0.35 0.46 1171 0.39 6 0.51 1942 0.62 0.56 7 0.46 0.64 0.53 1343 8 0.23 0.28 0.25 1427 9 0.42 0.64 0.51 587 10 0.24 0.33 0.28 888 11 0.54 0.40 0.46 1197 12 0.31 0.42 0.36 964 13 0.26 0.46 0.33 696 14 0.52 0.68 0.59 1102 15 0.28 0.41 0.33 832 16 0.18 0.36 0.24 393 17 0.43 0.70 0.53 790 18 0.23 0.41 0.30 836 19 0.17 0.45 0.24 337 20 0.31 0.53 0.39 522 21 0.15 0.24 0.19 865 22 0.22 0.39 0.28 614 23 0.39 0.70 0.50 313 24 0.17 0.36 0.23 194 25 0.14 195 0.51 0.23 26 0.25 0.50 0.33 344 27 0.29 0.50 0.37 525 28 0.32 0.57 0.41 432 29 0.34 151 0.10 0.15 30 0.12 0.32 0.18 201 31 307 0.10 0.23 0.14 32 0.16 0.47 0.24 130 33 0.26 0.49 0.34 634 34 0.17 0.38 0.23 320 35 0.33 0.67 0.44 297 36 195 0.14 0.43 0.21 37 0.32 0.72 0.44 69 38 0.27 0.57 0.37 332 39 0.19 0.49 276 0.27 40 0.23 0.51 0.31 421 41 77 0.04 0.27 0.07 42 0.20 0.70 73 0.31 43 0.28 0.61 0.38 178 44 0.27 0.57 0.37 367 45 0.20 0.51 0.29 319 46 0.24 0.58 0.34 261 47 0.09 0.35 0.15 121 48 0.16 0.48 0.24 172 49 0.42 0.76 0.54 315

0.07

0.06

0.06

0.23

0.26

0.19

0.11

0.10

0.09

122

187

63

50

51

52

			80_	rag_Predicto
53	0.21	0.46	0.29	271
54	0.15	0.34	0.21	334
55	0.03	0.16	0.04	58
56	0.15	0.39	0.22	313
57	0.12	0.29	0.17	325
58	0.22	0.47	0.30	270
59	0.43	0.82	0.56	267
60	0.07	0.22	0.11	158
61	0.13	0.51	0.21	67
62	0.46	0.85	0.60	396
63	0.34	0.73	0.46	158
64	0.10	0.43	0.16	46
65	0.06	0.25	0.09	121
66	0.11	0.30	0.16	221
67	0.21	0.67	0.32	105
68	0.33	0.66	0.44	222
69 70	0.17	0.62	0.27	129
70 71	0.08	0.32	0.13	135
71 72	0.11 0.24	0.38 0.62	0.18 0.34	125 172
72 73	0.14	0.88	0.25	26
74	0.10	0.55	0.16	42
75	0.40	0.82	0.54	50
76	0.06	0.17	0.09	158
77	0.08	0.45	0.13	74
78	0.17	0.55	0.26	147
79	0.14	0.37	0.21	187
80	0.12	0.45	0.19	128
81	0.08	0.26	0.13	173
82	0.06	0.22	0.09	103
83	0.20	0.58	0.30	168
84	0.13	0.45	0.20	76
85	0.15	0.35	0.21	212
86	0.09	0.27	0.13	184
87	0.08	0.38	0.13	74
88	0.07	0.50	0.13	38
89	0.06	0.27	0.10	59
90 91	0.19	0.39	0.26	194 164
92	0.13 0.26	0.48 0.66	0.20 0.37	194 194
93	0.17	0.64	0.27	120
94	0.04	0.16	0.06	49
95	0.08	0.33	0.13	86
96	0.13	0.29	0.18	277
97	0.18	0.53	0.27	116
98	0.20	0.73	0.32	59
99	0.10	0.36	0.16	95
100	0.09	0.26	0.14	178
101	0.46	0.76	0.58	136
102	0.56	0.81	0.67	295
103	0.07	0.29	0.11	70
104	0.05	0.17	0.08	113
105	0.22	0.59	0.32	145
106	0.09	0.29	0.14	118
107	0.24	0.64	0.35	146
108	0.18	0.47	0.26	152
109 110	0.16	0.55 0.16	0.25	114
110 111	0.04 0.04	0.16 0.31	0.07 0.07	91 54
112	0.04 0.11	0.51 0.57	0.07 0.18	54 60
113	0.10	0.43	0.16	72
	0.10	J. 7J	3.10	12

			50_	_rag_Predicto
114	0.06	0.30	0.10	82
115	0.14	0.47	0.22	159
116	0.23	0.60	0.33	154
117	0.13	0.37	0.20	142
118	0.08	0.38	0.13	50
119	0.15	0.45	0.23	168
120	0.03	0.13	0.25	92
121			0.41	229
	0.30	0.68		
122	0.06	0.28	0.10	60
123	0.02	0.08	0.03	95
124	0.36	0.79	0.50	96
125	0.07	0.38	0.11	56
126	0.25	0.68	0.36	157
127	0.02	0.20	0.04	50
128	0.06	0.25	0.09	95
129	0.13	0.36	0.19	42
130	0.07	0.43	0.12	44
131	0.05	0.21	0.08	76
132	0.15	0.45	0.23	137
133	0.41	0.76	0.54	232
134	0.31	0.84	0.46	49
135	0.05	0.28	0.08	40
136	0.05	0.46	0.10	59
137	0.16	0.40	0.22	126
138	0.07	0.28	0.11	116
139	0.11	0.40	0.17	73
140	0.22	0.63	0.33	114
141	0.06	0.21	0.09	84
142	0.19	0.56	0.28	119
143	0.58	0.85	0.69	194
144	0.08	0.47	0.14	66
145	0.15	0.55	0.24	100
146	0.17	0.47	0.25	167
147	0.09	0.47	0.15	36
148	0.07	0.28	0.11	78
149	0.27	0.65	0.38	187
150	0.07	0.28	0.11	156
151	0.09	0.78	0.15	18
152	0.31	0.71	0.43	150
153	0.09	0.42	0.15	38
154	0.09	0.30	0.14	118
155	0.05	0.19	0.08	95
156	0.24	0.82	0.37	66
157	0.09	0.27	0.14	86
158	0.18	0.67	0.29	33
159	0.06	0.35	0.10	49
160	0.06	0.28	0.11	83
161	0.17	0.66	0.11	76
162		0.23	0.09	
	0.05			91 121
163	0.18	0.49	0.26	121
164	0.16	0.51	0.24	95
165	0.14	0.44	0.22	122
166	0.12	0.55	0.19	53
167	0.11	0.42	0.17	97
168	0.13	0.41	0.19	135
169	0.12	0.33	0.18	105
170	0.02	0.17	0.03	29
171	0.12	0.49	0.19	43
172	0.09	0.51	0.16	83
173	0.16	0.45	0.23	130
174	0.05	0.26	0.09	66

			SO_	Tag_Predicto
175	0.39	0.93	0.55	56
176	0.39	0.77	0.52	159
177	0.26	0.67	0.38	130
178	0.20	0.67	0.31	115
179	0.03	0.23	0.06	60
				51
180	0.08	0.61	0.13	
181	0.03	0.28	0.05	46
182	0.04	0.24	0.07	51
183	0.18	0.54	0.27	165
184	0.05	0.23	0.09	97
185	0.03	0.19	0.06	32
186	0.07	0.27	0.11	79
187	0.20	0.72	0.32	87
188	0.08	0.34	0.12	80
189	0.16	0.57	0.25	51
190	0.23	0.65	0.34	80
191	0.05	0.27	0.08	83
192	0.18	0.61	0.27	103
193	0.05	0.40	0.09	20
194	0.19	0.62	0.29	89
195	0.04	0.17	0.06	77
196	0.03	0.16	0.06	91
197	0.12	0.31	0.17	112
198	0.11	0.29	0.16	118
199	0.04	0.25	0.07	53
200	0.34	0.79	0.48	86
201	0.13	0.43	0.20	129
202	0.35	0.67	0.46	158
203	0.09	0.24	0.13	111
204	0.09	0.32	0.14	93
205	0.04	0.26	0.08	34
206	0.01	0.04	0.01	50
207	0.10	0.45	0.17	31
208	0.22	0.63	0.32	138
209	0.09	0.30	0.14	106
210	0.15	0.44	0.22	126
211	0.06	0.41	0.10	51
212	0.05	0.28	0.08	32
213	0.05	0.43	0.09	14
214	0.10	0.60	0.17	40
215	0.10	0.51	0.16	57
216	0.20	0.42	0.27	186
	0.20	0.35	0.27	
217				20
218	0.43	0.89	0.58	100
219	0.19	0.51	0.27	96
220	0.35	0.75	0.48	109
221	0.36	0.79	0.50	129
222	0.12	0.55	0.20	64
223	0.03	0.14	0.05	49
224	0.17	0.59	0.26	85
225	0.10	0.59	0.18	69
226	0.11	0.34	0.17	82
227	0.17	0.51	0.25	69
228	0.04	0.19	0.07	97
229	0.03	0.20	0.06	60
230	0.03	0.25	0.07	77
231	0.10	0.50	0.16	22
232	0.05	0.27	0.09	59
233	0.13	0.56	0.22	77
234	0.09	0.32	0.14	37
235	0.12	0.47	0.19	30

			50_	_rag_Predicto
236	0.27	0.77	0.40	39
237	0.07	0.26	0.10	101
238	0.03	0.20	0.05	50
239	0.01	0.05	0.01	21
240	0.08	0.30	0.13	33
241	0.05	0.25	0.08	88
242	0.07	0.42	0.12	36
243	0.03	0.31	0.06	29
244	0.22	0.49	0.30	112
245	0.06	0.30	0.10	44
246	0.37	0.79	0.50	62
247	0.04	0.31	0.07	26
248	0.02	0.12	0.04	51
249	0.02	0.13	0.03	31
250	0.04	0.35	0.08	23
251	0.12	0.47	0.19	73
252	0.03	0.13	0.05	53
253	0.10	0.43	0.16	44
254	0.05	0.26	0.09	50
255	0.07	0.25	0.11	158
256	0.06	0.24	0.09	83
257	0.07	0.45	0.12	40
258	0.29	0.54	0.38	98
259	0.10	0.40	0.16	63
260	0.14	0.41	0.21	95
261	0.10	0.35	0.16	85
262	0.07	0.38	0.11	42
263	0.22	0.41	0.29	162
264	0.05	0.39	0.09	41
265	0.07	0.41	0.12	34
266	0.04	0.33	0.07	12
267	0.03	0.29	0.06	21
268	0.19	0.59	0.28	92
269	0.05	0.38	0.08	21
270	0.15	0.63	0.24	62
271	0.16	0.61	0.26	77
272	0.10	0.37	0.16	89
273	0.45	0.85	0.59	119
274	0.23	0.84	0.36	37
275	0.04	0.23	0.07	40
276	0.02	0.12	0.03	51
277	0.21	0.63	0.31	54
278	0.16	0.68	0.26	57
279	0.37	0.80	0.50	89
280	0.08	0.38	0.13	29
281	0.27	0.64	0.38	81
282	0.22	0.66	0.32	56
283	0.10	0.33	0.16	137
284	0.13	0.52	0.20	29
285	0.18	0.65	0.28	103
286	0.30	0.77	0.43	100
287	0.13	0.57	0.22	51
288	0.02	0.14	0.04	43 22
289	0.03	0.28	0.05	32 50
290	0.03	0.24	0.06	50 50
291	0.10	0.43	0.16	58
292	0.06 0.13	0.36	0.11	33 50
293 294	0.13	0.62 0.50	0.21 0.14	50 68
294 295	0.08 0.05	0.50 0.24	0.14 0.08	68 37
295	0.01	0.24 0.17	0.03	12
230	9.0I	0.1/	0.03	12

			SO_	Tag_Predicto
297	0.04	0.26	0.07	47
298	0.08	0.53	0.14	17
299	0.17	0.73	0.27	22
300	0.04	0.25	0.08	60
301	0.01	0.08	0.02	52
302	0.00	0.05	0.01	21
303	0.21	0.61	0.31	90
304	0.32	0.83	0.46	88
305	0.37	0.81	0.51	64
306	0.24	0.51	0.33	101
307	0.04	0.18	0.07	45
308	0.00	0.03	0.01	40
309	0.04	0.22	0.06	41
310	0.13	0.50	0.21	68
311	0.08	0.45	0.13	20
312	0.03	0.20	0.06	20
313	0.03	0.27	0.05	30
314	0.14	0.48	0.21	81
315	0.19	0.64	0.29	59
316	0.06	0.33		24
			0.10	
317	0.06	0.24	0.09	78
318	0.16	0.48	0.24	60
319	0.17	0.57	0.26	46
320	0.07	0.41	0.12	61
321	0.17	0.60	0.26	48
322	0.14	0.55	0.22	58
323	0.25	0.55	0.35	155
324	0.04	0.30	0.08	37
325	0.03	0.24	0.06	33
326	0.04	0.29	0.07	52
327	0.03	0.14	0.04	59
328	0.28	0.79	0.41	71
329	0.13	0.48	0.20	66
330	0.08	0.30	0.13	50
331	0.03	0.28	0.06	32
332	0.01	0.20	0.02	10
333	0.04	0.14	0.06	81
334	0.04	0.23	0.07	30
335	0.03	0.14	0.05	36
336	0.11	0.62	0.19	21
337	0.02	0.23	0.03	26
338	0.17	0.55	0.26	53
339	0.01	0.10	0.02	29
340	0.23	0.62	0.33	55
341	0.06	0.33	0.10	12
342	0.06	0.37	0.10	19
343	0.08	0.50	0.14	20
344	0.03	0.14		
			0.05	21
345	0.12	0.71	0.21	21
346	0.01	0.20	0.03	25
347	0.12	0.45	0.19	47
348	0.01	0.08	0.01	25
349	0.18	0.79	0.30	34
350	0.04	0.50	0.08	8
351	0.05	0.50	0.09	10
352	0.22	0.56	0.31	61
353	0.03	0.30	0.06	10
354	0.04	0.22	0.07	58
355	0.09	0.54	0.16	59
356	0.23	0.50	0.32	145
357	0.24	0.57	0.33	135

			80_	rag_Predicti
358	0.09	0.36	0.14	36
359	0.26	0.67	0.38	67
360	0.07	0.34	0.11	62
361	0.42	0.86	0.57	76
362	0.01	0.12	0.02	24
363	0.33	0.81	0.46	64
364	0.02	0.17	0.04	18
365	0.04	0.30	0.07	27
366	0.28	0.85	0.42	27
367	0.06	0.26	0.10	68
368	0.01	0.08	0.01	13
369	0.02	0.25	0.01	24
370	0.01	0.09	0.01	22
371	0.03	0.19	0.05	36
371	0.22	0.43	0.29	30
373				
	0.19	0.64	0.29	74
374	0.06	0.40	0.10	30
375	0.02	0.15	0.03	20
376	0.00	0.00	0.00	15
377	0.19	0.42	0.26	79
378	0.01	0.09	0.02	35
379	0.00	0.00	0.00	7
380	0.12	0.51	0.19	57
381	0.04	0.20	0.06	59
382	0.03	0.20	0.05	41
383	0.13	0.48	0.21	69
384	0.03	0.21	0.06	42
385	0.08	0.33	0.12	21
386	0.02	0.12	0.03	24
387	0.05	0.29	0.09	34
388	0.06	0.38	0.10	39
389	0.02	0.13	0.03	45
390	0.35	0.68	0.46	75
391	0.06	0.34	0.10	32
392	0.07	0.62	0.12	8
393	0.01	0.07	0.02	59
394	0.04	0.21	0.07	38
395	0.09	0.39	0.15	61
396	0.07	0.34	0.12	65
397	0.27	0.47	0.34	190
398	0.16	0.83	0.27	36
399	0.02	0.22	0.04	23
400	0.06	0.33	0.10	27
401	0.07	0.44	0.11	36
402	0.11	0.42	0.17	52
403	0.03	0.45	0.06	11
404	0.15	0.83	0.26	6
405	0.07	0.33	0.11	49
406	0.06	0.68	0.11	19
407	0.06	0.27	0.10	11
408	0.11	0.52	0.18	46
409	0.05	0.25	0.08	16
410	0.00	0.00	0.00	5
411	0.08	0.29	0.13	68
412	0.07	0.31	0.12	32
413	0.05	0.18	0.08	61
414	0.02	0.19	0.03	21
415	0.07	0.44	0.12	18
416	0.08	0.64	0.15	25
417	0.01	0.12	0.02	16
418	0.04	0.12	0.02	26
710	0.04	0.27	0.00	20

			SU_	rag_Predicto
419	0.12	0.50	0.19	50
420	0.01	0.14	0.02	7
421	0.05	0.32	0.08	28
422	0.07	0.41	0.12	32
423	0.05	0.36	0.08	28
424	0.22	0.89	0.35	9
425	0.00	0.00	0.00	6
426	0.02	0.18	0.04	33
427	0.37	0.80	0.50	64
428	0.21	0.86	0.34	14
429	0.42	0.73	0.53	11
430	0.12	0.43	0.19	61
431	0.05	0.24	0.08	49
432	0.04	0.43	0.08	7
433	0.04	0.36	0.08	11
434	0.24	0.67	0.36	15
435	0.07	0.50	0.13	16
436	0.13	0.45	0.20	42
437	0.02	0.10	0.04	49
438	0.35	0.78	0.48	49
439	0.08	0.27	0.12	55
440	0.05	0.22	0.08	45
441	0.03	0.21	0.05	24
442	0.04	0.32	0.07	31
443	0.06	0.24	0.10	25
444	0.04	0.28	0.07	25
445	0.07	0.41	0.13	22
446	0.05	0.31	0.08	16
447	0.01	0.33	0.03	9
448	0.26	0.53	0.35	43
449	0.12	0.43	0.19	44
450	0.09	0.46	0.16	37
451	0.08	0.37	0.13	30
452	0.02	0.23	0.04	13
453	0.01	0.12	0.03	25
454	0.17	0.67	0.27	39
455	0.13	0.47	0.21	98
456	0.02	1.00	0.05	2
457	0.16	0.54	0.24	54
458	0.02	0.30	0.04	10
459	0.03	0.24	0.05	21
460	0.02	0.14	0.03	29
461	0.12	0.50	0.20	28
462	0.02	0.11	0.04	27
463	0.06	0.40	0.11	40
464	0.14	0.37	0.21	49
465	0.06	0.44	0.10	32
466	0.16	0.38	0.22	90
467	0.17	0.67	0.27	49
468	0.10	0.41	0.16	59
469	0.03	0.14	0.05	35
470	0.27	0.83	0.41	42
471	0.10	0.45	0.17	42
472	0.17	0.36	0.23	64
473	0.08	0.41	0.14	22
474	0.05	0.24	0.08	37
475	0.02	0.13	0.03	30
476	0.20	0.66	0.31	29
477	0.30	0.66	0.41	67
478	0.20	0.94	0.33	16
479	0.03	0.16	0.05	37

-1/2010				00_14	ig_i redictor_z
	480	0.19	0.70	0.29	46
	481	0.17	0.43	0.24	56
	482	0.04	0.25	0.07	28
	483	0.34	0.76	0.47	51
	484	0.07	0.28	0.11	32
	485	0.02	0.11	0.03	37
	486	0.07	0.32	0.12	41
	487	0.09	0.46	0.14	24
	488	0.01	0.08	0.02	26
	489	0.10	0.39	0.16	36
	490	0.40	0.83	0.54	29
	491	0.03	0.24	0.06	37
	492	0.00	0.00	0.00	16
	493	0.02	0.12	0.04	41
	494	0.14	0.35	0.20	26
	495	0.15	0.67	0.25	21
	496	0.03	0.17	0.05	12
	497	0.12	0.46	0.18	39
	498	0.05	0.29	0.08	31
	499	0.05	0.31	0.09	45
micro	avg	0.19	0.49	0.27	67448
macro	avg	0.13	0.42	0.20	67448
${\tt weighted}$	avg	0.27	0.49	0.33	67448
samples	avg	0.29	0.45	0.30	67448

Time taken to run this cell : 1:10:54.946941

SGD with hinge loss

In [30]:

```
start = datetime.now()
classifier = OneVsRestClassifier(SGDClassifier(loss='hinge', alpha=0.00001, penalty='l
1'))
classifier.fit(x_train_multilabel, y_train)
predictions = classifier.predict (x test multilabel)
print("Accuracy :",metrics.accuracy_score(y_test, predictions))
print("Hamming loss ",metrics.hamming_loss(y_test,predictions))
precision = precision_score(y_test, predictions, average='micro')
recall = recall_score(y_test, predictions, average='micro')
f1 = f1_score(y_test, predictions, average='micro')
print("Micro-average quality numbers")
print("Precision: {:.4f}, Recall: {:.4f}, F1-measure: {:.4f}".format(precision, recall,
f1))
precision = precision_score(y_test, predictions, average='macro')
recall = recall_score(y_test, predictions, average='macro')
f1 = f1_score(y_test, predictions, average='macro')
print("Macro-average quality numbers")
print("Precision: {:.4f}, Recall: {:.4f}, F1-measure: {:.4f}".format(precision, recall,
f1))
print (metrics.classification_report(y_test, predictions))
print("Time taken to run this cell :", datetime.now() - start)
```

Accuracy: 0.069

Hamming loss 0.00882585 Micro-average quality numbers

Precision: 0.1871, Recall: 0.4836, F1-measure: 0.2699

Macro-average quality numbers

Precision: 0.1325, Recall: 0.4194, F1-measure: 0.1928

	precision	recall	f1-score	support
0	0.64	0.79	0.71	1936
1	0.36	0.39	0.37	3047
2	0.47	0.51	0.49	2805
3	0.45	0.66	0.53	1644
4	0.51	0.55	0.53	2441
5	0.34	0.47	0.39	1171
6	0.50	0.62	0.56	1942
7	0.49	0.66	0.56	1343
8	0.22	0.25	0.23	1427
9	0.43	0.64	0.51	587
10	0.23	0.30	0.26	888
11	0.40	0.53	0.46	1197
12	0.29	0.42	0.34	964
13	0.27	0.46	0.34	696
14	0.53	0.69	0.60	1102
15	0.30	0.46	0.37	832
16	0.19	0.37	0.25	393
17	0.44	0.70	0.54	790
18	0.23	0.40	0.29	836
19	0.16	0.43	0.23	337
20	0.33	0.57	0.41	522
21	0.16	0.28	0.20	865
22	0.22	0.39	0.28	614
23	0.37	0.66	0.23	313
24	0.16	0.35	0.22	194
25	0.13	0.50	0.21	195
26	0.25	0.50	0.33	344
27	0.28	0.54	0.37	525
28	0.31	0.55	0.40	432
29	0.08	0.28	0.40	151
30	0.12	0.29	0.13	201
31	0.09	0.23	0.17	307
32	0.12	0.38	0.13	130
33	0.25		0.18	634
34	0.17	0.51 0.39	0.24	
35	0.33	0.55 0.67	0.24	320 297
36	0.17	0.46	0.44	195
37	0.33	0.78	0.24	69
38	0.20	0.78	0.47	332
39	0.18	0.4 ₉ 0.46	0.26	276
40	0.22	0.50	0.20	421
41	0.04	0.29	0.07	77
42	0.19	0.23	0.30	73
43	0.26	0.58	0.36	178
44	0.26	0.58 0.57	0.36	367
45	0.21	0.48	0.29	319
46 47	0.26 0.8	0.61 0.30	0.37 0.13	261 121
48	0.08 0.16	0.30 0.52		
	0.16 0.40	0.52 0.71	0.24 0.51	172 315
49 50	0.40	0.71 0.27	0.51	315 122
50 51	0.07	0.27	0.11	122
51 52	0.07	0.32	0.12	187
52	0.06	0.21	0.09	63

			SO_	Tag_Predicto
53	0.22	0.47	0.30	271
54	0.17	0.36	0.23	334
55	0.03	0.16	0.05	58
56	0.16	0.41	0.22	313
57	0.13	0.30	0.18	325
58	0.23	0.46	0.31	270
59	0.45	0.80	0.58	267
60	0.09	0.26	0.13	158
61	0.13	0.46	0.13	67
62	0.49	0.46 0.86		396
		0.75	0.63	
63	0.36		0.48	158
64 65	0.09	0.41	0.15	46 121
65	0.08	0.25	0.12	121
66	0.11	0.33	0.17	221
67	0.22	0.66	0.33	105
68	0.39	0.68	0.50	222
69	0.21	0.60	0.31	129
70	0.07	0.30	0.12	135
71	0.10	0.34	0.15	125
72	0.26	0.61	0.36	172
73	0.15	0.85	0.25	26
74	0.12	0.50	0.19	42
75	0.25	0.80	0.38	50
76	0.05	0.15	0.07	158
77	0.07	0.41	0.12	74
78	0.17	0.56	0.27	147
79	0.15	0.38	0.22	187
80	0.14	0.46	0.22	128
81	0.09	0.25	0.13	173
82	0.05	0.22	0.08	103
83	0.20	0.65	0.30	168
84	0.13	0.39	0.20	76
85	0.14	0.40	0.21	212
86	0.08	0.26	0.12	184
87	0.08	0.41	0.13	74
88	0.08	0.42	0.14	38
89	0.06	0.25	0.09	59
90	0.18	0.44	0.25	194
91	0.12	0.38	0.18	164
92	0.24	0.62	0.34	194
93	0.19	0.63	0.29	120
94	0.04	0.18	0.06	49
95	0.06	0.26	0.10	86
96	0.13	0.29	0.18	277
97	0.18	0.58	0.28	116
98	0.21	0.76	0.32	59
99	0.14	0.46	0.22	95
100	0.10	0.27	0.15	178
101	0.41	0.73	0.52	136
102	0.56	0.81	0.66	295
103	0.07	0.29	0.11	70
104	0.06	0.19	0.09	113
105	0.18	0.59	0.28	145
106	0.10	0.26	0.15	118
107	0.28	0.62	0.39	146
108	0.18	0.55	0.27	152
109	0.20	0.61	0.30	114
110	0.04	0.18	0.06	91
111	0.03	0.20	0.05	54
112	0.11	0.53	0.19	60
113	0.10	0.36	0.16	72
	0.10	0.50	3.10	, _

			80_	rag_Predicto
114	0.06	0.34	0.10	82
115	0.14	0.45	0.21	159
116	0.23	0.56	0.33	154
117	0.11	0.30	0.16	142
118	0.07	0.38	0.12	50
119	0.14	0.43	0.12	168
120				92
	0.04	0.18	0.07	
121	0.32	0.66	0.43	229
122	0.06	0.32	0.10	60
123	0.02	0.08	0.03	95
124	0.39	0.77	0.52	96
125	0.06	0.29	0.09	56
126	0.28	0.73	0.40	157
127	0.02	0.22	0.04	50
128	0.05	0.23	0.08	95
129	0.08	0.36	0.13	42
130	0.07	0.43	0.12	44
131	0.03	0.14	0.05	76
132	0.17	0.46	0.25	137
133	0.47	0.72	0.57	232
134	0.26	0.90	0.41	49
135	0.03	0.20	0.05	40
136	0.06	0.47	0.11	59
137	0.15	0.40	0.22	126
138	0.08	0.31	0.12	116
139	0.12	0.45	0.19	73
140	0.21	0.57	0.31	114
141	0.06	0.20	0.09	84
142	0.21	0.56	0.31	119
143	0.59	0.87	0.70	194
144	0.09	0.45	0.15	66
145	0.13	0.51	0.20	100
146	0.19	0.51	0.27	167
147	0.08	0.56	0.15	36
148	0.07	0.31	0.11	78
149	0.27	0.63	0.37	187
150	0.08	0.29	0.12	156
151	0.07	0.72	0.13	18
152	0.26	0.66	0.38	150
153	0.11	0.45	0.18	38
154	0.08	0.22	0.11	118
155	0.04	0.18	0.07	95
156	0.19	0.80	0.31	66
157	0.06	0.19	0.09	86
158	0.15	0.64	0.24	33
159	0.05	0.33	0.09	49
160	0.08	0.36	0.13	83
161		0.61		
	0.14		0.22	76
162	0.06	0.20	0.09	91 121
163	0.21	0.51	0.30	121
164	0.16	0.57	0.25	95
165	0.16	0.43	0.23	122
166	0.13	0.58	0.22	53
167	0.08	0.35	0.13	97
168	0.11	0.37	0.17	135
169	0.10	0.34	0.16	105
170	0.02	0.24	0.04	29
171	0.11	0.47	0.17	43
172	0.09	0.48	0.16	83
173	0.16	0.51	0.24	130
174	0.08	0.41	0.13	66

			80_	rag_Predicto
175	0.37	0.93	0.53	56
176	0.38	0.75	0.50	159
177	0.28	0.69	0.40	130
178	0.22	0.66	0.33	115
179	0.04	0.25	0.07	60
180	0.10	0.57	0.16	51
181	0.02	0.22	0.04	46
182	0.02	0.12	0.03	51
183	0.21	0.52	0.30	165
184	0.04	0.23	0.07	97
185	0.03	0.16	0.05	32
186	0.08	0.33	0.13	79
187	0.24	0.71	0.36	87
188	0.05	0.24	0.09	80
189	0.22	0.63	0.33	51
190	0.23	0.66	0.34	80
191	0.05	0.25	0.09	83
192	0.17	0.56	0.27	103
193	0.06	0.50	0.11	20
194	0.20	0.64	0.30	89
195	0.04	0.19	0.07	77
196	0.03	0.16	0.05	91
197	0.10	0.33	0.16	112
198	0.09	0.26	0.14	118
199	0.06	0.26	0.10	53
200	0.33	0.80	0.46	86
201	0.14	0.31	0.19	129
202	0.28	0.66	0.40	158
203	0.10	0.31	0.15	111
204	0.11	0.34	0.16	93
205	0.05	0.26	0.08	34
206	0.02	0.08	0.03	50
207	0.07	0.39	0.12	31
208	0.25	0.62	0.35	138
209	0.11	0.29	0.16	106
210	0.14	0.44	0.21	126
211	0.07	0.45	0.12	51
212	0.03	0.19	0.05	32
213	0.05	0.50	0.08	14
214	0.11	0.57	0.18	40
215	0.07	0.49	0.12	57
216	0.17	0.39	0.24	186
217	0.02	0.30	0.04	20
218	0.38	0.86	0.53	100
219	0.18	0.52	0.26	96
220	0.30	0.75	0.43	109
221	0.37	0.78	0.50	129
222	0.15	0.59	0.24	64
223	0.04	0.20	0.06	49
224	0.18	0.58	0.27	85
225	0.08	0.41	0.13	69
226	0.10	0.35	0.16	82
227	0.13	0.48	0.21	69
228	0.02	0.09	0.04	97
229	0.03	0.17	0.05	60
230	0.04	0.27	0.08	77
231	0.04	0.41	0.10	22
232	0.05	0.20	0.08	59
233	0.11	0.45	0.08	77
234	0.10	0.43	0.16	37
235	0.10	0.43 0.47	0.16	30
ررے	0.10	0.4/	0.10	שכ

			SO_	Tag_Predicto
236	0.34	0.74	0.46	39
237	0.07	0.24	0.10	101
238	0.03	0.26	0.06	50
239	0.01	0.05	0.01	21
240	0.11	0.39	0.17	33
241	0.05	0.26	0.09	88
242	0.10	0.53	0.17	36
243	0.03	0.24	0.05	29
244	0.24	0.54	0.33	112
245	0.05	0.20	0.08	44
246	0.29	0.79	0.43	62
247	0.04	0.38	0.07	26
248	0.02	0.14	0.04	51
249	0.01	0.03	0.01	31
250	0.06	0.48	0.11	23
251	0.10	0.41	0.16	73
252	0.04	0.15	0.06	53
253	0.08	0.39	0.13	44
254	0.04	0.24	0.07	50
255	0.08	0.27	0.12	158
256	0.06	0.23	0.09	83
257	0.06	0.38	0.10	40
258	0.23	0.55	0.33	98
259	0.09	0.32	0.14	63
	0.11			95
260		0.35	0.17	
261	0.09	0.32	0.14	85 43
262	0.10	0.48	0.17	42
263	0.23	0.43	0.30	162
264	0.05	0.34	0.08	41
265	0.08	0.47	0.14	34
266	0.01	0.08	0.02	12
267	0.04	0.29	0.07	21
268	0.15	0.50	0.24	92
269	0.03	0.29	0.05	21
270	0.15	0.61	0.24	62
271	0.10	0.58	0.17	77
272	0.09	0.33	0.14	89
273	0.43	0.85	0.57	119
274	0.16	0.68	0.25	37
275	0.05	0.23	0.08	40
276	0.03	0.18	0.06	51
277	0.17	0.69	0.27	54
278	0.14	0.65	0.23	57
279	0.25	0.83	0.38	89
280	0.07	0.41	0.12	29
281	0.31	0.64	0.42	81
282	0.20	0.64	0.30	56
283	0.13	0.42	0.20	137
284	0.14	0.59	0.22	29
285	0.21	0.63	0.31	103
286	0.32	0.83	0.47	100
287	0.19	0.61	0.29	51
288	0.03	0.23	0.05	43
289	0.02	0.16	0.04	32
290	0.03	0.22	0.05	50
291	0.11	0.45	0.17	58
292	0.05	0.30	0.08	33
293	0.16	0.74	0.26	50
294	0.09	0.43	0.14	68
295	0.10	0.38	0.16	37
296	0.02	0.33	0.03	12

			SU_1	ag_Predicto
297	0.04	0.21	0.07	47
298	0.10	0.65	0.17	17
299	0.17	0.73	0.28	22
300	0.05	0.20	0.08	60
301	0.01	0.06	0.01	52
302	0.02	0.14	0.03	21
303			0.32	90
	0.21	0.68		
304	0.34	0.81	0.48	88
305	0.36	0.77	0.49	64
306	0.22	0.49	0.30	101
307	0.04	0.20	0.07	45
308	0.00	0.03	0.01	40
309	0.04	0.27	0.06	41
310	0.18	0.56	0.27	68
311	0.08	0.50	0.14	20
312	0.04	0.25	0.07	20
313	0.01	0.10	0.02	30
314	0.16	0.49	0.24	81
315	0.12	0.47	0.20	59
316	0.06	0.29	0.10	24
317	0.06	0.26	0.09	78
318	0.17	0.48	0.25	60
319	0.20	0.59	0.30	46
320	0.09	0.48	0.15	61
321	0.16	0.60	0.15	48
322	0.14	0.60	0.23	58 155
323	0.27	0.55	0.36	155
324	0.05	0.30	0.08	37
325	0.04	0.27	0.07	33
326	0.04	0.27	0.06	52
327	0.01	0.07	0.02	59
328	0.34	0.83	0.48	71
329	0.12	0.45	0.19	66
330	0.09	0.32	0.14	50
331	0.05	0.28	0.08	32
332	0.01	0.20	0.03	10
333	0.05	0.20	0.08	81
334	0.06	0.30	0.10	30
335	0.07	0.33	0.12	36
336	0.12	0.57	0.19	21
337	0.02	0.19	0.03	26
338	0.16	0.47	0.23	53
339	0.00	0.07	0.01	29
340	0.18	0.56	0.27	55
341	0.05	0.42	0.10	12
342	0.10	0.58	0.17	19
343	0.07	0.45	0.12	20
344	0.10	0.48	0.12	21
345	0.12	0.48 0.57	0.17	21
346	0.01	0.12	0.02	25 47
347	0.14	0.55	0.22	47
348	0.02	0.28	0.04	25
349	0.20	0.76	0.32	34
350	0.07	0.75	0.12	8
351	0.05	0.40	0.08	10
352	0.21	0.61	0.31	61
353	0.04	0.50	0.07	10
354	0.04	0.26	0.08	58
355	0.11	0.49	0.19	59
356	0.23	0.57	0.33	145
357	0.24	0.51	0.33	135

			50_	rag_Predicto
358	0.11	0.53	0.18	36
359	0.22	0.66	0.33	67
360	0.07	0.29	0.11	62
361	0.38	0.87	0.53	76
362	0.03	0.25	0.05	24
363	0.34	0.81	0.47	64
364	0.06	0.33	0.10	18
365	0.05	0.33	0.08	27
366	0.15	0.78	0.26	27
367	0.07	0.28	0.12	68
368	0.02	0.23	0.03	13
369	0.01	0.12	0.02	24
370	0.01	0.09	0.02	22
371	0.03	0.22	0.05	36
372	0.20	0.37	0.26	30
373	0.21	0.62	0.32	74
374	0.05	0.33	0.09	30
375	0.01	0.15	0.03	20
376	0.00	0.00	0.00	15
377	0.15	0.46	0.22	79
378	0.01	0.06	0.01	35
379	0.00	0.00	0.00	7
380	0.15	0.42	0.22	57
381	0.03	0.15	0.04	59
382	0.04	0.24	0.07	41
383	0.15	0.52	0.23	69
384	0.01	0.05	0.01	42
385	0.05	0.19	0.08	21
386	0.02	0.12	0.04	24
387	0.05	0.29	0.09	34
388	0.07	0.38	0.11	39
389	0.02	0.18	0.04	45
390	0.35	0.69	0.47	75
391	0.06	0.31	0.10	32
392	0.08	0.62	0.14	8
393	0.01	0.03	0.01	59
394	0.03	0.16	0.05	38
395	0.08	0.41	0.13	61
396	0.06	0.26	0.09	65
397	0.26	0.58	0.36	190
398	0.15	0.75	0.26	36
399	0.01	0.13	0.02	23
400	0.05	0.33	0.02	27
401	0.05	0.33	0.09	36
402	0.03	0.33	0.12	52
402	0.02	0.36	0.12	11
404	0.12	0.83	0.22	6
405	0.07	0.27	0.10	49
406	0.06	0.58	0.11	19
407	0.04	0.27	0.07	11
408	0.13	0.63	0.21	46
409	0.01	0.06	0.02	16
410	0.00	0.00	0.00	5
411	0.08	0.28	0.12	68
412	0.05	0.28	0.09	32
413	0.05	0.16	0.07	61
414	0.02	0.14	0.03	21
415	0.04	0.33	0.07	18
416	0.08	0.56	0.14	25
417	0.01	0.06	0.01	16
418	0.03	0.31	0.06	26

			SO_	Tag_Predicto
419	0.12	0.48	0.19	50
420	0.03	0.29	0.05	7
421	0.04	0.29	0.07	28
422	0.06	0.44	0.11	32
423	0.06	0.43	0.11	28
424	0.25	0.89	0.39	9
425	0.00	0.00	0.00	6
426	0.03	0.21	0.05	33
427	0.34	0.81	0.48	64
428	0.16	0.79	0.27	14
429	0.36	0.73	0.48	11
430	0.12	0.46	0.19	61
431	0.08	0.39	0.13	49
432	0.00	0.00	0.00	7
433	0.06	0.55	0.10	11
434	0.15	0.60	0.24	15
435	0.05	0.38	0.09	16
436	0.10	0.43	0.16	42
437	0.05	0.18	0.08	49
438	0.35	0.76	0.47	49 55
439	0.07	0.31	0.11	55
440	0.04	0.16	0.06	45
441	0.03	0.21	0.06	24
442	0.03	0.19	0.05	31
443	0.06	0.28	0.11	25
444	0.04	0.36	0.08	25
445	0.07	0.45	0.12	22
446	0.05	0.38	0.10	16
447	0.02	0.44	0.04	9
448	0.33	0.60	0.43	43
449	0.12	0.39	0.18	44
450	0.09	0.38	0.15	37
451	0.07	0.33	0.11	30
452	0.03	0.23	0.05	13
453	0.02	0.16	0.03	25
454	0.14	0.62	0.22	39
				98
455	0.10	0.38	0.16	
456	0.02	0.50	0.03	2
457	0.10	0.39	0.16	54
458	0.01	0.20	0.02	10
459	0.04	0.24	0.06	21
460	0.01	0.07	0.02	29
461	0.14	0.54	0.23	28
462	0.03	0.15	0.05	27
463	0.06	0.42	0.10	40
464	0.16	0.43	0.23	49
465	0.09	0.47	0.15	32
466	0.18	0.47	0.26	90
467	0.18	0.59	0.28	49
468	0.10	0.41	0.16	59
469	0.01	0.03	0.01	35
470	0.28	0.81	0.42	42
471 472	0.11	0.38	0.17	42 64
472	0.17	0.45	0.25	64
473	0.07	0.41	0.12	22
474	0.04	0.19	0.06	37
475	0.03	0.17	0.05	30
476	0.20	0.69	0.31	29
477	0.27	0.70	0.39	67
478	0.17	0.88	0.29	16
479	0.04	0.19	0.07	37

24/2013				30_1a	g_i redictor_z
	480	0.23	0.67	0.34	46
	481	0.13	0.34	0.19	56
	482	0.05	0.39	0.09	28
	483	0.32	0.76	0.45	51
	484	0.04	0.22	0.06	32
	485	0.02	0.11	0.03	37
	486	0.05	0.29	0.09	41
	487	0.08	0.46	0.14	24
	488	0.01	0.12	0.03	26
	489	0.10	0.42	0.16	36
	490	0.27	0.83	0.40	29
	491	0.04	0.24	0.07	37
	492	0.00	0.06	0.01	16
	493	0.01	0.07	0.02	41
	494	0.08	0.35	0.13	26
	495	0.13	0.67	0.22	21
	496	0.08	0.33	0.13	12
	497	0.10	0.41	0.16	39
	498	0.04	0.23	0.07	31
	499	0.06	0.36	0.10	45
micro	avg	0.19	0.48	0.27	67448
macro	_	0.13	0.42	0.19	67448
weighted	•	0.27	0.48	0.33	67448
samples	avg	0.29	0.45	0.30	67448

Time taken to run this cell : 1:07:51.576493

Logistic regresssion hyperparameter tuning

In [35]:

```
print("Dimensions of train data X:",x_train_multilabel.shape, "Y:",y_train.shape)
print("Dimensions of test data X:",x_test_multilabel.shape,"Y:",y_test.shape)
```

```
Dimensions of train data X: (40000, 20000) Y: (40000, 500) Dimensions of test data X: (10000, 20000) Y: (10000, 500)
```

In [34]:

```
x_test_multilabel=x_test_multilabel[0:10000]
y_test=y_test[0:10000]
```

In [41]:

```
#https://stackoverflow.com/questions/12632992/gridsearch-for-an-estimator-inside-a-onev
srestclassifier/12637528
param_grid = {"estimator__alpha": [10**-5, 10**-3, 10**-1, 10**1, 10**2]}

clf = OneVsRestClassifier(SGDClassifier(loss='log',penalty='l1'))

model = GridSearchCV(clf,param_grid, scoring = 'f1_micro', cv=2,n_jobs=-1)

model.fit(x_train_multilabel, y_train)
```

Out[41]:

```
GridSearchCV(cv=2, error_score=nan,
             estimator=OneVsRestClassifier(estimator=SGDClassifier(alpha=
0.0001,
                                                                       average
=False,
                                                                      class_w
eight=None,
                                                                       early_s
topping=False,
                                                                       epsilon
=0.1,
                                                                      eta0=0.
0,
                                                                      fit_int
ercept=True,
                                                                       l1_rati
0=0.15,
                                                                      learnin
g_rate='optimal',
                                                                      loss='l
og',
                                                                      max_ite
r=1000,
                                                                       n_iter_
no_change=5,
                                                                      n_jobs=
None,
                                                                       penalty
='11',
                                                                       power_t
=0.5,
                                                                       random_
state=None,
                                                                      shuffle
=True,
                                                                      tol=0.0
01,
                                                                      validat
ion_fraction=0.1,
                                                                      verbose
=0,
                                                                      warm_st
art=False),
                                             n_jobs=None),
             iid='deprecated', n_jobs=-1,
             param_grid={'estimator__alpha': [1e-05, 0.001, 0.1, 10, 10
0]},
             pre_dispatch='2*n_jobs', refit=True, return_train_score=Fals
e,
             scoring='f1 micro', verbose=0)
```

In [47]:

```
#applying the best alpha
start = datetime.now()
classifier = OneVsRestClassifier(SGDClassifier(loss='log', alpha=0.0001, penalty='l1'))
classifier.fit(x train multilabel, y train)
predictions = classifier.predict (x test multilabel)
print("Accuracy :",metrics.accuracy_score(y_test, predictions))
print("Hamming loss ",metrics.hamming_loss(y_test,predictions))
precision = precision_score(y_test, predictions, average='micro')
recall = recall_score(y_test, predictions, average='micro')
f1 = f1_score(y_test, predictions, average='micro')
print("Micro-average quality numbers")
print("Precision: {:.4f}, Recall: {:.4f}, F1-measure: {:.4f}".format(precision, recall,
f1))
precision = precision_score(y_test, predictions, average='macro')
recall = recall_score(y_test, predictions, average='macro')
f1 = f1_score(y_test, predictions, average='macro')
print("Macro-average quality numbers")
print("Precision: {:.4f}, Recall: {:.4f}, F1-measure: {:.4f}".format(precision, recall,
f1))
print (metrics.classification_report(y_test, predictions))
print("Time taken to run this cell :", datetime.now() - start)
```

Accuracy : 0.0693

Hamming loss 0.0070414

Micro-average quality numbers

Precision: 0.2586, Recall: 0.4730, F1-measure: 0.3344

Macro-average quality numbers

Precision: 0.1965, Recall: 0.3564, F1-measure: 0.2354

n:	0.1965,	Recall:	0.3564,	F1-measure:	0.2354
	prec	ision	recall	f1-score	support
	0	0.62	0.80	0.70	659
	1	0.36	0.34	0.35	1017
	2	0.53	0.55	0.54	895
	3	0.50	0.66	0.57	579
	4	0.52	0.69	0.59	903
	5	0.46	0.53	0.49	453
	6	0.50	0.59	0.54	533
	7	0.43	0.72	0.54	498
	8	0.19	0.26	0.22	384
	9	0.50	0.69	0.58	120
1	L0	0.18	0.28	0.22	219
1	L1	0.43	0.47	0.45	333
1	L2	0.21	0.36	0.27	257
1	L3	0.27	0.41	0.32	206
1	L4	0.55	0.74	0.63	313
1	L5	0.32	0.48	0.38	310
1	L6	0.25	0.45	0.33	120
1	L7	0.31	0.76	0.45	127
1	L8	0.13	0.29	0.18	142
1	L9	0.27	0.50	0.35	151
2	20	0.30	0.56	0.39	142
2	21	0.14	0.24	0.17	138
2	22	0.16	0.38	0.22	122
2	23	0.33	0.57	0.42	72
2	24	0.10	0.29	0.15	48
2	25	0.38	0.54	0.45	76
	26	0.10	0.46	0.17	59
2	27	0.23	0.48	0.31	105
	28	0.42	0.60	0.50	139
	29	0.12	0.35	0.18	26
	30	0.16	0.40	0.23	62
3	31	0.04	0.19	0.07	48
	32	0.21	0.56	0.31	32
	33	0.25	0.40	0.31	88
	34	0.13	0.17	0.15	75
	35	0.31	0.62	0.42	69
	36	0.15	0.29	0.20	51
	37	0.36	0.76	0.48	21
	38	0.16	0.50	0.24	107
	39	0.25	0.49	0.33	92
	10	0.41	0.45	0.43	91
	11	0.03	0.22	0.06	9
	12	0.05	0.62	0.10	8
	13	0.36	0.55	0.43	60
	14	0.43	0.67	0.52	221
	15 16	0.22	0.48	0.30	44
	16 17	0.47	0.69	0.56	88
	17 10	0.08	0.12	0.10	34
	18 10	0.16	0.45	0.24	42 57
	19 - a	0.31	0.79	0.45	57 21
	50	0.04	0.14	0.07	21
	51 52	0.10 0.07	0.25 0.14	0.14 0.09	40 21
	n Ob		0.14 √SΩ Tag Pr		21
			vali laa Dr	natoror '/ html	

			50_	rag_Predicto
53	0.17	0.39	0.24	31
54	0.15	0.43	0.22	60
55	0.02	0.08	0.03	13
56	0.10	0.33	0.15	33
57	0.13	0.26	0.17	53
58	0.34	0.40	0.37	58
59	0.41	0.75	0.53	64 21
60 61	0.09 0.16	0.23 0.53	0.13 0.24	31 17
62	0.58	0.89	0.24	156
63	0.10	0.58	0.16	12
64	0.25	0.64	0.36	11
65	0.06	0.12	0.08	26
66	0.12	0.18	0.14	103
67	0.42	0.48	0.44	21
68	0.33	0.69	0.44	58
69	0.22	0.38	0.28	34
70	0.11	0.20	0.14	41
71	0.16	0.40	0.22	25
72	0.19	0.60	0.28	48
73 74	0.40	0.73	0.52	11
74 75	0.03	0.25	0.05	8
75 76	0.81 0.04	0.93 0.09	0.87 0.06	14 46
70 77	0.15	0.29	0.20	40 17
78	0.47	0.55	0.51	49
79	0.06	0.16	0.08	31
80	0.26	0.51	0.34	41
81	0.09	0.34	0.14	56
82	0.04	0.12	0.07	24
83	0.37	0.66	0.47	59
84	0.17	0.38	0.24	26
85	0.09	0.12	0.10	43
86	0.07	0.30	0.11	73
87	0.08	0.75	0.15	12
88	0.11	0.29	0.16	14
89	0.03	0.06	0.04	18
90 91	0.16 0.12	0.33 0.37	0.22 0.18	30 30
92	0.12	0.51	0.18	55
93	0.19	0.58	0.29	19
94	0.02	0.12	0.03	8
95	0.08	0.24	0.11	17
96	0.13	0.21	0.16	189
97	0.16	0.39	0.23	31
98	0.11	0.38	0.17	13
99	0.28	0.56	0.38	16
100	0.06	0.19	0.09	43
101	0.42	0.70	0.53	30
102	0.50	0.72	0.59	53
103	0.26	0.32	0.28	38
104 105	0.06 0.23	0.25 0.62	0.10 0.33	36 26
105	0.23	0.02	0.33 0.07	46
107	0.50	0.65	0.57	40
108	0.07	0.22	0.10	23
109	0.34	0.71	0.46	31
110	0.12	0.28	0.17	32
111	0.09	0.26	0.14	19
112	0.04	0.11	0.05	18
113	0.22	0.24	0.23	17

			SO_	Tag_Predicto
114	0.04	0.24	0.07	17
115	0.07	0.17	0.10	36
116	0.13	0.45	0.20	40
117	0.22	0.42	0.29	48
118	0.21	0.62	0.31	8
119	0.24	0.39	0.30	84
120	0.05	0.17	0.08	18
121	0.52	0.74	0.61	77
122	0.18	0.16	0.17	32
123	0.00	0.00	0.00	28
124	0.42	0.82	0.56	17
125	0.01	0.07	0.02	14
126	0.51	0.57	0.54	53
127	0.03	0.19	0.05	16
128	0.07	0.22	0.10	18
129	0.07	0.33	0.12	9
130	0.04	0.40	0.07	5
131	0.05	0.18	0.08	45
132	0.07	0.26	0.11	27
133	0.45	0.74		50
			0.56	
134	0.62	0.88	0.73	17
135	0.05	0.25	0.09	12
136	0.04	0.20	0.06	15
137	0.14	0.20	0.16	25
138	0.09	0.46	0.16	28
139	0.19	0.43	0.26	21
140	0.18	0.55	0.27	29
141	0.08	0.15	0.10	41
142	0.37	0.52	0.43	29
143	0.48	0.77	0.59	26
144	0.30	0.40	0.35	35
145	0.30	0.53	0.38	19
146	0.20	0.50	0.29	24
147	0.18	0.40	0.25	15
148	0.11	0.42	0.18	12
149	0.75	0.78	0.76	58
			0.70	
150	0.33	0.32		50
151	0.17	0.71	0.27	7
152	0.30	0.89	0.44	18
153	0.10	0.33	0.15	6
154	0.10	0.28	0.14	18
155	0.02	0.06	0.03	18
156	0.57	0.57	0.57	23
157	0.05	0.11	0.06	18
158	0.41	0.78	0.54	9
159	0.50	0.56	0.53	16
160	0.11	0.36	0.17	22
161	0.23	0.60	0.33	15
162	0.02	0.04	0.03	25
163	0.37	0.46	0.41	28
164	0.12	0.26	0.17	27
165	0.29	0.51	0.37	43
166 167	0.08	0.28	0.12	25 20
167	0.20	0.21	0.21	28
168	0.04	0.33	0.07	12
169	0.21	0.35	0.26	23
170	0.07	0.22	0.11	9
171	0.19	0.50	0.28	12
172	0.14	0.50	0.22	12
173	0.21	0.37	0.27	27
174	0.10	0.28	0.15	18

			SU_1	ag_Predicti
175	0.77	0.91	0.83	11
176	0.51	0.81	0.63	57
177	0.29	0.41	0.34	32
178	0.27	0.70	0.39	20
179	0.24	0.30	0.27	23
180				21
	0.41	0.43	0.42	
181	0.06	0.31	0.09	13
182	0.04	0.20	0.07	10
183	0.45	0.54	0.49	96
184	0.15	0.10	0.12	40
185	0.00	0.00	0.00	7
186	0.12	0.27	0.17	11
187	0.17	0.50	0.25	12
188	0.08	0.19	0.11	16
189	0.06	0.14	0.08	7
190	0.52	0.59	0.55	27
191	0.06	0.31	0.10	13
192	0.45	0.57	0.50	37
193	0.08	0.22	0.12	9
194	0.30	0.82	0.44	11
195	0.05	0.11	0.07	27
196	0.06	0.25	0.10	16
197	0.03	0.12	0.05	26
198	0.11	0.21	0.14	29
199	0.02	0.12	0.03	8
200	0.75	0.73	0.74	37
201	0.14	0.26	0.18	31
202	0.25	0.62	0.36	21
203	0.11	0.25	0.15	28
204	0.06	0.36	0.11	11
205	0.16	0.29	0.20	17
206	0.02	0.06	0.03	17
207	0.00	0.00	0.00	4
208	0.60	0.77	0.67	47
209	0.25	0.16	0.19	19
210	0.27	0.50	0.35	54
211	0.10	0.29	0.15	17
212	0.00	0.00	0.00	3
213	0.07	0.25	0.11	4
214	0.03	0.17	0.06	6
				18
215	0.26	0.39	0.31	
216	0.08	0.12	0.10	25
217	0.00	0.00	0.00	6
218	0.68	0.93	0.78	43
219	0.34	0.39	0.37	33
220	0.40	0.54	0.46	26
221	0.62	0.54	0.58	24
222	0.28	0.55	0.37	20
223	0.03	0.11	0.05	9
224	0.21	0.57	0.31	30
225	0.05	0.67	0.09	6
226	0.19	0.55	0.28	11
227	0.38	0.53	0.44	15
228	0.12	0.19	0.15	16
229	0.03	0.14	0.05	14
230	0.05	0.18	0.07	17
231	0.67	0.38	0.48	16
232	0.03	0.07	0.48	14
				34
233	0.59	0.50 0.14	0.54 0.67	
234	0.05	0.14	0.07	7 10
235	0.43	0.30	0.35	10

			80_1	rag_Predicto
236	0.54	0.65	0.59	20
237	0.11	0.13	0.12	31
238	0.05	0.18	0.08	17
239	0.03	0.14	0.05	7
240	0.38	0.53	0.44	15
241	0.04	0.18	0.07	17
242	0.33	0.14	0.20	14
243				14
	0.00	0.00	0.00	
244	0.09	0.41	0.15	17
245	0.04	0.15	0.06	13
246	0.62	0.80	0.70	20
247	0.04	0.38	0.07	8
248	0.02	0.10	0.03	10
249	0.00	0.00	0.00	5
250	0.25	0.33	0.29	9
251	0.02	0.50	0.04	6
252	0.00	0.00	0.00	9
253	0.11	0.55	0.18	11
254	0.05	0.12	0.07	8
255	0.13	0.17	0.15	112
256	0.05	0.11	0.06	19
257	0.14	0.25	0.18	8
258	0.52	0.79	0.62	19
259	0.03	0.07	0.04	15
260	0.09	0.18	0.12	22
261	0.08	0.26	0.13	19
				11
262	0.12	0.55	0.20	147
263	0.36	0.31	0.34	
264	0.03	0.33	0.06	3
265	0.08	0.22	0.11	9
266	0.50	0.20	0.29	5
267	0.05	0.17	0.07	6
268	0.24	0.49	0.32	35
269	0.40	0.29	0.33	7
270	0.21	0.50	0.30	6
271	0.14	0.47	0.21	19
272	0.04	0.25	0.07	12
273	0.77	0.79	0.78	42
274	0.50	0.50	0.50	6
275	0.09	0.20	0.12	10
276	0.07	0.11	0.09	18
277	0.46	0.71	0.56	17
278	0.17	0.40	0.24	15
279	0.54	0.88	0.67	17
280	0.05	0.22	0.09	9
281	0.69	0.62	0.65	29
282	0.42	0.81	0.55	16
283	0.11	0.35	0.17	17
284	0.20	0.33	0.25	3
285	0.58	0.79	0.67	47 11
286	0.11	0.64	0.19	11 17
287	0.32	0.35	0.33	17
288	0.11	0.12	0.12	8
289	0.00	0.00	0.00	5
290	0.05	0.13	0.07	15
291	0.19	0.50	0.28	10
292	0.08	0.12	0.10	8
293	0.33	0.72	0.45	18
294	0.14	0.13	0.14	23
295	0.06	0.17	0.09	6
296	0.12	0.33	0.18	3

			SO_	Tag_Predicto
297	0.07	0.38	0.12	8
298	0.03	1.00	0.06	1
299	0.07	0.50	0.12	4
300	0.07	0.27	0.11	15
301	0.03	0.07	0.04	14
302	0.00	0.00	0.00	5
303	0.48	0.93	0.64	15
304	0.23	0.58	0.33	12
305	0.73	0.73	0.73	30
306	0.38	0.53	0.44	49
307	0.06	0.43	0.11	7
308	0.00	0.00	0.00	8
309	0.03	0.08	0.04	12
310	0.31	0.45	0.37	20
311	0.14	1.00	0.24	4
312	0.38	0.33	0.35	9
313	0.04	0.07	0.05	14
314	0.35	0.29	0.32	21
315	0.38	0.73	0.50	11
316	0.33	0.67	0.44	3
317	0.11	0.21	0.15	14
318	0.00	0.00	0.00	7
319	0.21	0.90	0.35	10
320	0.16	0.21	0.18	28
321	0.37	0.78	0.50	9
322	0.16	0.75	0.26	8
323	0.52	0.48	0.49	101
324	0.02	0.12	0.03	8
325	0.02	0.17	0.04	6
326	0.06	0.15	0.09	13
327	0.00	0.00	0.00	13
328	0.43	0.70	0.53	37
329	0.19	0.62	0.29	8
330	0.00	0.00	0.00	6
331	0.00	0.00	0.00	4
332	0.00	0.00	0.00	3
333	0.05	0.33	0.09	6
334	0.50	0.33	0.40	9
335	0.17	0.25	0.20	8
	0.12	0.25	0.17	4
336				
337	0.12	0.30	0.18	10
338	0.22	0.80	0.35	10
339	0.00	0.00	0.00	4
340	0.40	0.50	0.44	16
341	0.00	0.00	0.00	2
342	0.00	0.00	0.00	1
343	0.00	0.00	0.00	7
344	0.00	0.00	0.00	3
345	0.73	0.80	0.76	10
346	0.00	0.00	0.00	5
347	0.42	0.57	0.48	14
348	0.00	0.00	0.00	1
349	0.27	0.78	0.40	9
350	0.00	0.00	0.00	1
351	0.05	0.50	0.08	2
352	0.73	0.73	0.73	26
353	0.50	0.33	0.40	3
354	0.02	0.25	0.04	4
355	0.04	0.20	0.06	10
356	0.04	0.07	0.05	14
357	0.31	0.75	0.44	16
,		- • • •	- • • •	

			50_	rag_Predicto
358	0.17	0.22	0.19	9
359	0.24	0.78	0.37	18
360	0.04	0.12	0.06	16
361	0.30	0.79	0.43	14
362	0.04	0.20	0.06	5
363	0.56	1.00	0.71	5
364	0.00	0.00	0.00	3
365	0.00	0.00	0.00	9
366	0.69	0.75	0.72	12
367	0.20	0.56	0.29	9
368	0.00	0.00	0.00	0
369	0.00	0.00	0.00	7
370	0.00	0.00	0.00	6
371	0.04	0.38	0.07	13
372	0.75	0.43	0.55	7
373	0.30	0.35	0.32	17
374	0.00	0.00	0.00	4
375	0.04	0.33	0.07	3
376	0.00	0.00	0.00	6
377	0.12	0.15	0.14	13
378	0.00	0.00	0.00	8
379	0.00	0.00	0.00	3
380	0.53	0.45	0.49	20
381	0.00	0.00	0.00	16
382	0.00	0.00	0.00	24
383	0.52	0.42	0.47	33
384	0.00	0.00	0.00	17
385	0.00	0.00	0.00	6
386	0.00	0.00	0.00	4
387	0.05	0.11	0.07	9
388	0.25	0.33	0.29	9
389	0.00	0.00	0.00	4
390	0.59	0.72	0.65	18
391	0.15	0.30	0.20	10
392	0.00	0.00	0.00	3
393	0.00	0.00	0.00	17
394	0.00	0.00	0.00	10
395	0.23	0.42	0.29	12
396	0.03	0.14	0.04	7
397	0.28	0.37	0.32	19
398	0.43	0.72	0.54	18
399	0.10	0.11	0.11	9
400	0.19	0.60	0.29	5
401	0.24	0.46	0.32	13
402	0.05	0.17	0.08	6
403	0.10	0.50	0.17	2
404	0.00	0.00	0.00	1
405	0.14	0.38	0.20	8
406	0.13	0.40	0.20	5
407	0.07	0.33	0.12	3
408	0.06	0.25	0.10	4
409	0.00	0.00	0.00	3
410	0.00	0.00	0.00	2
411	0.21	0.45	0.29	11
412	0.17	0.50	0.25	6
413	0.10	0.18	0.13	34
414	0.00	0.00	0.00	8
415	0.08	1.00	0.14	1
416	0.25	0.60	0.35	5
417	0.08	0.17	0.11	6
418	0.00	0.00	0.00	9

			SO_	Tag_Predicto
419	0.15	0.36	0.21	14
420	0.00	0.00	0.00	2
421	0.18	0.40	0.25	5
422	0.12	0.83	0.21	6
423	0.00	0.00	0.00	4
424	1.00	1.00		1
			1.00	
425	0.00	0.00	0.00	2
426	0.14	0.38	0.20	13
427	0.86	0.86	0.86	21
428	0.78	0.78	0.78	9
429	0.00	0.00	0.00	1
430	0.05	0.25	0.08	4
431	0.21	0.30	0.25	23
432	0.00	0.00	0.00	1
433	0.00	0.00	0.00	5
434	0.20	0.50	0.29	2
435	0.14	0.50	0.22	2
436	0.08	0.23	0.12	13
437	0.00	0.00	0.00	7
438	0.29	0.67	0.40	9
439	0.02	0.14	0.03	7
440	0.06	0.20	0.10	10
441	0.17	0.33	0.22	6
442	0.08	0.18	0.11	11
443	0.10	0.09	0.10	11
444	0.05	0.07	0.06	14
445	0.00	0.00	0.00	3
446	0.27	1.00	0.43	3
447	0.02	0.25	0.03	4
448	0.50	0.55	0.52	11
449	0.29	0.56	0.38	9
450	0.12	0.33	0.17	6
				5
451	0.03	0.20	0.06	
452	0.00	0.00	0.00	3
453	0.00	0.00	0.00	17
454	0.38	0.41	0.39	22
455	0.07	0.33	0.12	12
456	0.00	0.00	0.00	0
457	0.07	0.43	0.12	7
458	0.03	0.33	0.06	3
459	0.05	0.33	0.08	3
460	0.00	0.00	0.00	1
461	0.19	0.60	0.29	5
462	0.00	0.00	0.00	2
463	0.05	0.29	0.09	14
464	0.19	0.33	0.24	9
465	0.18	0.33	0.24	6
	0.05			5
466		0.20	0.08	5 7
467	0.33	0.71	0.45	=
468	0.33	0.10	0.15	20
469	0.00	0.00	0.00	8
470	0.57	1.00	0.73	8
471	0.36	0.56	0.43	9
472	0.15	0.43	0.22	14
473	0.43	0.60	0.50	5
474	0.00	0.00	0.00	2
475	0.00	0.00	0.00	8
476	0.21	0.50	0.30	6
477	0.33	0.67	0.44	12
478	1.00	0.25	0.40	4
479	0.17	0.11	0.40	9
4/2	0.1/	0.11	0.13)

2-1/2010				00_1	ag_i redictor_z
	480	0.50	0.80	0.62	5
	481	0.15	0.44	0.23	9
	482	0.00	0.00	0.00	4
	483	0.31	0.77	0.44	13
	484	0.00	0.00	0.00	6
	485	0.06	0.11	0.08	9
	486	0.05	0.20	0.08	5
	487	0.20	0.22	0.21	9
	488	0.07	0.11	0.09	9
	489	0.12	0.50	0.19	6
	490	0.00	0.00	0.00	14
	491	0.06	0.14	0.09	14
	492	0.00	0.00	0.00	3
	493	0.00	0.00	0.00	8
	494	0.19	0.21	0.20	14
	495	0.75	0.50	0.60	6
	496	0.00	0.00	0.00	2
	497	0.07	0.20	0.10	5
	498	0.33	0.20	0.25	10
	499	0.09	0.20	0.13	15
micro	avg	0.26	0.47	0.33	18699
macro	avg	0.20	0.36	0.24	18699
weighted	_	0.33	0.47	0.38	18699
samples	avg	0.34	0.45	0.34	18699

Time taken to run this cell : 0:08:48.564091

In []: