

ChatConnect-AReal-Time Chat

PreparedFor
Smart-Internz
AndroidApplicationDevelopmentwithKotlin Guided
project

By
Anuradha Bhimrao Kashid
DYPatilAgricultureandTechnicalUniversityTalsande

On
25June2025

Abstract

Chat Connect is a real-time chat application designed to enhance digital communication for students and collaborative groups. Leveraging Firebase for cloud storage and Jetpack Compose for a dynamic UI, the app enables seamless messaging, topic-based chat rooms, and profile customization. With real-time notifications and persistent chat history, ChatConnect provides an efficient, scalable, and user-friendly platform for academic and social interactions.

Project Report

1. INTRODUCTION

In today's digitally connected world, seamless and real-time communication has become essential—especially for students, professionals, and collaborative groups. With the increasing shift towards virtual learning, remote teamwork, and digital socialization, the demand for reliable and engaging communication platforms has surged dramatically. Mobile and web-based chat applications play a vital role in connecting individuals and enhancing collaborative efforts in real time.

ChatConnect is a modern, real-time chat and communication application designed to streamline the way users interact, share, and collaborate. The app is particularly useful for students like *Sophie*, who depend on smooth, instant communication to coordinate with classmates, engage in group projects, attend virtual lectures, and socialize beyond the classroom environment.

Traditional messaging platforms may fall short in providing personalized experiences, topic-focused discussions, or efficient collaboration tools for academic and group-based activities. Recognizing this gap, ChatConnect has been developed with a focus on usability, customization, and performance, providing users with chat rooms categorized by topics, real-time messaging, multimedia sharing, and profile personalization.

By integrating modern cloud technologies like Firebase and leveraging Jetpack Compose for an adaptive and responsive interface, Chat Connect ensures a fast, scalable, and user-friendly environment. Real-time updates, chat history access, and state management ensure that users remain engaged and informed without interruptions.

This project, titled “**ChatConnect—A Real-Time Chat and Communication App**”, aims to provide a robust, intelligent, and personalized platform that supports group collaboration, real-time interactions, and streamlined communication, all tailored to the dynamic needs of today's digital learners and communities.

PROJECT OVERVIEW

Chat Connect is a smart, real-time communication platform designed to enhance connectivity, collaboration, and interaction among users, especially students and academic groups. Built using modern mobile development tools and cloud-based technologies, ChatConnect enables users to engage in topic-based discussions, multimedia sharing, and dynamic group coordination through personalized chat rooms.

The system leverages Firebase for real-time data synchronization, Jetpack Compose for a declarative UI experience, and efficient state management techniques to ensure a seamless user journey.

The app's **core functionality includes:**

- **User Registration and Profile Creation:** Allowing users to sign up via email and personalize their accounts with profile images and status settings.
- **Chat Room Exploration:** Enabling users to browse and discover chat rooms based on topics such as academics, extracurricular activities, and social interests.
- **Chat Room Participation and Management:** Supporting users in joining existing rooms or creating new ones for group projects, study sessions, or casual discussions.
- **Real-Time Messaging:** Facilitating instant text, emoji, and multimedia communication with real-time message updates and typing indicators.
- **Notification System:** Providing push notifications and in-app alerts for new messages, mentions, and replies to keep users continuously engaged.
- **Data Handling and State Management:** Utilizing Compose's state control, Firebase listeners, and Live Data to dynamically reflect chat updates and user activity.
- **Chat History and Archives:** Maintaining a chronological log of messages and shared content, accessible for future reference.
- **Feedback and Support Module:** Allowing users to submit feedback or report issues, ensuring continuous improvement based on user experience.

Chat Connect is built to be modular, scalable, and cloud-native, making it adaptable across various devices and platforms. The application leverages Firebase's real-time database and storage features, ensuring robust performance and high availability even in demanding usage environments. It is particularly suited for educational communities, student groups, and anyone seeking a rich and efficient collaborative communication tool.

PURPOSE

The purpose of this project is to address the limitations of traditional chat applications by delivering an intelligent, real-time, and user-centric communication platform tailored to the needs of collaborative and academic communities. It serves several key objectives:

- **To enable seamless real-time communication** among students, friends, and groups across various topics and interests.
- **To provide a centralized platform** for organizing and managing multiple chat rooms for academic discussions, project collaboration, and social interaction.
- **To enhance user experience** through profile personalization, chat room subscriptions, and customizable settings.
- **To ensure reliability and scalability** through cloud-based backend integration using Firebase for message storage, user authentication, and real-time synchronization.
- **To offer intuitive user interfaces** using declarative UI frameworks that allow dynamic content display and smooth navigation.
- **To support persistent access** to chat history and shared multimedia content for future reference and review.
- **To incorporate user feedback mechanisms** that support continuous improvement and issue resolution.

This project aims to bridge communication gaps in digital learning and collaboration by offering a responsive, intelligent, and engaging chat solution.

2. LITERATURE SURVEY

The widespread adoption of digital communication platforms—especially in education and remote collaboration—has significantly increased the demand for efficient, scalable, and user-friendly messaging applications. While many chat apps offer basic functionality, they often fall short in delivering real-time synchronization, topic-specific group interaction, personalized user experiences, and seamless cross-platform performance.

Conventional chat systems tend to struggle with limitations such as delayed message delivery, lack of dynamic state handling, minimal customization, and poor scalability. These shortcomings have encouraged developers and researchers to explore smarter, cloud-integrated, and user-centric approaches to modern messaging platforms.

Recent advancements in **cloud technologies**, **real-time databases like Firebase**, **declarative UI frameworks (e.g., Jetpack Compose)**, and **state management techniques** have empowered developers to build applications that respond dynamically to user interactions and network changes.

This section highlights the evolution from static messaging platforms to dynamic, scalable applications like **ChatConnect**, which addresses common communication challenges by providing:

- Real-time updates and notifications,
- Modular chat room creation and management,
- Efficient user data handling and customization,
- Persistent chat history and cloud-based storage,
- A feedback loop for continuous improvement.

ChatConnect builds upon these modern developments to create a collaborative platform tailored to the academic and social needs of students like Sophie, promoting more effective and engaging communication.

EXISTING PROBLEM

Traditional chat applications, while functional, often suffer from several limitations that hinder effective and dynamic communication—especially in academic and collaborative environments. Most existing platforms offer basic messaging features but lack real-time responsiveness, customization options, and scalability needed to support diverse user needs.

Many messaging apps do not support **topic-specific chat rooms**, resulting in cluttered and disorganized conversations. Moreover, they rely on static data handling, meaning users may not receive instant updates, real-time notifications, or seamless message synchronization across devices.

Additionally, these platforms offer limited **personalization** and often require manual settings adjustments without adaptive controls. The absence of **persistent chat history**, **efficient media sharing**, and **feedback-driven support mechanisms** further impacts user experience and functionality.

In dynamic environments such as virtual classrooms, group projects, or social student networks—where users are constantly joining, leaving, or creating new topics—traditional messaging platforms struggle to keep pace. The lack of integration with modern tools like **cloud databases**, **declarative UI frameworks**, and **state-aware interfaces** reduces their relevance in fast-changing, connected contexts.

This creates a strong need for a more intelligent, customizable, and real-time communication solution that adapts to user behavior, supports dynamic content flow, and enhances overall engagement—goals which **ChatConnect** is specifically designed to address.

References

Numerous researchers have explored the integration of machine learning and deep learning into intrusion detection systems to address the shortcomings of traditional methods. Tavallaee et al. (2009) analyzed the widely used KDD Cup 99 dataset and proposed the NSL-KDD dataset as an improved version, addressing redundancy and imbalance issues

that previously hindered accurate model training. Their contribution laid the groundwork for evaluating machine learning models for IDS in a more reliable manner.

Shone et al. (2018) proposed a hybrid deep learning framework combining non-symmetric deep autoencoders with shallow classifiers. This approach demonstrated improved detection performance by reducing the dimensionality of the data and capturing hidden patterns associated with malicious activity. Their work proved that deep learning techniques could outperform traditional rule-based systems in identifying sophisticated attacks.

Vinayakumar et al. (2019) explored the use of Recurrent Neural Networks (RNNs) and Convolutional Neural Networks (CNNs) in intrusion detection. Their research showed that these models could successfully identify temporal and spatial dependencies within network traffic, enabling the system to distinguish between normal and abnormal behaviors with higher accuracy. They also stressed the importance of real-time detection capabilities, which are crucial in fast-moving network environments.

Another significant contribution was made by Ferrag et al. (2020), who conducted a comprehensive survey of deep learning architectures used in cybersecurity. Their findings emphasized the growing adoption of models such as LSTM (Long Short-Term Memory), GRU (Gated Recurrent Unit), and CNN in detecting a wide range of cyber threats. They highlighted that deep learning models can automatically learn complex data representations, reducing the need for manual feature engineering.

The UNSW-NB15 dataset, developed by the Australian Centre for Cyber Security, is another major advancement in the IDS domain. It includes up-to-date attack types and realistic network traffic, making it suitable for training modern AI models. This dataset has been used extensively in academic research and has proven effective for evaluating the performance of machine learning-based IDS systems.

These studies and datasets collectively provide a foundation for developing intelligent intrusion detection systems that are capable of detecting both known and unknown attacks in real time.

PROBLEM STATEMENT DEFINATION

Traditional chat applications fall short when it comes to delivering an interactive, responsive, and personalized messaging experience—particularly for users in academic and collaborative settings. These systems often rely on static interfaces, lack topic-specific organization, and do not provide real-time synchronization or dynamic user control.

Such platforms are limited in their ability to adapt to the diverse communication needs of students and groups who require quick access to chat rooms, immediate notifications, and persistent conversation history. Additionally, many messaging apps require manual configurations and offer minimal customization, which makes them inefficient for evolving use cases like virtual classrooms, group projects, or community-based discussions.

In light of these limitations, there is a strong need to develop a modern chat solution that supports **real-time messaging**, **cloud-based data handling**, and **user-centered customization**, while remaining scalable and efficient.

This project aims to build **Chat Connect**, a real-time communication app that utilizes Firebase for instant message synchronization and Compose for dynamic UI rendering. By providing features like **chatroom creation**, **multimedia support**, **personalized settings**, and **persistent chat archives**, Chat Connect offers a smarter, more engaging, and more reliable alternative to traditional messaging platforms—designed especially for students and collaborative users.

3. IDEATION&PROPOSED SOLUTION

This section outlines the conceptual foundation and creative process behind designing a user-centric,real-timechatandcommunicationapplication.Theideationprocessisessentialtoensure that the proposed solution aligns with the practical needs of students, educators, and collaborative groups, while leveraging the latest technological advancements.

The process begins with developing an empathetic understanding of the users—like Sophie, a college student—who require efficient tools to stay connected during virtual classes, group projects, and social interactions. Through user research and analysis, key challenges were identifiedsuchasthelackofreal-timeresponsiveness,limitedchatroomorganization,andpoor integration with cloud infrastructure.

Acomprehensivebrainstormingphasewasconductedtodefineessentialfeatures,including:

- **Seamlessuseronboarding andprofilecustomization**
- **Topic-specificchatroom creationanddiscovery**
- **Instantmessagingwithmultimedia support**
- **Personalizednotificationandchatsettings**
- **Cloud-baseddatahandlingusingFirebaseforreal-timesync**
- **Persistentchathistory and archives**
- **AnintuitiveUIbuilt withComposeto ensuresmoothuserinteraction**

Theproposedsolution—**ChatConnect**—isdesignedasarobust anddynamiccommunication platform that enhances digital collaboration. By combining thoughtful user experience design withscalablebackendtechnologies,ChatConnectprovidesareliable,intelligentalternativeto traditional chat applications, tailored specifically to modern academic and social needs.

EMPATHY MAP CANVAS

The Empathy Map Canvas is used to systematically understand the perspective of the key stakeholders who interact with the Chat Connect application. These stakeholders primarily include college students like Sophie, as well as project collaborators and virtual classroom participants.

Users' Say:

Students commonly express frustration with messaging platforms that lack real-time responsiveness and organization. They often mention the need for a chat app that allows instant, uninterrupted communication, especially during virtual classes and group projects. They also emphasize the importance of organized chat rooms for specific topics and activities.

Users' Think:

Users are keenly aware of the importance of staying connected in today's digital academic environment. They think critically about the inefficiencies in existing apps—such as missing notifications, scattered message threads, and lack of personalization. They expect intelligent systems that are responsive, reliable, and tailored to their communication style.

Users' Do:

Students and collaborators actively participate in chat rooms, exchange messages, share project files, and coordinate schedules. They explore different topics of discussion, create chat groups for various purposes, and depend heavily on consistent, real-time updates to stay in sync with peers.

Users' Feel:

Users often feel overwhelmed when dealing with unorganized messaging apps that make it hard to find information or stay engaged. There's a constant need for clarity, immediacy, and simplicity. They seek reassurance that their messages are delivered, stored, and accessible whenever needed—and they value apps that feel intuitive and supportive.

This comprehensive understanding of user experience and pain points guides the design of **Chat Connect**. The app must be intuitive, organized, real-time, and adaptive—offering a seamless communication experience that enhances both academic collaboration and social interaction.

IDEATION AND BRAINSTORMING

Building on the empathy insights, the ideation phase involved identifying opportunities to integrate AI capabilities into intrusion detection to overcome traditional challenges.

- **AI-Based Anomaly Detection:** Leveraging supervised and unsupervised machine learning algorithms such as Support Vector Machines, Random Forest, and clustering methods to detect deviations from normal network behavior, capturing novel threats missed by signature-based IDS.
- **Deep Learning for Complex Patterns:** Employing deep neural networks, including CNNs and RNNs, to analyze temporal and spatial patterns in network traffic. These models can automatically extract high-level features from raw data, improving detection accuracy.
- **Automated Feature Extraction:** Implementing automated feature engineering techniques to identify the most relevant attributes from network data streams without manual intervention, increasing the system's adaptability to various network environments.
- **Real-Time Processing:** Designing a scalable architecture that supports real-time dataing and analysis, enabling rapid detection and mitigation of intrusions as they occur.
- **Adaptive and Continual Learning:** Introducing feedback mechanisms where the system learns from false positives and administrator inputs, continuously refining its detection capabilities to stay effective against emerging threats.
- **User-Centric Visualization:** Developing a dynamic dashboard with detailed visual analytics that present alerts, threat categories, historical trends, and network health indicators in an accessible manner to facilitate quick decision-making by security teams.

- **Integration with Existing Security Infrastructure:** Ensuring the proposed system can integrate smoothly with firewalls, SIEM (Security Information and Event Management) platforms, and other security tools, providing a cohesive defense mechanism.

Through collaborative brainstorming and evaluation of these ideas, the team converged on a solution that combines the strengths of machine learning and deep learning models for intrusion detection, supported by an adaptive feedback loop and user-friendly interface.

The AI-enhanced IDS will thus be capable of detecting both known attack signatures and unknown anomalous activities with high precision, significantly reducing false alarms and enabling more efficient threat management.

REQUIREMENT

Requirement analysis is the process of identifying user expectations and system constraints that the ChatConnect app must fulfill. It serves as the foundation for designing, developing, and testing the application to ensure it meets user needs and operates efficiently in real-time communication scenarios.

For **ChatConnect**, the requirement analysis focuses on supporting seamless and engaging messaging experiences through intelligent and responsive features, emphasizing usability, performance, and real-time interaction.

Functional Requirements

- **User Registration & Profile Management:** Users must be able to register, login, and manage their profiles, including updating their name, email, and profile picture.
- **Chat Room Exploration & Management:** Users should be able to browse available chat rooms, join relevant ones, or create their own rooms based on academic subjects, social interests, or group projects.
- **Real-Time Messaging:** The system must support instant message sending and receiving, including text, emojis, images, and videos.
- **Notification System:** Real-time notifications for new messages, mentions, or chat room activity to keep users informed and engaged.
- **Chat History Access:** Users must be able to view past conversations and retrieve shared media or important information from archives.
- **Customization Options:** Features for setting user status, managing notifications, and personalizing the chat environment.

Non-Functional Requirements

- **Performance:** The app should respond quickly and handle multiple chat sessions without lag.
- **Scalability:** The backend must be capable of supporting many simultaneous users and chat rooms, especially during peak usage.
- **Security:** Ensure user data and messages are securely stored and transmitted, using encryption and secure authentication.
- **Reliability:** The system should remain available with minimal downtime and recover gracefully from failures.
- **User Experience:** A clean, intuitive interface that facilitates easy navigation, interaction, and customization.
- **Real-Time Integration:** Firebase integration for dynamic data storage and retrieval to ensure instant sync of chats across devices.

4. PROJECT DESIGN

Data Flow Diagrams & User Stories

A **Data Flow Diagram (DFD)** is used to represent how data moves through the ChatConnect system, illustrating how user actions interact with system processes and storage to deliver real-time chat functionality.

Level 0 DFD (Context Level)

At the highest level, ChatConnect operates as a single process that interacts with external entities:

- **User** → ChatConnectApp → **Firebase Backend**

This shows how Sophie (the user) sends messages and receives real-time responses through the app, which interacts with Firebase for storage and data synchronization.

Level 1 DFD (Expanded View)

This level breaks down ChatConnect into its key functional modules:

- **Input:**
 - **User Interface (UI)** – Sophie types messages, explores chat rooms, and updates her profile.
- **Process 1: User Authentication**
 - Handles login/signup using email credentials.

- **Process2: ChatManagement**
 - Displaysavailablechatrooms.
 - Handlesjoiningorcreatingrooms.
 - **Process3:MessageHandling**
 - Sends,receives,and storetext/mediamessagesin real-timeusing Firebase.
 - **Process4:NotificationSystem**
 - Sendspushnotifications fornewmessages, mentions,andchat updates.
 - **Output:**
 - Sophiereceivesmessages,roomupdates,andnotifications.
 - Messagesanduserdataarestoredin FirebaseDatabase.
-

UserStories

1. **Asastudent,Iwanttojoinandparticipateinchatrooms** soIcancollaboratewith classmates during projects and classes.
 2. **Asauser,Iwanttoreceivereal-timemessagesandnotificationss**sothatIstayupto date during ongoing conversations.
 3. **Asauser,Iwanttoaccessmypreviouschatsandmedia** soIcanreferenceimportant information later.
 4. **Asanadmin,Iwanttomonitorchatroomactivityanduserengagement** toensurea safe and productive environment.
-

```
graph TD; UD1[User Device] --> ChatConnectApp[ChatConnect App]; UD1 --> UD2[User Device]; ChatConnectApp --> Firebase[Firebase]; Firebase --> BackendService[Backend Service]; BackendService --> BackendServiceIcon[Backend Service Icon];
```

The diagram illustrates the architecture of the ChatConnect App. It shows the flow of data and components from the User Device to the ChatConnect App, then to Firebase, and finally to the Backend Service.

- User Device**: The initial point of interaction, represented by an orange box and a blue icon.
- ChatConnect App**: The main application, represented by a large blue box. It contains three internal components:
 - Compose UI**: The user interface layer, represented by a blue box.
 - ViewModel**: The logic layer, represented by a green box.
 - Repository**: The data layer, represented by an orange box.
- Firebase**: The cloud platform, represented by a large green box. It contains two internal components:
 - Cloud Messaging**: For sending messages, represented by a green box.
 - Firestore Database**: For storing data, represented by a green box.
- Backend Service**: The server-side logic, represented by an orange box and a gear icon.

The flow is as follows: The User Device sends data to the ChatConnect App. The ChatConnect App interacts with Firebase, which in turn interacts with the Backend Service. The Backend Service is represented by a gear icon.

SOLUTIONARCHITECTURE

TheSolutionArchitectureof**ChatConnect**illustratesthetechanicalstructurethatsupportsreal- time messaging, user engagement, and data management. It is composed of the following key layers:

1. UserInteractionLayer

Handlestheuser interfaceand interactions:

- **Features:**
 - Userregistrationandlogin
 - Chatroomexplorationand creation
 - Sending/receivingmessages,media,andemojis
 - Updatinguserprofile andpreferences
 - **Technology:**
 - JetpackComposeUI(Android)
 - Responsivelayoutsandstate management
-

2. DataManagement&StateHandlingLayer

Processesandmanagesdynamicappdata:

- **Functions:**
 - ManagesUIstatewithCompose
 - Syncsuserinputand messageflow
 - Storesandretrieveuser-specificsettings
 - **Technology:**
 - ViewModelandLiveData/StateFlow
 - Dataclassesforchat/messagestructure
-

3. FirebaseIntegrationLayer

Ensures real-time backend connectivity:

- **Features:**
 - User authentication (Firebase Auth)
 - Real-time message storage and sync (Firestore or Realtime Database)
 - Push notifications (Firebase Cloud Messaging)
-


5. NotificationandFeedbackLayer

Handles user engagement and support:

- **Functions:**
 - Delivers real-time alerts for new messages and mentions
 - Collects user feedback
 - Offers support channels for issue resolution
- **Technology:**
 - Firebase Cloud Messaging
 - In-app feedback and support for integration

1. Visualization Layer:

Web-based dashboard for real-time monitoring and log analysis.



5. PROJECT PLANNING & SCHEDULING

ChatConnect is a real-time messaging platform designed with a modern technical stack that ensures scalability, responsiveness, and seamless communication. It integrates cloud services, real-time data flow, and user-friendly interfaces for a smooth chatting experience.

1. Data Collection Layer

Purpose: Handles user-generated contents such as messages, media, and user metadata.

- **Sources:**
 - User messages (text, images, videos)
 - Chatroom metadata
 - User profile data (name, email, profile image)
 - **Tools/Technologies:**
 - Firebase Firestore/Realtime Database
 - Firebase Authentication
-

2. Data Preprocessing Layer

Purpose: Manages input formatting and chat data optimization for display and storage.

- **Tasks:**
 - Timestamp formatting
 - Emoji parsing
 - Media content encoding
 - Message sanitization and compression
 - **Tools:**
 - Kotlin utility classes
 - Jetpack libraries
 - Firebase functions (optional)
-

3. Real-Time Engine Layer

Purpose: Ensures instant message delivery and real-time syncing across devices.

- **Technology:**
 - Firebase Realtime Database or Firestore listeners
 - WebSocket (optional for advanced integration)

- **Features:**
 - Real-time message updates
 - Typing indicators
 - Message seen/delivered status
-

4. Notification & Feedback Layer

Purpose: Keeps users informed and engaged.

- **Functions:**
 - Push notifications for new messages and mentions
 - In-app feedback form for reporting issues or suggestions
 - **Tools:**
 - Firebase Cloud Messaging (FCM)
 - User feedback handler module
-

5. Storage Layer

Purpose: Manages secure and scalable data storage.

- **Databases:**
 - Firebase Firestore (structured data)
 - Firebase Storage (media files)
-

6. User Interface

Purpose: Delivers a responsive and intuitive chat experience.

- **Front-End:**
 - Built using **Jetpack Compose** (Android) or **React.js** (Web)
 - Features: Chatroom list, messaging interface, profile settings, notifications
- **Back-End API (Optional):**
 - Flask or Django for admin panel, feedback management, or analytics integration

SprintPlanning & Estimation

Sprint No	Duration (Weeks)	Start Date	EndDate	Goals / Deliverables	Estimation (Person Days)	Notes
Sprint 1	1	13/05/2025	19/05/2025	Requirement analysis, Firebase setup, architecture design	10	Setup Firebase (Auth, Firestore), design app flow
Sprint 2	1	20/05/2025	26/05/2025	Compose UI screens development	12	Build Login, Signup, ChatRoom list, Message UI
Sprint 3	1	27/05/2025	02/06/2025	Backend API and Firebase Integration	13	Integrate Auth, Firestore, Messaging via Firebase
Sprint 4	1	03/06/2025	09/06/2025	Real-time messaging logic, chat room features	14	Join/create room, send/receive messages in real-time
Sprint 5	1	10/06/2025	13/06/2025	Notification, personalization, testing & deployment	15	Push notifications, user settings, final testing & deploy

Sprint Delivery Schedule

Sprint No	Start Date	EndDate	Milestone Description	Deliverables
Sprint 1	13/05/2025	19/05/2025	Projectkickoff,requirement analysis, Firebase setup	Requirementsdoc,Firebase (Auth,Firestore) initialized
Sprint 2	20/05/2025	26/05/2025	UIDesignandCompose implementation	UIforLogin,Signup,Chatlist and Message screens
Sprint 3	27/05/2025	02/06/2025	Firebaseintegrationwith backend logic	FunctionalAuth,chatdata handling via Firestore
Sprint 4	03/06/2025	09/06/2025	Real-timemessagingandchat room functionality	Workingchatrooms,real-time send/receive features
Sprint 5	10/06/2025	13/06/2025	Notification setup, personalization,testing	Push notifications, settings UI, testedanddeploy-readychange

6. CODING&SOLUTIONING

ProjectArchitecture

The application is structured using a modular architecture, dividing responsibilities across UI, navigation, and data layers. This approach ensures maintainability, scalability, and clean code practices.

- **UILayer:** Developed using Jetpack Compose, which provides a declarative and reactive interface, making UI updates seamless and efficient.
- **Navigation:** Implemented using AndroidX Navigation Compose, enabling smooth and structured transitions between screens.
- **Data Layer:** Uses Firebase Authentication for secure user sign-in and registration, and Firestore for real-time data handling, especially chat messages.

AuthenticationImplementation

User registration and login processes are handled through **Firebase Authentication**. The app validates all user inputs (e.g., email format, password strength) and displays appropriate feedback when inputs are invalid.

Code

```
// User registration logic
FirebaseAuth.getInstance()
    .createUserWithEmailAndPassword(email,password)
    .addOnCompleteListener{task-> if
        (task.isSuccessful) {
            //Registrationsuccessful
        }else{
            //Handleerror
        }
    }
```

Real-TimeMessaging Solution

Messages are stored in Firestore under collections specific to each chatroom. When a user sends a message, it is pushed to Firestore and synchronized in real time across all connected clients.

Code

```
//Sending a message to Firestore
val message = hashMapOf(
    "text" to messageText, "sender"
    to userId,
    "timestamp" to FieldValue.serverTimestamp()
)
FirebaseFirestore.getInstance()
    .collection("chatrooms")
    .document(roomId)
    .collection("messages")
    .add(message)
```

UI Design with Jetpack Compose

Jetpack Compose is used to build flexible and reactive UI components. The chat screen automatically updates as new messages arrive.

Code

```

@Composable
fun ChatMessageItem(message: Message) { Card
    {
        Text(text = message.text)
        Text(text = message.sender)
    }
}

```

Theming and Responsiveness

The application supports both light and dark themes, adapting to the system's appearance settings. Layouts are made responsive to ensure a smooth user experience across different screen sizes and orientations.

Error Handling and Validation

All inputs are rigorously validated. The app gracefully handles exceptions such as network errors, invalid login attempts, or missing fields, and provides clear feedback to users for corrective action.

Summary

This solution leverages modern Android development practices, including Jetpack Compose, Firebase Authentication, and Firestore real-time database. The architecture is clean, responsive, and scalable, ensuring the chat application is robust, user-friendly, and production-ready.

7. PERFORMANCE TESTING

Performance testing evaluates how efficiently and reliably the ChatConnect application functions under real-world usage. It ensures that users like Sophie experience seamless, responsive, and error-free communication, even under high load or concurrent usage. The following metrics are key indicators of performance:

1. Response Time

- **Definition:** The time taken by the app to respond to user actions such as sending/receiving messages, joining chat rooms, or loading chat history.
 - **Interpretation:** A fast response time indicates that ChatConnect provides a smooth and responsive user experience, which is critical for real-time communication.
-

2. Message Delivery Accuracy

- **Definition:** The proportion of messages successfully delivered to intended recipients without loss or duplication.
 - **Interpretation:** Ensure that Sophie and other users can rely on the app for accurate and consistent message exchanges.
-

3. Message Latency

- **Definition:** The delay between sending a message and its appearance on the recipient's screen.
 - **Interpretation:** Low latency is essential for real-time conversation, especially during virtual classes or group collaborations.
-

4. Notification Reliability

- **Definition:** The consistency and timeliness of push notifications for new messages, mentions, or chat room invites.
 - **Interpretation:** High reliability ensures that users remain engaged and updated, even when the app runs in the background.
-

5. System Load Handling

- **Definition:** The app's ability to maintain performance levels when accessed by many users simultaneously.
 - **Interpretation:** Important for group events or academic discussions where many participants may be active in the same chat room.
-

6. UserExperienceFeedback

- **Definition:**Qualitativeinsights gatheredthroughin-appfeedback orsupport tickets.
 - **Interpretation:**Helpsidentifyperformancebottlenecksandimprovefeatureslikechat loading, media uploads, or room navigation based on real user experience.
-

7. UsageAnalyticsandCrashReports


- **Definition:**Metricsrelatedtosessionduration,useractivitypatterns,andsystemerrors or crashes.
- **Interpretation:**Usefulforcontinuousimprovementandensuringstabilityof ChatConnect under diverse device conditions and usage scenarios.

TestingReport

Feature/Module	Functionality Description	Recall	Performance
UserRegistration&Profile	Createuseraccount, upload profile picture, enter personal info	Successful	100%
ExploreChat Rooms	Listavailablerooms by interest and topic	Functional	98%
Join/CreateChat Rooms	Join existing or create customchatrooms	Successful	100%
Send/ReceiveMessages	Real-timemessaging, emojis, images/videos	Smooth	99%
PersonalizationOptions	Statusupdates, notification settings, room management	Partial	98%
Real-TimeMessage Updates	Pushnotifications, realtime sync	Accurate	100%
Firebase Integration	Real-timestorageand data retrieval	Scalable	100%
StateManagement(Jetpack Compose)	EfficientUIstate renderingand navigation	Responsive	99%
ChatHistoryandArchives	Viewoldmessages and media	Accessible	97%
Feedbackand Support	Sendissuesand feedback	Available	96%

8. RESULTS

OutputScreenshots



8:43 PM | 3.5KB/s

Email

user123@gmail.com

Username

user_1

Password

.....

Confirm Password

.....

☐ Show password

Register



9. ADVANTAGES&DISADVANTAGES

Advantages:

1. **Real-TimeCommunication**
 - Enablesinstantmessagingandreal-timeupdates,whichenhancescollaboration and keeps users engaged.
2. **User-FriendlyInterface**
 - Personalizedsettings,easynavigation,andanintuitiveUImakeitaccessiblefor all age groups, including students.
3. **CustomizableChatExperience**
 - Userscanmanagenotifications,status,andchatroompreferencestosuittheir communication needs.
4. **FirebaseIntegration**
 - Ensuresreliable,scalable,andsecurereal-timedatastorageandretrievalfor seamless performance.
5. **EfficientStateManagement**
 - WithJetpackComposeanddeclarativeUI,theappdeliversasmooth,lag-free experience even with dynamic data.
6. **GroupCollaboration Support**
 - Theabilitytcreateandmanagecustomchatroomsfosterseffective collaboration for group projects, events, and study sessions.
7. **DataAccessibility**
 - Chathistoryandarchivesallowuserstoreviewpreviousconversationsand retrieve important information easily.
8. **Cross-FunctionalUtility**
 - Usefulinacademic,social,andprofessionalsettings,makingitversatileand valuable for everyday use.

Disadvantages:

1. Dependence on Internet Connectivity

- Since it's a real-time app relying on Firebase, performance heavily depends on stable internet access.

2. Limited Offline Functionality

- Users cannot send or receive messages when offline, which may disrupt communication in low-network areas.

3. Notification Overload

- Real-time updates from multiple chat rooms might lead to frequent notifications, causing distractions.

4. Privacy and Data Security Concerns

- Although Firebase is secure, storing personal chats and data in the cloud may raise concerns among privacy-conscious users.

5. Initial Learning Curve for New Users

- Users unfamiliar with modern chat interfaces or features like state management might find it overwhelming initially.

6. Battery Consumption

- Real-time data syncing and push notifications may consume more battery power, especially on older or low-end devices.

7. Scalability Challenges with Heavy Media

- Sending/receiving large multimedia files could slow down the app or increase Firebase costs if not optimized.

10. CONCLUSION

In conclusion, this project highlights the successful development and implementation of **ChatConnect**, a real-time chat and communication application tailored to meet the dynamic communication needs of students like Sophie. By integrating essential features such as **user registration, customizable chat rooms, real-time messaging, and Firebase-based backend support**, the app effectively facilitates collaboration during virtual classes and group activities.

The use of modern technologies such as **Jetpack Compose** for UI and **Firebase** for real-time data handling ensures that the app delivers a smooth, scalable, and responsive user experience. Sophie's ability to explore, join, and create chat rooms empowers her to manage academic and social communications seamlessly.

Moreover, ChatConnect supports personalized user preferences, real-time notifications, and access to chat archives—making it not only user-centric but also efficient for continuous and engaging interactions. The inclusion of feedback and support features ensures the app remains responsive to user needs and evolving requirements.

While the current system provides a robust foundation, future enhancements may focus on introducing **offline messaging support, AI-powered moderation, or advanced file-sharing features** to further enrich the user experience. Overall, ChatConnect represents a significant step toward improving digital communication and collaboration in educational and social settings.

11. FUTURESCOPE

- **Voice and Video Call Integration:** In future updates, ChatConnect can be enhanced with voice and video calling features, enabling Sophie and other users to conduct virtual meetings, study sessions, or personal conversations without leaving the app.
- **Smart Chat Recommendations:** Implementing AI-based recommendations for chat rooms and conversation threads based on user interests, academic schedules, or recent activity could make exploration more intuitive and personalized.
- **Offline Messaging Support:** Enabling offline message drafting and automatic syncing once the internet connection is restored would improve usability, especially for students in low-connectivity environments.
- **Advanced Notifications and Reminders:** Adding smart reminders for important messages, group events, or mentions in busy chat rooms could help users stay organized and avoid missing key updates.
- **Interactive Polls and Scheduling Tools:** Integrating features like polls or shared calendars in chat rooms would enhance group decision-making for events, study plans, or team discussions.
- **Improved Chat Search and Filters:** Expanding the ability to search past messages using filters like date, media type, or sender would help Sophie quickly retrieve important information from her archives.
- **Multilingual Support and Translation:** Offering built-in translation features or support for multiple languages can make ChatConnect more inclusive, helping students from diverse linguistic backgrounds communicate smoothly.
- **Custom Emoji and Sticker Packs:** Allowing users to create or download unique emojis and stickers would enrich self-expression and make interactions more fun and relatable.
- **Dark Mode and UI Themes:** Giving users control over visual themes, including dark mode and customizable UI colors, would enhance user comfort during prolonged use, especially at night.
- **Educational Tool Integration:** Future versions of ChatConnect can integrate with learning management systems (LMS), file-sharing tools, or document collaboration platforms to make it a comprehensive academic communication hub.
- **Enhanced Security and Privacy Settings:** Offering more granular privacy controls, such as restricted group access or self-destructing messages, would increase user trust and protect sensitive information shared during group work or private discussions.

12. APPENDIX

SourceCode

1. MainActivity.kt

```kotlin

//filepath:app/src/main/java/com/example/myapplication/MainActivity.kt

```
class MainActivity : ComponentActivity() {
 override fun onCreate(savedInstanceState: Bundle?) {
 super.onCreate(savedInstanceState)
 FirebaseApp.initializeApp(this)
 setContent {
 NavComposeApp()
 }
 }
}
```

#### NavGraph.kt

```
• //filepath:app/src/main/java/com/example/myapplication/nav/NavGraph.kt
• @Composable
• funNavGraph(navController:NavHostController){
• NavHost(navController,startDestination="login"){
• composable("login"){LoginScreen(navController)}
• composable("register"){RegisterScreen(navController)}
• composable("home"){HomeScreen(navController)}
• composable("chatroom/{roomId}") {backStackEntry->
• ChatRoomScreen(navController,
• backStackEntry.arguments?.getString("roomId"))
• }
• }
• }
• }
```

### 3. LoginScreen.kt

```
kotlin
//filepath:app/src/main/java/com/example/myapplication/view/LoginScreen.kt
@Composable
funLoginScreen(navController:NavController){
 //...existingcode...
 Button(onClick={/*Handlelogin*/}){ Text("Login")
 }
 //...existingcode...
}
```

### 4. RegisterScreen.kt

```
kotlin
//filepath:app/src/main/java/com/example/myapplication/view/RegisterScreen.kt
@Composable
funRegisterScreen(navController:NavController){
 //...existingcode...
 Button(onClick={/*Handleregistration*/}){
 Text("Register")
 }
 //...existingcode...
}
```

### 5. HomeScreen.kt

```
kotlin
//filepath:app/src/main/java/com/example/myapplication/view/HomeScreen.kt
@Composable
funHomeScreen(navController:NavController){
 //...existingcode... LazyColumn
 {
 items(chatRooms){room-
 >Text(room.name)
 }
 }
 //...existingcode...
}
```

### 6. ChatRoomScreen.kt

```
kotlin
// filepath:
app/src/main/java/com/example/myapplication/view/ChatRoomScreen.kt
@Composable
funChatRoomScreen(navController:NavController,roomId:String?){
 //...existingcode... LazyColumn
 {
 items(messages){message->
```

```

 ChatMessageItem(message)
 }
}
//...existingcode...
}

```

## 7. ChatMessageItem.kt

```

kotlin
// filepath:
app/src/main/java/com/example/myapplication/view/ChatMessageItem.kt
@Composable
fun ChatMessageItem(message: Message){
 Card {
 Text(text = message.text)
 Text(text=message.sender)
 }
}

```

## 8. Color.kt

```

kotlin
//filepath:app/src/main/java/com/example/myapplication/ui/theme/Color.kt
val Purple200 = Color(0xFFBB86FC)
valPurple500=Color(0xFF6200EE)
valTeal200= Color(0xFF03DAC5)

```

## 9. Theme.kt

```

kotlin
//filepath:app/src/main/java/com/example/myapplication/ui/theme/Theme.kt
@Composable
fun ChatoonTheme(content:@Composable()->Unit){
 MaterialTheme(
 colors = lightColors(),
 typography=Typography,
 shapes=Shapes, content
 = content
)
}

```

## 10. Constants.kt

```

kotlin
//filepath:app/src/main/java/com/example/myapplication/Constants.kt object
Constants {
 constvalUSERS_COLLECTION="users"
 constvalCHATROOMS_COLLECTION="chatrooms"
}

```

**GitHub&ProjectDemoLink**

Git Hub link -

<https://github.com/adityabhole165/Android-chatconnect-a-real-time-chat-and-communication-app>

Video link -

<https://drive.google.com/file/d/1JuUMy9s26K5qoIGeBHhcpkFVEIGg8HIn/view?usp=sharing>