

SET search_path TO Tourism_Management_System;

--USER-----

```
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Siddhant','Shah','sid123@gmail.com',9988776655,TRUE,'M',21);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Anurag','Kakkan','anu123@gmail.com',9876543210,TRUE,'M',23);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Nihar','Shah','nihu123@gmail.com',9764318520,TRUE,'M',22);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Viral','Gandhi','viru123@gmail.com',9873216540,TRUE,'M',25);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Riya','Soni','riya456@gmail.com',9876512340,TRUE,'F',25);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Rutvi','Sukhadia','rutu456@gmail.com',9871245630,TRUE,'F',24);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Nirmal','Kashyap','nir789@gmail.com',8877991440,TRUE,'M',29);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Rahul','Patel','prahul1221@gmail.com',8798546521,TRUE,'M',30);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Priya','Angel','angel111@gmail.com',8679451237,TRUE,'F',19);
INSERT INTO "User" (UserAadharNo, Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES (nextval('aadh
ar_sequence'),'Nora','Fatehi','nora888@gmail.com',9999888801,TRUE,'F',28);
```

--CoPassenger-----

```
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567970,1,'Raj','Patel','raja111@gmail.com',9988776601,'M',28);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567970,2,'Sunny','Shah','sun151@gmail.com',9988746651,'M',25);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567970,3,'Harshal','Modi','modi456@gmail.com',9879879871,'M',26);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567972,1,'Kashyap','Patel','kapu145@gmail.com',8465622617,'M',24);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567972,2,'Bhavik','Parmar','bhavu114@gmail.com',8765695669,'M',25);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567974,1,'Yagn','Purohit','yagu@gmail.com',7850489115,'M',22);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567976,1,'Raju','Japani','raju785@gmail.com',6765462659,'M',26);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567978,1,'Anjali','Patel','anju@gmail.com',7865491236,'F',28);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567980,1,'Kavya','Dave','kd1998@gmail.com',9457776601,'F',29);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567982,1,'Sahil','Panchal','sp777@gmail.com',8915765487,'M',28);
INSERT INTO Copassenger (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) VALUES (20401
0567982,2,'Simran','Solanki','simi198@gmail.com',9985676601,'F',30);
insert into COPASSENGER (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) values (20401056
7984,1,'Vedant','Savani','vsavani457@gmail.com',8888776601,'M',28);
insert into COPASSENGER (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) values (20401056
7984,2,'Meet','Mankodi','mm777@gmail.com',8811778401,'M',18);
insert into COPASSENGER (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) values (20401056
7986,1,'Swastik','Agarwal','swas45878@gmail.com',7845942266,'M',32);
```

```
insert into COPASSENGER (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) values (204010567988,1,'Hina','Khan','hinak123@gmail.com',7849561236,'F',30);
insert into COPASSENGER (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) values (204010567988,2,'Dipika','Singh','dipu46@gmail.com',9874856981,'F',34);
insert into COPASSENGER (UserAadharNo,CoPassID,Fname,Lname,Email,Phone,Gender,Age) values (204010567988,3,'Ranveer','Singh','ran788@gmail.com',7859817815,'M',29);
```

--Booking-----

```
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567970, '2020-12-08', '2020-12-08', 64000, 'P');
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567972, '2020-10-11', '2020-12-08', 1500, 'H');
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567976, '2020-11-20', '2020-11-22', 12000, 'P');
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567978, '2020-12-08', '2020-12-08', 64000, 'P');
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567978, '2020-11-07', '2020-11-09', 60000, 'P');
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567986, '2020-12-30', '2021-01-01', 12000, 'H');
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567988, '2020-10-22', '2020-10-24', 10000, 'P');
INSERT INTO Booking(UserAadharNo, TripStart_Date, TripEnd_Date, Amount, BookingType) VALUES(204010567988, '2020-12-22', '2020-12-24', 10000, 'H');
```

--Booking CoPassenger-----

```
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(1, 204010567970, 1);
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(1, 204010567970, 2);
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(3, 204010567976, 1);
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(4, 204010567978, 1);
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(6, 204010567986, 1);
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(7, 204010567988, 1);
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(7, 204010567988, 2);
INSERT INTO Booking_CoPassenger(BID, UserAadharNo, copassid) VALUES(7, 204010567988, 3);
```

--PACKAGE-----

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Manali Tour', 9,8, TRUE,64000);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Srinagar Tour',4,2,TRUE,19500);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Varansi Tour',4,4,TRUE,15000);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Kedarnath Tour',6,2,TRUE,20000);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Taj Mahal Tour',2,4,TRUE,12000);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Jaisalmer Tour',2,6,TRUE,12500);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Somnath Tour',2,4,TRUE,6000);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Mumbai Tour',2,4,TRUE,10000);
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Lonavla Tour',2,6,TRUE,12000);
```

--Booking Package-----

```
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (1,1);
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (3,5);
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (4,1);
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (5,9);
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (7,1);
```

--Location-----

```
insert into LOCATION (PINCODE,CITY,"state") values (143006,'Amritsar','Punjab');
insert into LOCATION (PINCODE,CITY,"state") values (175131,'Kullu','Himachal Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (190001,'Srinagar','Jammu and Kashmir');
insert into LOCATION (PINCODE,CITY,"state") values (212111,'Allahabad','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (221106,'Varanasi','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (226001,'Lucknow','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (246445,'Rudra Prayag','Uttarakhand');
insert into LOCATION (PINCODE,CITY,"state") values (282001,'Agra','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (345001,'Jaisalmer','Rajasthan');
insert into LOCATION (PINCODE,CITY,"state") values (360001,'Rajkot','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (362268,'Veraval','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (380027,'Ahmedabad','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (393151,'Narmada','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (400012,'Mumbai','Maharashtra');
insert into LOCATION (PINCODE,CITY,"state") values (410401,'Pune','Maharashtra');
insert into LOCATION (PINCODE,CITY,"state") values (560004,'Bangalore','Karnataka');
```

--Tourist Spot-----

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Golden Temple','All',4.9,'Golden Temple Rd, Atta Mandi, Katra Ahluwalia',143006);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Manali','Winter',4.7,'Rotang Pass Road, Manali',175131);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Srinagar','Winter',4.7,'Srinagar,J & K', 190001);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Allahabad','All',4.7,'Allahabad, Uttar Pradesh',212111);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Dashashwamedh Ghat','Winter',4.6,'Dashashwamedh Ghat Rd, Ghats of varanasi, Godowlia',221106);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Kedarnath Temple','Pre-winter',4.8,'Kedarnath, Rudra Prayag',246445);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Taj Mahal','All',4.9,'Dharmapuri, Forest Colony, Tajganj',282001);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Jaisalmer Fort','All',4.2,'Near Gopachock, Khejer Para, Manak Chowk, Amar Sagar Pol',345001);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Somnath Temple','Winter',4.3,'Somnath Mandir Rd',362268);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Sabarmati Ashram','All',4.5,'Gandhi Ashram, Gandhi Smarak Sangrahalaya',380027);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Statue Of Unity','All',4.7,'Sardar Sarovar Dam, Kevadiya Village',393151);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Gate Way Of India','All',4.3,'Mumbai, Maharashtra',400012);
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Lonavla Hills','All',4.3,'Lonavla , Maharashtra',410401);
```

--Package Tourist Spots-----

```
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(1, 2);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(2, 3);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(3, 5);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(4, 6);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(5, 7);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(6, 8);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(7, 9);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(8, 12);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(9, 13);
```

--GUIDE-----

```
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Pooran','Singh','thepts4@gmail.com',9977884455,'M',40,'Dargah Homatpura, Fateh Singh Road, Bharariwal, Amritsar, Punjab',143006);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Param','Singh','psingh@gmail.com',6645789155,'M',28,'Gill Medical Store, Fateh Singh Road, Mule Chak, Amritsar, Punjab',143006);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Sachin','Bhide','sbhhide457@gmail.com',8899745614,'M',30,'TLH Forest Way Cottage, Dhunghri, Manali, Kullu, Himachal Pradesh',175131);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Jay','Prajapati','jp57@gmail.com',8123445614,'M',34,'Near sunset point road , Srinagar, J & K',190001);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Jiimy','Nisham','nishamji89@gmail.com',7548691265,'M',34,'Shree Ganesh Communication, Bhitari Industrial Area, Varanasi, Uttar Pradesh',221106);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Suresh','Raina','sraina@gmail.com',667844785,'M',26,'Kedarnath, Ukhimath, Rudrapur, Uttarakhand',246445);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Virat','Kohli','vk123@gmail.com',8978456912,'M',32,'Taj Mahal-Beauty of India, Taj Mahal Road, Forest Area, Agra, Uttar Pradesh',282001);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Ajay','Bishnoi','ajjub78@gmail.com',8795764101,'M',33,'Baba Ramdev Mandir, Tanot Road, Jaisalmer Sub-District, Jaisalmer, Rajasthan',345001);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Abhi','Baluni','abhib111@gmail.com',7845152356,'M',41,'Janta Society Sim Shala, Somnath, Gir Somnath, Gujarat',362268);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Karan','Thakker','kt14@gmail.com',9988451601,'M',30,'Abhay Ghat, Juna Vadaj, Ahmedabad, Gujarat',380027);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Shanker','Desai','shivd88@gmail.com',7984561534,'M',56,'Shree Munivrat Swami Jain Derasar, Keshav Nagar Road, Sabarmati, Ahmedabad, Gujarat',380027);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Akshar','Patel','akpatel45@gmail.com',7845561255,'M',26,'Aarogya Van, Kevadiya, Nandod, Narmada, Gujarat',393151);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Shikhar','Dhoni','sd88@gmail.com',7985561534,'M',46,'Near Bandra Station,Mumbai,Maharashtra',400012);
INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Ganesh','Gaitonde','gg0007@gmail.com',9988990007,'M',35,'128 ,pragati House, Budhwar Peth,Pune, Maharashtra',410401);
```

INSERT INTO GUIDE (GuideAadharNo,Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES (nextval('g_aadhar_sequence'),'Shakil','Narayan','koishak789@gmail.com',9874587648,'M',29,'Hotel Nityanand, Lokmanya Tilak Road, Bhargarwadi, Lonavala, Pune, Maharashtra',410401);

--Package GUIDE-----

INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(1, 304010567978);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(2, 304010567981);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(3, 304010567984);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(4, 304010567987);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(5, 304010567990);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(6, 304010567993);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(7, 304010567996);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(8, 304010568008);
INSERT INTO Package_Includes_Guides(PackageId, GuideAadharNo) VALUES(9, 304010568014);

--RESTAURANTS-----

--Agra

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Jahanpanah', 9898456721, 'VEG', 4.5, 'E 23, Shopping Arcade, Sadar Bazaar, Agra Cantt', 282001);

--Ahmedabad

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Huber & Holly', 9889855455, 'VEG', 2.5, 'Shreekunj Mandapam, Beside Golden Tulip Bunglows & Tulip Citadel, Manekbaug, Ambavadi', 380027);

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Cryo Lab', 9876543210, 'VEG', 3, 'Ground Floor, Arjun Avenue, Opposite Samartheshwar Mahadev, Law Garden', 380027);

--Allahabad

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Subway', 6826589432, 'VEG', 4.5, '207/53, Mahatma Gandhi Marg, Civil Lines', 212111);

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Tandoor Restaurant', 7954215885, 'NON-VEG', 4, '17/33, Mahatma Gandhi Marg, Civil Lines', 212111);

--Bangalore

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Three Dots & A Dash', 7878252364, 'NON-VEG', 3.5, '840/1,100 Feet Road, Metro Pillar 56-57, Indiranagar', 560004);

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('ECHOES Koramangala', 9465853246, 'BOTH', 3, '44, 4th B Cross, Koramangala 5th Block', 560004);

--Mumbai

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('The American Joint', 7985556233, 'NON-VEG', 2.5, 'The Ahcl Homes Tower, Chikuwadi New Link Road, Borivali West', 400012);

--Varanasi

INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Open Hand Cafe', 9898569825, 'VEG', 3, 'B1/128-3, Dumraun Bagh Colony, Assi Ghat', 221106);

--Restaurant Cuisines-----

INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (1, 'North Indian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (1, 'Continental');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (1, 'Chinese');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'Chinese');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'Continental');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'Italian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'North Indian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (3, 'Pizza');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (3, 'Italian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (3, 'North Indian');

```

INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (4, 'Fast Food');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (4, 'American');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (4, 'Healthy Food');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (5, 'North Indian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (5, 'Chinese');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (6, 'European');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (6, 'Continental');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (6, 'Chinese');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Continental');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'American');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Italian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'North Indian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Chinese');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Cafe');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (8, 'American');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (8, 'Burger');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (8, 'Salad');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (9, 'Cafe');

```

--Hotels-----

--Amritsar

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Ramada by Wyndham Amritsar',1835025555,'BOTH',3.9,'117 Hall Bazaar',143006);

```

--Manali

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Thomas Villa',9855004767,'VEG',3.5,'Simsa Village',175131);

```

--J & K

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Ahdoos Hotel',7889464612,'VEG',4.1,'Residency road, Regal Chowk, Raj Bagh',190001);

```

--Srinagar

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Billberry Hotel', 9865476521, 'NON-VEG', 4, 'Ghat No. 17, Nehru Park', 190001);

```

--Praygraj (UP)

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Kashi',9878451532,'VEG',3.8,'No.74-A, Kamla Nehru Rd, opposite City Post Office, Johnston Ganj',212111);

```

--Varanasi

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Sai International', 7889456124,'VEG',2.9,'Chandpur Industrial State Near Chandpur Dignostic',221106);

```

--Lucknow

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The White Hotels', 6868626585, 'VEG', 3.5, '181/1, Opposite CDRI Campus, Sitapur Road', 226001);

```

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Levana',8989456512,'NON-VEG',4.1,' 6, VS Marg, Narpatkhera, Lalbagh',226001);

```

--Kedarnath

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Punjab Sindh Awas',7858495615,'BOTH',3.0,'Main Market, near Kedarnath Temple',246445);

```

--Agra

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Anmol Hotel Pvt.Ltd', 9898565844, 'VEG', 3.5, '8180 Street No.-6,Arakashan Road', 282001);

```

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('BB Palace-A Boutique Hotel', 8655855687, 'VEG', 3, '2638-2642 Gurudwara Road', 282001);

```

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('ITC Mughal, A Luxury Collection Hotel',5624021700,'BOTH',4.5,' Itc Mughal, Fatehabad Rd, Tajganj',282001);

```

--Jaisalmer

```

INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Jaisalkot - A Luxury B
outique Hotel',9116010801,'VEG',4.6,' Kuldhara Turn, Off, Jaisalmer - Sam - Dhanana Rd',345001);
--Rajkot
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Chouki Dhani', 946581
3587, 'VEG', 3, 'Near All India Radio Tower, Jamnagar Road', 360001);
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The Imperial Palace',78
94556218,'VEG',4.4,'Dr Yagnik Rd, Jagnath Plot',360001);
--Somnath
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The Fern Residency',28
76225200,'VEG',4.1,'Talala Road, Veraval Bypass Corner Behind Somnath Railway Station',362268);
--Ahmedabad
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Ahmedabad Inn',98784
56512,'BOTH',4.5,'Vastrapur',380027);
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hyatt Ahmedabad',879
4561251,'BOTH',4.8,'Opp Ahmedabad One Mall',380027);
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The Metropole Hotel',7
889451575,'BOTH',4.2,'Near R.T.O. Circle, Subhash Bridge, Corner, Keshav Nagar Rd',380027);
--Narmada
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Statue of Unity Tent Ci
ty 1',9797949494,'VEG',4.5,'Sardar Sarovar Dam, Tent City-1, Dyke-4, Site',393151);
--Mumbai
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Astoria Hotel', 9726549
956, 'BOTH', 4, 'J. Tata Road, Churchgate Reclamation, Opp Eros Cinema', 400012);
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Central Hotel', 9894517
223, 'BOTH', 4.5, 'Ashirwad Enclave, Lakhimi Path, Jonali, R.G.Baruah Road', 400012);
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('ITC Grand Central, A
Luxury Collection Hotel',8978152345,'BOTH',4.6,'287, Dr, Dr Baba Saheb Ambedkar Rd, Parel',400012);
--Pune
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Cosset-Comfort And C
usine',7859485625,'BOTH',4.2,'Mumbai Pune Road,Opp Hotel Rama Krishna',410401);
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Meritas Picaddle Resort
',9689521111,'BOTH',4.2,' Plot No. 137 A, Opp, Old Mumbai - Pune Hwy, Khandala',410401);
--Bangalore
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Aurick Hotel', 6658498
756, 'NON-VEG', 3, '15th Cross, 35th Main,6th Phase, JP Nagar', 560004);

--Hotel_Services-----
INSERT INTO hotel_services(hotelid, services) VALUES (1, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (1, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (1, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Gym');
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Laundry Service');
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (3, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (3, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (3, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Parking Facilities');
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Swimming Pool');
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Free Internet');

```

```
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Doctor on Call');
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (6, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (6, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (6, 'Taxi Services');
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Internet Access');
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Locker Room Facility');
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (8, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (8, 'Medical Assistance Available');
INSERT INTO hotel_services(hotelid, services) VALUES (8, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (9, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (9, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (9, 'Gym');
INSERT INTO hotel_services(hotelid, services) VALUES (10, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (10, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (10, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (11, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (11, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (11, 'Barbecue Area');
INSERT INTO hotel_services(hotelid, services) VALUES (12, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (12, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (12, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Gym');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Laundry Service');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (14, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (14, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (14, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Parking Facilities');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Swimming Pool');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Doctor on Call');
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (17, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (17, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (17, 'Taxi Services');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Internet Access');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Locker Room Facility');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (19, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (19, 'Medical Assistance Available');
INSERT INTO hotel_services(hotelid, services) VALUES (19, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (20, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (20, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (20, 'Gym');
INSERT INTO hotel_services(hotelid, services) VALUES (21, 'Room Service');
```



```

INSERT INTO hotel_services(hotelid, services) VALUES (21, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (21, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (22, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (22, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (23, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (23, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (23, 'Taxi Services');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Internet Access');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Locker Room Facility');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (25, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (25, 'Medical Assistance Available');
INSERT INTO hotel_services(hotelid, services) VALUES (25, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (26, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (26, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (26, 'Gym');

```

```

--ROOMS-----
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 001, 'AC', 2, 2, 300
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 002, 'AC', 3, 6, 600
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 003, 'AC', 2, 4, 400
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 004, 'AC', 2, 4, 400
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 005, 'AC', 1, 2, 250
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 006, 'NON-AC', 2,
2, 2000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 007, 'NON-AC', 3,
6, 5000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 008, 'NON-AC', 2,
4, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 009, 'NON-AC', 2,
4, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 010, 'NON-AC', 1,
2, 1500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 001, 'AC', 2, 2, 400
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 002, 'AC', 3, 6, 650
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 003, 'AC', 2, 4, 500
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 004, 'AC', 2, 4, 500
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 005, 'AC', 1, 2, 250
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 006, 'NON-AC', 2,
2, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 007, 'NON-AC', 3,

```

```

6, 5500, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 008, 'NON-AC', 2,
4, 4000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 009, 'NON-AC', 2,
4, 5000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 010, 'NON-AC', 1,
2, 1500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 001, 'AC', 2, 2, 400
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 002, 'AC', 1, 2, 150
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 003, 'AC', 2, 4, 500
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 004, 'AC', 2, 4, 500
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 005, 'NON-AC', 1,
2, 2500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 001, 'AC', 2, 2, 300
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 002, 'AC', 2, 4, 550
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 003, 'AC', 2, 4, 300
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 004, 'NON-AC', 2,
4, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 005, 'NON-AC', 1,
2, 1500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 001, 'AC', 2, 2, 300
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 002, 'AC', 3, 6, 550
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 003, 'AC', 2, 4, 400
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 004, 'NON-AC', 2,
4, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 005, 'NON-AC', 1,
2, 1500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 001, 'AC', 2, 2, 400
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 002, 'AC', 1, 2, 150
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 003, 'AC', 2, 4, 500
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 004, 'AC', 2, 4, 500
0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 005, 'NON-AC', 1,
2, 2500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 001, 'AC', 2, 2, 300
0, 'AVAILABLE');

```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 002, 'AC', 2, 4, 550 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 003, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 001, 'AC', 2, 2, 300 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 002, 'AC', 3, 6, 550 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 003, 'AC', 2, 4, 400 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 001, 'AC', 2, 2, 400 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 002, 'AC', 1, 2, 150 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 003, 'AC', 2, 4, 500 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 004, 'AC', 2, 4, 500 0, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 001, 'AC', 2, 2, 40 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 002, 'AC', 3, 6, 65 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 003, 'AC', 2, 4, 50 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 004, 'AC', 2, 4, 50 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 005, 'AC', 1, 2, 25 00, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 001, 'AC', 2, 2, 40 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 002, 'AC', 1, 2, 15 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 003, 'AC', 2, 4, 50 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 004, 'AC', 2, 4, 50 00, 'AVAILABLE');
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (12, 001, 'AC', 2, 2, 30
```


2, 1500, 'AVAILABLE');

--ROOM FACILITIES-----

```
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (1, 1, 'Cable TV');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (1, 1, 'Hot/Cold Running water');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (2, 2, 'Cable TV');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (2, 2, 'Hot/Cold Running water');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (2, 2, 'Refrigerator');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (3, 3, 'Cable TV');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (3, 3, 'Hairdryer (on request)');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (3, 3, 'Hot/Cold Running water');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (5, 4, 'Cable TV');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (5, 4, 'Ironing Board');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (5, 4, 'Hot/Cold Running water');
INSERT INTO Room_Facilities(HotelId,ROOM_NO, Facility) VALUES (5, 4, 'Breakfast Available');
```

--Package_Hotel-----

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(1, 2, 3);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(1, 2, 4);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(2, 4, 1);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(3, 6, 3);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(4, 9, 1);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(5, 10, 2);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(6, 13, 2);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(7, 16, 1);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(8, 22, 3);
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, ROOM_NO) VALUES(8, 25, 1);
```

--Booking Hotel-----

```
INSERT INTO Booking_FOR_HOTEL(BID, HOTELID, ROOM_NO) VALUES (2,5,5);
INSERT INTO Booking_FOR_HOTEL(BID, HOTELID, ROOM_NO) VALUES (2,21,3);
INSERT INTO Booking_FOR_HOTEL(BID, HOTELID, ROOM_NO) VALUES (6,21,3);
INSERT INTO Booking_FOR_HOTEL(BID, HOTELID, ROOM_NO) VALUES (8,5,5);
```