

-----INSERT QUERIES-----

--Location-----

```
insert into LOCATION (PINCODE,CITY,"state") values (143006,'Amritsar','Punjab');
insert into LOCATION (PINCODE,CITY,"state") values (175131,'Kullu','Himachal Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (190001,'Srinagar','Jammu and Kashmir');
insert into LOCATION (PINCODE,CITY,"state") values (212111,'Allahabad','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (221106,'Varanasi','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (226001,'Lucknow','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (246445,'Rudra Prayag','Uttarakhand');
insert into LOCATION (PINCODE,CITY,"state") values (282001,'Agra','Uttar Pradesh');
insert into LOCATION (PINCODE,CITY,"state") values (345001,'Jaisalmer','Rajasthan');
insert into LOCATION (PINCODE,CITY,"state") values (360001,'Rajkot','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (362268,'Veraval','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (380027,'Ahmedabad','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (393151,'Narmada','Gujarat');
insert into LOCATION (PINCODE,CITY,"state") values (400012,'Mumbai','Maharashtra');
insert into LOCATION (PINCODE,CITY,"state") values (410401,'Pune','Maharashtra');
insert into LOCATION (PINCODE,CITY,"state") values (560004,'Bangalore','Karnataka');
```

--RESTAURANTS-----

--Agra

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Jahanpanah',
9898456721, 'VEG', 4.5, 'E 23, Shopping Arcade, Sadar Bazaar, Agra Cantt', 282001);
```

--Ahmedabad

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Huber &
Holly', 9889855455, 'VEG', 2.5, 'Shreekunj Mandapam, Beside Golden Tulip Bungalows & Tulip Citadel,
Manekbaug, Ambavadi', 380027);
```

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Cryo Lab',
9876543210, 'VEG', 3, 'Ground Floor, Arjun Avenue, Opposite Samartheshwar Mahadev, Law
Garden', 380027);
```

--Allahabad

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Subway',
6826589432, 'VEG', 4.5, '207/53, Mahatma Gandhi Marg, Civil Lines', 212111);
```

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Tandoor Restaurant', 7954215885, 'NON-VEG', 4, '17/33, Mahatama Gandhi Marg, Civil Lines', 212111);
```

--Bangalore

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Three Dots & A Dash', 7878252364, 'NON-VEG', 3.5, '840/1,100 Feet Road, Metro Pillar 56-57, Indiranagar', 560004);
```

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('ECHOES Koramangala', 9465853246, 'BOTH', 3, '44, 4th B Cross, Koramangala 5th Block', 560004);
```

--Mumbai

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('The American Joint', 7985556233, 'NON-VEG', 2.5, 'The Ahcl Homes Tower, Chikwadi New Link Road, Borivali West', 400012);
```

--Varanasi

```
INSERT INTO restaurant ("Name", phone, foodtype, ratings, address, pincode) VALUES ('Open Hand Cafe', 9898569825, 'VEG', 3, 'B1/128-3, Dumraun Bagh Colony, Assi Ghat', 221106);
```

--Restaurant Cuisines-----

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (1, 'North Indian');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (1, 'Continental');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (1, 'Chinese');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'Chinese');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'Continental');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'Italian');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (2, 'North Indian');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (3, 'Pizza');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (3, 'Italian');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (3, 'North Indian');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (4, 'Fast Food');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (4, 'American');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (4, 'Healthy Food');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (5, 'North Indian');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (5, 'Chinese');
```

```
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (6, 'European');
```

```

INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (6, 'Continental');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (6, 'Chinese');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Continental');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'American');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Italian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'North Indian');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Chinese');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (7, 'Cafe');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (8, 'American');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (8, 'Burger');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (8, 'Salad');
INSERT INTO Restaurant_cuisines(RID, CUISINES) VALUES (9, 'Cafe');

```

--USER-----

```

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Siddhant','Shah','sid123@gmail.com',9988776655,TRUE,'M',21);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Anurag','Kakkan','anu123@gmail.com',9876543210,TRUE,'M',23);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Nihar','Shah','nihu123@gmail.com',9764318520,TRUE,'M',22);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Viral','Gandhi','viru123@gmail.com',9873216540,TRUE,'M',25);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Riya','Soni','riya456@gmail.com',9876512340,TRUE,'F',25);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Rutvi','Sukhadia','rutu456@gmail.com',9871245630,TRUE,'F',24);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Nirmal','Kashyap','nir789@gmail.com',8877991440,TRUE,'M',29);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Rahul','Patel','prahul1221@gmail.com',8798546521,TRUE,'M',30);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Priya','Angel','angel111@gmail.com',8679451237,TRUE,'F',19);

INSERT INTO "User" (Fname,Lname,Email,Phone,IsActive,Gender,Age) VALUES
('Nora','Fatehi','nora888@gmail.com',9999888801,TRUE,'F',28);

```

--CoPassenger-----

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(1,'Raj','Patel','raja111@gmail.com',9988776601,'M',28);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(1,'Sunny','Shah','sun151@gmail.com',9988746651,'M',25);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(1,'Harshal','Modi','modi456@gmail.com',9879879871,'M',26);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(2,'Kashyap','Patel','kapu145@gmail.com',8465622617,'M',24);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(2,'Bhavik','Parmar','bhavu114@gmail.com',8765695669,'M',25);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(3,'Yagn','Purohit','yagu@gmail.com',7850489115,'M',22);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(4,'Raju','Japani','raju785@gmail.com',6765462659,'M',26);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(5,'Anjali','Patel','anju@gmail.com',7865491236,'F',28);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(6,'Kavya','Dave','kd1998@gmail.com',9457776601,'F',29);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(7,'Sahil','Panchal','sp777@gmail.com',8915765487,'M',28);

INSERT INTO Copassenger (UID,Fname,Lname,Email,Phone,Gender,Age) VALUES
(7,'Simran','Solanki','simi198@gmail.com',9985676601,'F',30);

insert into COPASSENGER (UID,Fname,Lname,Email,Phone,Gender,Age) values
(8,'Vedant','Savani','vsavani457@gmail.com',8888776601,'M',28);

insert into COPASSENGER (UID,Fname,Lname,Email,Phone,Gender,Age) values
(8,'Meet','Mankodi','mm777@gmail.com',8811778401,'M',18);

insert into COPASSENGER (UID,Fname,Lname,Email,Phone,Gender,Age) values
(9,'Swastik','Agarwal','swas45878@gmail.com',7845942266,'M',32);

insert into COPASSENGER (UID,Fname,Lname,Email,Phone,Gender,Age) values
(10,'Hina','Khan','hinak123@gmail.com',7849561236,'F',30);

insert into COPASSENGER (UID,Fname,Lname,Email,Phone,Gender,Age) values
(10,'Dipika','Singh','dipu46@gmail.com',9874856981,'F',34);

insert into COPASSENGER (UID,Fname,Lname,Email,Phone,Gender,Age) values
(10,'Ranveer','Singh','ran788@gmail.com',7859817815,'M',29);

--GUIDE-----

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Pooran','Singh','the4@gmail.com',9977884455,'M',40,'Dargah Homatpura, Fateh Singh Road,
Bharariwal, Amritsar, Punjab',143006);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Param','Singh','psingh@gmail.com',6645789155,'M',28,'Gill Medical Store, Fateh Singh Road, Mule
Chak, Amritsar, Punjab',143006);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Sachin','Bhide','sbhide457@gmail.com',8899745614,'M',30,'TLH Forest Way Cottage, Dhungri,
Manali, Kullu, Himachal Pradesh',175131);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Jay','Prajapati','jp57@gmail.com',8123445614,'M',34,'Near sunset point road , Srinagar, J &
K',190001);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Jiimy','Nisham','nishamji89@gmail.com',7548691265,'M',34,'Shree Ganesh Communication, Bhitari
Industrial Area, Varanasi, Uttar Pradesh',221106);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Suresh','Raina','sraina@gmail.com',667844785,'M',26,'Kedarnath, Ukhimath, Rudraprayag,
Uttarakhand',246445);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Virat','Kohli','vk123@gmail.com',8978456912,'M',32,'Taj Mahal-Beauty of India, Taj Mahal Road,
Forest Area, Agra, Uttar Pradesh',282001);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Ajay','Bishnoi','ajjub78@gmail.com',8795764101,'M',33,'Baba Ramdev Mandir, Tanot Road,
Jaisalmer Sub-District, Jaisalmer, Rajasthan',345001);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Abhi','Baluni','abhib111@gmail.com',7845152356,'M',41,'Janta Society Sim Shala, Somnath, Gir
Somnath, Gujarat',362268);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Karan','Thakker','kt14@gmail.com',9988451601,'M',30,'Abhay Ghat, Juna Vadaj, Ahmedabad,
Gujarat',380027);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Shanker','Desai','shivd88@gmail.com',7984561534,'M',56,'Shree Munivrat Swami Jain Derasar,
Keshav Nagar Road, Sabarmati, Ahmedabad, Gujarat',380027);

INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode)
VALUES('Akshar','Patel','akpatel45@gmail.com',7845561255,'M',26,'Aarogya Van, Kevadiya,
Nandod, Narmada, Gujarat',393151);

```
INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Shikhar','Dhoni','sd88@gmail.com',7985561534,'M',46,'Near Bandra
Station,Mumbai,Maharastra',400012);
```

```
INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Ganesh','Gaitonde','gg0007@gmail.com',9988990007,'M',35,'128 ,pragati House, Budhwar
Peth,Pune, Maharashtra',410401);
```

```
INSERT INTO GUIDE (Fname,Lname,Email,Phone,Gender,Age,Address,Pincode) VALUES
('Shakil','Narayan','koishak789@gmail.com',9874587648,'M',29,'Hotel Nityanand, Lokmanya Tilak
Road, Bhangarwadi, Lonavala, Pune, Maharashtra',410401);
```

--Tourist Spot-----

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Golden
Temple','All',4.9,'Golden Temple Rd, Atta Mandi, Katra Ahluwalia',143006);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values
('Manali','Winter',4.7,'Rotang Pass Road, Manali',175131);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values
('Srinagar','Winter',4.7,'Srinagar,J & K', 190001);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values
('Allahabad','All',4.7,'Allahabad, Uttar Pradesh',212111);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Dashashwamedh
Ghat','Winter',4.6,'Dashashwamedh Ghat Rd, Ghats of varanasi, Godowlia',221106);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Kedarnath
Temple','Pre-winter',4.8,'Kedarnath, Rudra Prayag',246445);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Taj
Mahal','All',4.9,'Dharmapuri, Forest Colony, Tajganj',282001);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Jaisalmer
Fort','All',4.2,'Near Gopa CHOCK, Khejer Para, Manak Chowk, Amar Sagar Pol',345001);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Somnath
Temple','Winter',4.3,'Somnath Mandir Rd',362268);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Sabarmati
Aashram','All',4.5,'Gandhi Ashram, Gandhi Smarak Sangrahalaya',380027);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Statue Of
Unity','All',4.7,'Sardar Sarovar Dam, Kevadiya Village',393151);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Gate Way Of
India','All',4.3,'Mumbai, Maharashtra',400012);
```

```
insert into TOURIST_SPOTS("Name",season,ratings,address,pincode) values ('Lonavla
Hills','All',4.3,'Lonavla , Maharashtra',410401);
```

--Hotels-----

--Amritsir

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Ramada by Wyndham Amritsar',1835025555,'BOTH',3.9,'117 Hall Bazaar',143006);
```

--Manali

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Thomas Villa',9855004767,'VEG',3.5,'Simsa Village',175131);
```

--J & K

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Ahdoos Hotel',7889464612,'VEG',4.1,'Residency road, Regal Chowk, Raj Bagh',190001);
```

--Srinagar

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Billberry Hotel', 9865476521, 'NON-VEG', 4, 'Ghat No. 17, Nehru Park', 190001);
```

--Praygraj (UP)

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Kashi',9878451532,'VEG',3.8,'No.74-A, Kamla Nehru Rd, opposite City Post Office, Johnston Ganj',212111);
```

--Varanasi

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Sai International',7889456124,'VEG',2.9,'Chandpur Industrial State Near Chandpur Dignostic',221106);
```

--Lucknow

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The White Hotels', 6868626585, 'VEG', 3.5, '181/1, Opposite CDRI Campus, Sitapur Road', 226001);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hotel Levana',8989456512,'NON-VEG',4.1,' 6, VS Marg, Narpatkhera, Lalbagh',226001);
```

--Kedarnath

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Punjab Sindh Awas',7858495615,'BOTH',3.0,'Main Market, near Kedarnath Temple',246445);
```

--Agra

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Anmol Hotel Pvt.Ltd', 9898565844, 'VEG', 3.5, '8180 Street No.-6,Arakashan Road', 282001);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('BB Palace-A Boutique Hotel', 8655855687, 'VEG', 3, '2638-2642 Gurudwara Road', 282001);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('ITC Mughal, A Luxury Collection Hotel',5624021700,'BOTH',4.5,' Itc Mughal, Fatehabad Rd, Tajganj',282001);
```

--Jaisalmer

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Jaisalkot - A Luxury Boutique Hotel',9116010801,'VEG',4.6,' Kuldhara Turn, Off, Jaisalmer - Sam - Dhanana Rd',345001);
```

--Rajkot

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Chouki Dhani', 9465813587, 'VEG', 3, 'Near All India Radio Tower, Jamnagar Road', 360001);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The Imperial Palace',7894556218,'VEG',4.4,'Dr Yagnik Rd, Jagnath Plot',360001);
```

--Somnath

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The Fern Residency',2876225200,'VEG',4.1,'Talala Road, Veraval Bypass Corner Behind Somnath Railway Station',362268);
```

--Ahmedabad

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Ahmedabad Inn',9878456512,'BOTH',4.5,'Vastrapur',380027);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Hyatt Ahmedabad',8794561251,'BOTH',4.8,'Opp Ahmedabad One Mall',380027);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('The Metropole Hotel',7889451575,'BOTH',4.2,'Near R.T.O. Circle, Subhash Bridge, Corner, Keshav Nagar Rd',380027);
```

--Narmada

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Statue of Unity Tent City 1',9797949494,'VEG',4.5,'Sardar Sarovar Dam, Tent City-1, Dyke-4, Site',393151);
```

--Mumbai

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Astoria Hotel', 9726549956, 'BOTH', 4, 'J. Tata Road, Churchgate Reclamation, Opp Eros Cinema', 400012);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Central Hotel', 9894517223, 'BOTH', 4.5, 'Ashirwad Enclave, Lakhimi Path, Jonali, R.G.Baruah Road', 400012);
```

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('ITC Grand Central, A Luxury Collection Hotel',8978152345,'BOTH',4.6,'287, Dr, Dr Baba Saheb Ambedkar Rd, Parel',400012);
```

--Pune

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Cosset-Comfort And Cusine',7859485625,'BOTH',4.2,'Mumbai Pune Road,Opp Hotel Rama Krishna',410401);
```



```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Meritas  
Picaddle Resort',9689521111,'BOTH',4.2,' Plot No. 137 A, Opp, Old Mumbai - Pune Hwy,  
Khandala',410401);
```

--Bangalore

```
INSERT INTO HOTEL("Name", Phone, FoodType, Ratings, Address, Pincode) VALUES ('Aurick Hotel',  
6658498756, 'NON-VEG', 3, '15th Cross, 35th Main,6th Phase, JP Nagar', 560004);
```

--Hotel_Services-----

```
INSERT INTO hotel_services(hotelid, services) VALUES (1, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (1, 'Free Internet');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (1, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Gym');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Laundry Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (2, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (3, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (3, 'Free Internet');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (3, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Parking Facilities');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Free Internet');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Swimming Pool');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (4, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Free Internet');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Doctor on Call');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (5, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (6, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (6, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (6, 'Taxi Services');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Internet Access');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Locker Room Facility');
INSERT INTO hotel_services(hotelid, services) VALUES (7, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (8, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (8, 'Medical Assistance Available');
INSERT INTO hotel_services(hotelid, services) VALUES (8, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (9, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (9, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (9, 'Gym');
INSERT INTO hotel_services(hotelid, services) VALUES (10, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (10, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (10, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (11, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (11, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (11, 'Barbecue Area');
INSERT INTO hotel_services(hotelid, services) VALUES (12, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (12, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (12, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Gym');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Laundry Service');
INSERT INTO hotel_services(hotelid, services) VALUES (13, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (14, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (14, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (14, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Parking Facilities');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Swimming Pool');
INSERT INTO hotel_services(hotelid, services) VALUES (15, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Doctor on Call');
INSERT INTO hotel_services(hotelid, services) VALUES (16, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (17, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (17, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (17, 'Taxi Services');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Internet Access');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Locker Room Facility');
INSERT INTO hotel_services(hotelid, services) VALUES (18, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (19, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (19, 'Medical Assistance Available');
INSERT INTO hotel_services(hotelid, services) VALUES (19, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (20, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (20, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (20, 'Gym');
INSERT INTO hotel_services(hotelid, services) VALUES (21, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (21, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (21, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (22, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (22, 'Free Internet');
INSERT INTO hotel_services(hotelid, services) VALUES (23, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (23, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (23, 'Taxi Services');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Internet Access');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Locker Room Facility');
INSERT INTO hotel_services(hotelid, services) VALUES (24, 'Restaurant');
INSERT INTO hotel_services(hotelid, services) VALUES (25, 'Room Service');
INSERT INTO hotel_services(hotelid, services) VALUES (25, 'Medical Assistance Available');
INSERT INTO hotel_services(hotelid, services) VALUES (25, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (26, 'Room Service');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (26, 'Restaurant');
```

```
INSERT INTO hotel_services(hotelid, services) VALUES (26, 'Gym');
```

```
--ROOMS-----
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 002, 'AC', 3, 6, 6000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 003, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 004, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 005, 'AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 006, 'NON-AC', 2, 2, 2000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 007, 'NON-AC', 3, 6, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 008, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 009, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (1, 010, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 002, 'AC', 3, 6, 6500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 005, 'AC', 1, 2, 2500, 'AVAILABLE');
```

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 006, 'NON-AC', 2, 2, 3000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 007, 'NON-AC', 3, 6, 5500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 008, 'NON-AC', 2, 4, 4000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 009, 'NON-AC', 2, 4, 5000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (2, 010, 'NON-AC', 1, 2, 1500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 001, 'AC', 2, 2, 4000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 002, 'AC', 1, 2, 1500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 003, 'AC', 2, 4, 5000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 004, 'AC', 2, 4, 5000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (3, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 001, 'AC', 2, 2, 3000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 002, 'AC', 2, 4, 5500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 003, 'AC', 2, 4, 3000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (4, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 001, 'AC', 2, 2, 3000, 'AVAILABLE');

INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 002, 'AC', 3, 6, 5500, 'AVAILABLE');

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 003, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (5, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (6, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 002, 'AC', 2, 4, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 003, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (7, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 002, 'AC', 3, 6, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 003, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (8, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (9, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 002, 'AC', 3, 6, 6500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (10, 005, 'AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (11, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (12, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (12, 002, 'AC', 2, 4, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (12, 003, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (12, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (12, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (13, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (13, 002, 'AC', 3, 6, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (13, 003, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (13, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (13, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (14, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (14, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (14, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (14, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (14, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (15, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (15, 002, 'AC', 2, 4, 5500, 'AVAILABLE');
```



```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (15, 003, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (15, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (15, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (16, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (16, 002, 'AC', 3, 6, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (16, 003, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (16, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (16, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (17, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (17, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (17, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (17, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (17, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (18, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (18, 002, 'AC', 3, 6, 6500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (18, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (18, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (18, 005, 'AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (19, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (19, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (19, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (19, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (19, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (20, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (20, 002, 'AC', 3, 6, 6500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (20, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (20, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (20, 005, 'AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (21, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (21, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (21, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (21, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (21, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (22, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (22, 002, 'AC', 2, 4, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (22, 003, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (22, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (22, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (23, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (23, 002, 'AC', 3, 6, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (23, 003, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (23, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (23, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (24, 001, 'AC', 2, 2, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (24, 002, 'AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (24, 003, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (24, 004, 'AC', 2, 4, 5000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (24, 005, 'NON-AC', 1, 2, 2500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (25, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (25, 002, 'AC', 2, 4, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (25, 003, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (25, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (25, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (26, 001, 'AC', 2, 2, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (26, 002, 'AC', 3, 6, 5500, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (26, 003, 'AC', 2, 4, 4000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (26, 004, 'NON-AC', 2, 4, 3000, 'AVAILABLE');
```

```
INSERT INTO ROOM(HotelID, Room_no, "Type", Beds, Capacity, Rate, Status) VALUES (26, 005, 'NON-AC', 1, 2, 1500, 'AVAILABLE');
```

```
--ROOM FACILITIES-----
```

```
-----
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (1, 1, 'Cable TV');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (1, 1, 'Hot/Cold Running water');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (2, 2, 'Cable TV');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (2, 2, 'Hot/Cold Running water');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (2, 2, 'Refrigerator');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (3, 3, 'Cable TV');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (3, 3, 'Hairdryer (on request)');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (3, 3, 'Hot/Cold Running water');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (5, 4, 'Cable TV');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (5, 4, 'Ironing Board');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (5, 4, 'Hot/Cold Running water');
```

```
INSERT INTO Room_Facilities(HotelId,RoomNo, Facility) VALUES (5, 4, 'Breakfast Available');
```

```
--PACKAGE-----
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Manali Tour', 9,8, TRUE,64000);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Srinagar Tour',4,2,TRUE,19500);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Varansi Tour',4,4,TRUE,15000);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Kedarnath Tour',6,2,TRUE,20000);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Taj Mahal Tour',2,4,TRUE,12000);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Jaisalmer Tour',2,6,TRUE,12500);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Somnath Tour',2,4,TRUE,6000);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Mumbai Tour',2,4,TRUE,10000);
```

```
INSERT INTO Package(Title, Duration, No_of_people, isActive, Amount) VALUES ('Lonavla Tour',2,6,TRUE,12000);
```

```
--Package_Hotel-----
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(1, 2, 4);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(2, 4, 1);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(3, 6, 3);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(4, 9, 1);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(5, 10, 2);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(6, 13, 2);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(7, 16, 1);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(8, 22, 3);
```

```
INSERT INTO Package_Includes_Hotels(PackageId, HotelID, RoomNo) VALUES(9, 25, 1);
```

```
--Package Tourist Spots-----
```

```
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(1, 2);
```

```
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(2, 3);
```

```
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(3, 5);
```

```
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(4, 6);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(5, 7);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(6, 8);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(7, 9);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(8, 12);
INSERT INTO Package_Includes_Spots(PackageId, SpotID) VALUES(9, 13);
```

--Package GUIDE-----

```
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(1, 3);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(2, 4);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(3, 5);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(4, 6);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(5, 7);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(6, 8);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(7, 9);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(8, 13);
INSERT INTO Package_Includes_Guides(PackageId, GUIDEID) VALUES(9, 15);
```

--Booking-----

```
INSERT INTO Booking(UserID, TripStart_Date, TripEnd_Date, Amount) VALUES(1, '2020-12-08',
'2020-12-08', 64000);

INSERT INTO Booking(UserID, TripStart_Date, TripEnd_Date, Amount) VALUES(2, '2020-10-11',
'2020-12-08', 1500);

INSERT INTO Booking(UserID, TripStart_Date, TripEnd_Date, Amount) VALUES(4, '2020-11-20',
'2020-11-22', 12000);

INSERT INTO Booking(UserID, TripStart_Date, TripEnd_Date, Amount) VALUES(5, '2020-12-08',
'2020-12-08', 64000);

INSERT INTO Booking(UserID, TripStart_Date, TripEnd_Date, Amount) VALUES(9, '2020-12-30',
'2021-01-01', 12000);

INSERT INTO Booking(UserID, TripStart_Date, TripEnd_Date, Amount) VALUES(10, '2020-10-22',
'2020-10-24', 10000);
```

--Booking CoPassenger-----

```
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(1, 1, 'Raj', 'Patel');
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(1, 1, 'Sunny', 'Shah');
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(3, 4, 'Raju', 'Japani');
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(4, 5, 'Anjali', 'Patel');
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(5, 9, 'Swastik', 'Agarwal');
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(6, 10, 'Hina', 'Khan');
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(6, 10, 'Dipika', 'Singh');
INSERT INTO Booking_CoPassenger(BID, UserID, Fname, Lname) VALUES(6, 10, 'Ranveer', 'Singh');
```

--Booking Package-----

```
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (1,1);
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (3,5);
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (4,1);
INSERT INTO BOOKING_FOR_PACKAGE(BID, PackageID) VALUES (5,9);
```

--Booking Hotel-----

```
INSERT INTO Booking_FOR_HOTEL(BID, HOTELID, ROOMNO) VALUES (2,5,5);
INSERT INTO Booking_FOR_HOTEL(BID, HOTELID, ROOMNO) VALUES (2,21,3);
```

--SQL QUERY

```
--select title, duration, no_of_people, amount, "Name", address, roomno, phone, foodtype, ratings,
pincode from Package JOIN (SELECT * from Package_Includes_Hotels as pih JOIN Hotel
ON(pih.HotelID = Hotel.HotelID)) as pi ON(Package.PackageID = pi.PackageID);
```

--QUERY TO FIND THE LIST OF PEOPLE WHO BOOKED PACKAGE 1.

```
--select * from Booking JOIN (select * from Booking_For_Package JOIN (select * from Package where
PackageID = 1) as pa ON (Booking_For_Package.PackageID = pa.PackageID)) as BookP ON
(Booking.BID = BookP.BID);
```