

S. No	IS NO	IS Title	Marking fee for Large Scale	Marking Fee for Medium Scale	Marking Fee for Small Scale (0.5*Large scale fee)	Marking Fee for Micro Scale (0.2*Large scale fee)	Unit of the Product	Unit Rate SLAB -1	SLAB - 1 applicable to Quantity	Unit Rate SLAB 2	SLAB - 2 applicable to Quantity	Unit Rate SLAB-3 for remainin g Quantity	SLAB - 3 applicable e to Quantity
1	IS 1	Specification for The National Flag of India (Cotton Khadi)	46000	37000	23000	9000	1 FLAG	0.36	For All				
2	IS 10001	PERFORMANCE REQUIREMENTS FOR CONSTANT SPEED COMPRESSIGN (DIESEL) ENGINES FOR GENERAL PURPOSES (UP TO 20 KW)	46000	37000	23000	9000	1 PECE	17.3	For All	104	Rest All		
3	IS 10025	Polish Liquid (White) For Canvas Footwear	46000	37000	23000	9000	100 LTRS	33	For All				
4	IS 10086	Roasted Groundnut (Peanut) Kernels	140000	44000	27000	10800	ONE KG	0.35	For All				
5	IS 10097	Coatard Powder	50000	40000	25000	10000	1 RE	0.38	For All				
6	IS 10079	Specification for Cylindrical Metal Measures for Use in Tests Of Aggregates And Concrete	67000	55000	34000	13800	1 NUMBER	29	For All				
7	IS 1008	Sugar Balled Confectioners	56000	45000	28000	11200	1 RE	0.38	For All				
8	IS 10080	Specification for Vibration Machine For Standard Cement Mortar Cubes	53000	43000	26500	10500	1 PECE	15	For All				
9	IS 10086	Specification for moulds for use in tests of cement and concrete First Revision	101000	81000	50000	20200	1 PECE	38	For All				
10	IS 10011	Biscuits	51000	41000	25500	10200	1 TONNE	87	For All				
11	IS 10116	BONIC ACID	53000	43000	26500	10600	1 MT	54	For All				
12	IS 10124 - PART 1	Fabricated PVC-U Fittings for Potable Water Supplies - Specification Part 1 General Requirements	46000	37000	23000	9000	1 TON	69.2	For All				
13	IS 10124 - PART 2	Fabricated PVC-U Fittings for Potable Water Supplies - Specification Part 2 Specific Requirements for Sockets	46000	37000	23000	9000	1 TON	73.75	For All				
14	IS 1005	Leather Pump Buckets and Seat Valves Made from Vegetable Tanned Leather	110000	88000	55000	22000	100 BUCKETS	37	For All				
15	IS 10151	Polyvinyl Chloride (PVC) and its Copolymers for its Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water	58000	47000	29000	11600	1 MT	72	For All				
16	IS 10170	Byproduct Gypsum	50000	40000	25000	10000	1 MT	0.1	For All				
17	IS 10212 - PART 1	General requirements for packages of explosives: Part 1 Commercial high explosives	81000	65000	40500	16200	100 BOXES	35	For All				
18	IS 10228	School Bag	50000	40000	25000	10000	100 BAGS	12	For All				
19	IS 10238	Fasteners- Threaded Steel Fastener- Step Bolts for Steel Structures	67000	54000	33500	13400	1 TON	134	For All				
20	IS 10243	2, 4-D Ethyl Ester EC	49000	40000	24500	9800	100 LFBRES	345	For All				
21	IS 10245 - PART 2	Respiratory Protective Devices - Specification : Part 2 self-contained open circuit breathing apparatus (Second Revision)	46000	37000	23000	9000	ONE BREATHING APPNATUS	75	For All				
22	IS 10245 - PART 3	Breathing Apparatus - Part 3 : Fresh Air Hose and Compressed Air Line Breathing Apparatus	83000	69000	41500	16600	1 BREATHING APPARATUS	200	For All				
23	IS 10258	Sterile Hypodermic Springs for Single Use	79000	64000	39500	15800	1000 PCS	0.75	For All				
24	IS 10258 - PART 1	Sterile hypodermic springs for single use Part 1: Springs for manual use Third Revision	79000	64000	39500	15800	1000 PCS	0.75	For All				
25	IS 10264	Trolley, Hot Food, for Hospital and Industrial Canteens	46000	37000	23000	9000	1 PECE	1.80	For All				
26	IS 10080	Carbon steel castings for general engineering purposes	85000	68000	42500	17000	1 MT	118.1	For All				
27	IS 10301	Isopropyl Alcohol for Cosmetic Industry	51000	41000	25500	10200	1 MT	7.98	For All				
28	IS 10322 - PART 5 - SEC 1	Luminaires - Part 5 Particular Requirements Sec 1 General purpose luminaires	46000	37000	23000	9000	1 PECE	1.75	For All				
29	IS 10322 - PART 5 - SEC 2	Luminaires - Part 5 : Particular Requirements - Section 2 : Recused Luminaires	46000	37000	23000	9000	1 PECE	35	For All				
30	IS 10322 - PART 5 - SEC 3	Luminaires - Part 5 : Particular Requirements - Section 3 : Luminaires for Road and Street Lighting	192000	154000	96000	38400	1 PECE	1.5	For All				
31	IS 10325	Spoort Tins - 25 kg/litre for Ghee, Vanaspathi, Edible Oils and Bakery Shortenings	53000	43000	26500	10600	1000 PCECE	84.95	For All				
32	IS 10350	Powder Hair Dyes	48000	39000	24500	9800	ONE KG	1.3	For All				
33	IS 1038	Specification for Steel Doors, Windows And Ventilators	53000	43000	26500	10600	1 TON	17.3	For All				
34	IS 10508	Phosphoric Acid, Food Grade	57000	46000	28500	11400	1 MT	50	For All				
35	IS 1001	Pyrexium Containers	61000	49000	30500	12200	100 LITRE	845	For All				
36	IS 10523	Baby Toilet Soap - Specification	89000	72000	44500	17800	1 MT	18.55	For All				
37	IS 10532 - PART 2	Fire resistant Hydraulic Fluids - Part 2 : Invert Emulsions (Water-in-oil) Type	328000	263000	164000	65600	1 KLO LITRE	182	For All				
38	IS 10577	Lancing pipette	53000	43000	26500	10600	1 TONNE	26	For All				
39	IS 10592	Industrial Emergency Showers, Eye and Face Fountains and Combination Units - Specification	46000	37000	23000	9000	1 PECE	17.2	For All				
40	IS 1061	DISINFECTANT FLUIDS, PHENOLIC TYPE	72000	58000	36000	14400	1 KLO LITRE	43.2	For All				
41	IS 10616	Requirement of Retro-Reflective Devices for Bicycles	50000	40000	25000	10000	1000 PCEES	0.000001	For All				
42	IS 10617	HERMETIC COMPRESSORS	1125000	900000	562500	225000	1 PECE	06	For All				
43	IS 10631	STAINLESS STEEL FOR WELDING ELECTRODE CORE WIRE	64000	52800	32800	13200	1 MT	13	For All				
44	IS 10647	Wheel Bearing Grease	46000	37000	23000	9000	ONE TONNE	51.8	For All				
45	IS 1065 - PART 2	STABLE BLEACHING POWDER AC'SPECIFICATION PART 2 FOR WATER TREATMENT FOR DRINKING PURPOSES	66000	53000	33000	13200	1 MT	55	For All				
46	IS 10658	Specification for Higher Capacity Dry Powder Fire Extinguisher (Trolley Mounted)	86000	69000	43000	17200	1 PECE	34.6	For All				
47	IS 1069	QUALITY TOLERANCES FOR WATER FOR STORAGE BATTERIES - SPECIFICATION	53000	43000	26500	10600	ONE KILO LITRE	6	For All				
48	IS 10701	Specification for Structural Plywood - Specification	91000	73000	45500	18200	1 SQM	0.35	For All				
49	IS 10702	Hawai Chappal-Specification	126000	101000	63000	25200	100 PAIRS	1.3	For All				
50	IS 10748	Hot-rolled Steel Strip for Welded Tubes and Pipes	78000	63000	39000	15600	1 TONNE	3.75	For All				
51	IS 10758	Deodorising cum-disinfectant Fluids	62000	50000	31000	12400	100 LITRES	8.6	For All				
52	IS 10773	Wrought Copper Tubes for Refrigeration and Air-Conditioning Purposes	136000	109000	68000	27200	1 MT	11	For All				
53	IS 10775	Body Level Hearing Aids	46000	37000	23000	9000	1 PECE	1.45	For All				
54	IS 1079	HOT ROLLED CARBON STEEL SHEET AND STRIP	86000	69000	43000	17200	1 TONNE	3.75	For All				
55	IS 10805	Foot Valves, Reflux Valves or Nonreturn Valves and Bone Valves to be Used in Section Lines of Agricultural Pumping Systems (4th Specification / Second Revision)	56000	45000	28000	11200	1 PECE	0.9	For All				
56	IS 1084	Textiles - Manila Ropes	69000	56000	34500	13800	ONE TONNE	86	For All				
57	IS 10889	High-density polyethylene films	63000	51000	31500	12600	1 MT	160	For All				
58	IS 10891 - PART 1	Steel Wire Ropes for Aerial ropeways - Part 1 : Haulage Ropes	57000	46000	28500	11400	ONE TONNE	69.2	For All				
59	IS 10908	FLEXIBLE RUBBER TUBING FOR LIQUEFIED PETROLEUM GAS SPECIFICATION Second Revision	69000	56000	34500	13800	100 METRES	5.2	For All				
60	IS 10910	Polypropylene and its copolymers for its safe use in contact with foodstuffs, pharmaceuticals and drinking water	150000	120000	75000	30000	1 MT	8.45	For All				
61	IS 10931	Leucic Acid - Specification (first revision of IS 10931)	202000	162000	101000	40400	1 MT	8.79	For All				
62	IS 10951	Specification for Polypropylene (PP) Materials for Moulding and Extrusion (Second Revision)	120000	96000	60000	24000	5 MT	63	For All				
63	IS 11006	Flash Back Arrestor (Flame Arrestor)	46000	37000	23000	9000	1 PECE	250	For All				
64	IS 11010	Ziram suspension concentrate (SC)- Specification (first revision)	52000	42000	26000	10400	100 LITRES	34.5	For All				
65	IS 11037	Electronic Type Fan Regulators	46000	37000	23000	9000	1 PECE	1.75	For All				
66	IS 11041	Air Screen Seed Cleaner	65000	52000	32500	13000	1 PECE	58	For All				
67	IS 11057	Industrial Safety Nets	46000	37000	23000	9000	1 RE	0.5	For All				
68	IS 11066	Fibre ropes - Polyester 3- 4- 8- and 12- strand ropes (third revision)	62000	50000	31000	12400	5 MT	360	For All				
69	IS 11087	Paper for magnetic ink character recognition cheque printing	59000	48000	29500	11800	1 TONNE	43.2	For All				
70	IS 1309	Borax	53000	43000	26500	10600	ONE TONNE	85	For All				
71	IS 1110	FERROSILICON - SPECIFICATIONS	58000	47000	29000	11600	1 MT	14.5	For All				
72	IS 11169 - PART 1	Specification for steels for cold heading/cold extrusion applications: Part 1 wrought carbon and low alloy steels	71900	58000	35900	14300	ONE MT	3	For All				
73	IS 11169 - PART 2	STEELS FOR COLD HEADING/COLD EXTRUSION APPLICATIONS part 2 stainless steel-SPECIFICATION (first revision)	132000	106000	66000	26400	1 MT	85	For All				
74	IS 1117	Laboratory Glassware-Single-Volume Pipettes	53000	43000	26500	10600	100 PCEES	13.8	For All				
75	IS 11170	Performance Requirements for Constant Speed Compression Ignition (Diesel) Engines for Agricultural Purposes (Up to 20 kw)	46000	37000	23000	9000	1 PECE	17.3	1500	104	Rest All		
76	IS 11188 - PART 1	Vault Strong Room doors Part 1 specification	46000	37000	23000	9000	1 PECE	288	For All				
77	IS 11226	LEATHER SAFETY FOOTWEAR HAVING DIRECT MOULDED RUBBER SOLE	46000	37000	23000	9000	ONE PAIR	0.54	For All				
78	IS 11241	Portable Liquefied Petroleum Gas Appliances Operating at Vapour Pressure - Specification (FIRST REVISION)	46000	37000	23000	9000	1 PECE	1	For All				
79	IS 11273	TEXTILES WOVEN ROVING FABRICS OF E GLASS FIBRE SPECIFICATION Second Revision of IS 11273	123000	99000	61500	24600	1 MT	9.35	For All				
80	IS 11279	Braille Slate	46000	37000	23000	9000	1 PECE	7	For All				
81	IS 1230	Marble (blocks, Slabs And Tiles)	63000	51000	31500	12600	1 SQ.M	66	For All				
82	IS 11313	Hydraulic Power Sprayers	108000	86000	53800	21500	ONE SPRAYER	12.5	For All				
83	IS 11320	Textiles i/c Glass Fibre Rovings for the Reinforcement of Polyester, Phenolic, Vinyl Ester and of Epoxide Resin Systems i/c Specification (Second Revision of IS 11320)	121000	97000	60500	24200	1 MT	9.35	For All				
84	IS 11329	SPECIFICATION FOR FINNED-TYPE HEAT EXCHANGER FOR ROOM AIR CONDITIONER	65000	52000	32500	13000	1 NO.	0.3	For All				
85	IS 11356 - PART 1	STYRENE-BUTADIENE RUBBER LATEX SPECIFICATION PART 1 NON-CARBOXYLATED Second Revision of IS 11356	144000	116000	72000	28800	1 MT	15	For All				
86	IS 11356 - PART 2	STYRENE-BUTADIENE RUBBER LATEX SPECIFICATION PART 2 CARBOXYLATED Second Revision of IS 11356	144000	116000	72000	28800	1 MT	15.2	For All				
87	IS 11360	Specification for smoke detectors for use in automatic electrical fire alarm system	192000	154000	96000	38400	1 PECE	1	For All				
88	IS 11378	Anesthetic Machines for Use with Humans	46000	37000	23000	9000	1 PECE	360	For All				
89	IS 11459	Power-Operated Chaff Cutter - Specification and Test Code (First Revision)	71000	57000	35500	14200	1 MACHINE	17.75	For All				
90	IS 11501	Engine Monsoot Pumps for Clear, Cold, Water for Agricultural Purposes i/c Specification (First Revision)	46000	37000	23000	9000	1 PECE	17.3	1500	104	Rest All		
91	IS 11513	HOT-ROLLED CARBON STEEL STRIP FOR COLD ROLLING PURPOSES SPECIFICATION	59000	48000	29500	11800	ONE TONNE	3.75	For All				
92	IS 11536	Processed Cereal Based Complementary Foods ? Specification (Third Revision)	155000	124000	77500	31000	ONE TONNE	172.8	For All				
93	IS 1155	ATTA - SPECIFICATION (THIRD REVISION OF IS 1155)	54000	44000	27000	10800	1 RE	0.1	For All				
94	IS 11551	Textiles i/c Glass Fibre Chopped Strand Mat for the Reinforcement of Epoxy, Vinyl Ester, Phenolic and Polyester Thermoset Resin Systems i/c Specification (Second Revision of IS 11551)	123000	99000	61500	24600	1 MT	12.3	For All				
95	IS 11552	Liquid Nitrogen Vessels of Capacity up to 15 Litres - Specification (Second Revision)	89000	72000	45000	18000	1 PECE	20	For All				
96	IS 11557	2, Naphthylamine - 3, 6, 8 - Trisulphonic Acid, Technical	95000	77000	48500	19400	1 MT	132.4	For All				
97	IS 11569	Specification for Cervical Collar (First Revision)	46000	37000	23000	9000	1 PECE	0.3	For All				
98	IS 11584	High Density Polyethylene (HDPE) Crates for Milk Satchets	74000	60000	37000	14800	1 NO.	0.25	For All				
99	IS 11587	Structural weather resistant steel	53000	43000	26500	10600	1 MT	7	For All				
100	IS 1159	Baling Powder 4th Specification											

108	S 11673 - PART 2	SODIUM HYPOCHLORITE SOLUTION PART 2 WATER TREATMENT USE	88000	71000	44600	17600	1 KL	11	For All				
109	S 11706	Isopropyl Alcohol, Food grade	78000	54000	39500	15800	1 TON	736	For All				
110	S 1170	Ferrichromium	46000	37000	23000	9000	1 TONNE	91.3	For All				
111	S 11708	Hand, Mechanical	46000	37000	23800	9000	1 PIECE	2	For All				
112	S 11740	Chairs for Motorcycles	46000	33000	23000	13000	100 PCS	2.2	For All				
113	S 11744	Phosphorus Pentachloride, Technical - Specification (First Revision)	98000	79000	49000	19500	1 MT	54.05	For All				
114	S 11782	Sodium Cyanide, Technical - Specification (First Revision)	51000	41000	25000	10200	1 MT	15.5	For All				
115	S 11785	Captan (Wettable Powder) WP	52000	42000	26000	10400	ONE TONNE	300	For All				
116	S 1180 - PART 1	Outdoor/Indoor Type Oil Immersed Distribution Transformers up to and Including 2 500 KVA, 33 kV - Specification : Part 1. Mineral Oil Immersed	142000	114000	71800	28400	1 KVA	3	For All				
117	S 1180 - PART 3	Outdoor/Indoor Type Liquid Immersed Distribution Transformers Up to and Including 2 500 KVA, 33 kV - Specification : Part 3 Natural/Synthetic Organic Ester Liquid Immersed	142000	114000	71000	28400	1 KVA	3	For All				
118	S 11833	Specification For Dry Powder Fire Extinguisher For Metal Fires	65000	53000	32000	13000	1 PIECE	66	800	31	Rest All		
119	S 11885	Design and use of rubber seals for hydraulic gases - Recommendations (Second Revision)	121000	97000	60500	24200	1 M	69	For All				
120	S 11879	Electric Steam Coolers	40000	32000	21000	10000	1 PIECE	2.7	For All				
121	S 11890	High Purity Aluminium Ingot For Remelting For Special Applications	85000	72000	44500	17800	1 MT	17	For All				
122	S 11928 - PART 1 AND 2	Boundings Made of Man-made Fibres for General Service - Parts 1 and 2					1 UNIT ~ 1 METER	0.25	For All				
123	S 11946	SOFT MAGNETIC IRON STRIPS	84000	68000	42000	16800		100	100	100	100	100	100
124	S 11951	PUMPSET FOR DIRECT EVAPORATIVE AIR COOLER 36" SPECIFICATION (Second Revision)	134000	108000	67000	26800		100	100	100	100	100	100
125	S 11952	STEELS FOR PISTON PINS (GUGEON PINS)	72000	58000	36000	14400	1 MT	30	For All				
126	S 11995	Isoproturon, WP	53000	43000	26000	10600	ONE TONNE	345	For All				
127	S 11996	Deltamethrin EC	49000	40000	24000	9800	100 LITRE	33	For All				
128	S 11997	Fenvalerate EC	58000	47000	29000	11600	100 LITRE	56	For All				
129	S 12016	Cypermethrin EC	49000	40000	24000	9800	100 LITRE	69.1	For All				
130	S 12029	ACID OIL - Specification (first revision of S 12029)	104000	84000	52000	20800	1 MT	23.15	For All				
131	S 12045	ALLOYS USED IN ELECTRICAL RESISTANCE METALLIC HEATING ELEMENTS	107000	86000	53000	21400	1 MT	200	For All				
132	S 12067	Palm fatty acids - Specification (first revision of S 12067)	46000	37000	23000	9000	1 MT	23.45	For All				
133	S 12069	Coconut Fatty Acids - Specification (first revision of S 12069)	96000	77000	46000	19200	1 MT	17.9	For All				
134	S 12084	MORPHOLINE	81000	65000	40500	16200	1 MT	13.5	For All				
135	S 12109	General Requirements for Light Duty Sewing Machine Heads for Industrial Use	66000	53000	33000	13200	1 PIECE	4	For All				
136	S 12118 - PART 1	Two-part Polysulfide-based Sealants - Specification Part 1 General Requirements	291000	235000	145000	58200	1 TONNE	291	For All				
137	S 12145	QUENCHED AND TEMPERED ALLOY STEEL FORGINGS FOR PRESURE VESSELS	62000	50000	31000	12400	1 MT	21	For All				
138	S 12146	Carbon Manganese Steel Forgings for Pressure Vessels	55000	44000	27500	11000	1 MT	18.35	For All				
139	S 12181	Determination of Colour Stability of Dental Polymeric Materials	106000	85000	53000	21200	1000 PIECES	1.1	For All				
140	S 1221	Fountain Pen Ink - Dye Based	59000	48000	29500	11800	1 LITRE	0.17	For All				
141	S 12210	Caprolactam - Specification (First Revision)	106000	85000	53000	21200	1 MT	14.95	For All				
142	S 12225	CENTRIFUGAL JET PUMP - SPECIFICATION (second revision)	58000	47000	29000	11600	1 PIECE	8.7	For All				
143	S 12227	Sterile Single-Use Syringes, With or Without Needle, for Insulin	59000	48000	29000	11800	1000 PIECES	1	For All				
144	S 1223	Apparatus for Determination of Milk Fat by Gerber Method	54000	44000	27000	10800	100 PIECES	12.1	For All				
145	S 12232 - PART 1	Irrigation equipment - Rotating sprinkler: Part 1 Design and operational requirements	79000	64000	39000	15800	ONE SPRINKLER	0.95	For All				
146	S 12234	Plastic equilibrium float valves for cold water services - Specification (first revision)	64000	52000	32000	12800	1 KG	0.55	For All				
147	S 12254	POLYVINYLCHLORIDE PVC INDUSTRIAL BOOTS - SPECIFICATION, Second Revision	69000	56000	34000	13800	ONE PAIR	0.44	For All				
148	S 12299	DAIRY WHITENER - SPECIFICATION First Revision	111000	89000	55500	22200	ONE TONNE	69.1	For All				
149	S 12300	Gas Cylinder Valves for Small Refrigerant Cylinders - Specification (First Revision)	77000	62000	38800	15400	1 VALVE	0.4	For All				
150	S 12340	Specification for sulphate resisting Portland cement	90000	72000	45000	18000	1 TON	3	For All				
151	S 12337	Manually Operated Fertilizer Broadcaster	46000	37000	23000	9000	ONE BROADCASTER	1.38	For All				
152	S 12349	VINYL ACETATE MONOMER	142000	114000	71800	28400	1 MT	98	For All				
153	S 1235	Acetic Anhydride	154000	124000	77000	30800	1 MT	7.8	For All				
154	S 1237	Cement Concrete Flooring Tiles - Specification	57000	46000	28500	11400	10 SQ. M	33	For All				
155	S 12339 - PART 1	STEEL TUBES, TUBULARS AND OTHER WROUGHT STEEL FITTINGS - PART 1 : STEEL TUBES	75000	60000	37500	15000	1 TONNE	8.7	For All				
156	S 12406	Medium density fibre boards for general purpose - Specification	46000	37000	23000	9000	1 TON	17.3	2500	8.7	Rest All		
157	S 12427	Fasteners - Threaded Steel Fasteners - Hexagon Head Transmission Tower Bolts	85000	68000	42000	17000	1 TON	86	For All				
158	S 12436	Preformed Rigid Polyurethane (PUR) and Polyisocyanurate (PIR) Foams for Thermal Insulation	218000	175000	109000	43600	1 SQM	0.2	For All				
159	S 12444	Continuously cast and rolled electrolytic copper wire rods for electrical conductors	86000	69000	43000	17200	1 TONNE	35.6	For All				
160	S 12492	SPECIFICATION FOR THERMOPLASTICS HOSES TEXTILE REINFORCED FOR COMPRESSED AIR	72000	61000	36000	14400	100 METRES	5.6	For All				
161	S 1251	Zinc Phosphide, Technical	47000	38000	23500	9400	1 TONNE	97.95	For All				
162	S 1251	Aluminium for Use in Iron and Steel Manufacture	46000	37000	23000	9000	1 MT	148.9	For All				
163	S 1254	Corrugated Aluminium Sheet (Fifth Revision)	112000	90000	56000	22400	1 MT	26	For All				
164	S 12540	Acrylonitrile - Specification (First Revision)	155000	124000	77000	31000	1 MT	34	For All				
165	S 1258	Bayonet lampholders (Fifth Revision)	167000	134000	83000	33400	100 PIECE	2.6	For All				
166	S 12585	SPECIFICATION FOR THERMOPLASTIC HOSES (TEXTILE REINFORCED) FOR WATER - GENERAL PURPOSE (First Revision of S 12585)	85000	68000	42000	17000	100 MTRS.	7.6	For All				
167	S 12586	Brontol low carbon steel gas cylinders not exceeding 13 litre water capacity - Specification	135000	96000	60000	27200	1 PIECE	1.75	For All				
168	S 12591	COLD-REDUCED TINMILL PRODUCTS ELECTROLYTIC CHROMIUM / CHROMIUM OXIDE COATED STEEL	46000	37000	23000	9000	ONE MT	5.4	For All				
169	S 12592	Reinforced Concrete Marking Covers and Frames	41000	32000	20000	8000	1 TON	36	For All				
170	S 12594	Hot-dip Zinc Coating on Structural Steel Bars for Concrete Reinforcement	48000	39000	24000	9600	1 TONNE	3	For All				
171	S 12615	LINE OPERATED THREE PHASE A.C. MOTORS (B CODE) EFFICIENCY CLASSES AND PERFORMANCE SPECIFICATION T INDUCTION MOTORS - THREE PHASE SQUARE CAGE	46000	37000	23000	9000	1 KW	1.75	For All				
172	S 12640 - PART 1	Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (Rcbs: Part 1, general rules (Third Revision)	112000	96000	56000	22400	1 PIECE	5.3	For All				
173	S 12640 - PART 2	RESIDUAL CURRENT OPERATED CIRCUIT - BREAKING FOR HOUSEHOLD AND SIMILAR USES - PART 2 CIRCUIT - BREAKERS WITH INTEGRAL OVERCURRENT PROTECTION (RCBOs)	112000	96000	56000	22400	1 PIECE	5.2	For All				
174	S 12650	TEXTILES - WIRE RAGS FOR PAINTING AND PHOTOGRAPHY	59000	48000	29500	11900	1 MT	17.3	For All				
175	S 12658	Grinding Media (Rolled/Forged Carbon and Carbon-Chromium Steels	91000	73000	45000	18200	1 MT	7.25	For All				
176	S 12664 - PART 1	Artificial Limbs - Sach Foot for Lower Extremity Prostheses - Part 1 : Design and Dimensions	46000	37000	23000	9000	1 PIECE	1.8	For All				
177	S 12679	By-Product Gypsum for Construction - Specification	64000	52000	32000	12800	1 MT	40.6	For All				
178	S 12681	Sodium Nitrate for Explosives and Pyrotechnics Industry	86000	69000	43000	16000	1 MT	4.25	For All				
179	S 12685	Pesticides - Pendimethalin, Technical	57000	46000	28000	11400	1 MT	70	For All				
180	S 1269 - PART 1	Legal metrology - Material measure of length Part 1 : Woven metallic and glass fibre tape measures	60000	49000	30000	12000	100 M	0.32	For All				
181	S 1269 - PART 2	Legal metrology - Material measures of length Part 2 : Steel tape measures	60000	49000	30000	12000	100 M	0.32	For All				
182	S 12701	Rotational Moulded Polyethylene Water Storage Tanks	80000	60000	40000	16000	100 L	1.1	For All				
183	S 12709	Gas-flow Metered Plastic (gpl) Pipes Joints and Fittings for Use for Potable Water Supply	50000	40000	25000	11000	1 KG	0.09	For All				
184	S 12744	Ready Mixed Paint, Air Drying, Red Oxide - Zinc Phosphate, Priming - Specification	68000	54000	34000	13600	1 LITRE	0.05	For All				
185	S 12751	Pesticides - Pendimethalin EC	59000	48000	29500	11800	100 LITRES	70	For All				
186	S 12766	COMPUTER PAPER - SPECIFICATION	68000	55000	34000	13600	1000 SHEETS	0.9	For All				
187	S 12769	Pesticides - Thiobencarb EC	64000	52000	32000	12800	1 MT	0.09	For All				
188	S 12776	Galvanized Strand For Earthing	52000	42000	26000	10400	1 TON	17.25	For All				
189	S 12785	Irrigation Equipment - Strainer-type Filters	46000	37000	23000	9000	ONE FILTER	5.22	For All				
190	S 12786	Irrigation equipment - Polyethylene ne pipes for Irrigation (laterals - Specification (first revision)	89000	72000	44500	17800	ONE KG	61	For All				
191	S 12795	Linear Alkyl Benzene - Specification (First Revision)	294000	207000	129000	51600	1 MT	7.25	For All				
192	S 12817	Stainless Steel Butt Joints	48000	39000	24000	9600	100 PIECE	8	For All				
193	S 12818	Unplasticized Polyvinyl Chloride (pvc)screen and Casing Pipes For Bore/borewell	76000	61000	38000	15200	1 TON	170	For All				
194	S 12823	WOOD PRODUCTS - PNEUMATIZED PARTICLE BOARDS - SPECIFICATION	58000	46000	28000	11600	1 SQ. M	0.17	For All				
195	S 1285	WROUGHT ALUMINIUM AND ALUMINIUM ALLOYS EXTRUDED ROUND TUBE AND HOLLOW SECTIONS FOR GENERAL ENGINEERING PURPOSES SPECIFICATION	87000	70000	43500	17400	1 MT	17.4	For All				
196	S 12866	Plastic Translucent Sheets made from Thermo-Setting Polyester Resin Glassfibre Reinforced - Specification	84000	66000	42000	16800	1 SQ. M	0.7	For All				
197	S 12894	Pulverised Fuel Ash-Lime Bricks -	46000	37000	23000	9000	1000 bricks	5	For All				
198	S 12912	Bromadiolone RB	49000	40000	24000	9800	ONE TONNE	449.28	For All				
199	S 12913	Bromadiolone CB	46000	37000	23000	9000	ONE TONNE	449.28	For All				
200	S 12916	Accephate SP	46000	37000	23000	9000	ONE TONNE	728.2	For All				
201	S 12923	Cane GUR (Jaggery)	58000	47000	29000	11600	1 TONNE	35	For All				
202	S 1293	Plugs and socket - Outlets of rated Voltage up to and including 250 Volts and rated current up to and including 16 amperes - Specification	78000	63000	39000	15600	100 PIECE	1.75	For All				
203	S 12931	Atrazine wettable powder WP - Specification First Revision	51000	43000	26000	10600	100 KG	48.2	For All				
204	S 12932	Atrazine, technical - Specification (first revision)	80000	64000	40000	16000	1 MT	31	For All				
205	S 12933 - PART 1	Solar Flat Plate Collector - Part 1 : Requirements	46000	37000	23000	9000	1 SQ.M	10.4	For All				
206	S 12943	Brass gaskets for PVC cables	130000	104000	65000	26000	1 KG	15	For All				
207	S 12950	BATTERY HYDROMETER PORTABLE SYRINGE TYPE FOR LEAD-ACID BATTERIES - SPECIFICATION (First Revision)	46000	37000	23000	9000	100 PCS	16	For All				

231	IS 13340 : PART 1	Shunt Power Capacitors of the Self-Healing Type for a.c. Systems Having a Rated Voltage up to and Including 1 000 V - Part 1 General Performance, Testing and Rating - Safety Requirements - Guide for Installation and Operation (Second Revision)	58000	47000	29000	11600	1 KVAR	0.9	For All					
232	IS 13349	Cast Iron Single Faced Thimble Mounted Sluice Gates	65000	52000	32500	13000	1 PIECE	108.35	For All					
233	IS 13352	STOCK FOR FORGINGS PRODUCED FROM CONTINUOUSLY BAST BILLETS, BLOOMS, SLABS AND BARS	128000	103000	64000	25600	1 MT	20	For All					
234	IS 13382	CAST IRON SPECIALS FOR MECHANICAL AND PUSH-ON FLEXIBLE JOINTS FOR PRESSURE PIPES FOR WATER, GAS AND SEWAGE	67000	54000	33500	13400	1 MT	625	For All					
235	IS 13387	TOOL STEEL FORGINGS FOR METAL FORMING	72000	58000	36500	14400	1 MT	11	For All					
236	IS 1341	STEEL BUTT HINGES -	46000	37000	23000	9200	100 PIECE	1.75	For All					
237	IS 13422	Disposable Surgical Rubber Gloves	70000	56000	35000	14000	100 PAIR	1.74	For All					
238	IS 13428	PACKAGED NATURAL MINERAL WATER - SPECIFICATION Third Revision	125000	100000	62500	25000	1000 LITRE	20	6000	15	4000	10	Rest All	
239	IS 13429 : PART 1	Solar Cooker - Box Type - Part 1 : Requirements	46000	37000	23500	9200	1 PIECE	6	For All					
240	IS 13450 : PART 1 : SEC 4	Medical Electrical Equipment - Part 1 General Requirements for Safety , Section 1 Collateral Standard - Safety Requirements for Medical Electrical System	382000	306000	191000	76400	1 PIECE	200	For All					
241	IS 13450 : PART 2 : SEC 12	Medical Electrical Equipment - Part 2 Particular requirements for basic safety and essential performance Section 12 Critical care ventilators (First Revision)	543000	429000	271500	108600	1 PIECE	540	For All					
242	IS 13450 : PART 2 : SEC 13	Medical electrical equipment: Part 2 Particular Requirements for the Basic Safety and Essential Performance: Sec 13 Anaesthetic Workstation (First Revision)	388000	311000	194000	77600	1 PIECE	500	For All					
243	IS 13450 : PART 2 : SEC 36	Medical electrical equipment: Part 2 Particular requirements for the basic safety and essential performance: Sec 36 haemodialysis, haemodiafiltration and haemofiltration equipment	451000	361000	225500	90200	1 PIECE	75.5	For All					
244	IS 13450 : PART 2 : SEC 2	Medical electrical equipment - Part 2 Particular requirements for basic safety and essential performance Section 2 High frequency surgical equipment and high frequency surgical accessories First revision	291000	233000	145500	58200	1 PIECE	150	For All					
245	IS 13450 : PART 2 : SEC 21	Medical Electrical Equipment Part 2 Particular Requirements for the Basic Safety and Essential Performance Section 21 Infant Radiant Warmer (First Revision)	207000	166000	103500	41400	1 PIECE	30	For All					
246	IS 13450 : PART 2 : SEC 26	MEDICAL ELECTRICAL EQUIPMENT PART 2 PARTICULAR REQUIREMENTS FOR THE BASIC SAFETY AND ESSENTIAL PERFORMANCE SECTION 25 ELECTROCARDIOGRAPHS	277000	222000	138500	55400	1 PIECE	90	For All					
247	IS 13450 : PART 2 : SEC 26	Medical electrical equipment: Part 2 Particular requirements for basic safety and essential performance Section 26 Electrophysiology cath	420000	341000	213000	85200	1 PIECE	100	For All					
248	IS 13450 : PART 2 : SEC 37	Medical electrical equipment: Part 2 Particular requirements for the basic safety and essential performance: Sec 37 ultrasonic medical diagnostic and monitoring equipment	260000	208000	130000	52000	1 PIECE	920	For All					
249	IS 13450 : PART 2 : SEC 4	Medical electrical equipment: Part 2 Particular requirements for the basic safety and essential performance: Sec 4 cardiac defibrillators (First Revision)	382000	306000	191000	76400	1 PIECE	200	For All					
250	IS 13450 : PART 2 : SEC 44	Medical electrical equipment: Part 2 Particular requirements for the basic safety and essential performance: Sec 44 X-ray equipment for computed tomography (First Revision)	650000	520000	325000	130000	1 NO.	5400	For All					
251	IS 13457	Pesticide - Dichlorodrin WP	58000	47000	29500	11600	ONE M.T.	1124	For All					
252	IS 13466	Brushes for Electrical Machines	46000	37000	23000	9200	100 PIECE	4.4	For All					
253	IS 13487	Irrigation Equipment - Emitters	55000	44000	27500	11000	1000 EMITTERS	8.6	For All					
254	IS 13488	Irrigation Equipment -emitting Pipes System	74000	61000	37000	14800	1 KG	0.25	For All					
255	IS 13489	Textiles - Bed Mattress	66000	53000	33000	13200	1 NUMBER	1	For All					
256	IS 13502	PIG IRON- SPECIFICATION	46000	37000	23500	9200	1 TONNE	3	For All					
257	IS 13584	Brush Material for Electrical Machinery	46000	37000	23500	9200	1 KG	0.36	For All					
258	IS 13585 : PART 1	Shunt Power Capacitors Of The Non -Self - Healing Type For a.c Systems Having A Rated Voltage up to and Including 1 000 V - PART 1 GENERAL PERFORMANCE, TESTING AND RATING - SAFETY - REQUIREMENTS GUIDE FOR INSTALLATION AND OPERATION	58000	47000	29000	11600	1 KVAR	0.9	For All					
259	IS 13592	Unplasticized Polyvinyl Chloride (PVC-U) Pipes for Soil and Waste Discharge System Inside and Outside Buildings-Including Ventilation and Rainwater System	71000	57000	35500	14200	100 KG	204	For All					
260	IS 13601	Ethylene Vinyl Acetate (Eva) Copolymers for its Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water	183000	147000	91500	36600	1 MT	8.45	For All					
261	IS 13620	Fusion Bonded Epoxy Coated Reinforcing Bars -	68000	55000	34000	13600	1 MT	4	For All					
262	IS 1363 : PART 1	Hexagon head bolts, screws and nuts of product grade C Part 1 Hexagon head bolts (Size range M5 to M64) (sixth revision)	59000	48000	29500	11800	1 TON	26	For All					
263	IS 1363 : PART 2	Hexagon head bolts, screws and nuts of product grade C Part 2 Hexagon head screws (Size range M5 to M64) (sixth revision)	59000	48000	29500	11800	1 TON	26	For All					
264	IS 1363 : PART 3	HEXAGON HEAD BOLTS, SCREWS AND NUTS OF PRODUCT GRADE C - PART 3 : HEXAGON NUTS (SIZE RANGE M5 TO M64)	59000	48000	29500	11800	1 TON	26	For All					
265	IS 1364 : PART 1	Hexagon head bolts, screws, and nuts of property grades A and B: Part 1 Hexagon head bolts (Size range M1.6 to M64) (sixth revision)	46000	37000	23000	9200	1 TON	26	For All					
266	IS 1364 : PART 2	Hexagon head bolts screws and nuts of product grades A and B Part 2 Hexagon head screws (Size range M1.6 to M64) (Sixth revision of IS 1364 (Part 2))	51000	41000	25500	10200	1 MT	26	For All					
267	IS 1364 : PART 3	Hexagon Head Bolts, Screws and Nuts of Product Grades A and B Part 3 Hexagon Nuts, Style 1 (Size Range M 1.6 To M 64)	118000	95000	59000	23600	1 MT	26	For All					
268	IS 13641	Pesticide - Metalaxyl WS	84000	68000	42000	16800	1 MT	280	For All					
269	IS 13656	Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and Gasoline) Specification	79000	64000	39500	15800	1 LITRE	0.2	For All					
270	IS 13664	Polly pallets for bag storage godowns	87000	70000	43500	17400	1 PIECE	3.8	For All					
271	IS 13688	PACKAGED PASTEURIZED MILK	115000	92000	57500	23000	1000 LITRE	3	For All					
272	IS 13692	Metalaxyl Mancozeb WP	58000	47000	29000	11600	ONE TONNE	332	For All					
273	IS 1370	Transmission Belting - Friction Surface Rubber Belting	46000	37000	23500	9200	10 SQ.M	35	For All					
274	IS 13703 : PART 2 : SEC 1	Low voltage fuses for voltages not exceeding 1 000 V AC or 1 500 V DC- Part 2 Fuses for use by authorized persons, Sec 1 Supplementary requirements	65000	53000	32500	13000	100 PIECE	5.3	For All					
275	IS 13713	Plastic chairs for general office purposes-	148000	119000	74000	29600	100 NUMBERS	8.25	For All					
276	IS 13714	Damage pellets - Ware housing	55000	48000	29500	11800	1 PIECE	35	For All					
277	IS 13730 : PART 13	Specifications for Particular Types of Winding Wires Part 13 Polyester or Polyesterimide Overcoated with Polyamide-Inside Enamelled Round Copper Wire, Class 200	46000	37000	23000	9200	1 TONNE	57.6	For All					
278	IS 13730 : PART 15	Particular types of winding wires - Part 15 Polyesterimide enamelled round aluminium wire, Class 180	69000	56000	34500	13800	1 TON	304	For All					
279	IS 13730 : PART 27	Specifications for Particular Types of Winding Wires Part 27 Paper Tape Covered Rectangular Copper Wire (First Revision) .	57000	46000	28500	11400	1 MT	90	For All					
280	IS 13730 : PART 3	Specifications for Particular Types of Winding Wires Part 3 : Polyester Enamelled Round Copper Wire, Class 155	46000	37000	23000	9200	1 TON	57.6	For All					
281	IS 13730 : PART 45	Specifications For Particular Types Of Winding Wires - Part 45 Polyester Enamelled Round Copper Wire, Class 130	46000	37000	23000	9200	1 TON	57.6	For All					
282	IS 13730 : PART 8	Specification for Particular Types of Winding Wires Part 8 Polyesterimide Enamelled Round Copper Wire, Class 180	46000	37000	23000	9200	1 TON	57.6	For All					
283	IS 13774	Low Working Gloves of Insulating Material (Second Revision)	232000	186000	116000	46400	1 PAIR	0.32	For All					
284	IS 13779	ac STATIC WATTHOUR METERS CLASS 1 AND 2 -Specification	181000	157000	96000	38200	1 PIECE	1.32	For All					
285	IS 13785	Pesticide - Sodine WP	55000	44000	27500	11000	01 KG	2.6	For All					
286	IS 13787	Pesticide - Benomyl WP	55000	44000	27500	11000	ONE TONNE	2.6	For All					
287	IS 13801	Chequerred Cement Concrete Tiles -	79000	64000	39500	15800	10 SQ. M	3.5	For All					
288	IS 1381 : PART 1	Laboratory glassware - Narrow Necked Boiling Flasks	56000	40000	25000	10000	1 PIECE	0.25	For All					
289	IS 1381 : PART 2	Laboratory glassware - Boiling flasks: Part 2 boiling flasks with conical ground joints (Third Revision)	68000	55000	34000	13600	100 PCS	20	For All					
290	IS 13893	POLYURETHANE SOLES SEMIRIGID	65000	52000	32500	13000	100 PAIRS	1.1	For All					
291	IS 1391 : PART 1	Room Air Conditioners Specification Part 1 Unitary Air Conditioners Fourth Revision	601000	481000	300500	120200	1 kW (Cooling Capacity)	1	For All					
292	IS 1391 : PART 2	Room Air Conditioners Specification Part 2 Split Air Conditioners Fourth Revision	79000	64000	39500	15800	01 KG	6	For All					
293	IS 1391 : PART 2	Room Air Conditioners Specification Part 2 Split Air Conditioners Fourth Revision	601000	481000	300500	120200	1 kW (Cooling Capacity)	1	For All					
294	IS 13921	CHLORATED ZINC (ZN-EDTA) AGRICULTURAL GRADE	46000	37000	23000	9200	1 MT	28.75	For All					
295	IS 1395	Low And Medium Alloy Steel Covered Electrodes For Manual Metal Arc Welding	183000	147000	91500	36600	1 KG	0.02	For All					
296	IS 13958	Bamboo Mat Board For General Purposes -specification	46000	37000	23000	9200	1 SQ.M	0.5	For All					
297	IS 1397	Anti Pad	54000	43600	27200	10880	1 TONNE	12.5	For All					
298	IS 13983	Stainless Steel Sinks For Domestic Purposes.	102000	82000	51000	20400	1 PIECE	4	For All					
299	IS 13997	Drums, Large Open Top - Specification	93000	75000	46500	18600	1 DRUM	1.8	For All					
300	IS 14006	DIRECT ACTION HANDPUMP	58000	47000	29000	11600	1 PIECE	8.7	For All					
301	IS 14128	N-(2,3-Dimethylbutyl)-N'-Phenyl paraphenylenediamine (6-PP6)	58000	47000	29000	11600	1 MT	1.16	For All					
302	IS 14151 : PART 1	Irrigation Equipment - Sprinkler Pipes - Part 1: Polyethylene Pipes	108000	87000	54000	21600	ONE KM	0.38	For All					
303	IS 14151 : PART 2	Irrigation Equipment - Sprinkler Pipes : Part 2 Quick Coupled Polyethylene Pipes and Fittings	65000	53000	32500	13000	ONE SET	0.3	For All					
304	IS 14158	Cyclotrim WP	63000	51000	31500	12600	100 KG	414.7	For All					
305	IS 14166	Respiratory protective devices : Full face masks	121000	101000	60500	24200	100 NOS.	45	For All					
306	IS 14182	Solvent Cement For Use With Unplasticized Polyvinylchloride Plastic Pipe And Fittings	68000	56000	34000	13600	ONE LITRE	0.5	For All					
307	IS 14183	Pesticide - Cartap Hydrochloride SP	51000	43000	26500	10600	ONE TONNE	792	For All					
308	IS 14184	Pesticide - Cartap Hydrochloride G	53000	45000	26500	10600	ONE TONNE	57.6	For All					
309	IS 14186	Diffusionuron wettable powder WP - Specification First Revision	46000	37000	23000	9200	ONE TONNE	332	For All					
310	IS 14203	FIRE RESISTING RECORD PROTECTION CABINETS SPECIFICATION Second Revision of IS 14203	91000	75000	45500	18200	1 PIECE	56	For All					
311	IS 1422	Cotton Duck	51000	43000	26500	10600	100 SQ. METRE	11.6	For All					
312	IS 14220	OPENWELL SUBMERSIBLE PUMPS	46000	37000	23000	9200	1 PIECE	17.3	200	50	Rest All			
313	IS 14246	CONTINUOUSLY PRE-PAINTED GALVANIZED STEEL SHEETS AND STRIPS - SPECIFKATION Second Revision	46000	37000	23000	9200	1 TONNE	6	For All					
314	IS 14252	TEXTILES HIGH DENSITYPOLYETHYLENE (HDPE)/ POLYPROPYLENE(PP) WOVEN SACKS FOR FILLING SAND	85000	68000	42500	17000	1 MT	340	For All					
315	IS 14255	Aerial Bunched Cables for working voltages upto and including 1100 Volts	180000	144000	90000	36000	100 M	20	For All					
316	IS 14261	Transmission Devices - V-belts - Endless Narrow V-belts for Industrial Use	46000	37000	23000	9200	100 PIECE	6	For All					
317	IS 14268	Uncoated stress relieved low relaxation seven-wire (ph) strand for prestressed concrete -Specification (Second Revision)	100000	84000	50000	20000	1 TON	34.6	For All					
318	IS 14276	CEMENT BONDED PARTICLE BOARDS -SPECIFICATION	58000	47000	29000	11600	1 SQ.M	0.58	For All					
319	IS 14300	Neem Based EC Containing Aspidrachin	57000	46000	28500	11400	100 LITRE	36	1000	50	Rest All			
320	IS 14314	Thinner General Purposes For Synthetic Paints And Varnishes	165000	132000	82500	33000	1 LITRE	0.25	For All					
321	IS 14333	Polyethylene Pipes for Sewerage and Industrial Chemicals and Effluent 1/2 Specification (First Revision)	100000	84000	50000	20000	1 KG	0.22	For All					
322	IS 14364	Quaternary ammonium compound based surface cleaner, liquid	86000	69000	43000	17200	1 KL	7.2	For All					
323	IS													

333	S 14443	Polycarbonate Sheets	131000	109000	65500	26200	100 KG	29	For AI					
334	S 14443 - PART 1	Fertiliser and chemical injector system - Part 1 Venturi injector	61000	50000	30500	12000	1 PIECE	14	For AI					
335	S 14443 - PART 3	FERTILIZER AND CHEMICAL INJECTOR SYSTEM PART 3 FERTILIZER TANK - SPECIFICATION	51000	41000	25500	10200	1 PIECE	105	For AI					
336	S 14490	Plain Copper Paper A/Cs-36 Specification (Second Revision)	79000	64000	39500	15800	1 TONNE	123	For AI					
337	S 14493 - PART 5	Multicore and symmetrical pair / quad cables for digital communications; Part 5 symmetrical pair / quad cables with transmission characteristics up to 1000 MHz - Horizontal floor wiring - Secal specification	214000	172000	107000	42800	100 METERS	0.23	For AI					
338	S 14494	ELASTOMER INSULATED FLEXIBLE CABLES FOR USE IN MINES (COMBINED REVISION OF S-691 AND S-328)	139000	112000	69500	27800	100 METER	173	For AI					
339	S 14500	Linear Low Density Polyethylene (LLDPE) Films	78000	63000	39000	15600	1 KG	0.05	For AI					
340	S 14506	Epoxy red oxide zinc phosphate weldable primer, two component	64000	51200	31600	12800	LITRE	05	For AI					
341	S 14530	Laminar cytochrome BP	52000	42000	26000	10400	1 KG	01	For AI					
342	S 14542	PARTLY SKIMMED MILK POWDER	45000	44000	40000	16000	1 MT	265	For AI					
343	S 14543	Packaged Drinking Water Other than Packaged Natural Mineral Water - Specification Third Revision	128000	103400	64000	25600	1000 LITRE	20	6000	IS	4000	10	Rest AI	
344	S 14544	LEATHER SAFETY FOOTWEAR WITH DIRECT MOULDED PVC SOLES	65000	53000	32500	13000	1 PAIR	0.05	For AI					
345	S 14550	Hexamazole, EC	47000	38000	23500	9400	100 LITS	40	For AI					
346	S 14551	Thiophanate Methyl, Technical	56000	45000	28000	11200	1 MT	49.15	For AI					
347	S 14552	Thiophanate methyl wettable powders - Specification (First revision)	53000	43000	26500	10600	1 KG	1.26	For AI					
348	S 14561	Fire Retention (Insulating) Filing Cabinets Specification	51000	41000	45500	18200	1 PIECE	38	For AI					
349	S 14587	Preinflatemed Medium Density Fibre Board - Specification	118000	95000	59000	23600	1 TON	20	For AI					
350	S 14597	Synthetic tarpaulins (Heavy duty protective covers) made from coated nylon or polyester fabrics	165000	132000	82500	33000	100 SQ. M.	55	For AI					
351	S 14605	Irrigation Equipment - Micro Sprayer	88000	73000	44000	17600	100 PIECES	06	For AI					
352	S 14606	Irrigation Equipment - Media Filter	114000	93000	57000	22800	ONE MEDIA FILTER	16	For AI					
353	S 14609	Dry Chemical Powder for Fighting A,B,C, Class Fires -Specification	64000	51000	32000	12800	1 KG	0.56	For AI					
354	S 14611	Multilayered Cross Laminated Sheets/Tarpaulins/Covers/Agricultural Films A/Cs-36 Specification (Second Revision)	112000	96000	56000	22400	1 MT	62.5	For AI					
355	S 14612	Commercial Burners Using LPG at Inlet Pressure up to 147.1 kN/m2 (1500 g/cm2)	51000	41000	25500	10200	1 PIECE	04	For AI					
356	S 14613	Roasted Bengal Gram Flour (Channa Sattu)	49700	39800	24850	9940	KG	0.12	800000	004			Rest AI	
357	S 14616	Laminated veneer lumber- Specification	81000	69000	40500	16200	1 CUB.M	29	For AI					
358	S 14625	PLASTICS FEEDING BOTTLES	110000	88000	55000	22000	100 BOTTLES	1	For AI					
359	S 14635 - PART 1	FLUOROPOLYMER DS PERSONS AND MOULDING AND EXTRUSION MATERIALS PART 1 DESIGNATION SYSTEM	98000	78400	49000	19600	1 MT	41.8	For AI					
360	S 14643	Unsanitized Polytetrafluoroethylene (PTFE) Tape for Thread Sealing Applications	253000	203000	126500	50600	100 ROLLS	1.4	For AI					
361	S 14650	UNALLOYED AND ALLOYED STEEL NGOT AND SEMI-FINISHED PRODUCTS FOR RE-ROLLING PURPOSES - SPECIFICATION (First Revision)	61000	49000	30500	12200	1 TONNE	3	For AI					
362	S 1466	Ferrovandium	79000	64000	39500	15800	1 MT	90	For AI					
363	S 1469	Ferromolybdenum	87000	70000	43500	17400	1 MT	195	For AI					
364	S 14697	AS STATIC TRANSFORMER OPERATED WATTHOUR METERS CLASS 0.2 S AND 0.5 S AND VAR-HOUR METERS CLASS DS 1.0 S AND 5.0 S - SPECIFICATION First Revision	151000	133000	75500	30200	1 PIECE	3.6	For AI					
365	S 1470	Silicomanganese	63000	51000	31500	12600	1 MT	68	For AI					
366	S 14707	METHYL ACRYLATE	145000	116000	72500	29000	1 MT	55	For AI					
367	S 14708	ETHYL ACRYLATE	80000	64000	40000	16000	1 MT	115	For AI					
368	S 14709	N-BUTYL ACRYLATE	80000	64000	40000	16000	1 MT	12	For AI					
369	S 14712	Wrought Aluminium and its Alloys - Chequered/Reard Sheets for General Engineering Purposes	95000	76000	47500	19000	3 MT	265	For AI					
370	S 14724	Water Purifiers with Ultra-violet Disinfection	87000	70000	43500	17400	1 PIECE	56	For AI					
371	S 14735	Unplasticized Polyvinyl Chloride (UPVC) Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System -	79000	64000	39500	15800	100 PIECE	125	For AI					
372	S 14748	Irrigation equipment- Hydrocoulone filters- Specification (First Revision)	68000	55000	34000	13600	1 FILTER	8	For AI					
373	S 14746	Respiratory Protective Devices - Hot Masks And Quarter Masks	45000	36000	22000	8800	100 NOS	4	For AI					
374	S 1495	Drinking Water Coolers - Specification (Fourth Revision)	46000	37000	23000	9200	1 PIECE	17.3	For AI					
375	S 1475 - PART 1	Self-contained Drinking Water Coolers - Part 1 : Energy Consumption And Performance	46000	37000	23000	9200	1 PIECE	17.3	For AI					
376	S 14756	Stainless Steel/Aluminum - Specification (THIRD REVISION)	51000	42000	25400	10200	1 KG	0.26	For AI					
377	S 14768 - PART 2	Conduit Fittings for Electrical Installations - Part 2 : Metal Conduit Fittings (superseding IS 2667)	69000	56000	34500	13800	100 PIECE	47	For AI					
378	S 14772	Boxes and Enclosures for Electrical Accessories for Household and Similar Fixed Electrical Installations	65000	53000	32500	13000	100 PIECES	92	For AI					
379	S 14806	Acetopirium Inoculent	46000	37000	23000	9200	1 MT	140	For AI					
380	S 14807	Phosphate Solubilizing Bacterial Inoculant (PSB) - Specification (First Revision)	73000	59000	36500	14600	1 MT	152.6	For AI					
381	S 14846	Reinvent Seated Cast Iron Air Relief Valves for Water Works Purposes -	66000	53000	32000	13000	1 PIECE	12.2	For AI					
382	S 14846	Sluce Valve for Water Works Purposes (50 to 1200 mm Size)	76000	62000	37900	14800	1 PIECE	17.3	For AI					
383	S 14855 - PART 1	Plant Protection and Vector Control Equipment - Fogging Machines - Part 1 : Pulse-Jet-Type Thermal Fogger	315000	252000	157500	63000	1 MACHINE	40	For AI					
384	S 14856	Glass Fibre Reinforced Plastic (GRP) Panel Type Door Shutters for Internal Use -	111000	89000	55500	22200	1 SQUARE METER	6	For AI					
385	S 14858	Requirements for compression testing machine used for testing of concrete and mortar	51000	41000	25500	10200	1 MACHINE	200	For AI					
386	S 14862	Fibre Cement Flat Sheets -	46000	37000	23000	9200	1 TON	1.75	For AI					
387	S 14871	Products in Fibre Reinforced Cement - Long Corrugated or Asymmetrical Section Sheets and Fittings for Roofing and Cladding -	46000	37000	23000	9200	1 TON	12	For AI					
388	S 1488	Pesticides - 2, 4-D Sodium Salt, Technical	57000	46000	28500	11400	ONE TONNE	285	For AI					
389	S 14885	Polyethylene Pipes for the Supply of Gaseous Fuels L/S Specification (First Revision)	112000	96000	56000	22400	1 TON	96	For AI					
390	S 14887	Textiles - High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains - Specification	82000	66000	41000	16400	1 MT	150	For AI					
391	S 1489 - PART 1	PORTLAND POZZOLANA CEMENT - SPECIFICATION PART 1 FLY ASH BASED	68000	55000	34000	13600	1 TON	3	For AI					
392	S 1489 - PART 2	PORTLAND POZZOLANA CEMENT SPECIFICATION PART 2 CALCIUM CLAY BASED	72000	58000	36000	14400	1 TON	3	For AI					
393	S 14898	ECO Criteria for Finished leather	73000	59000	35500	14200	1 SQM	21	For AI					
394	S 14899	Liquefied Petroleum Gas (LPG) Containers for Automotive Use - Specification	136000	96000	68000	27200	1 PIECE	5	For AI					
395	S 14900	TRANSPARENT FLOAT GLASS	2451000	1961000	1225500	490200	ONE METRIC TONNE	12	For AI					
396	S 14912	Door Closers, Concealed Type (Hydraulically Regulated)-	209000	168000	104500	41800	1 PIECE	46	For AI					
397	S 14923	Polymerized 2,2 Dihydro 2,2,4 TriMethyl Quinolone (TMQ)	153000	123000	76000	30600	1 MT	20	For AI					
398	S 14927 - PART 2	Cable Trunking and Ducting Systems for Electrical Installations - Part 2 Cable Trunking and Ducting Systems Intended for Mounting on Walls or Ceiling	58000	47000	29000	11600	100 M	21	For AI					
399	S 14928	Textiles - Composite Synthetic Fibre Ropes	47000	38000	23500	9400	1 MAT	300	For AI					
400	S 14929	Mixed polyolefin fibre ropes	49000	40000	24500	9800	1 MAT	260	For AI					
401	S 14932	Sulfuric Acid	101000	81000	50500	20200	1 KG	0.15	For AI					
402	S 14933	High Pressure Fire Fighting Hose -Specification	71000	57000	35000	14000	1 MT	1.8	For AI					
403	S 14948	Paint/Cool Tar Epoxy, Two Pack, Black and Brown (Base and Hardner)	168000	135000	84000	33600	1 MT	240	For AI					
404	S 14951	Fire Extinguisher - 135 Litres Capacity Mechanical Foam Type -	79000	64000	39500	15800	1 PIECE	288	For AI					
405	S 14953	Textiles - Polyester or Polyamide Mosquito Net-	88000	71000	44000	17600	30M	2.4	For AI					
406	S 14968	TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE)/POLYPROPYLENE (PP) WOVEN SACKS FOR PACKING 50 KG/25 KG SUGAR	58000	47000	29000	11600	1 MT	150	For AI					
407	S 15030	TEREPHTHALIC ACID - SPECIFICATION (First revision)	74000	60000	37000	14800	1 MT	42	For AI					
408	S 15041	Textiles - Flat Woven Webbing Slings Made of Man-Made Fibres for General Services	61000	51000	31000	12400	100 PIECES	8	For AI					
409	S 15058	PVC Water Stops at Transverse Contraction Joints for Use in Masonry and Concrete Dams	96000	72000	45000	18000	1 TON	160	For AI					
410	S 1507	Specification for Copper Dichloride Water Dispensable Powder Concentrates	49000	40000	24500	9800	1 TONNE	196	For AI					
411	S 15073 - PART 2	Packaging of electric detonator - Part 2 Corrugated Fibreboard cases	83000	68000	41500	16600	100 BONES	30	For AI					
412	S 15100	MULTIFUNCTION VALVE ASSEMBLY FOR PERMANENTLY FIXED LIQUEFIED PETROLEUM GAS (LPG) CONTAINERS FOR AUTOMOTIVE USE	71000	59000	35500	14200	1 PIECE	23	For AI					
413	S 15103	Fire Resistant Steel	104000	84000	52000	20800	1 MT	19	For AI					
414	S 15111 - PART 1 AND PART 2	Self Ballasted Lamps for General Lighting Services	220000	179000	115500	44600	100 PIECE	53	5000	165			Rest AI	
415	S 15118	Textiles - Jute Bags for Packing 50 Kg Sugar - Specification (second revision)	55000	48000	29500	11800	1 TONNE	38	For AI					
416	S 1515	Beehives	55000	44000	27000	11000	1 PIECE	29	For AI					
417	S 15155	BAR WIRE WRAPPED STEEL CYLINDER PIPES WITH MORTAR LINING AND COATING INCLUDING SPECIALS	85000	68000	42500	17000	1 TON	9.45	For AI					
418	S 15160	Pesticides - Emulsifiable Concentrate	47000	38000	23500	9400	100 LITS	22	2000	11			Rest AI	
419	S 15165	Tebuconazole, Technical	51000	41000	25500	10200	1 MT	100	For AI					
420	S 15169	Needles for Sewing Machines for Industrial Purpose	110000	88000	55000	22000	1000 PIECES	1.1	For AI					
421	S 15182	Propiconazole E.E.	49000	40000	24500	9800	100 LITS	130	For AI					
422	S 15219	Aluminium Phosphide Powder Formulation	46000	37000	23000	9200	1 KG	1.1	For AI					
423	S 15225	Chlorinated Polyvinyl Chloride Compounds Used for Pipes and Fittings	114000	92000	57000	22800	1 MT	38	For AI					
424	S 15227	Deftamethrin UV	47000	38000	23500	9400	100 LITRES	115	For AI					
425	S 15228	Cyfluthrin - Emulsion in Water (EW)	46000	37000	23000	9200	100 LITRES	230	For AI					
426	S 15236	Profenofos + Cypermethrin Emulsifiable Concentrate	57000	46000	28000	11400	100 LITS	124.2	For AI					
427	S 15240	Profenofos Emulsifiable Concentrate	54000	44000	27000	10800	100 LITS	90	For AI					
428	S 15265	Flexible PVC Pipes or Polymer Reinforced Thermoplastic Hoses for Suction and Delivery Lines of Agricultural Pumps - Specification	115000	96										

452	IS 15450	Polyethylene-aluminium polyethylene composite pressure pipes for hot and cold water supplies	92000	79000	46000	18400	100 M	11	For All					
453	IS 15462	Specifications first revision of IS 15450												
454	IS 15466	Polymer Modified Bitumen	58000	47000	23000	11600	1 MT	28	For All					
455	IS 15476	Rubber Seals for Hydraulic Gates	121000	97000	60500	24200	1 METER	09	For All					
456	IS 15477	Bamboo Mat Corrugated Sheets -Specification	90000	74000	45000	18000	1 SQM	15	For All					
457	IS 15489	Adhesive for use with ceramic, mosaic and stone tiles	81000	65000	41000	16400	1 MT	30	For All	75	Rest All			
458	IS 15489	Paint, Plastic Emulsion AC&B-Specification (Second Revision)	100000	84000	52000	21000	100 LTR	21	For All					
459	IS 15490	CYLINDERS FOR ON-BOARD STORAGE OF COMPRESSED NATURAL GAS AS A FUEL FOR AUTOMOTIVE VEHICLES	136000	96000	68000	27200	1 PIECE	104	For All					
459	IS 15500- PART 2	Deepwell Handpumps, Components and Social Tools --- Specification Part 2 Handpumps	46000	37000	23000	9200	1 PIECE	53	For All					
460	IS 15500- PART 3	Deepwell Handpumps, Components and Social Tools --- Specification Part 3 Handpump Sub-Assemblies	67000	55000	33500	13400	1 ASSEMBLY	44	For All					
461	IS 15500- PART 4	Deepwell Handpumps, Components and Social Tools --- Specification Part 4 Steel Components	65000	53000	32500	13000	100 PIECES	121	For All					
462	IS 15500- PART 5	Deepwell Handpumps, Components and Social Tools --- Specification Part 5 Cast Iron Components	46000	37000	23000	9200	100 PIECE	173	For All					
463	IS 15500- PART 6	Deepwell Handpumps, Components and Social Tools --- Specification Part 6 Brass/Bronze or Stainless Steel Components	46000	37000	23000	9200	100 PIECE	208	For All					
464	IS 15500- PART 7	Deepwell Handpumps, Components and Social Tools --- Specification Part 7 Rubber Components	46000	37000	23000	9200	100 PIECE	104	For All					
465	IS 15561	Carbon papers for typewriter	51000	41000	25500	10200	1 BOX OF 100 SHEETS	0.36	For All					
466	IS 15511	Cycle Chains - Characteristics and Test Methods	72000	58000	36000	14400	100 PIECE	56	For All					
467	IS 15532	Plastics Crates for Fruits and Vegetables	78500	58000	36250	14500	100 PIECES	45	For All					
468	IS 1554- PART 1	PVC Insulated (heavy duty) electric cables: Part 1 For working voltages upto and including 1 100 V	120000	148000	92000	37000	100 METER	18	For All					
469	IS 1554- PART 2	PVC Insulated (Heavy Duty) Electric Cables - Part 2 : For Working Voltages from 3.3 kV up to and including 11 kV	271000	217000	135500	54200	100 METER	184	For All					
470	IS 15542	Power-operated chaff cutter - Safety requirements	51000	41000	25500	10200	1 MACHINE	150	For All					
471	IS 15558	INSTANTANEOUS DOMESTIC WATER HEATER FOR USE WITH LPG. SPECIFICATION First Revision of IS 15558	95000	76000	47500	19000	1 PIECE	2	For All					
472	IS 15559	Polyester Strapping	49000	40000	24500	9800	100 KG	25	For All					
473	IS 15573	POLYALUMINIUM CHLORIDE	57000	46000	28500	11400	1 MT	10	For All					
474	IS 15601	Cymoxanil + Mancozeb Wettable Powder	72000	58000	36000	14400	1 MT	45	For All					
475	IS 15603	Asphaquenithem: WP	68000	55000	34000	13600	1 MT	110	For All					
476	IS 15622	PRESSED CERAMIC TILES - (SUPERSEDING IS 13753:1993, IS 13754:1993, IS 13755:1993 And IS 13756:1993)	113000	94000	56500	22600	10 SQ.MT	38	27000	19	27000	095	Rest All	
477	IS 15623	Monomine (2, 4, 6 triamine 3, 3, 5 triamine)	57000	46000	28500	11400	1 MT	9.25	For All					
478	IS 15627	Automotive Vehicles - Pneumatic Tyres for Two and Three - Wheeled Motor Vehicles - Specification First Revision	243000	204000	121500	48600	1 PIECE	05	100000	0.35	100000	015	Rest All	
479	IS 15633	Automotive vehicles - pneumatic tyres for passenger car vehicles - diagonal and radial ply	258000	217000	129000	51600	1 PIECE	2	100000	15	100000	135	Rest All	
480	IS 15636	Automotive vehicles - Pneumatic tyres for commercial vehicles - Diagonal and radial ply	243000	203000	121000	48400	1 PIECE	2	100000	15	100000	135	Rest All	
481	IS 15644	SAFETY OF ELECTRIC TOYS	140000	117000	73000	29200	1000 PCS	80	For All					
482	IS 15647	Hot rolled steel narrow width strip for welded tubes or pipes	46000	37000	23000	9200	1 MT	3	For All					
483	IS 15652	Insulating Mats For Electrical Purposes	75000	62000	37500	15000	1 SQ.M	3	For All					
484	IS 15658	Concrete Paving Blocks - Specification (First Revision)	94000	76000	47000	18800	100 PIECE	2	For All					
485	IS 1566	HARD-DRAWN STEEL WIRE FABRIC FOR CONCRETE REINFORCEMENT	61000	49000	30500	12200	1 MT	102	For All					
486	IS 15660	Refillable transportable seamless aluminium alloy gas cylinders	136000	109000	68000	27200	ONE CYLINDER	104	For All					
487	IS 15683	PORTABLE FIRE EXTINGUISHERS- PERFORMANCE AND CONSTRUCTION - SPECIFICATION	108000	90000	54000	21600	1 PIECE	9	For All					
488	IS 15692	Hexaconazole, suspension concentrate (SC)	52000	42000	26000	10400	1000 LITRE	180	For All					
489	IS 15694	Pectastium iodate, food grade	58000	47000	29000	11600	ONE MT	805.6	For All					
490	IS 15742	Textiles - Requirements for clothing made of limited flame spread materials and material assemblies affording protection against heat and flame	147000	118000	73000	29400	1 PIECE	0.65	For All					
491	IS 15748	Protective clothing - Clothing to protect against heat and flame - Minimum performance requirements (first revision)	128000	103000	64000	25600	1 MT	0.15	For All					
492	IS 15757	FOLLOW-UP FORMULA-COMPLEMENTARY FOODS - SPECIFICATION (First Revision of IS 15757)	154000	124000	77000	30800	1M.T.	246	250	133	250	62	Rest All	
493	IS 15768	Textiles - Resistance to ignition of upholstered composites used for non-domestic furniture	226000	181000	113000	45200	100 SQ.M.	16.15	For All					
494	IS 15769	Flux coated (bubair) electrodes for gas shielded and self-shielded metal welding of carbon or carbon-manganese steel	166000	133000	83000	33200	1 KG	0.05	For All					
495	IS 15770	Heating OIL(DO) - Specification	104000	84000	52000	20800	1 KL	8.7	For All					
496	IS 15778	Chlorinated polyvinyl chloride (CPVC) pipes for potable hot and cold water distribution supplies -	189000	158000	94500	37800	1 TON	30	For All					
497	IS 15786	Pretensioned cement bonded particle board -Specification	101000	84000	50500	20200	1 SQ.M	03	For All					
498	IS 15787	Switch-socket-outlets (non-interlock type)	56000	46000	28000	11200	100 PIECE	3.5	For All					
499	IS 158	Ready Mixed Paint, Brushing, Bituminous, Black, Lead-free, Acid, Alkal And Heat Resisting	60000	48000	30000	12000	1 LITRE/ 1 KG	0.26	For All					
500	IS 1580	Bituminous Compound For Water-proofing And Caulking Purposes	46000	37000	23000	9200	1 TON	8.66	For All					
501	IS 15801	Polypropylene-random copolymer pipes for hot and cold water supplies -	160000	134000	80000	32000	1 TON	20	For All					
502	IS 15803	Respiratory protective devices - Self contained closed circuit breathing apparatus chemical oxygen (KO2) type self generating, self rescuers	51000	41000	25500	10200	1 PIECE	4.25	For All					
503	IS 15808	Multi-Grade Bitumen for use in pavement construction	51000	41000	25500	10200	1 MT	51	For All					
504	IS 15809	HIGH VISIBILITY WARNING CLOTHES	180000	144000	90000	36000	ONE PIECES	05	For All					
505	IS 15827	Cladding Films for Greenhouse / Polyhouse	149000	120000	74500	29800	100 SQ. M.	1.65	For All					
506	IS 15829	Stainless Steel Tower Bolts -specification	71000	57000	35000	14200	1 PIECE	03	For All					
507	IS 15834	Stainless Steel Sliding Door Bolts For Use With Padlocks -Specification	55000	44000	27500	11000	1 PIECE	04	For All					
508	IS 15844- PART 1	SPORTS FOOTWEAR PART -1 GENERAL PURPOSE First Revision	178000	143000	89000	35600	100 PAIRS	6	For All					
509	IS 15844- PART 2	SPORTS FOOTWEAR PART -2 PERFORMANCE SPORTS FOOTWEAR	194000	156000	97000	38800	100 PAIRS	7.2	For All					
510	IS 15844- PART 3	Sports Footwear Part 3 Professional Sports Footwear	213000	172000	106500	42600	100 PAIRS	8.6	For All					
511	IS 15848	Zinc sulphate, monohydrate, agricultural grade	63000	51000	31500	12600	1 TONNE	173	For All					
512	IS 15852	Textiles - Woven shirtings made of cotton man-made fibres/filaments and their blends	65000	52000	32500	13000	ONE METRE	0.15	For All					
513	IS 15853	Textiles - Woven suitings made of cotton man-made fibres/filaments and their blends	66000	53000	33000	13200	100 SQ.MTRS	101	For All					
514	IS 15884	Alternating Current Direct Connected Static Prepayment Meters for Active Energy (Class 1 and 2)	331000	280000	166000	66400	1 PIECE	3	For All					
515	IS 15895	High alumina refractory cement - Specification (First Revision)	161000	129000	80500	32200	1 MT	3.5	For All					
516	IS 15905	HUBLESS CENTRIFUGALLY CAST (BPM) IRON PIPES, FITTINGS AND ACCESSORIES - SPIGOT SERIES	71000	57000	35500	14200	ONE TONNE	9	For All					
517	IS 15907	Agro Textiles - High Density Polyethylene (HDPE) Woven Bads for Vermiculture	106000	88000	53000	21200	1 BWO	1.5	60000	0.75	Rest All			
518	IS 15909	PVC GEOMEMBRANES FOR LINING SPECIFICATION	111000	92000	55500	22200	100 SQMTRS	16	For All					
519	IS 15911	STRUCTURAL STEEL (ORDINARY QUALITY)	65000	52000	32500	13000	ONE METRIC TONNE	3.8	For All					
520	IS 15914	High Tensile Strength Flat Rolled Steel Plate (Up To 6 mm). Sheet and Strip for the Manufacture of Welded Gas Cylinders	71000	57000	35500	14200	1 TONNE	64	For All					
521	IS 15982	Asbestos Cement Pressure Pipes and Joints -	46000	37000	23000	9200	1 TON	8.65	For All					
522	IS 15927- PART 3	Polyethylene Fittings for use with Polyethylene Pipes for the Supply of Gaseous Fuels- Part 3 Electro Fusion Fittings	255000	204000	127500	51000	1 TON	145.75	For All					
523	IS 15991	Pest Oil	160000	128000	80000	32000	1 MT	41	For All					
524	IS 15939	Pesticide - Bifenthrin Wettable Powder	63000	51000	31500	12600	5 KG	09	For All					
525	IS 15961	Hot Dip Aluminium-Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain)	61000	49000	30500	12200	ONE MT	6	For All					
526	IS 15962	Structural Steels for Building and Structures with Improved Seismic Resistance	46000	37000	23000	9200	1 MT	62	For All					
527	IS 15965	Pre-painted Aluminium-Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain)	63000	51000	31500	12600	5 MT	6.25	For All					
528	IS 15968	Ballasts for Tubular Fluorescent Lamps - Performance Requirements	46000	37000	23000	9200	1 PIECE	0.38	For All					
529	IS 15979	Cyphenothrin, EC -	56000	45000	28000	11200	1 KL	140	For All					
530	IS 15997	Low Nickel Austenitic Stainless Steel Sheet and Strip for Utensils and Kitchen Appliances - Specification	90000	72000	45000	18000	ONE MT	12	For All					
531	IS 16008- PART 1	Agro Textiles - Shade Nets for Agriculture and Horticulture Purposes - Specification Part 1 Shade Nets Made from Tape Yarns (First Revision)	93000	77000	46500	18600	100 SQ.MTRS	0.8	For All					
532	IS 16008- PART 2	Agro Textiles - Shade Nets for Agriculture and Horticulture Purposes - Specification Part 3 Shade Nets Made from Mono Filament Yarns (First Revision)	116000	93000	58000	23200	100 SQ. METRE	0.8	For All					
533	IS 16011	Aluminium and Aluminium Alloy Foil for Pharmaceutical Packaging Specification	106000	85000	53000	21200	1 MT	21.5	For All					
534	IS 16014	MECHANICALLY WOVEN DOUBLE-TWISTED HEXAGONAL WIRE MESH GABIONS REVEY MATTRESSES ROCK FALL NETTING AND OTHER PRODUCTS FOR CIVIL ENGINEERING PURPOSES GALVANIZED STEEL WIRE OR GALVANIZED STEEL WIRE WITH POLYMER COATING - SPECIFICATION (Second Revision)	94000	78000	47000	18800	100 KG	15.28	For All					
535	IS 16015	MORTICE LOCKS AND LATCHES MECHANICALLY OPERATED - SPECIFICATION REQUIREMENTS AND TEST METHODS	91000	75000	46500	18600	1 PIECE	0.15	For All					
536	IS 16018	Wheeled Fire Extinguishers Performance and Construction Specification	248000	199000	124000	49600	1 PIECE	10.35	For All					
537	IS 16058	Dunnage pallets made from recycled packaging wastes for warehousing application - Specification (First Revision)	216000	173000	108000	43200	1 PALLET	2.2	For All					
538	IS 16074	Steel Flush Door Shutters	178000	143000	89000	35600	1 SQM	3	For All					
539	IS 16088	Chlorinated Polyvinyl Chloride (CPVC) Pipes for Automatic Sprinkler Fire Extinguishing System - Specification	140000	117000	70000	28000	1 TON	400	For All					
540	IS 16090	Geo-Synthetics - Geo-Textiles Used as Protection (or Cushioning) Materials	117000	94000	58500	23400	100 SQ. M.	13	For All					
541	IS 16098- PART 1	Structured-Wall Plastics Piping Systems for Non-Pressure Drainage and Sewerage Part 1 Pipes and Fittings With Smooth External Surface, Type A	189000	159000	94500	37800	1 TON	174	For All					
542	IS 16098- PART 2	Structured Wall Plastics Piping Systems for Non-Pressure Drainage and Sewerage Part 2 Pipes and Fittings with Non-Smooth External Surface, Type B	209000	176000	104500	41800	100 M	23	For All					
543	IS 16100	HOUSEHOLD SEWING MACHINES - GENERAL REQUIREMENTS	73000	51000	36500	14600	1 PIECE	4	For All					
544	IS 16102- PART 2	Self - Ballasted LED Lamps for General Lighting Services Part 2 Performance Requirements	211000	169000	105000	42200	100 PIECE	35	For All					
545	IS													

561	5 16192 - PART 1	AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES PART 1 LIGHT ALLOY WHEEL RIMS - METHOD DS RIMS - METHODS OF TESTS AND REQUIREMENTS	399000	320000	199900	79800	1 PCEC	0.2	For All	
562	5 16192 - PART 2	AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES PART 2 SHEETS METAL WHEEL RIMS -METHODS OF TESTS AND REQUIREMENTS	245000	196000	122500	49000	1 PCEC	0.06	For All	
562	5 16192 - PART 3	AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES: PART 3 SPOKE WHEEL RIMS -METHOD OF TESTS AND REQUIREMENTS	195000	156000	97900	39000	1 PCEC	0.25	For All	
563	5 16202	Argo Textile - Woven Ground Covers for Horticulture Application - Specification	197000	158000	98500	39400	100 SQ.M.	0.28	For All	
564	5 16205 - PART 24	CONDUIT SYSTEMS FOR CABLE MANAGEMENT PART 24 PARTICULAR REQUIREMENTS CONDUIT SYSTEMS BURIED UNDER GROUND	89000	72000	44900	17800	100M	8.1	For All	
565	5 16208	TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE)/ POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING 50 kg, 15 kg, 20 kg, 25 kg AND 30 kg FOODGRAINS - SPECIFICATION	118000	95000	59000	23600	1 MT	330	For All	
566	5 16227 - PART 2	INSTRUMENT TRANSFORMERS PART 2 ADDITIONAL REQUIREMENTS FOR CURRENT TRANSFORMERS	46000	37000	23000	9200	1 PCEC	7	For All	
567	5 16232	Iron fertilized bedded Soil (Double Fertilized Soil) - Food Grade- Specification	58000	47000	29000	11600	ONE MT	0.8	For All	
568	5 16240	REVERSE OSMOSIS RO BASED POINT-OF-USE POW WATER TREATMENT SYSTEM FOR DRINKING PURPOSES SPECIFICATION- First revision	234000	188000	117000	46800	1 PCEC	13	For All	
569	5 16246	ELASTOMER INSULATED CABLES WITH LIMITED CIRCUIT INTEGRITY WHEN AFFECTED BY FIRE - SPECIFICATION	235000	188000	117500	47000	100 METERS	20	For All	
570	5 1626 - PART 2	Asbestos cement building pipes and pipe fittings, gutters and gutter fittings and roofing fittings- Part 2 Gutter and gutter fittings)	46000	37000	23000	9200	1 TON	25	For All	
571	5 1626 - PART 3	Asbestos Cement Building types and Pipe Fittings, Gutters and Gutter Fittings and Roofing Fittings - Part 3 : Roofing Fittings	51000	41000	25500	10200	1 TON	25	For All	
572	5 16286	Spoons Specification	138000	111000	69000	27600	100 PIECES	1.8	For All	
573	5 16289	Medical Textiles Surgical Face Masks Specification	79000	63200	39500	15800	100 PIECES	0.2	For All	
574	5 16352	GEOSYNTHETICS - HIGH DENSITY POLYETHYLENE (HDPE) GEOMEMBRANES FOR LINING - SPECIFICATION	186000	149000	93000	37200	1 TONNE	26.6	For All	
575	5 16353	PORTLAND CEMENT CLINKER - SPECIFICATION NO 07 REVISION -	98000	79000	49000	19600	1 TON	15	For All	
576	5 16362	Geosynthetics - Geotextiles for Subsurface Drainage, Subgrade Separation, Subgrade Stabilization, Filtration and Erosion Control (In Hard Armor Systems) Applications - Specification (second revision)	159000	128000	79000	31600	100 SQ.M.	2	For All	
577	5 16391	Geosynthetics - Geotextiles used in sub-grade separation in pavement structures - Specification	173000	139000	86500	34600	100 SQ.M.	2	For All	
578	5 16392	Geosynthetics - Geotextiles for permanent erosion control in hard armor systems - Specification	175000	140000	87500	35000	100 SQ.M.	2	For All	
579	5 16393	Geosynthetics - Geotextiles used in subsurface drainage application - Specification	173000	139000	86500	34600	100 SQ.M.	2	For All	
580	5 164	Ready mixed paint for road marking-Specification	64000	52000	32000	12800	1 LITRE/LI. KG	0.26	For All	
581	5 16415	Composite Cement - Specification	72000	58000	36000	14400	1 MT	3	For All	
582	5 16440	Stainless Steel Milk Cans - Specification	88000	71000	44000	17600	1 GAN	1.2	For All	
583	5 16444 - PART 1	air static Direct Connected Watthour Smart Meter Class 1 and 2 - Specification	560000	448000	280000	112000	1 PCEC	1	For All	
584	5 16444 - PART 2	A.C. STATIC TRANSFORMER OPERATED WATTHOUR AND VAR HOUR SMART METERS, CLASS 0.5 S, 0.5 S AND 1.0 S PART 2 SPECIFICATION TRANSFORMER OPERATED SMART METERS	407000	326000	203000	81400	1 PCEC	6.38	For All	
585	5 16481	Textiles Synthetic Micro Fibres for Use in Cement Based Matrix Specification- First Revision	163000	131000	81500	32600	1 MT	89	For All	
586	5 16484	LIQUID OIL - TAKE VALVE FITTING TO GAS CYLINDERS OR TANKS (MOBILE OR STATIC) FOR LIQUID PETROLEUM GAS (LPG) - SPECIFICATION	79000	64000	39500	15800	1 VALVE	0.9	For All	
587	5 16513	AGRO TEXTILES - INSECT NETS FOR AGRICULTURE AND HORTICULTURE PURPOSES - SPECIFICATION	119000	96000	59500	23800	100 SQ.M/RS	2.2	For All	
588	5 16532	APP MODIFIED BITUMINOUS WATERPROOFING G AND DAMP-PROOFING MEMBRANE WITH POLYESTER REINFORCEMENT- SPECIFICATION	79000	64000	39500	15800	100 SQ.M.	7.9	For All	
589	5 16534	CHLORINATED POLYVINYL CHLORIDE (CPVC) PIPE FITTINGS FOR AUTOMATIC SPRINKLER FIRE EXTINGUISHING SYSTEM	163000	131000	81500	32600	100 PCS	5.2	For All	
590	5 16544	ALL GLASS EVACUATED TUBES SOLAR WATER HEATING SYSTEM	87000	70000	43500	17400	1 PCEC	3.8	For All	
591	5 16566	MILK CEREAL BASED COMPLEMENTARY FOODS SPECIFICATION (Fifth Revision of 5 16564)	133000	107000	66500	26500	ONE TONNE	172.8	For All	
592	5 16568	Flare hardware Specification	46000	37000	23000	9200	1 TON	8.7	For All	
593	5 16581	High density polyethylene (HDPE)/polypropylene (PP) woven sacks for packing of solid ammonium nitrate for explosives - Specification	127000	102000	63500	25400	1 MT	234	For All	
594	5 16585	MAGNETIC MATERIALS - SPECIFICATION FOR INDIVIDUAL MATERIALS - FE-BASED AMORPHOUS STRIP DELIVERED IN THE SEMI-PROCESSED STATE	51000	41000	25000	10200	1 TONNE	175	For All	
595	5 16589	Block Boards Specification	73000	59000	36000	14600	1 SQ. M	0.36	For All	
596	5 16591 - PART 1	Plastics - Mixtures of polypropylene (Pp) and polyethylene (Pe) recycle derived from pp and pe used for flexible and rigid consumer packaging: Part 1 designation system and basis for specification	88000	71000	44000	17600	1 MT	6.9	For All	
597	5 16593 - PART 1	Arc welding equipment: Part 1 Welding power source	278000	223000	139000	55600	1 PCEC	235	For All	
598	5 1660	Wrought and Cast Aluminium Unalloyed - Specification (Second Revision)	47000	38000	23500	9400	1 MT	173	For All	
599	5 16627	AGRO TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE) LAMINATED WOVEN LAY FLAT TUBE FOR USE IN MAINS AND SUBMANS OF DRIP IRRIGATION SYSTEM - SPECIFICATION	164000	131000	82000	32800	1 MT	285	For All	
600	5 1664	Mineral Mixtures for Supplementing Cattle Feeds	84000	68000	42000	16800	1 TONNE	58.3	For All	
601	5 16644	STEEL REINFORCED LOW RELAXATION STEEL WIRDS FOR PRESTRESSED CONCRETE	157000	124000	78500	31400	1 TON	2185	For All	
602	5 16647	CHLORINATED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-U) PIPES FOR WATER SUPPLY	195000	156000	97900	39000	1 TON	79.7	For All	
603	5 16651	HIGH STRENGTH DEFORMED STAINLESS STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT - SPECIFICATION	78000	63000	39000	15600	1 TON	62	For All	
604	5 16653	Geosynthetics - Needle punched nonwoven geobags for coastal and waterways protection - Specification	123000	99000	61500	24600	1 MT	340	For All	
605	5 16654	Geosynthetics - Polypropylene multifilament woven geobags for coastal and waterways protection - Specification	131000	105000	65500	26200	1 TONNE	655	For All	
606	5 16655	Textiles - Protective clothing for use in welding and allied processes	153000	123000	76500	30500	1 PCEC	32	For All	
607	5 16703	TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE) POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING OF 25 KG POLYMER MATERIALS	133000	107000	66500	26600	1MT.	36	For All	
608	5 16709	Textiles - Polypropylene (PP) woven, laminated, block bottom valve sacks for packaging of 50 kg cement - Specification	175000	140000	87500	35000	1 MT	97.25	For All	
609	5 16714	GROUND GRANULATED BLAST FURNACE SLAG FOR CEMENT MORTAR AND CONCRETE	150000	120000	75000	30000	1 TON	05	For All	
610	5 16715	ULTRAFINE GROUND GRANULATED BLAST FURNACE SLAG - SPECIFICATION	237000	190000	118500	47400	1 MT	24	For All	
611	5 16727	POLYURETHANE FLOOR CEMENT BINDER SPECIFICATION	167000	133000	82500	33000	100 PCS	60	For All	
612	5 16723	COMBINATION LOCK SPECIFICATION	57000	46000	28500	11400	1 PCEC	1.75	For All	
613	5 1673	Ferritic/Pearlitic Engineering Steels for Precipitation Hardening from Hot-Working Temperatures	69000	56000	34500	13800	1 MT	7	For All	
614	5 16767	Rubber Hoses for Agricultural Spraying (Third Revision)	78000	63000	39000	15600	100 METERS	3.2	For All	
615	5 1678	Prestressed concrete poles for overhead power, traction and telecommunication lines -	70000	56000	35000	14000	1 PCEC	0.2	For All	
616	5 168	Ready mixed paint, air drying, for general purpose	56000	45000	28000	11200	ONE LITRE	0.25	For All	
617	5 16874	TEXTILES - PROTECTIVE GLOVES FOR FIREFIGHTERS	178000	143000	89000	35600	1 PAIR	8	For All	
618	5 16890	Textiles - Protective Clothing for Firefighters (First revision)	184000	148000	92000	36800	1 PCEC	36	For All	
619	5 16919	MARQUEUR - CARBONATING WEARABLE POWDER (W P)	61000	49000	30500	12200	1 MT	30.45	For All	
620	5 16920	HEXACONAZOLE-CYNES, WEETABLE POWDER (WP)	61000	49000	30500	12200	1 MT	30.45	For All	
621	5 1694	Terrazoine, Food Grade	63000	51000	31500	12600	1 KG	1.6	For All	
622	5 16948	Medical textile - Permeable nonwoven surgical adhesive tape - Specification	98000	79000	49500	19800	100 SQ.M.	05	For All	
623	5 1695	Sunnet Yellow JCI - Food Grade - Specification	80000	64000	40000	16000	1 KG	13	For All	
624	5 1697	Erythrosine, Food Grade	88000	71000	44000	17600	1 KG	7.25	For All	
625	5 1698	Indigo Carmine, Food grade	62000	50000	31000	12400	1 KG	13	For All	
626	5 16983	Solid bleached sulphate board (LX Specification) (First Revision)	195000	156000	97500	39000	1 MT	5.35	For All	
627	5 16984	Coated Folding Box Board for General Consumer Product Packaging 3C" Specification (First Revision)	195000	156000	97500	39000	1 MT	5.7	For All	
628	5 16988	COMPREESSED NATURAL GAS CYLINDER VALVE INTEGRATED WITH SOLENOID OPERATION (REMOTELY CONTROLLED) FOR AUTOMOTIVE USE	121000	97000	60000	24200	1 VALVE	1.25	For All	
629	5 16993	MINERAL ORDINARY PORTLAND CEMENT - SPECIFICATION	163000	131000	81500	32600	1 MT	9	For All	
630	5 170	ACIOTONE	84000	68000	42000	16800	1 MT	6	For All	
631	5 17012	HIGH-ANGLE TACTICAL BOOTS WITH PU / RUBBER SOLE - SPECIFICATION	200000	160000	100000	40000	1 PAIR	0.45	For All	
632	5 17016	CATIONIC MODIFIED BITUMEN EMULSION	65000	52000	32500	13000	1 MT	4.65	For All	
633	5 17018 - PART 1	Solar Photovoltaic Water Pumping Systems Part 1 Centrifugal Pumps Specification	232000	186000	116600	46400	1 PCEC	21.25	For All	
634	5 1703	Water Fittings- Copper Alloy Float Valves (Horizontal Plunger Type) -	57000	46000	28500	11400	1 PCEC	0.4	For All	
635	5 17034	SPECIFICATION FOR JARUPH FOOT	57000	46000	28500	11400	1 PCEC	0.4	For All	
636	5 17037	ANTI-ROD SHOES- SPECIFICATION	158000	127000	79000	31600	1 PCEC	05	For All	
637	5 17042 - PART 1	DIESEL ENGINES NOX REDUCTION AGENT AS2 PART 1 QUALITY REQUIREMENTS	107000	86000	53500	21400	1 RL	6	For All	
638	5 17045 - PART 1	DRIFT PILES - SPECIFICATION	148000	119000	74500	29800	1 PAIR	0.2	For All	
639	5 17043 - PART 1	Shoes - Specification Part 1 Shoes for Services	148000	119000	74500	29800	1 PAIR	0.5	For All	
640	5 17043 - PART 2	Shoes: Shoes for General Purpose	227000	182000	113500	45400	100 PAIR	9	For All	
641	5 17048	HALOGEN FREE FLAME RETARDANT (HFR) CABLES FOR WORKING VOLTAGES UP TO AND INCLUDING 1 100 VOLTS - SPECIFICATION	271000	217000	135500	54200	100 METERS	05	For All	
642	5 17051	TEXTILES BULLET RESISTANT JACKETS PERFORMANCE REQUIREMENTS	441000	353000	220500	88200	1 PCEC	5	For All	
643	5 17077 - PART 1	PLASTICS ACRYLONITRILE-BUTADIENE STYRENE ABS Moulding and Extrusion Materials PART 1 DESIGNATION SYSTEM AND SPECIFICATIONS	64000	52000	32000	12800	1 MT	175	For All	
644	5 1709	Specification for Electric Fan Motors	89000	72000	44000	17600	1 PCEC	0.07	For All	
645	5 17111	HEAT TREATED STEELS,ALLOY STEELS AND FREE-CUTTING STEELS - BALL AND ROLLER BEARING STEELS	80000	65000	40500	15900	1 MT	5	For All	
646	5 1712	Continued Oilseeds as Livestock Feed Ingredient	74000	60000	37000	14800	1 MT	23	For All	
647	5 17150	MIXED DOMESTIC WATER HEATER FOR USE WITH PIPED NATURAL GAS (PNG) SPECIFICATION	170000	136000	85000	34000	1 PCEC	2	For All	
648	5 17153	DOMESTIC GAS STOVES FOR USE WITH PIPED NATURAL GAS (PNG)	141000	113000	70500	28200	1 PCEC	2	For All	
649	5 17154	Battery Operated Motorized Tricycle AXL-360 Specification (First Revision)	59000	48000	29500	11800	1 PCEC	25	For All	
650	5 17155	Tricycle, single hand propelled (Hushy 7) (Type 7) (Dunlop Size 7) Specification	153000	124000	77500	31000	1 PCEC	1	For All	
651	5 17157	MULTI UTILITY TRICYCLE SPECIFICATION	59000	48000	29500	11800	1 PCEC	7	For All	
652	5 17190	Methods for Filling of Joints of Tiles and Stones - Specification	171000	137000	85500	34200	100 KG	35	For All	
653	5 17119	POLYETHYLENE MULCH FILMS FOR AGRICULTURE AND HORTICULTURE - SPECIFICATION	148000	119000	74500	29800	100 MT	01.16	For All	
654	5 1726	cast iron manhole covers and frames	58000	47000	29000	11600	1 TON	19.95	For All	
655	5 17261	Textiles - Polyester continuous filament fully drawn yarns - Specific ation (First revision)	90000	72000	45000	18000	1 MT	12.5	For All	
656	5 17262	Textiles - Polyester partially oriented yarn (POY) - Specification (first revision)	63000	51000	31000	12600	1 MT	11.65	For All	
657	5 17263	Textiles - Polyester staple fibres - Specification (first revision)	235000	188000	117400	46900	1 MT	6.55	For All	
658	5 17264	Textiles - Polyester industrial yarn - Specification (first revision)	100000	80000	50000	20000	1 MT	8.7	For All	
659	5 17265	Textiles -100 Percent Polyester Spun Grey and White Yarn Specification - Second Revision	72000	58000	36000	14400	1 MT	50	For All	
660	5 17266	Textiles - Viscose Staple Fibres - Specification	72000	58000	36000	14400	1 MT	50	For All	
661	5 17286	Textiles - Water-proof multipurpose rain ponchos with convertibility as bivouac - Specification	167000	134000	83500	33400	1 PCEC	1.75	For All	
662	5 1729	SAND CAST IRON SPIGOT AND SOCKET PIPES, FITTINGS AND ACCESSORIES (X)N SPECIFICATION	62000	50000	31000	12400	1 TONNE	34.45	For All	
663	5 17293	Electric Cables for Photovoltaic Systems for Rated Voltage 1 500 V dc.	395000	288000	179500	71800	100M	8	For All	
664	5 17334	MEDICAL TEXTILES - SURGICAL GOWNS AND SURGICAL DRAPES - SPECIFICATION	170000	136000	85000	34000	1 PCEC	0.2	For All	
665	5 17349	Medical textiles - Shoe covers -Specification</								

676	S 17427	Wooden (Timber) Pallets for Packaging, Storage and Transportation &C" Specification	121000	97000	40600	24200	1 PIECE	1.45	For AI			
677	S 17435	Balistic Shields - Specification	180000	116000	84500	11800	1 PIECE	20	For AI			
678	S 17442	Vinyl Chloride Monomer &C" Specification	51000	41000	25500	10200	1 MT	4.2	For AI			
679	S 17450	1,3-Phenylenediamine &C" Specification	78000	63000	39600	15600	1 MT	30.7	For AI			
680	S 1746	Shoe polish, paste	76000	61000	38800	15200	1 KG	0.26	For AI			
681	S 17480	High Density Polyethylene Multi-Squeezeable Tube for Packaging - Specification	128000	103000	64000	25600	10000 PIECES	1.7	For AI			
682	S 17483 - PART 2	GEOSYNTHETICS - GEOCELLS - SPECIFICATION - PART 2 SLOPE EROSION PROTECTION APPLICATION	142000	114000	71000	28400	100 SQ. M.	0.65	For AI			
683	S 175	SHEETING TACKING AND BEDSHEETS - SPECIFICATION	87000	70000	43900	17400	100 METERS	145	For AI			
684	S 17505 - PART 1	Specification for Thermosetting Insulated Fire Survival Cables for Fixed Installation having Low Emission of Smoke and Corrosive Gases when Affected by Fire for Working Voltages upto and including 1100 Vac and 1500 Vdc.	252000	234000	146000	58400	100 M	6	For AI			
685	S 17508	Disposable Adult Incontinence Diaper - Specification	111000	89000	55500	22200	100 PCS	12	For AI			
686	S 17509	Disposable Baby Diaper - Specification	111000	89000	55500	22200	100 PCS	0.1	For AI			
687	S 17513	Agro Textiles - Plant Support Nets for Agriculture and Horticulture Purposes - Specification	125000	104000	64500	25800	1 MT	53.75	For AI			
688	S 17514	Reusable Sanitary Pad/Sanitary Napkin Period panties - Specification	103000	83000	51500	20600	100 PCS	20	For AI			
689	S 17526	STAINLESS STEEL VACUUM FLASKS - SPECIFICATION	73000	57000	35500	14200	1 PIECE	0.06	For AI			
690	S 17545	Module panel for security of premises specifications	135000	104000	65000	26000	1 Piece	20	For AI			
691	S 17544	Multi-layer PE-AL-PE Plastic Piping Systems for Indoor Gas Installations with a Maximum Operating Pressure up to and including 500 KPa S & bar - Specification	209000	164000	102500	41000	1 TON	120.6	For AI			
692	S 17548	WHITE CEMENT BASED POLYMER PUTTY	98000	79000	49800	19600	1 MT	1.85	For AI			
693	S 17546	Chlorinated polyvinyl chloride (CPVC) Fittings for potable hot and cold water distribution supplies - Specification	171000	137000	85500	34200	100 PCS	4	For AI			
694	S 17550 - PART 1	Household Refrigerating Appliances - Characteristics and Test Methods Part 1 General Requirements (First Revision)	936000	749000	468000	187200	1 PIECE	12	For AI			
695	S 17566	Key locks for security Equipment-Specification	93000	75000	46500	18600	1 NO.	1.75	For AI			
696	S 17569	Insulated Containers for Food Storage &C"Specification	160000	136000	84500	33800	100 PIECES	6	For AI			
697	S 17570 - PART 1	Air Filters for general ventilation - Part 1 Technical specifications requirements and classification system based upon particulate matter efficiency ePM Adoption of ISO 16890-1:2016	299000	240000	149500	59800	1 PIECE	1.75	For AI			
698	S 1759	Powwals	46000	37000	23000	9300	100 PIECE	10.25	For AI			
699	S 17630	Medical Textiles Bedsheet and Pillow Cover - Specification	196000	157000	98000	39200	100 SQ. M.	0.55	For AI			
700	S 17631	Work Chairs - Specification	293000	235000	146500	58600	1 PIECE	49	For AI			
701	S 17632	General Purpose Chairs and Stools - Specification	247000	198000	123500	49400	100 PIECES	41.2	For AI			
702	S 17633	Tables and Desks - Specification	133000	107000	66500	26600	100 PIECES	44.35	For AI			
703	S 17634	Storage Units - Specification	223000	179000	111500	44600	1 PIECE	1.45	For AI			
704	S 17658	POLY VINYL CHLORIDE (PVC) HOMOPOLYMERS - SPECIFICATION	164000	132000	82000	32800	1 MT	6.95	For AI			
705	S 17659	SPECIFICATION FOR POLYESTER POLYOL	124000	10000	62000	24800	1 MT	2955	For AI			
706	S 17681	Specification for Bottled water dispensers	412000	330000	206000	82400	1 PIECE	3.5	For AI			
707	S 17682	ALUMINIUM COMPOSITE PANEL - SPECIFICATION	267000	214000	133500	53400	100 SQ. M.	144	For AI			
708	S 17693	Non-electric Cooling Cabinet Made of Gay	118000	95000	59800	23600	1 PIECE	05	For AI			
709	S 177	Cotton Drills	46000	37000	23000	9300	100 LINEAR METERS	6.25	For AI			
710	S 17706	PULL HANDLES - SPECIFICATION	247000	198000	123500	49400	1 SET	0.8	For AI			
711	S 17713	In-Vitro Diagnostic Devices - ELISA Plate Reader	215000	172000	107500	43000	1 PIECE	179.2	For AI			
712	S 17717 - PART 1	In-Vitro Diagnostic Device - Automated Clinical Chemistry Analyzer - Part 1 Wet Chemistry Analyzer	202000	163000	100500	40200	1 PIECE	201	For AI			
713	S 1772	Electroplated coatings of copper	87000	70000	43900	17400	1 SQUARE METER	6.25	For AI			
714	S 17728	Agro Textiles - High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube and Fittings for use in Rain Irrigation System - Specification	168000	135000	84000	33600	100 M	1.5	For AI			
715	S 17729	Agro-Textiles Flexible Water Storage Tank for Agriculture and Horticulture Purposes - Specification	159000	128000	79500	31800	1 KL	0.38	For AI			
716	S 17730 - PART 1	Agro-Textiles Hal Protection Nets for Agriculture and Horticulture Purposes - Specification Part 1 Warp Knitted Hal Protection Nets	127000	102000	63000	25400	100 SQ. M.	1.8	For AI			
717	S 17730 - PART 2	Agro-Textiles Hal Protection Nets for Agriculture and Horticulture Purposes - Specification Part 2 Woven Hal Protection Nets	130000	104000	65000	26000	100 SQ. M.	1.8	For AI			
718	S 17731	Agro-Textiles Laminated Woven Orchard Protection Covers - Specification	147000	118000	73500	29400	1 MT	260	For AI			
719	S 17735	Aluminium Chlorohydrate --- Specification	101000	81000	50500	20200	1 MT	15.6	For AI			
720	S 17781	VITAMIN MINERAL PREMIX FOR MANUFACTURING FORTIFIED RICE KERNELS- SPECIFICATION	110000	88000	55600	22000	1 MT	22	For AI			
721	S 17782	FORTIFIED RICE KERNELS-SPECIFICATION	96000	72000	45000	18000	1 MT	25	For AI			
722	S 17787	Medical Textiles Nonwoven Wipes - Specification	77000	62000	38500	15400	1000 packs	24	For AI			
723	S 17788	Medical Textiles --- Nonwoven Fabric for Wipes --- Specification	55000	44000	27500	11000	1 MT	18.1	For AI			
724	S 17790	INSULATED FLASK FOR DOMESTIC USE - SPECIFICATION	167000	134000	83500	33400	100 PIECES	6	For AI			
725	S 17794	Petroleum naphtha - Specification	144000	116000	72000	28800	1 MT	3.55	For AI			
726	S 17800	POTABLE WATER BOTTLES (COPPER, STAINLESS STEEL, ALUMINIUM) &C"SPECIFICATION	109000	88000	54500	21800	1 NO.	0.06	For AI			
727	S 17814	Corrugated Metal Flexible Safety Gas Hose Assemblies - Specification	207000	165000	103000	41200	1 PIECE	4.85	For AI			
728	S 1783 - PART 1	Drums Large, Fixed Ends Specification Part 1 Grade A Drums	62000	50000	31000	12400	1 PIECE	0.35	For AI			
729	S 1783 - PART 2	Drums, Large, Fixed Ends - Specification Part 2 Grade B Drums	60000	48000	30000	12000	ONE DRUM	1.8	For AI			
730	S 1784	Screwed Closures For Drums	46000	37000	23000	9300	100 PIECES	35	For AI			
731	S 1785 - PART 1	Plan Hard-drawn Steel Wire for Prestressed Concrete- Part 1 Cold Drawn Stress-relieved Wire	75000	61000	38800	15200	1 TON	21	For AI			
732	S 1785 - PART 2	Plan Hard-drawn Steel Wire for Prestressed Concrete- Part 2 A&B Drawn Wire	58000	47000	29500	12000	1 TON	18	For AI			
733	S 17853	EQUIPMENT FOR MANUFACTURE OF FORTIFIED RICE KERNEL - SPECIFICATION	71000	57000	35500	14200	1 PIECE	500	For AI			
734	S 17854	EQUIPMENT FOR MANUFACTURE OF FORTIFIED RICE - SPECIFICATION	71000	57000	35500	14200	1 PIECE	142	For AI			
735	S 1786	High strength deform steel bars/wires for concrete reinforcement	285000	230000	142000	56800	1 TON	34	For AI			
736	S 17861	TEXTILE BOOTS WITH POLYURETHIC SOLE JUNGLE BOOTS - SPECIFICATION Third Revision	147000	118000	73500	29400	1 PAIR	15	For AI			
737	S 17875	Stainless Steel seamless pipes and tubes for general service	87000	70000	43900	17400	1 MT	175	For AI			
738	S 17876	Stainless steel welded pipes and tubes for general service	87000	70000	43900	17400	1 MT	10	For AI			
739	S 17879	Textiles - Polyester Textured yarn - Specification	164000	132000	82000	32800	1 MT	10.3	For AI			
740	S 17880	Geosynthetics Polymer Gabions for Coastal and Waterways Protection - Specification	205000	164000	102500	41000	1 MT	300	For AI			
741	S 17897	Stone-Polymer Composite Flooring Tiles and Planks - Specification	107000	86000	53500	21400	10 SQ. M	0.75	For AI			
742	S 17916	PLASTICS ETHYLENE VINYL ACETATE EVA Moulding and Extrusion Materials - PART 1 DESIGNATION SYSTEM AND SPECIFICATIONS	78000	63000	39600	15600	1 MT	17.25	For AI			
743	S 17927 - PART 1	FOOD FOR SPECIAL MEDICAL PURPOSE INTENDED FOR INFANTS 1% SPECIFICATION	156000	125000	78000	31200	1 MT	10.75	For AI			
744	S 17945	FOOD FOR SPECIAL MEDICAL PURPOSE INTENDED FOR INFANTS 1% SPECIFICATION	132000	106000	66600	26400	1 MT	33.33	For AI			
745	S 17953	UPVC Profiles for Windows And Doors - Specification	137000	110000	68500	27400	1 MT	14.3	For AI			
746	S 17954	TELESCOPIC BALL BEARING DRAWER SLIDE - SPECIFICATION	212000	169000	105900	42200	100 PIECES	5.8	For AI			
747	S 17988	CHLORINATED POLYVINYL CHLORIDE (CPVC) RESIN SPECIFICATION	94000	76000	47800	18800	1 MT	9.8	For AI			
748	S 1804	Steel Wire Ropes - Fiber Main Cores	45000	36000	22500	9000	1 MT	35	For AI			
749	S 1806	MALTED MILK FOODS	56000	45000	28000	11200	1 TONNE	34.5	For AI			
750	S 18118	Textiles - Flat Woven Webbing Slings Made from Blend of Polyester Multifilament and High Strength Mixed Polyolefin Tapes - Specification	148000	119000	74000	29600	1 PIECE	0.3	For AI			
751	S 18161	Textiles Light weight jute sacking bags for packing 50 kg mustard seed niger seed and rag - Specification	75000	60000	37500	15000	1 MT	92	For AI			
752	S 18162	Textiles Light weight jute sacking bags for packing 50 kg pulses and soyabean - Specification	73000	59000	36500	14600	1 MT	92	For AI			
753	S 18163	Textiles Light weight jute sacking bags for packing 55 kg groundnut with shell - Specification	74000	59000	37000	14800	1 MT	92	For AI			
754	S 18174	Polyether polyols - Specification	86000	70000	43900	17600	1 MT	15.6	For AI			
755	S 18189	Portland Cemented Clay Limestone Cement - Specification	141000	113000	70500	28200	1 MT	3	For AI			
756	S 1824	Specification for Investment Casted Super Alloy	60000	48000	29000	11600	500 LITRE	34.5	For AI			
757	S 1825	Specification for Aluminium Alloy Milk Cans	62000	50000	31000	12400	1 CAN	2.1	For AI			
758	S 18266	Textiles - Medical Respirator - Specification	142000	115000	71500	28600	100 PIECES	14	For AI			
759	S 1827	Pesticides - Dimethyl Amine S. Salts of 2, 4-D	52000	42000	25500	10200	ONE KL	346	For AI			
760	S 18286	Agricultural Irrigation equipment - Manually operated serviceable plastics valves - Specification	162000	130000	81000	32400	1 MT	102	For AI			
761	S 18287	Sterilization of health care products - Common requirements for sterilizers for terminal sterilization of medical devices in health care facilities	285000	228000	142500	57000	1 PIECE	1125	For AI			
762	S 18291	Optodynamic Instruments 1% Forimeters (ISO 12866: 1995 + Amd 1: 2008, MOD)	255000	204000	127500	51000	1 PIECE	130	For AI			
763	S 18297	Cabinet Hinges	180000	144000	90000	36000	100 PIECES	25	For AI			
764	S 18309	Geosynthetics- Prefabricated Vertical Drains for Quick Consolidation for Very Soft Plastic Soil - Specification	172000	138000	86000	34400	1000M	1	For AI			
765	S 18316	HOT ROLLED AND COLD ROLLED STEEL STRIPS INTENDED FOR PROCESSING OF SEMI-FULLY PROCESSED NON- GRAIN ORIENTED ELECTRICAL STEEL OR FULLY PROCESSED GRAIN ORIENTED ELECTRICAL STEEL	83000	67000	41500	16600	1 MT	5.6	For AI			
766	S 1832	Specification for Malathion, Technical	51000	41000	25500	10200	ONE TONNE	86.4	For AI			
767	S 1834	Hot Applied Sealing Compounds for Joints in Concrete - Specification	57000	46000	28500	11400	1 TONNE	30	For AI			
768	S 18340	Vinyl Suphane - Specification	97000	79000	49000	19600	1 MT	25.1	For AI			
769	S 1835	Round Steel Wire for Ropes	56000	45000	28000	11200	1 TONNE	15.6	For AI			
770	S 1838 - PART 1	preformed fillers for expansion joint in concrete pavement and structures (non extruding and resilient type) Part 1 Bitumen Impregnated fibre - Specification	46000	37000	23000	9300	1 SQ. M	0.55	For AI			
771	S 1838 - PART 3	Preformed Fillers for Expansion Joints in Concrete Pavements and Structures(non-extruding and resilient type) Part 3 Polymer Based	46000	37000	23000	9300	1 SQ. M	0.4	For AI			
772	S 18384	Hot-Rolled Steel Strip, Sheet and Plates for Welded Steel Pipe for Pipeline Transportation Systems & A&B Specification	118000	95000	59000	23600	1 TONNE	6	For AI			
773	S 18385	Hot-Dip Galvanized/Galvanneated Steel-sheet, Plate and Strip for Automotive Applications &C" Specification	77000	62000	38500	15400	1 MT	2.8	For AI			
774	S 18427	Three piece round open top metal cans for foods and beverages --- Specification	181000	145000	90900	36200	100 PCS	0.35	For AI			
775	S 18471 - PART 1	Fasteners & A&B's Cross Recessed Drilling Screws with Tapping Screw Thread Part 1 Pan Head	113000	96000	59500	23800	1 MT	26	For AI			
776	S 18471 - PART 2	Fasteners & A&B's Cross Recessed Drilling Screws with Tapping Screw Thread Part 2 Countersunk Head	121000	97000	60500	24200	1 MT	26	For AI			
777	S 18476	Fasteners & A&B's Hexagon Washer Head Drill Drilling Screws with Tapping Screw Thread	120000	96000	60000	24000	1 MT	26	For AI			
778	S 1848	Wiring and pinning paper	45000									

774	5.18.739	Textiles Bedheads Pillow cover and Blanket Cover Specification	155000	124000	77900	31000	100 SQMTRS	0.55	For All					
774	5.18.741	Concrete Nails I/L Specification	94000	76000	47000	18800	1 MT	65.3	For All					
776	5.18.75	Carbon steel bolts, boloms, nuts and bars for forgings	40000	32000	16000	6400	1 TONNE	1.0	For All					
776	5.18.79	Malleable cast iron pipe fittings	71000	57000	28500	11400	1 TONNE	26	For All					
777	5.18.800	Stainless steel feeding bottle for infants - Specification	178000	143000	89000	35600	1 PIECE	0.06	For All					
778	5.18.809	Wear and abrasion resistant steel sheet and plate I/L Specification	101000	81000	40500	20200	1 MT	1.0	For All					
779	5.18.84	Automotive vehicles - Electric horns	58000	47000	23500	9400	1 PIECE	0.36	For All					
800	5.18.892	Textiles I/L Continuous Multifilament Polypropylene Yarns I/L Specification	184000	148000	74000	29600	1 MT	43.85	For All					
801	5.18.91 - PART 2	Conveyor and elevator textile belting Specification - Part 2 Heat resistant belting	224000	180000	90000	36000	1 MT	174.85	For All					
802	5.18.91 - PART 3	Rubber Conveyor and Elevator Textile Belting - Part 3 Oil Resistant Belting	190000	152000	76000	30400	1 MT	187.45	For All					
803	5.18.91 - PART 4	Rubber Conveyor and Elevator Textile Belting - Part 4 Hygienic Belting	175000	140000	87500	35000	1 MT	196.8	For All					
804	5.18.91 - PART 5	Conveyor And Elevator Textile Belting- part 5 Fire Resistant Belting For Surface Application	227000	182000	91000	36400	1 MT	432.55	For All					
805	5.18.97	Copper strip for electrical purposes	104000	84000	42000	20800	1000 KG	70	For All					
806	5.191	Copper	86000	69000	34500	13800	1 TONNE	36.6	For All					
807	5.1912	Textiles Country jute twine Specification	56000	45000	22500	9000	ONE TONNE	17.3	For All					
808	5.1918	Sodium Hydroxide	68000	54400	27200	10880	1 MT	608	For All					
809	5.1921	Roof-covered solid wire	107000	86000	43000	17200	0.5 KG	0.15	For All		50	600	25	Rest All
810	5.1929	Hot Rolled Steel Rivets for Hot Clotting (12 to 36 mm Diameter)	46000	37000	18500	7400	1 TON	24	For All					
811	5.1952	Mustard and Rape Seed Oilcake as Livestock Feed Ingredient	69000	55200	27600	10920	1 TONNE	38	For All		2000	8	2000	4
812	5.1953	Toiletries & Sanitary Soap	55000	44000	22000	8800	1 TONNE	17.3	For All					
813	5.1970	Crop Protection Equipment - Hand-Operated Compression - Knapsack Sprayer - Specification (Sixth Revision)	83000	67000	33500	13400	1 SPRAYER	6.6	For All					
814	5.1971	Crop Protection Equipment I/L Hand-operated strap-type I/L Specification (sixth revision)	67000	53600	26800	10720	1 MT	9.1	For All					
815	5.1989 - PART 1	LEATHER SAFETY BOOTS AND SHOES - PART 1 - FOR MINERS	67000	53600	26800	10720	1 PAIR	0.5	For All					
816	5.1989 - PART 2	LEATHER SAFETY BOOTS AND SHOES - PART 2 - FOR HEAVY METAL INDUSTRIES	68000	54000	27000	10800	1 PAIR	0.5	For All					
817	5.1993	COLD-REDUCED TINMIL PRODUCTS - ELECTROLYTIC TINPLATE	51000	41000	20500	10000	1 TONNE	4.95	For All					
818	5.1997	Laboratory Glassware - Burettes	58000	46000	23000	9200	1 PIECE	1.4	For All					
819	5.2002	Steel Plate for Pressure Vessel for Intermediate and High Temperature Service Including Boilers AC&A-3&4 Specification (Fourth Revision)	72000	58000	29000	11600	1 TONNE	3.3	For All					
820	5.2004	Carbon steel forgings for general engineering purposes	99000	80000	40000	16000	1 TONNE	3.75	For All					
821	5.2012	Red Phosphorus - Specification	82000	65600	32800	13120	1 MT	76	For All					
822	5.2028	Open-Jaw Wrenches (Spanners)	52000	42000	21000	8400	1 PIECE	0.2	For All					
823	5.2029	Ring Wrenches (Spanners)	52000	42000	21000	8400	1 PIECE	0.2	For All					
824	5.2038	Phenolic Laminated Sheets	73000	58400	29200	11680	10 KG	3.28	For All					
825	5.2039 - PART 1 TO 3	Steel Tubes for Bicycle and Cycle Rickshaws	74000	60000	30000	12000	1 TONNE	12.35	For All					
826	5.204 - PART 1	Tower Bolts - Specification: Part 1 Ferrous Metals	46000	37000	18500	7400	100 PIECE	8.7	For All					
827	5.204 - PART 2	Tower Bolts - Specification: Part 2 Non-Ferrous Metals	47000	38000	19000	7600	100 PIECE	8.7	For All					
828	5.2041	Steel Plates and Strips for Pressure Vessels Used at Moderate and Low Temperature AC&A-3&4 Specification (Fourth Revision)	93000	75000	37500	15000	1 TONNE	4.35	For All					
829	5.2046	Decorative Thermosetting Synthetic Resin Bonded Laminated Sheets	136000	120000	60000	24000	ONE SQ. METRE	0.6	For All					
830	5.2047	Aluminium alloy hardeners (Master alloys)	96000	77000	38500	15400	1 MT	44.2	For All					
831	5.205	Non-Ferrous Metal Butt Hinges - Specification	46000	37000	18500	7400	100 PIECE	5.6	For All					
832	5.2062	Compound feed for cattle I/L Specification	75000	60000	30000	12000	1 TONNE	3.45	For All					
833	5.2061	Bicycle - Front forks	46000	37000	18500	7400	100 PIECE	3.5	For All					
834	5.2062	Hot Rolled Medium and High Tensile Structural Steel	72000	58000	29000	11600	1 TONNE	4	For All					
835	5.2074	Ready Mixed Paint Air Drying Red Oxide Zinc Chroming - Specification (Fourth Revision)	84000	68000	34000	13600	1 LITRE / 1 KG	0.26	For All					
836	5.2074 - PART 1	Ready Mixed Paint, Air Drying, Red Oxide - Zinc Chroming - Specification Part 1 For Domestic and Decorative Applications (Third Revision)	84000	68000	34000	13600	1 LITRE / 1 KG	0.26	For All					
837	5.2076	Unsupervised Flexible Polyvinyl Chloride Sheeting	84000	68000	34000	13600	SQ. METRE	0.08	For All					
838	5.208	Door Handles - Specification	47000	38000	19000	7600	100 PIECE	8.7	For All					
839	5.2082	Specification for stabilized hydrogen peroxide first Revision	61000	49000	24500	9800	1 MT	1.85	For All					
840	5.2083	STATIONARY STORAGE TYPE ELECTRIC WATER HEATERS	136000	120000	60000	24000	1 PIECE	6	For All					
841	5.2085	Common proofed canvas/duck and pavilins (tarpaulins)	65000	52000	26000	10400	100 SQ. METRE	8.6	For All					
842	5.2086	Reinforced Zinc - Specification (Fifth Revision)	83000	67000	33500	13400	1 MT	31.7	For All					
843	5.2089 - PART 1	Gypsum Plaster Boards - Specification Part 1 Plain Gypsum Plaster Boards	51000	41000	20500	10250	1 TONNE	5.25	For All					
844	5.2095 - PART 3	Gypsum Plaster Boards - Specification Part 3 Reinforced Gypsum Plaster Boards Tiles Cornices and Mouldings Third Revision of 5.2095 Part 3	196000	157000	78500	31400	1 SQM	0.6	For All					
845	5.2096	Asbestos cement flat sheets	46000	37000	18500	7400	1 TON	30	For All					
846	5.2097	Low Expansion Foam Making Branch Pipe and Portable Foam Indicator - Specification (Third Revision)	91000	76000	38000	15200	1 PIECE	5.4	For All					
847	5.2098	Asbestos Cement Building boards	49000	40000	20000	8000	1 TON	5.25	For All					
848	5.21	Wrought Aluminium and Aluminium Alloys for Manufacture of Utensils - Specification (Fifth Revision)	64000	51200	25600	10240	1 TONNE	160	For All					
849	5.210	Grey Iron Castings	49000	40000	20000	8000	1 TONE	72	For All					
850	5.2124	Sodium Bicarbonate	55000	44000	22000	8800	1 TONNE	1.0	For All					
851	5.2141	Hot Dip Galvanized Steel Strand	69000	55200	27600	10920	1 TON	69	For All					
852	5.2142	Bromine, Technical	46000	41000	20500	10250	1 TONNE	51	For All					
853	5.2181	Sewing Machine Needles for Household Purposes - Specification (Second Revision)	106000	85000	42500	17000	1000 PIECES	11	For All					
854	5.2185 - PART 1	Concrete masonry units - Part 1 Hollow and solid concrete blocks	82000	75000	37500	15000	1 TON	26.8	For All					
855	5.2185 - PART 2	Concrete Masonry Units Part 2 Autoclaved Cellular Aerated Concrete Blocks	59000	48000	24000	9600	10 CUBIC METER	17.3	For All		1000	87		Rest All
856	5.2191 - PART 2	WOODEN FLUSH DOOR SHUTTERS (CELLULAR, HOLLOW AND TUBULAR CORE TYPE) - SPECIFICATION PART 2 PARTICLE BOARD, HIGH DENSITY FIBRE BOARD, MEDIUM DENSITY FIBRE BOARD AND FIBRE HARDBOARD FACE PANELS (Fourth Revision)	179000	144000	72000	28800	1 SQM	2	For All					
857	5.2202 - PART 1	WOODEN FLUSH DOOR SHUTTERS SOLID CORE TYPE - SPECIFICATION PART 1 PLYWOOD FACE PANELS Seventh Revision	88000	71000	35500	14200	1 SQM	0.9	For All					
858	5.2202 - PART 2	WOODEN FLUSH DOOR SHUTTERS SOLID CORE TYPE - SPECIFICATION PART 2 PARTICLE BOARD HIGH DENSITY FIBRE BOARD MEDIUM DENSITY FIBRE BOARD AND HARDBOARD FACE PANELS Fourth Revision	199000	160000	80000	32000	1 SQM	2.25	For All					
859	5.2215	Starters for Fluorescent Lamps	46000	37000	18500	7400	1000 PIECE	10.4	For All					
860	5.2257	Paint Adhesives, Liquid Gum and Office Paste type Specification	46000	37000	18500	7400	1 LITRE	0.18	For All					
861	5.2268	STEEL WIRE ROPES FOR GENERAL ENGINEERING PURPOSE - SPECIFICATION (Sixth Revision)	75000	60000	30000	12000	1 TON	3.1	For All					
862	5.2269	Hexagon Socket Head Cap Screws	102000	81600	40800	16320	1 MT	17	For All					
863	5.229	Ethyl acetate - Specification (Fourth Revision)	168000	134400	67200	26880	1 MT	7	For All					
864	5.2312	Propeller type ac ventilating fans	96000	77000	38500	15400	1 PIECE	2.2	For All					
865	5.2339	Aluminium paints for general purposes - Specification	59000	48000	24000	9600	1 LITRE / KG	0.1	For All					
866	5.2347	DOMESTIC PRESSURE COOKER AC&A-3&4 SPECIFICATION	46000	37000	18500	7400	1 PIECE	0.87	For All					
867	5.2358	Formulations Based on Stabilized Methoxy Ethyl Mercury Chloride (MEMC) Concentrate	46000	37000	18500	7400	ONE TONNE	255.6	For All					
868	5.2365	STEEL WIRE ROPES FOR LIFTS - MINIMUM REQUIREMENTS (Third revision)	68000	54400	27200	10880	1 TON	34.6	For All					
869	5.2373	Water Meters (Bulk Type)	46000	37000	18500	7400	1 PIECE	17.3	For All					
870	5.2385	Hot Rolled Mild Steel Sheet and Strip in Coil Form for Cold-Reduced Tinplate and Cold-Reduced Blackplate	68000	54400	27200	10880	1 MT	6	For All					
871	5.2386 - PART 1	Methods of Test for Aggregates for Concrete - Part 1: Particle Size and Shape	46000	37000	18500	7400	1 PIECE	3.5	For All					
872	5.2386 - PART 3	Methods of test for aggregates for concrete Part 3 Specific gravity, density, voids, absorption and bulking	46000	37000	18500	7400	1 PIECE	3.5	For All					
873	5.2396	Rubber Hose for Fuel Dispensing	64000	51200	25600	10240	100 METER	25.9	For All					
874	5.2403	Short Pitch Transmission Precision Roller and Bush Chains, Attachments and Associated Chain Sprockets (Fourth Revision)	50000	40000	20000	8000	100 PIECE	1.75	For All					
875	5.2404	Mat Extract	64000	51200	25600	10240	1 TONNE	25.7	For All					
876	5.2414	Cycle and rickshaw pneumatic tyres	73000	58400	29200	11680	100 PIECES	14.6	For All					
877	5.2415	CYCLES - RUBBER TUBES	95000	76000	38000	15200	100 PIECE	6.85	For All					
878	5.2418 - PART 1	TUBULAR FLUORESCENT LAMPS FOR GENERAL LIGHTING SERVICE - PART I : SAFETY REQUIREMENTS	80000	60000	30000	12000	1 PIECE	0.06	For All					
879	5.2418 - PART 2	TUBULAR FLUORESCENT LAMPS FOR GENERAL LIGHTING SERVICE - PART II : PERFORMANCE REQUIREMENTS	80000	60000	30000	12000	1 PIECE	0.06	For All					
880	5.245	Trichloroethylene, Technical	52000	41600	20800	8320	1 TONNE	25.8	For All					
881	5.2465	Cables for motor vehicles	46000	37000	18500	7400	100 METER	0.42	For All					
882	5.2480 - PART 1	General purpose glass thermometers: Part 1 Solid stem thermometers	146000	117000	58500	23400	100 PCS	4	For All					
883	5.2494 - PART 1	V-Belts - Endless V-belts for Industrial Purposes - Part 1 : General Purpose	51000	41000	20500	10250	100 PIECE	3.5	For All					
884	5.2494 - PART 2	V-belts - Endless V-belts for industrial purposes: Part 2 Fire resistant and antistatic V-belts	188000	150400	75200	30080	100 PCS	50	For All					
885	5.2501	Solid Drawn Copper Tubes for General Engineering Purposes	73000	58400	29200	11680	1 MT	81.3	For All					
886	5.2502	COLD-ROLLED STEEL STRIPS FOR SPRINGS	64000	51200	25600	10240	1MT	5.5	For All					
887	5.2508	Polyethylene Films and Sheets AC&A-3&4-AC&A-4 SPECIFICATION (Fourth Revision)	83000	67000	33500	13400	1 KG	0.8	For All					
888	5.2515	Soda Ash, Technical - Specification (Fifth revision)	47000	38000	19000	7600	1 TONNE	1.5	For All					
889	5.2512	Miner's Cap Lamp Batteries (Lead acid type)	46000	37000	18500	7400	1 PIECE	0.18	For All					
890	5.252	CAUSTIC SODA - SPECIFICATION	58000	47000										

911	S 2556 - PART 9	Vitreous Sanitary Appliances (Vitreous China) - - Part 9: Specific Requirements of Pedestal Type Bids	46000	37000	23000	9000	1 TON	14	For All				
912	S 2557	Anatto Colour for Food Products	54000	45000	28000	11200	ONE KG	08	For All				
913	S 2558	Ponceau 4R, Food Grade	65000	50000	32000	13000	1 KG	13	For All				
914	S 2566	Textiles - B-willate bags for packing foodgrains	63000	51000	31500	12600	1 TONNE	173	For All				
915	S 2567	Specification for Malathion Emulsifiable Concentrates	92000	92000	26000	10800	100 LITRE	365	For All				
916	S 2568	Specification for Malathion Dusting Powders	91000	41000	25500	10200	1 TONNE	60	For All				
917	S 2569	Specification for Malathion Water Dispersible Powder Concentrates	64000	52000	32000	12800	1 TONNE	160	For All				
918	S 2573	LEATHER GUNBELTS AND MITTERS - SPECIFICATION	51000	45000	27000	11600	1 PAIR	02	For All				
919	S 2581	Round Strand Galvanized Steel Wire Ropes for Shipping Purposes	54000	44000	27000	10800	1 TON	346	For All				
920	S 2590	Primary aluminium ingots for remelting for general engineering purposes	49000	40000	24500	9800	1 MT	11	For All				
921	S 2593	Flexible Cables for Miners Cap-Lamps	79000	64000	39500	15800	100 M	188	For All				
922	S 2596	Bulbs (Lamps) for Miners' Cap-Lamps	46000	37000	23000	9000	100 PIECE	175	For All				
923	S 261	COPPER SULPHATE - SPECIFICATION	53000	43000	26500	10600	1 TONNE	3535	For All				
924	S 2618	Laboratory glassware - Test tubes (Third Revision)	56000	40000	25000	10000	100 PCS	1	For All				
925	S 2619	GLASS BEARERS	55000	44000	27500	11000	1 PIECE	036	For All				
926	S 2630	NITROBENZENE - SPECIFICATION	70000	56000	35000	14000	1 MT	560	For All				
927	S 2681	PROPPYACETONE	48000	39000	24000	13600	1 MP	48	For All				
928	S 2651	ELECTRIC WELDING ACCESSORIES	55000	44000	27500	11000	1 PIECE	1	For All				
929	S 2645	Integral Waterproofing Compounds for Cement Mortar and Concrete - Specification	70000	56000	35000	14000	1 TON	70	For All				
930	S 265	HYDROCHLORIC ACID - SPECIFICATION Fifth Revision	58000	47000	29000	11600	2 KG	026	For All				
931	S 2653	Safety Matches in Boxes	48000	39000	24000	9600	10000 BOXES	8	For All				
932	S 266	Sulphuric Acid	73000	59000	36500	14500	1 KG	026	For All				
933	S 2681	Non-ferrous metal sliding door bolts (Adrops) for with padlocks - Specification	46000	37000	23000	9000	1 PIECE	027	For All				
934	S 269	Ordinary Portland Cement	72000	56000	36000	14400	1 TON	3	For All				
935	S 2692	femurles for water services	53000	43000	26500	10600	1 PIECE	13	For All				
936	S 27	Primary Lead - Specification (Fifth Revision)	81000	65000	40500	16200	1 MT	48	For All				
937	S 2712	Gaskets and packings - compressed asbestos fibre jointing	65000	53000	32000	13000	3000 KG	44	For All				
938	S 2713 - PART 1 TO 3	Tubular Steel Poles for Overhead Power Lines	46000	37000	23000	9000	1 PIECE	35	For All				
939	S 2721	Galvanized Steel Chain Link Fence Fabric	67000	54000	33500	13400	10 SQ.M	18	For All				
940	S 2730	Magnesium sulphate (epsom salt)	50000	40000	25000	10000	1 TONNE	25	For All				
941	S 274 - PART 1 AND 2	Shovels - Part 1 : General Purpose Shovels - Part 2 : Heat-Treated Shovels	49000	40000	24500	9800	1 PIECE	04	For All				
942	S 2745	Specification for Non-Metal Helmet for Firemen and Civil Defence Personnel	55000	44000	27500	11000	1 PIECE	12	For All				
943	S 276	Autentric Manganese Steel Castings	67000	54000	33500	13400	ONE MT	911	For All				
944	S 277	GALVANIZED STEEL STRIP AND SHEETS (PLAIN AND CORRUGATED)	47000	38000	23500	9400	1 TONNE	45	For All				
945	S 278	Galvanized Steel Barbed Wire for Fencing-Specification	50000	40000	25000	10000	1 TON	667	For All				
946	S 2785	CHEESE - SPECIFICATION (Second Revision of S 2785)	50000	40000	25000	10000	1 TONNE	345	For All				
947	S 2791	SOLUBLE COFFEE POWDER - SPECIFICATION (FOURTH REVISION OF S 2791)	59000	48000	29500	11800	1 KG	06	For All				
948	S 280	Mild Steel Wire for General Engineering Purposes	65000	52000	32500	13000	1 TONNE	1	For All				
949	S 2802	ICE CREAM AND RULI - SPECIFICATION (First Revision of S 2802)	68000	55000	34000	13600	100 LITRES	30	For All				
950	S 281	Mild Steel Sliding Door Bolts for Use With Padlocks -Specification	46000	37000	23000	9000	1 PIECE	035	For All				
951	S 2830	Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into steel for general structural purposes - Specification	59000	48000	29500	11800	1 TONNE	36	For All				
952	S 2831	Carbon Steel Cast Billet Ingots, Billets, Blooms and Slabs For Re-rolling into Structural Steel (Ordinary Quality)	56000	45000	28000	11200	1 TONNE	3	For All				
953	S 2833	ANILINE, TECHNICAL	64000	52000	32000	12800	1 MT	965	For All				
954	S 2835	FLAT TRANSPARENT SHEET GLASS	132000	106000	66600	26400	1 MT	8	For All				
955	S 285	Laundry Soap	56000	48000	29500	11800	1 TONNE	30	For All				
956	S 2871	Branch Type, Universal For Fire Fighting Purpose - Specification	93000	73000	45000	18600	1 PIECE	42	For All				
957	S 2879	Mild steel for metal arc welding electrodes	74000	60000	37000	14800	1 TONNE	3	For All				
958	S 2888	Toilet soap	54000	44000	27000	10800	1 TONNE	540	For All				
959	S 2893	Carbamide, food grade - Specification (Third Revision)	65000	53000	32500	13000	1 KG	146	For All				
960	S 2925	Specification for Industrial Safety Helmets	70000	56000	35000	14000	1 PIECE	036	For All				
961	S 2932	ENAMEL, SYNTHETIC, EXTERIOR : (A) UNDERCOATING (B) FINISHING	81000	65000	40500	16200	1 LITRE	026	For All				
962	S 2932 - PART 1	ENAMEL, SYNTHETIC, EXTERIOR : (A) UNDERCOATING (B) FINISHING	81000	65000	40500	16200	1 LITRE	026	For All				
963	S 2933	Enamel exterior (a) undercoating, (b) finishing	65000	53000	32500	13000	1 LITRE	027	For All				
964	S 2980	Non-Pressure Stoves	60000	48000	30000	12000	1 PIECE	037	For All				
965	S 299	Alumino-feric - Specification	71000	57000	35500	14200	1 TONNE	1185	For All				
966	S 2993	A.c. motor capacitors	46000	37000	23000	9000	1 PIECE	08	For All				
967	S 2993 - PART 1	a.c. Motor Capacitors Part 1 General - Performance, Testing and Rating - Safety Requirements - Guidance for Installation and Operation (Third Revision)	660000	534000	334000	133800	1 PIECE	035	For All				
968	S 2993 - PART 2	a.c. Motor Capacitors Part 2 Motor Start Capacitors (Third Revision)	470000	378000	238000	94000	1 PIECE	035	For All				
969	S 2997	Ac. circular type electric fans and regulators	65000	53000	32500	13000	1 PIECE	72	For All				
970	S 3037	Thermistors for use with electric water heaters	90000	72000	45000	18000	1 PIECE	055	For All				
971	S 302 - PART 1	Household and similar Electrical Appliances Safety Part 1 General Requirements (Seventh Revision)	₹ 2,43,000.00 (For First Appliance & ₹ 50,000.00 (For Each Subsequent Appliance)	₹ 1,93,000.00 (For First Appliance & ₹ 50,000.00 (For Each Subsequent Appliance)	₹ 1.20	1 Piece for all appliances (100 Pieces for Electric Liquid Vaporizer Mosquito Repellent)	₹ 0.00	For All					
972	S 302 - PART 2 : SEC 11	Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 11 Tumbler dryers	167000	134000	83000	33400	1 PIECE	1	For All				
973	S 302 - PART 2 : SEC 14	SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES: PART 2 PARTICULAR REQUIREMENTS. SECTION 14 ELECTRIC KITCHEN MACHINES	147000	118000	73000	29400	1 PIECE	2	For All				
974	S 302 - PART 2 : SEC 15	Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 15 Appliances for heating liquids	158000	127000	79000	31600	1 PIECE	09	For All				
975	S 302 - PART 2 : SEC 201	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 201 Electric immersion water heater	66000	53000	33000	13200	1 PIECE	13	For All				
976	S 302 - PART 2 : SEC 202	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 202 Electric stoves	75000	60000	37500	15000	1 PIECE	08	For All				
977	S 302 - PART 2 : SEC 21	Household and Similar Electrical Appliances/ISafety Part 2 Particular Requirements Section 21 Storage Water Heaters	130000	104000	65000	26000	1 PIECE	6	For All				
978	S 302 - PART 2 : SEC 23	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 23 Appliances for skin or hair care	222000	178000	110000	44400	1 PIECE	025	For All				
979	S 302 - PART 2 : SEC 3	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 3 Electric iron	73000	59000	36500	14600	1 PIECE	13	For All				
980	S 302 - PART 2 : SEC 30	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 30 Room Heaters	85000	68000	42500	17000	1 PIECE	13	For All				
981	S 302 - PART 2 : SEC 31	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 31 Range Hoods	165000	132000	82000	33000	1 PIECE	33	For All				
982	S 302 - PART 2 : SEC 35	Safety of Household and Similar Electrical Appliances - Part 2 - Particular Requirements - Section 35 : Electric Instantaneous Water Heaters	104000	84000	52000	20800	1 PIECE	26	For All				
983	S 302 - PART 2 : SEC 59	Safety of Household and Similar Electrical Appliances - Part 2 - Particular Requirements - Section 59 : Insect Killers	59000	48000	29500	11800	1 PIECE	02	For All				
984	S 302 - PART 2 : SEC 7	Safety of Household And Similar Electrical Appliances Part 2 Particular Requirements Section 7: Domestic Electric Clothes Washing Machines	331000	265000	165000	66200	1 PIECE	2	For All				
985	S 302 - PART 2 : SEC 75	Safety of Household and Similar Electrical Appliances Part 2 Particular Requirements Section 75: Commercial Dispensing Appliances and Vending Machines	238000	191000	119000	47600	1 PIECE	8355	For All				
986	S 302 - PART 2 : SEC 76	Safety of Household and Similar Electrical Appliances - Part 2 - Particular Requirements - Section 76 : Electric Fence Energizers	270000	216000	135000	54000	1 PIECE	12	For All				
987	S 302 - PART 2 : SEC 80	Safety of Household and Similar Electrical Appliances - Part 2 Particular Requirements - Section : 80 Fans	154000	124000	77000	30800	1 PIECE	065	For All				
988	S 302 - PART 2 : SEC 9	Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 9 Toasters, Grills, Roasters and similar appliances	114000	92000	57000	22800	1 NO.	095	For All				
989	S 3024	GRAIN ORIENTED ELECTRICAL STEEL SHEETS AND STRIPS	59000	48000	29500	11800	ONE MT	175	For All				
990	S 303	Plywood for General Purposes - Specification (Fourth Revision)	67000	54000	33500	13400	1 SQ.M	035	For All				
991	S 3055 - PART 1	Clinical thermometers Part 1: solid stem type	59000	48000	29500	11800	1 PIECE	04	For All				
992	S 3055 - PART 2	Clinical thermometers Part 2: Enclosed scale type-Specification	59000	48000	29500	11800	1 PIECE	05	For All				
993	S 3062	Crop Protection Equipment - Rucker Sprayer	63000	51000	31500	12600	1 SPRAYER	46	For All				
994	S 3074	Steel Tubes for Automotive Purposes	70000	56000	35000	14000	ONE TONNE	87	For All				
995	S 3087	Practice boards of wood and other lignocellulosic materials (medium density) for general purposes - Specification	90000	80000	49000	19800	1 SQ.M	02	For All				
996	S 3099 - PART 1 TO 2	Microscopes - Slips and slides: Specification: Part 1 Microscope slips : Part 2 Microscope slides	46000	37000	23000	9000	500 PIECE	175	For All				
997	S 3104 - PART 1	Density hydrometers: Part 1 Requirements	57000	46000	28500	11400	1 PIECE	04	For All				
998	S 3117	Buoyon Cavitation for Roads and Allied Applications (Acoustic Type)	65000	53000	32500	13000	1 MT	426	For All				
999	S 3118	Electric Bacteriological Incubators	107000	86000	53000	21400	1 PIECE	26	For All				
1000	S 3119	Hot Air Sterilizers	108000	87000	54000	21600	1 PIECE	26	For All				
1001	S 3181	Conveyor belts - Fire resistant conveyor belting for underground mines and such other hazardous applications	149000	120000	74500	29800	1 SQ MTR	085	For All				
1002	S 3195	STEEL FOR THE MANUFACTURE OF VOLUTE AND HELICAL SPRINGS (FOR RAILWAY ROLLING STOCK)	72000	58000	36000	14400	1 MT	12	For All				
1003	S 3196 - PART 1	Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 1: Cylinders for Liquefied Petroleum Gases (LPG)	136000	96000	68000	27200	1 PIECE	35	50000	2.65	Rest All		
1004	S 3196 - PART 2	Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 2 : Cylinders for Liquefiable Non-Toxic Gases Other Than LPG	136000	96000	68000	27200	1 PIECE	35	50000	2.65	Rest All		
1005	S 3196 - PART 4	Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 4 : Cylinders for Toxic and Corrosive Gases (Amalgamation of S 7680,7681 and 7682)	136000	98000	68000	27200	1 PIECE	272	For All				
1006	S 3224	VALVE FITTINGS FOR COMPRESSED GAS CYLINDERS EXCLUDING LIQUEFIED PETROLEUM GAS LPG CYLINDERS - SPECIFICATION Fourth Revision of S 3224	103000	83000	51500	20600	1 PIECE	16	For All				
1007	S 3309	SOLUBLE COFFEE-CHOCORY POWDER - SPECIFICATION (THIRD REVISION OF S 3309)	50000	40000	25000	10000	1 KG	026	For All				
1008	S 3332	Steel Shelving Cabinets (Adjustable Type) - Specification (Third Revision)	87000	70000</									

1030	IS 3499 - PART 2	metal chairs for office purposes Specification Part 2 Revolving and tilting	107000	86000	53500	23400	1 PIECE	9	For All				
1031	IS 3502	Reinforced Plates	75000	40000	23500	10000	1 MF	1	For All				
1032	IS 3513 - PART 1	Resin treated compressed wood laminates (compreg) - Specification Part 1 for electrical purposes	221000	177000	110500	44200	1 SQM	4.05	For All				
1033	IS 3513 - PART 3	Resin Treated Compressed Wood Laminates (Compreg) - Specification Part 3 : For General Purposes	71000	59000	35500	14200	1 SQM	3.5	For All				
1034	IS 3521	Industrial safety belts and harnesses - Specification	46000	37000	23000	9000	1 PIECE	0.9	For All				
1035	IS 3521 - PART 2	Personal Fall Arrest Systems Specification Part 2 Lanyards and Energy Absorbers	79000	64000	39500	15800	1 NO.	0.3	For All				
1036	IS 3531 - PART 3	Personal Fall Arrest Systems Specification Part 3 Self-retracting Lifelines	79000	64000	39500	15800	1 NO.	1.75	For All				
1037	IS 3521 - PART 4	Personal Fall Arrest Systems Specification Part 4 Vertical rails and vertical Lifelines incorporating a sliding-type fall arrester	79000	64000	39500	15800	1 NO.	3.95	For All				
1038	IS 3521 - PART 5	Personal Fall Arrest Systems Specification Part 5 Connectors with self-closing and self-locking gates	79000	64000	39500	15800	1 NO.	0.2	For All				
1039	IS 3521 - PART 7	Personal Fall Arrest Systems Specification Part 7 Single point anchor devices	79000	64000	39500	15800	1 NO.	1.1	For All				
1040	IS 3521 - PART 8	Personal Fall Arrest Systems Specification Part 8 Flexible horizontal lifeline systems	79000	64000	39500	15800	1 NO.	3.3	For All				
1041	IS 3531 - PART 5	Personal Fall Arrest Systems Specification Part 5 Descending devices	79000	64000	39500	15800	1 NO.	7.25	For All				
1042	IS 3536	Ready mixed paint, brushing, wood primer - Specification (Second Revision)	78000	63000	39000	15000	1 LITRE	0.2	For All				
1043	IS 3549	Rubber Hoses and Hose Assemblies for Water Section and Discharge (C/S Specification (Third Revision)	89000	72000	44500	17900	100 METRE	161.8	For All				
1044	IS 3554	Hydraulically Regulated Door Closers - Specification	84000	68000	42000	16900	1 PIECE	2.6	For All				
1045	IS 3565	Teats for Feeding Bottles	97000	78000	48900	19400	1000 PIECES	5	For All				
1046	IS 3566	TEXTILES - VISCOSE RAYON CUT STAPLE SPUN YARN - SPECIFICATION (SECOND REVISION)	47000	38000	23500	9400	1 MF	161	For All				
1047	IS 3575	Blumen Drums	49000	40000	24500	9800	ONE PIECE	0.3	For All				
1048	IS 3589	Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outer Diameter)	127000	102000	63500	25400	1 TONNE	8.7	For All				
1049	IS 3601	Steel tubes for mechanical and general engineering purposes	73000	62500	38500	14600	1 TONNE	8.7	For All				
1050	IS 361	Normal Butyl Alcohol, Technical	51000	41000	25000	10200	1 TONNE	9.3	For All				
1051	IS 3614	Specification of Fire Doors and Assembly First Revision of IS 3614 Parts 1 & 2	262000	210000	131000	52400	1 Door	17.5	For All				
1052	IS 3617	Textiles: Gents pullover knitted Specification Second Revision	73000	59000	36500	14600	1 PIECE	0.4	For All				
1053	IS 362	Parliament Hinges -specification	47000	38000	23500	9400	100 PIECES	1.75	For All				
1054	IS 3623	Guide and Rubbing Ropes	74000	60000	37000	14800	1 TON	30.85	For All				
1055	IS 3626	Locked Coil Winding Ropes 3/4" Specification (Third Revision)	46000	37000	23000	9000	ONE TONNE	8.7	For All				
1056	IS 3650	Combination Side Cutting Flies	49000	40000	24500	9800	1 PIECE	0.32	For All				
1057	IS 3652	Crop Protection Equipment - Foot Sprayer	78000	63000	39000	15600	1 SPRAYER	5	For All				
1058	IS 366	Electric Ions	87000	70000	43500	17400	1 PIECE	1.3	For All				
1059	IS 367	ELECTRIC kettles and jugs for household and similar use	133000	107000	66500	26000	1 PIECE	1	For All				
1060	IS 3677	Unbonded Rock and Jig Wool for Thermal Insulation	127000	102000	63500	25400	1 MF	2.4	For All				
1061	IS 368	ELECTRIC immersion Water Heaters - Specification	89000	72000	44500	17900	1 PIECE	1.3	For All				
1062	IS 3686	Student-type Microscope	46000	37000	23000	9000	1 PIECE	3.5	For All				
1063	IS 369	HOUSEHOLD ELECTRIC DIRECT ACTING ROOM HEATERS	100000	80000	50000	20000	1 PIECE	1.7	For All				
1064	IS 371	Ceiling Ropes	61000	49000	30500	12200	100 PIECE	2.3	For All				
1065	IS 3725	Resistance wires, tapes and strips for heating elements	48000	39000	24000	9600	1 KG	1.75	For All				
1066	IS 3735	CANVAS SHOES, RUBBER SOLE	121000	97000	60500	24200	1 PAIR	0.36	For All				
1067	IS 3736	Canvas Boots, Rubber Sole	72000	58000	36000	14200	1 PAIR	1.2	For All				
1068	IS 374	ELECTRIC CEILING TYPE FANS	176000	142000	88000	35200	1 PIECE	0.65	For All				
1069	IS 3745	Yoke Type Medical Cylinder Valve with Pin Index Connection (Third Revision)	55000	44000	27500	11000	1 PIECE	0.42	For All				
1070	IS 3748	Foot Steady - Specification	94000	76000	46500	17200	1 MF	8.3	For All				
1071	IS 3757	High-Strength Structural Bolts - Specification	48000	39000	24000	9600	1 TON	13.35	For All				
1072	IS 3762	Metal Waste Paper Bins - Specification	94000	76000	47000	18800	1 PIECE	0.9	For All				
1073	IS 3768	Ventilation Ducting - Vinyl Coated, Flexible and Semi-Rigid	126000	100800	62880	25150	1 METRE	3.37	For All				
1074	IS 3812 - PART 1	Powdered Fuel Ash - Part 1: For Use as Pozzolana in Cement, Cement Mortar and Concrete	125000	100000	62500	25000	1 TON	9.2	For All				
1075	IS 3818	Continuous (Piano) Hinges - Specification	46000	37000	23000	9000	100 PIECE	8.85	For All				
1076	IS 3829 - PART 1	Horizontal Cylindrical and Horizontal Rectangular Steam Sterilizers, Pressure Type (for Hospital and Pharmaceutical Use)	53000	43000	26500	10600	1 PIECE	400	For All				
1077	IS 3829 - PART 2	Steam Sterilizers - Part 2 : Horizontal Cylindrical High-Speed Steam Sterilizers, Pressure Type (REDESIGNATION OF IS 4510 - 1978)	53000	43000	26500	10600	1 PIECE	530	For All				
1078	IS 3829 - PART 3	Steam Sterilizers - Part 3 : Pressure Sterilizers, Vertical Cylindrical Type	53000	43000	26500	9000	1 PIECE	103.7	For All				
1079	IS 383	SPECIFICATION FOR COARSE AND FINE AGGREGATES FROM NATURAL SOURCES FOR CONCRETE	94000	76000	47000	18800	1 TON	0.45	For All				
1080	IS 3830	Water Still for Pyrogen-Free Distilled Water	51000	41000	25000	10200	1 PIECE	140	For All				
1081	IS 3831	Stenthor, Shaline (breast drum)	46000	37000	23000	9000	1 PIECE	1.75	For All				
1082	IS 3832	Hand-Operated Chain Pulley Blocks	80000	64000	40000	16000	1 PIECE	17.3	For All				
1083	IS 3854	Switches for Domestic and Similar Purposes - Specification (Third Revision)	69000	56000	34500	13800	100 PIECE	3.5	For All				
1084	IS 3899	Sink water dispersible powder - Specification (Second Revision)	58000	47000	29000	11600	1 TONNE	193.35	For All				
1085	IS 3902	Dimethoate, Technical	58000	47000	29000	11600	ONE TONNE	172.8	For All				
1086	IS 3903	Dimethoate Emulsifiable Concentrates	51000	41000	25500	10200	100 LITRE	34.5	For All				
1087	IS 3906	Crop Protection Equipment - Hand-operated Knapsack Sprayer, Piston Type	53000	43000	26500	10600	ONE SPRAYER	3.45	For All				
1088	IS 3930	FLAME AND INDUCTION HARDENING STEELS	153000	123000	76500	30600	1 MF	5.7	For All				
1089	IS 3950	Surface boards for duct valves	53000	43000	26500	10600	1 PIECE	3.1	For All				
1090	IS 3975	Mild steel wires, formed wires and tapes for armouring of cables	49000	40000	24500	9800	1 TONNE	10.4	For All				
1091	IS 3976	PROTECTIVE RUBBER CANVAS BOOTS FOR MINERS	147000	118000	73500	29400	1 PAIR	0.99	For All				
1092	IS 398 - PART 1	Aluminium conductors for overhead transmission purposes: Part 1 Aluminium stranded conductors	53000	43000	26500	10600	1 TON	34.6	For All				
1093	IS 398 - PART 2	Aluminium conductors for overhead transmission purposes: Part 2 Aluminium conductors, galvanized steel reinforced	53000	43000	26500	10600	1 TON	90	For All				
1094	IS 398 - PART 4	Aluminium conductors for overhead transmission purposes: Part 4 Aluminium alloy stranded conductors (aluminium-magnesium-silicon type)	46000	37000	23000	9000	1 TON	46	For All				
1095	IS 398 - PART 5	Aluminium conductors for overhead transmission purposes: Part 5 Aluminium conductors - galvanized steel reinforced for extra high voltage (400 kV and above)	60000	48000	30000	12000	1 TON	34.6	For All				
1096	IS 398 - PART 6	Aluminium Conductors For Overhead Transmission Purposes Part 6: High conductivity aluminium alloy stranded conductors	225000	180000	112500	45000	1 MF	40	For All				
1097	IS 3989	CENTRIFUGALLY CAST (SPUN) IRON SPIGOT AND SOCKET PIPES, FITTINGS AND ACCESSORIES U/S SPECIFICATION (Fourth Revision)	61000	49000	30500	12200	1 TONNE	8.7	For All				
1098	IS 3992	Trays, kitchen	46000	37000	23000	9000	1 PIECE	0.3	For All				
1099	IS 3993	Trays, instruments	46000	37000	23000	9000	1 PIECE	1.4	For All				
1100	IS 4003 - PART 1	Pipe Wrenches - Specification Part 1 General Purpose (Second revision)	53000	43000	26500	10600	1 PIECE	0.36	For All				
1101	IS 4003 - PART 2	Pipe Wrenches - Part 2 - Heavy Duty	53000	43000	26500	10600	1 PIECE	1.35	For All				
1102	IS 4026	ALUMINIUM INGOTS BILLETS AND WIRE BARS EC GRADE	49000	40000	24500	9800	1 MF	11	For All				
1103	IS 4035	Trailers, stretcher	51000	41000	25000	10200	1 BED	3.4	For All				
1104	IS 4038	Foot Valves For Water Works Purposes	46000	37000	23000	9000	1 PIECE	1.75	For All				
1105	IS 4035 - PART 1	Lead sheets and strips - Part 1 : For chemical purposes	97000	77600	48500	19400	100 KG	1.4	For All				
1106	IS 407	Bra's Tubes for General Purposes	88000	71000	44000	17600	1 MF	100	For All				
1107	IS 4072	STEEL FOR SPRING WASHERS	73000	59000	36500	14600	1 MF	24.35	For All				
1108	IS 410	Cold Rolled Brass Sheet, Strip and Roll	46000	37000	23000	9000	1 MF	30	For All				
1109	IS 4105	Styrene (vinyl benzene) - Specification (Third Revision)	117000	94000	58500	23400	1 MF	100.5	For All				
1110	IS 4109	SADAH - SPECIFICATION	46000	37000	23000	9000	100 PIECES	99	For All				
1111	IS 411	Titanium dioxide, anatase, for paints	53000	43000	26500	10600	100 KG	1.4	For All				
1112	IS 4123	Chain Pipe Wrenches	53000	43000	26500	10600	1 PIECE	5.25	For All				
1113	IS 4135	Hospital Rubber Sheetings	65000	53000	32500	13000	100 SQ. METRE	28.8	For All				
1114	IS 4148	Surgical Rubber Gloves	54000	44000	27000	10800	100 PAIRS	1.74	For All				
1115	IS 4151	PROTECTIVE HELMET FOR TWO WHEELER RIDERS	46000	37000	23000	9000	1 PIECE	0.45	For All				
1116	IS 4159	Mineral Filled Shaped Heating Elements	53000	43000	26500	10600	1 PIECE	1.75	For All				
1117	IS 4171	Copper rods and bars for general engineering purposes	131000	89000	55500	22200	1 MF	7.5	For All				
1118	IS 418	Tungsten Filament Lamp For Domestic and Similar General Lighting Purposes	157000	126000	78500	31400	100 PIECE	1.6	For All				
1119	IS 419	Putty, For Use On Window Frames	49000	40000	24500	9800	1 LITRE/KG	0.05	For All				
1120	IS 4199	Toilet Soap, Liquid	50000	40000	25000	10000	ONE KILO LITRE	43.2	For All				
1121	IS 4223	STEEL WIRE FOR UMBRELLA RIBS	64000	52000	32000	12800	1 MF	15.25	For All				
1122	IS 4246	Domestic Gas Stoves for use with liquefied Petroleum Gases	113000	91000	56500	22600	1 PIECE	3.5	For All				
1123	IS 4250	Electric Food Mixers (Liquidizers and Grinders) and Central-Rigid Juicers A/B/A/A/A/A Specification (Second Revision)	79000	64000	39500	15800	1 PIECE	3.5	For All				
1124	IS 4265	4,4'-diaminodiphenyl-2,2'-disulphonic Acid	118000	95000	59000	23600	100 KG	2.4	For All				
1125	IS 4266	Lockers, bedside for Hospital Use	46000	37000	23000	9000	1 PIECE	2.5	For All				
1126	IS 427	Distemper, Dry, Colour as Required - Specification	68000	55000	34000	13600	1 LITRE/1 KG	0.36	For All				
1127	IS 4270	STEEL TUBES USED FOR WATER WELLS	71000	57000	35500	14200	1 TONNE	8.7	For All				
1128	IS 428	Washable Distemper - Specification	68000	55000	34000	13600	1 LITRE/1 KG	0.36	For All				
1129	IS 4283	Hot Air Fan	89000	72000	44500	17800	1 PIECE	1.75	For All				
1130	IS 4296 - PART 2	Tools for Pressing Punches Part 2 Punches with Cylindrical Head and Straight or Reduced Shank (second revision)	49000	40000	24500	9800	1 PIECE	0.85	For All				
1131	IS 4306	Hexamethyltetraamine (hexamine)	122000	98000	61000								

1157	S 447	Rubber Hose For Welding	55000	44000	27000	11000	100 METRE	25.9	For All					
1158	S 4505	SODIUM FORMALDEHYDE SULPHOXIMATE	46000	37000	23000	9000	1 MT	300	1000	200	5000	500	Rest All	
1159	S 4508	OPEN ENDED SUGGING WRENCHES (SPANNERS) - SPECIFICATION (Second Revision)	48000	39000	24000	9600	1 PIECE	06	For All					
1160	S 4509	RING SUGGING WRENCHES (SPANNERS) AC&A-8K* SPECIFICATION (second revision)	47000	38000	23500	9400	1 PIECE	05	For All					
1161	S 4521	Wire Ropes Used in Oil Wells and Oil Well Drilling and Other Applications of Petroleum and Natural Gas Industries - Specification (Third Revision)	107000	86000	53500	21400	1 TON	103.7	For All					
1162	S 4533	Suction Apparatus	77000	62000	38500	15400	1 PIECE	14	For All					
1163	S 4541	PORTLAND CEMENT - SPECIFICATION	73000	59000	36500	14600	1 TON	3	For All					
1164	S 4566	Methylene Chloride (Dichloromethane), Technical	54000	45000	28000	11000	1 MT	3	For All					
1165	S 4572	Fibre ropes - Polyamide 3-4-8 and 12- strand ropes (8th revision)	46000	37000	23000	9000	1 MT	290	150	145	Rest All			
1166	S 458	Precast Concrete Pipes (with and without Reinforcement) -	46000	37000	23000	9000	1 TON	87	For All					
1167	S 4581	PHOSPHORUS TRICHLORIDE PURE AND ANALYTICAL REAGENT SPECIFICATION Second Revision IS 4581	78000	63000	39000	15600	1 MT	67	For All					
1168	S 4588	Rubber, Raw, Natural	46000	37000	23000	9000	1 TONNE	25.9	For All					
1169	S 4589	Corrugated and semi-Corrugated Asbestos Cement Sheets-	46000	37000	23000	9000	1 TON	1.15	For All					
1170	S 4603	Phenyl Ethyl Alcohol	100000	80000	50000	20000	5 MT	25	For All					
1171	S 4605	CREPE BANDAGE	47000	38000	23500	9400	100 SQ. METRE	94	For All					
1172	S 4606	Steel sheets for use in foundries	100000	80000	50000	20000	1 MT	5.8	For All					
1173	S 4654	Paraffin Wax	56000	45000	28000	11200	1 TONNE	138	For All					
1174	S 4658	SPECIFICATION FOR COATED PAPER AND BOARD (ART AND CHROMO)	58000	79000	45000	19000	1 MT	4.85	For All					
1175	S 4684	Edible Groundnut Flour (Expeller Pressed)	95000	76000	47000	19000	1 TONNE	24	200	Rest All				
1176	S 4752	Sodium Metasilphite, Food Grade	61000	49000	30500	12200	1 KG	02	For All					
1177	S 4759	Hot-dip zinc coatings on structural steel and other allied products	53000	43000	26500	10600	1 MT	7.2	For All					
1178	S 4761	Unsupported PVC Rainwear	56000	44800	28000	11200	1 PIECE	0.23	For All					
1179	S 4786	Thiram water dispersible powder for slurry seed treatment - Specification (second revision)	54000	44000	27000	10800	1 TONNE	2.20	For All					
1180	S 4808	Pyrithione Emulsifiable Concentrates	66000	53000	33000	13200	100 LITR	66	For All					
1181	S 4824	Bead wires for tyres - Specification	79000	64000	39500	15800	1 MT	65	For All					
1182	S 4885	Specification Polyvinyl Acetate Dispersion Based Adhesives for Wood	54000	45000	28000	11000	1 TON	86	For All					
1183	S 4923	HOLLOW STEEL SECTIONS FOR STRUCTURAL USE - SPECIFICATION	74000	60000	37000	14800	1 TONNE	87	For All					
1184	S 493 - PART 1	Specification for general purpose machinery and spindle oils: Part 1 machinery oils (Second Revision)	63000	51000	31500	12600	1 KL	10	For All					
1185	S 4941	Extracted Honey	66000	53000	33000	13200	1 MT	36	For All					
1186	S 4947	Specification for Gas cartridges for use in fire extinguishers -	79000	64000	39500	15800	1 PIECE	1.75	For All					
1187	S 4948	Welded Steel Wire Fabric for General Use - Specification (Third Revision)	53000	43000	26500	10600	1 TON	30	For All					
1188	S 4955	Household Laundry Detergent Powders	57000	42000	26000	10400	1 MT	37.15	For All					
1189	S 4964	Textiles - Vest, Cotton, Plain (Single Jersey) Knitted	64000	52000	32000	12800	100 VESTS	9	For All					
1190	S 4984	POLYETHYLENE PIPES FOR WATER SUPPLY	50000	40000	25000	10000	1 TON	86.4	For All					
1191	S 4985	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES SPECIFICATION Fourth Revision	58000	47000	29000	11600	1 TON	86.4	For All					
1192	S 4989	FORM CONCENTRATE FOR PRODUCING MECHANICAL FOAM FOR FIRE FIGHTING	46000	37000	23000	9000	1 LITRE	02	For All					
1193	S 4990	PLYWOOD FOR CONCRETE SHUTTERING WORKS SPECIFICATION (Fourth Revision)	50000	72000	45000	18000	1 SLM	0.26	For All					
1194	S 4992	Door Handles for Mortice Locks AC- Specification (Second Revision)	51000	41000	25500	10200	1 PIECE	0.1	For All					
1195	S 4996	Reinforced Concrete Fence Posts	60000	48000	30000	12000	1 PIECE	4.85	For All					
1196	S 5012	Cellulose Film	59000	48000	29500	11800	1 TONNE	32	For All					
1197	S 5022	Stenographs, Instruments (Table Model)	46000	37000	23000	9000	1 PIECE	1.75	For All					
1198	S 5029	Bedsteads, Hospital, General Purposes	121000	97000	60500	24200	1 PIECE	11.3	For All					
1199	S 5030 - PART 2	Metal Cutting Bandsaw Blades - Part II: Tolerances	87000	70000	43500	17400	1 MT	0.15	For All					
1200	S 5035	Steersilers, Bowls and Utensil (Pedal Type)	46000	37000	23000	9000	1 PIECE	140	For All					
1201	S 5052	Wrought aluminium and aluminium alloy bars, rods, tubes and sections for electrical purposes	46000	37000	23000	9000	1 MT	24	For All					
1202	S 5125	Cold reduced low carbon steel sheets and strips	73000	59000	36500	14600	ONE M.T.	35	For All					
1203	S 512 - PART 1	COLD REDUCED CARBON STEEL SHEET AND STRIP PART 1 COLD FORMING AND DRAWING PURPOSES	73000	59000	36500	14600	1 MT.	35	For All					
1204	S 512 - PART 2	COLD REDUCED CARBON STEEL SHEET AND STRIP PART 2 HIGH TENSILE AND MULTI-PHASE STEEL	73000	59000	36500	14600	1 MT.	43	For All					
1205	S 5135 - PART 1	Hand Rotary Duster - Part 1 : Belly Mounted Type	55000	44000	27500	11000	ONE DUSTER	33	For All					
1206	S 5143	Adjustable Javelin Crutches AC&A-8K*Specification (Third Revision)	48000	39000	24000	9600	1 PIECE	04	For All					
1207	S 5149	Specification for Maleic Anhydride, Technical (Second Revision)	57000	46000	28500	11400	1 MT	9.55	For All					
1208	S 5158	PHALIC ANHYDRIDE, TECHNICAL	66000	53000	33000	13200	3M.T	7.1	For All					
1209	S 5168	GLASS FEEDING BOTTLES	100000	84000	52500	21000	100 BOTTLES	9	For All					
1210	S 5197	METHANOL (METHYL ALCOHOL)	78000	63000	39000	15600	5 MT	13	For All					
1211	S 5175	Fibre ropes - Polypropylene split film monofilament and multifilament PP 2 and polypropylene high tenacity multifilament PP 3-3-4-8- and 12- strand ropes (fourth revision)	47000	38000	23500	9400	1 TONNE	432	For All					
1212	S 5191	Sodium Nitrate, Food Grade	83000	71000	44000	17600	1 KG	0.02	For All					
1213	S 5192 - PART 2	Natural rubber compounds : Part 2 for extruded products	68000	55000	34000	13600	1 KG	02	For All					
1214	S 5204	Research Microscope	46000	37000	23000	9000	1 PIECE	36	For All					
1215	S 5206	Covered electrodes for manual metal arc welding of stainless steel and other similar high alloy steels	117000	97000	58500	23400	ONE TONNE	60	For All					
1216	S 5244	Safe Deposit Locker Cabinets Specification	203000	163000	101000	40600	1 PIECE	79.8	For All					
1217	S 5271	Paralindaldehyde	130000	106000	66000	26400	1 MT	6.95	For All					
1218	S 5277	Pyrethrons Emulsifiable Concentrates	54000	45000	28000	11000	100 LITRE	34.5	For All					
1219	S 5278	Dicolol, Technical	46000	37000	23000	9000	1 TONNE	306.7	For All					
1220	S 5279	Dicolol Emulsifiable Concentrates	49000	40000	24500	9800	100 LITRE	34.5	For All					
1221	S 5280	Specification for sealing wires	62000	50000	31000	12400	1 PIECE	5.8	For All					
1222	S 5281	Tapes, Operation, Hydraulic, Major	46000	37000	23000	9000	1 TON	103.7	For All					
1223	S 5295	Ethylene Glycol - Specification (Third Revision)	126000	101000	63000	25200	100 KG	0.05	For All					
1224	S 5301	Sodium Chlorate	60000	48000	30000	12000	5 MT	4.95	For All					
1225	S 5312 - PART 1	SWING CHECK TYPE REFLEX (NON-RETURN) VALVES FOR WATER WORKS PURPOSES - PART 1 : SINGLE-DOOR PATTERNS	66000	53000	33000	13200	1 PIECE	6	For All					
1226	S 5342	Ascorbic Acid, Food Grade	65000	52000	32500	13000	ONE KG	14	For All					
1227	S 5346	Synthetic Food Colour - Preparations and Mixtures	54000	44000	27000	10800	1 KG (FOR POWDER), 1 LITRE (FOR LIQUID)	0.45	For All					
1228	S 537	TOLUENE - SPECIFICATION	141000	113000	70500	28200	1 MT	56	For All					
1229	S 538	Phenol (Carbolic Acid)	62000	50000	31000	12400	1 MT	5.95	For All					
1230	S 5382	RUBBER SEALS JOINT RINGS FOR WATER SUPPLY, DRAINAGE AND SEWERAGE PIPELINES SPECIFICATION FOR MATERIALS	76000	61000	38000	15200	1 PIECE	0.26	For All					
1231	S 539	Naphthalene	52000	42000	26000	10400	01 KG	0.06	For All					
1232	S 5405	Disposable Sanitary Napkin/Panty Liner/Maternity Pad/Period Panty - Specification (Third Revision)	46000	37000	23000	9000	1000 PIECE	10	For All					
1233	S 5410	Cement Paint - Specification	46000	37000	23000	9000	100 KG	8.6	For All					
1234	S 542	Coconut oil - Specification (Third Revision)	124000	100000	62000	24800	1 MT	20.7	For All					
1235	S 5430	AMMONIA PRESERVED/CONCENTRATED NATURAL RUBBER/LATEX	57000	46000	28500	11400	1 TONNE (DRY BASIS)	51.8	For All					
1236	S 5437	Figured Rolled And Wired Glass	92000	74000	46000	18400	1 MT	2	For All					
1237	S 5456	Positive Displacement Type Air Compressors and Exhausters Testing and Acceptance (Third Revision)	46000	37000	23000	9000	1 PIECE	26.7	For All					
1238	S 5470	Dicalcium Phosphate, Animal Feed Grade	67000	54000	33500	13400	ONE TONNE	17.3	For All					
1239	S 5484	EC GRADE ALUMINIUM ROD PRODUCED BY CONTINUOUS CASTING AND ROLLING - SPECIFICATION	60000	48000	30000	12000	1 MT	34.6	For All					
1240	S 5487	Metal Polish, Liquid	57000	46000	28500	11400	ONE KILO LITRE	51.8	For All					
1241	S 5489	CARBURIZING STEELS FOR USE IN BEARING INDUSTRY	72000	58000	36000	14400	1 MT	30	For All					
1242	S 550 - PART 1	Sales Part 1 specification FIFTH Revision	46000	37000	23000	9000	1 PIECE	179	For All					
1243	S 5504	Spiral Wound Pipes	45000	36000	22500	9000	1 TONNE	8.7	For All					
1244	S 5509	Fire Retardant Plywood - Specification (Third Revision)	70000	56000	35000	14000	1 SLM	0.7	For All					
1245	S 5513	Specification for vici apparatus	53000	43000	26500	10600	1 PIECE	6	For All					
1246	S 5514	Specification Apparatus Used in "Le-châtelier" Test	46000	37000	23000	9000	1 PIECE	9.88	For All					
1247	S 5516	Specification variable flow type air permeability apparatus (Blaine type)	51000	41000	25500	10200	1 PIECE	5.6	For All					
1248	S 5517	Steels for Hardening and Tempering	94000	76000	47000	18800	1 TONNE	5	For All					
1249	S 5518	STEELS FOR DIE BLOCKS FOR DRIP FROSTIFICATION	93000	75000	46500	18600	1 MT	12	For All					
1250	S 5522	Stamped Steel Sheets and Strips For Unstitch Specification	55000	44500	27500	11000	ONE MT	37	For All					
1251	S 555	Resin (gum resin)	70000	56000	35000	14000	ONE TONNE	50	For All					
1252	S 5551	Cast iron specials for asbestos cement pressure pipes for water, gas and sewage - Specification	77000	62000	38500	15400	1 TONNE	27.3	For All					
1253	S 555	Electric Table Type Fans Registers	154000	124000	77000	30800	1 PIECE	0.05	For All					
1254	S 5557	Industrial and protective rubber knee and ankle boots - Specification (Fourth Revision)	95000	76000	47500	19000	1 PAIR	0.8	For All					
1255	S 5557 - PART 2	ALL RUBBER GUM BOOTS AND ANKLE BOOTS PART 2 OCCUPATIONAL PURPOSES	100000	80000	50000	20000	1 PAIR	1	For All					
1256	S 5604	Specification for hand-operated Universal Gearless Pulling and Lifting Machines	46000	37000	23000	9000	1 PIECE	17.3	For All					
1257	S 5631	Trolley, Instrument, Plain and Curved	46000	37000	23000	9000	1 PIECE	2.3	For All					
1258	S 5672	Mineral Mixtures for Supplementing Poultry Feeds	77000	62000	38500									

1288	S 6218	Bicycle - Mudguards	59000	48000	29500	11800	100 PAIRS	56	For All				
1289	S 623	Bicycle - Bicycle frames (Amalgamating S13404: 1979)	46000	37000	23000	9200	100 PIECE	35	For All				
1290	S 624	Bicycles - Rims	46000	37000	23000	9200	100 PIECE	35	For All				
1291	S 6240	Hot Rolled Steel Plate (up to 6 mm) Sheet and Strip for the Manufacture of Low Pressure Liquefiable Gas Cylinders	77000	62000	38500	15400	1 TONNE	39	For All				
1292	S 6245	Quinoline, Technical	130000	104000	65000	26000	1 KG	03	For All				
1293	S 629	Bicycle Hub Assembly - Specification	78000	63000	39000	15600	100 PIECES	7	For All				
1294	S 629	Beam Rims	221000	177000	110500	44200	1 PIECE	13	For All				
1295	S 6311	Polyethylene containers for the transport of materials	83460	68312	42000	17120	1 TON	034	For All				
1296	S 6315	Floor springs (hydraulically regulated) for heavy doors -	46000	37000	23000	9200	1 PIECE	525	For All				
1297	S 636	Non-Percolating Flexible Fire Fighting Delivery Hose - Specification	80000	64000	40000	16000	100 METRE	173	For All				
1298	S 638	Sheet Rubber Joining and Rubber Insertion Joining	64000	52000	32000	12800	1 TONNE	200	For All				
1299	S 6385	Saccharin, Food Grade	71000	57000	35000	14200	1 KG	32	For All				
1300	S 6392	Steel Pipes Flanges - Specification (First Revision)	51000	41000	25500	10200	1 PIECE	175	For All				
1301	S 6406	Brilliant Blue FCF, Food Grade	64000	52000	32000	12800	1 KG	15	For All				
1302	S 6419	Welding rods and bare electrodes for gas shielded arc welding of structural steel	179000	143200	89500	35800	N/A	032	For All				
1303	S 6438	Aluminium Phosphide Formulations	46000	37000	23000	9200	1 TONNE	661	For All				
1304	S 6444	Superior Drying Powders - Specification second revision	46000	37000	23000	9200	1 TONNE	29	For All				
1305	S 6452	Specification for high alumina cement for structural use	56000	45000	28000	11200	17 TONNE	4	For All				
1306	S 646	Liquid Chlorine, Technical	51000	41000	25500	10200	1 MT	056	For All				
1307	S 648	Cold rolled non-oriented electrical steel sheet and strip - Fully processed type - Specification Sixth Revision	46000	37000	23000	9200	1 TONNE	3	For All				
1308	S 6500	Specification for Standard Sand for Testing of Cement	46000	37000	23000	9200	1 TON	151	For All				
1309	S 6501	Glazed Stoneware Pipe and Fittings -	67000	54000	33500	13400	1 TON	87	For All				
1310	S 6507	Stainless Steel Wire Rod	46000	37000	23000	9200	1 MT	114	For All				
1311	S 6508	Stainless steel wire - Specification (Second Revision)	65000	48000	30000	12000	1 MT	205	For All				
1312	S 6529	STAINLESS STEEL BLOOMS, BILLETS AND SLABS FOR FORGING	85000	68000	42500	17000	1 MT	486	For All				
1313	S 6590	ROPES FOR MOUNTAINEERING A A&A, SPECIFICATIONS	95000	52000	32500	13000	100 METERS	48	For All				
1314	S 6593	Electric Sanitological Water-baths	97000	78000	48500	19400	1 PIECE	26	For All				
1315	S 6595 - PART 1	Horizontal Centrifugal Pumps for Clear, Cold Water - Part 1 : Agricultural and Rural Water Supply Purposes	65000	52000	32500	13000	1 PIECE	53	For All				
1316	S 6595 - PART 2	Horizontal centrifugal pumps for clear, cold water: Part 2 General purposes other than agricultural and rural water supply	46000	37000	23000	9200	1 PIECE	53	For All				
1317	S 6603	Stainless Steel Semi-finished Products, Bars, Wire Rods and Bright Bars &C Specification (Second Revision)	78000	63000	39000	15600	1 MT	12	For All				
1318	S 6603	High Strength Structural Nuts	46000	37000	23000	9200	1 TON	1335	For All				
1319	S 6649	Hardened and Tempered Washers for High Strength Structural Bolts and Nuts	46000	37000	23000	9200	1 TON	1335	For All				
1320	S 6664	Microcellular Rubber Sheets for Outsoles	64000	52000	32000	12800	100 KG	09	For All				
1321	S 6685	Life Jackets	186000	149000	93000	37200	1 PIECE	1	For All				
1322	S 6701	Tungsten filament miscellaneous electric lamps	125000	100000	62500	25000	100 PIECE	11	For All				
1323	S 6719	Moulded PVC Unit Outsoles	56000	45000	28000	11200	100 PAIRS	085	For All				
1324	S 6721	SANDAL AND SLIPPERS SPECIFICATION First revision	135000	108000	67500	27000	1 PAIR	026	For All				
1325	S 6760	Slotted Countersunk Head Wood Screws	46000	37000	23000	9200	1000 PIECE	12	For All				
1326	S 6803	Special Proofed Canvas and Duck	84000	68000	42000	16800	100 SQ. METRE	36	For All				
1327	S 6831	Caustic Potash	102000	82000	51000	20400	5 MT	6	For All				
1328	S 6899	Textiles - High density polyethylene (HDPE) woven fabrics	69000	56000	34500	13800	100 SQ. M.	5	For All				
1329	S 6901	GAS WELDING EQUIPMENT - PRESSURE REGULATORS FOR GAS CYLINDERS USED IN WELDING, CUTTING AND ALLED PROCESSES UP TO 300 BAR	46000	37000	23000	9200	1 PIECE	35	For All				
1330	S 6902	STEEL WIRE FOR SPARKS	65000	52000	32500	13000	1 MT	155	For All				
1331	S 6908	Asbestos cement pipes and fittings for sewerage and drainage	46000	37000	23000	9200	1 TON	26	For All				
1332	S 6909	Supersulphated cement	79000	64000	39500	15800	1 TONNE	3	For All				
1333	S 6911	STAINLESS STEEL PLATE, SHEET AND STRIP	96000	77000	48000	19200	ONE TONNE	12	For All				
1334	S 6913	Stainless steel tubes for the food and beverage industry	143000	115000	71500	28600	5 MT	35	For All				
1335	S 694	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	93000	75000	46500	18600	100 METER	044	For All				
1336	S 695	ACETIC ACID	78000	63000	39000	15600	1 MT	176	For All				
1337	S 6956	Cover Paper	63000	51000	31500	12600	1 TONNE	56	For All				
1338	S 6971	2-ethyl Hexan-1-ol	94000	76000	47000	18800	1 MT	85	For All				
1339	S 6994 - PART 1	Protection of Arms and Hands Part 1 Protective Gloves against Dangerous Chemicals and Micro-organisms- Terminology and performance requirements for chemical risks (First revision)	128000	103000	64000	25600	100 PAIRS	1	For All				
1340	S 6994 - PART 6	Protection of Arms and Hands Part 6 Protective gloves against mechanical risks	206000	165000	103000	41200	100 PAIRS	4	For All				
1341	S 702	SPECIFICATION FOR INDUSTRIAL BUTYLENE	63000	51000	31500	12600	1 TONNE	175	For All				
1342	S 7021	PROTEIN-RICH FOOD SUPPLEMENTS FOR INFANTS AND PRESCHOOL CHILDREN	80000	64000	40000	16000	ONE TONNE	20	For All				
1343	S 704	Crow-bars and Crow-bars	52000	42000	26000	10400	1 MT	034	For All				
1344	S 7056	Textiles 1/2 Cotton Towelling and Towels 1/2 Specification (Second revision)	69000	56000	34500	13800	1 PIECE	025	For All				
1345	S 7058	Table Wines	46000	37000	23000	9200	100 LITRES	40	For All				
1346	S 7069	Benzothiazyl-2-Cyanoethyl Sulphenamide (CBS)	388000	315000	194000	77600	1 MT	1175	For All				
1347	S 7079	Automotive vehicles - Brake hose assemblies for hydraulic braking systems used with non-petroleum base brake fluid	46000	37000	23000	9200	100 PIECE	87	For All				
1348	S 7080 - PART 3	MTP Suction Apparatus - Part 3 : Electrically Operated	51000	41000	25500	10200	1 PIECE	36	For All				
1349	S 7081	Trochis, Medicine	65000	52000	32500	13000	1 MT	24	For All				
1350	S 7092 - PART 2	Aluminium Alloy Tube for Irrigation Purposes - Part 2 : Extruded Tube	83000	67000	41500	16600	1 TONNE	87	For All				
1351	S 7098 - PART 1	Cross-linked polyethylene insulated PVC sheathed cables: Part 1 For working voltage upto and including 1 100V	128000	103000	64000	25600	100 M	12	For All				
1352	S 7098 - PART 2	Cross-linked Polyethylene Insulated Thermoplastics Sheathed Cables - Part 2 for Working Volt ages from 33 kV up to and including 33 kV	152000	122000	76000	30400	100 M	173	For All				
1353	S 7098 - PART 3	Cross-linked polyethylene insulated thermoplastic sheathed cables: Part 3 For working voltages from 66 kV upto and including 240 kV	81000	68000	40500	16200	1 M	35	For All				
1354	S 720	MAINE FC TWO-20 - SPECIFICATION (Third Revision)	84000	78000	48000	18800	1 SQ. M	038	For All				
1355	S 711	FERRIC CHLORIDE TECHNICAL SPECIFICATION	55000	44000	27600	11000	1 TONNE	8	For All				
1356	S 712	Specification for Building Times	100000	80000	50000	20000	1 TON	175	For All				
1357	S 7123	Hair Oil	46150	37224	23255	936	100 LITRE	60	For All				
1358	S 7129	POTASSIUM CARBONATE ANHYDROUS SPECIFICATION (Second Revision)	68000	55000	34000	13600	1 MT	62	For All				
1359	S 713	Zinc Base Alloy Ingot for Die Casting	79000	64000	39500	15800	3 MT	311	For All				
1360	S 7138	Steel Tubes for Furniture Purposes	63000	51000	31500	12600	1 MT	5	For All				
1361	S 7142	Welded low carbon steel cylinders for low pressure liquefiable gases not exceeding 5 litre water capacity - Specification	136000	96000	60000	24000	1 PIECE	265	50000	175	Rest All		
1362	S 717	Carbon Disulphide, Technical	51000	41000	25500	10200	1 MT	3	For All				
1363	S 7181	Horizontally cast iron double flanged pipes for water, gas and sewage	72000	58000	36000	14400	1 TONNE	20	For All				
1364	S 7224	Iodized salt, vacuum evaporated iodized salt and refined iodized salt	67000	54000	33000	13200	1 TONNE	179	For All				
1365	S 7226	COLD ROLLED MEDIUM, HIGH CARBON AND LOW ALLOY STEEL STRIP FOR GENERAL ENGINEERING PURPOSES	78000	63000	39000	15600	1 MT	435	For All				
1366	S 723	Steel-Countersunk Head Wire Nails 1/2 Specification (Second Revision)	46000	37000	23000	9200	1 TONNE	90	For All				
1367	S 7231	Plastic Flushing Cisterns for Water Closets and Urinals - Specification	72000	58000	36000	14400	1 PIECE	09	For All				
1368	S 7283	Hot rolled bars for production of bright bars and machined parts for engineering applications	71000	57000	35500	14200	1 TONNE	42	For All				
1369	S 7285 - PART 1	REFILLABLE SEAMLESS STEEL GAS CYLINDERS - PART 1 - NORMALIZED STEEL CYLINDERS	136000	109000	68000	27200	1 PIECE	104	For All				
1370	S 7285 - PART 2	REFILLABLE SEAMLESS STEEL GAS CYLINDERS - PART 2 : QUENCHED AND TEMPERED STEEL CYLINDERS WITH TENSILE STRENGTH LESS THAN 1100 MPA (112 KGF/MM2)	136000	109000	68000	27200	1 PIECE	104	For All				
1371	S 7291	High Speed Tool Steels	304000	244000	150000	60000	1 MT	118	For All				
1372	S 73	Paving Bitumen	72000	58000	36000	14400	ONE MT	24	For All				
1373	S 7302	Valve fittings for self contained breathing apparatus (SCBA) and self contained underwater breathing apparatus (SCUBA) - Specification (First Revision)	65000	52000	32500	13000	1 VALVE	3	For All				
1374	S 7313	WELDED SEAMLESS STEEL INSULATED POLYETHYLENE GAS CYLINDERS	136000	96000	60000	24000	1 PIECE	104	For All				
1375	S 7320	Specification for concrete slump test apparatus	46000	37000	23000	9200	1 PIECE	2	For All				
1376	S 7328	Specification for Polyethylene Material for Moulding and Extrusion (Third Revision)	54000	44000	27600	10800	2 MT	66	For All				
1377	S 733	Wrought Aluminium and Aluminium Alloy Bars, Rods and Sections (For General Engineering Purposes)	72000	58000	36000	14400	1 MT	343	For All				
1378	S 7347	Performance of Small Size Spark Ignition Engines for agricultural sprayers and similar applications	46000	37000	23000	9200	1 PIECE	22	For All				
1379	S 736	Wrought aluminium and aluminium alloy plate for general engineering purposes	55000	44000	27600	11000	1 MT	22	For All				
1380	S 737	WROUGHT ALUMINIUM AND ALUMINIUM ALLOY SHEET AND STRIP FOR GENERAL ENGINEERING PURPOSES SPECIFICATION (Fifth Revision)	65000	52000	32500	13000	1 MT	154	For All				
1381	S 7372	Lead-acid storage batteries for motor vehicles	46000	37000	23000	9200	1 PIECE	09	For All				
1382	S 7378	Rest Fowler's Hospital	51000	41000	25500	10200	1 PIECE	235	For All				
1383	S 738	Wrought aluminium alloys, drawn tube for general engineering purposes	52000	42000	26000	10400	1 MT	130	For All				
1384	S 7381	Hand Operated Square Drive Socket Wrenches	57000	46000	28500	11400	100 PCS	23	For All				
1385	S 739	Wrought aluminium and aluminium alloy wire for general engineering purposes	93000	76000	47000	18800	1 MT	6685	For All				
1386	S 7402	Ceramic Water Purifier Filter Cartridges - Specification	71000	57000	35500	14200	ONE FILTER	036	For All				
1387	S 7404 - PART 1	Paper Covered Copper Conductors - Part 1 : Round Conductors	100000	88000	54500	21800	1 MT	90	For All				
1388	S 7408 - PART 3	Blow Moulded Polypropylene Containers - Part 3 : Closed Head Containers Over 60 Litres, up to and including 250 Litres Capacity	65000	52000	32500	13000	1 NO.	01	For All				
1389	S 746	Textiles Handloom cotton bed sheets Specification	56000	45000									

1412	S 781	Steel Book Cases	96000	72000	45000	18000	1 PIECE	17	For All			
1413	S 778	Copper Alloy Ische, Globe and Check Valves for Waterworks Purposes	57000	28000	18000	18000	1 PIECE	06	For All			
1414	S 779	Water Meters (Domestic Type)	130000	104000	65000	26000	1 PIECE	1.75	For All			
1415	S 7809 : PART 3 : SEC 1	Pressure Sensitive Adhesive Insulating Tapes for Electrical Purposes - Part 3 : Requirements for Individual Materials - Section 1 : Plasticized Polyvinylchloride Tapes with Non-Thermosetting Adhesive	46000	37000	23000	9000	100 ROLL	0.9	5000	0.55	Rest All	
1416	S 781	Cast Copper Alloy Screw Down Bib Taps And Stop Valves for Water Services	49000	40000	24000	18000	1 PIECE	0.45	For All			
1417	S 7814	Phosphor bronze sheet, strip And Foil - Specification	137000	110000	68500	27400	1 MT	90	For All			
1418	S 7834 : PART 1	Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 1 General requirements	55000	44000	27000	11000	100 PIECE	11	For All			
1419	S 7834 : PART 2	Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 2 Specific requirements for 45 degrees elbows	67000	54000	33500	13400	100 PCS	8.65	For All			
1420	S 7834 : PART 3	Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 3 Specific requirements for 90 degree elbows	57000	46000	28500	11400	100 PIECE	8.65	For All			
1421	S 7834 : PART 4	Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 4 Specific requirements for 90 degree tees	67000	54000	33500	13400	100 PIECE	6	For All			
1422	S 7834 : PART 5	Injection Moulded PVC Socket Fittings With Solvent Cement Joints for Water Supplies - Part 5 - Specific Requirements for 45 degree Tees	58000	47000	29000	11600	100 PCS	6	For All			
1423	S 7834 : PART 6	Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 6 Specific requirements for sockets	59000	48000	29500	11800	100 PCS	2.95	For All			
1424	S 7834 : PART 7	Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 7 Specific requirements for unions	57000	46000	28500	11400	100 PCS	10.3	For All			
1425	S 7834 : PART 8	Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 8 Specific requirements for caps	60000	48000	30000	12000	100 PIECE	8.65	For All			
1426	S 784	PRESTRESSED CONCRETE PIPES (INCLUDING FITTINGS) -	46000	37000	23000	9000	1 TON	8.7	For All			
1427	S 7887	Textiles I/2 Continuous Filament Polyamide (Nylon 6) Yarn I/2 Specification (Second revision)	150000	120000	75000	30000	1 MT	21	For All			
1428	S 7892	Deep Freezers - Specification (Second Revision)	516000	413000	258000	103200	1 LITRE	0.1	For All			
1429	S 7887	Mild steel wire rods for general engineering purposes	64000	53000	33000	13200	1 TONNE	3	For All			
1430	S 7888	Manually Operated Chaff Cutter - Specification and Test Code(Third Revision)	47000	38000	23500	9400	1 MACHINE	12	For All			
1431	S 7902	Aluminium alloy for goring stock and for gings for aircraft purposes (Alloy 24345)	121000	97000	60500	24200	1 MT	26.5	For All			
1432	S 7903	TEXTILES - TARPAILINES MADE FROM HIGH DENSITY POLYETHYLENE WOVEN FABRIC	99000	80000	49000	19800	100 SQ. METRE	7	For All			
1433	S 7904	HIGH CARBON STEEL WIRE RODS	70000	56000	35000	14000	1 TONNE	8.1	For All			
1434	S 7933	SPECIFICATION FOR Flexible Polyurethane Foam for Domestic Mattresses First Revision	93000	75000	46500	18600	1 KG	0.54	For All			
1435	S 7948	Fenestron EC	47000	38000	23500	9400	100 LITRE	200	For All			
1436	S 797	COMMON SALT FOR CHEMICAL INDUSTRIES SPECIFICATION	54000	44000	27000	10800	1 MT	34	For All			
1437	S 7975 : PART 2	Assembly tools for screws and nuts - Driving parts for hand - Operated square drive socket wrenches: Part 2 dimensions and tests (Second Revision)	51000	41000	25500	10200	1 PIECE	0.3	For All			
1438	S 798	Orthophosphoric acid	55000	44000	27500	11000	1 MT	4.8	For All			
1439	S 7983	Toilet Cleaner Liquid	97000	78000	48500	19400	100 LITRES	3.1	For All			
1440	S 799	AMMONIA LIQUOR SPECIFICATION	59000	48000	29500	11800	100 LITRES	4.2	For All			
1441	S 8008	Injection Moulded/Machined Polyethylene Fittings for Water Supply I/2 Specification (Second Revision)	92000	74000	46000	18400	1 MT	15	For All			
1442	S 8008 : PART 1	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 1 : General Requirements for Fittings	92000	74000	46000	18400	1 MT	15	For All			
1443	S 8008 : PART 2	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 2 : Specific Requirements for 90° Bends	92000	74000	46000	18400	1 MT	15	For All			
1444	S 8008 : PART 3	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 3 : Specific Requirements for 90° Tees	92000	74000	46000	18400	1 MT	15	For All			
1445	S 8008 : PART 4	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 4 : Specific Requirements for Reducers	92000	74000	46000	18400	1 MT	15	For All			
1446	S 8008 : PART 5	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 5 : Specific Requirements for Ferrule Reducers	92000	74000	46000	18400	1 MT	15	For All			
1447	S 8008 : PART 6	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 6 : Specific Requirements for Pipe Ends	92000	74000	46000	18400	1 MT	15	For All			
1448	S 8008 : PART 7	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 7 : Specific Requirements for Sandwich Flanges	92000	74000	46000	18400	1 MT	15	For All			
1449	S 8008 : PART 8	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 8 : Specific Requirements for Reducing Tees	92000	74000	46000	18400	1 MT	15	For All			
1450	S 8008 : PART 9	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 9 : Specific Requirements for End Caps	92000	74000	46000	18400	1 MT	15	For All			
1451	S 8005	Monocrystallines, Technical	48000	39000	24000	9600	1 TONNE	34.5	For All			
1452	S 8008	QUINALPHIC ACID/SULFONABLE CONCENTRATE SPECIFICATION second revision	48000	39000	24000	9600	100 LITRE	34.5	For All			
1453	S 8004	SUBMERISBLE PUMPSSETS - SPECIFICATION	46000	37000	23000	9200	1 PIECE	17.3	For All			
1454	S 8005	HANDPUMP- SHALLOW WELL SPECIFICATION	46000	37000	23000	9200	1 PIECE	1.75	For All			
1455	S 8041	Specification for rapid hardening Portland cement	71000	57000	35000	14000	1 TON	34.5	For All			
1456	S 8042	WHITE PORTLAND CEMENT -	87000	70000	43000	17400	1 TON	3	For All			
1457	S 8052	STEEL INGOTS,BILLETS AND BLOOMS FOR THE PRODUCTION OF SPRINGS, RIVETS AND SCREWS FOR GENERAL ENGINEERING APPLICATIONS	58000	47000	29000	11600	1 MT	3	For All			
1458	S 8058	Pyridine - Specification (First Revision)	65000	52000	32000	13000	1 MT	14.45	For All			
1459	S 8074	Monocrystallophos Si	49000	40000	24500	9800	100 LITRE	34.5	For All			
1460	S 8086	Rehabilitation Equipment AC3, 4-4X Wheelchairs, Folding, Junior Size AC3, 4-4X Specification (Second Revision)	46000	37000	23000	9300	1 PIECE	4.35	For All			
1461	S 8088	Tricycle, Hand Propelled	46000	37000	23000	9300	1 PIECE	6.8	For All			
1462	S 8110	Well Screens and Slotted Pipes	76000	62000	38600	15200	1 M	12	For All			
1463	S 8130	Conductors for Insulated Electric Cables and Flexible Cords	93000	75000	46500	18600	1 MT	45.1	For All			
1464	S 834	Covered Electrodes for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel	109000	88000	54500	21800	1000 PIECES	1.8	60000	0.9	Rest All	
1465	S 8344	MULTIPURPOSE DRY BATTERIES	46000	37000	23000	9300	1000 PIECE	1.75	For All			
1466	S 8348	DUCTED AND PACKAGE AIR CONDITIONERS	93000	75000	46500	18600	1 kW (Cooling Capacity)	1	For All			
1467	S 8356	Fasteners for consumer goods-synthetic hook and loop tape - specification	158000	131000	80000	32600	100 M	1.2	For All			
1468	S 8364	Specification For Hospital Rubber Sheeting Without Reinforcing Fabric First Revision of IS 8364	150000	120000	75000	30000	01 KG	0.5	For All			
1469	S 8383	Bonded mineral wool - Specification	184000	148000	92000	36800	1 MT	184	For All			
1470	S 8329	Specification for Oil well Cement	48000	39000	24000	9600	1 TON	34	For All			
1471	S 8349	Zinc sulphate heptahydrate, agricultural grade	54000	44000	27000	10800	1 TONNE	17.3	For All			
1472	S 8368	Rhobium Inoculants - Specification (Third Revision)	94000	77000	48000	19200	1 MT	15.4	For All			
1473	S 8375	Bifocular Eyepieces for Microscope	46000	37000	23000	9200	1 PIECE	5.3	For All			
1474	S 8381	Phenothiazine Emulsifiable Concentrates	47000	38000	23500	9400	100 LITRE	34.5	For All	25.8	Rest All	
1475	S 8309	Compression type tubular terminal ends for aluminium conductors of insulated cables	58000	47000	29000	11600	1 TON	560	For All			
1476	S 8329	CENTRIFUGALLY CAST (SPUN) DUCTILE IRON PRESSURE PIPES FOR WATER, GAS AND SEWAGE	134000	109000	68000	27200	ONE TONNE	17.3	For All			
1477	S 8360	Fabricated Polyethylene Fittings for Water Supply I/2 Specification (First Revision)	46000	37000	23000	9300	1 TON	300	For All			
1478	S 8360 : PART 1	fabricated high density polyethylene (HDPE) fittings for potable water supplies: Part 1 General requirements	46000	37000	23000	9300	1 TON	300	For All			
1479	S 8391	Rubberized Coil Sheets for Cushioning	82000	66000	41000	16400	1 TONNE	43.2	For All			
1480	S 8391 : PART 3	Rubberized coil sheets for cushioning - Specification Part 3 Sandwiched (third revision)	94000	77000	48000	19200	1 MT	133	For All			
1481	S 8401	Alkyl Benzene Sulphonic Acid (acid Slurry)	88000	71000	44000	17600	100 KG	1.95	For All			
1482	S 8448	Horizontal Centrifugal Self-priming Pumps	64000	52000	32000	12800	1 PIECE	4	For All			
1483	S 8419 : PART 1	Requirements for filtration equipment - Part 1 Filtration media - sand and gravel	71000	57000	35000	14000	1 TON	34.5	For All			
1484	S 8421	Specification for hydraulic props	46000	37000	23000	9300	1 PIECE	26	For All			
1485	S 8423	Specification for controlled percolating hose for fire fighting	58000	47000	29000	11600	100 METER	13.9	For All			
1486	S 8442	Stand Post Type Water and Water-cum-Foam Monitor for Fire Fighting - Specification (Second Revision)	46000	37000	23000	9300	1 PIECE	26	For All			
1487	S 8446	Pesticide - Carbendazim (MBC) WP	57000	46000	28500	11400	ONE TONNE	285	For All			
1488	S 8448	Automatic Line Voltage Correctors (Step Type) for Domestic Use	48000	37000	23000	9300	1 PIECE	1.75	For All			
1489	S 8462	Sterilizer, Portable, Vertical, Pressure Type	88000	71000	44000	17600	1 PIECE	26	For All			
1490	S 8471	Acetylene Generators - Requirement and Regulation of IS 8471(Part 1 to 5)	70000	56000	35000	14000	1 PIECE	2000	For All			
1491	S 8472	Centrifugal Regenerative Pumps for Clear, Cold Water - Specification	64000	52000	32000	12800	1 PIECE	4.2	For All			
1492	S 848	Specification for Synthetic Resin Adhesives for Plywood (Phenolic And Aminoplastic)	46000	37000	23000	9300	1 TON	30	For All			
1493	S 8481	Oxidation Hair Dyes Liquid(Gel/Cream)	53000	43000	25500	10200	1 LITRE	0.3	For All			
1494	S 8488	Yenophos Emulsifiable Concentrates (EC)	48000	39000	24000	9600	100 LITRE	34.5	For All			
1495	S 8521 : PART 1	Eye and Face Protection for Occupational Use Part 1 General Requirements (second Revision)	51000	41000	25000	10200	1 PIECE	0.4	For All			
1496	S 8598	Idler and Idler Sets for Belt Conveyor - Specification (Second Revision)	50000	40000	25000	10000	1 TON	8.7	For All			
1497	S 863	Medical Textiles - Cotton bandage cloth - Specification third revision of IS 863	47000	38000	23500	9400	100 SQ. METRE	16	For All			
1498	S 8637	H Acid	106000	85000	53000	21200	1 MT	42.5	For All			
1499	S 8654	Automotive Hydraulic Brake Fluid, Heavy Duty	95000	76000	47500	19000	1 Kilo LITRE	86	1000	51.8	Rest All	
1500	S 868	Sealingwax	58000	47000	29000	11600	100 KG	20.2	For All			
1501	S 869	Specification for Ethylene Chloride (Third Revision)	104000	84000	52000	20800	1 MT	2.89	For All			
1502	S 8698	Specification for Expanded Vinyl Coated Fabrics (Second Revision)	244000	194000	122000	48800	1 METRE	0.3	For All			
1503	S 8699	PVC Coated Fabrics for Footwear Industry	230000	187000	116000	46600	1 METRE	0.3	For All			
1504	S 8707	Mancozeb, Technical - Specification	48000	39000	24000	9600	ONE TONNE	156	For All			
1505	S 8708	Mancozeb Wettable powder	51000	43000	26500	10600	ONE TONNE	265	For All			
1506	S 8737	VALVE FITTINGS FOR USE WITH LIQUEFIED PETROLEUM GAS (LPG) CYLINDERS OF MORE THAN 5 LITRE WATER CAPACITY	69000	56000	34500	13800	1 PIECE	0.42	For All			
1507	S 8749	Single Move	46000	37000	23000	9300	1 PIECE	1.75	For All			
1508	S 878	Laboratory glassware - Graduated measuring cylinders	56000	45000	28000	11200	100 PIECES	1.1	For All			
1509	S 8783 : PART 4 : SEC 1	Winding Wires for Submersible Motors - Part 4 : Individual Wires - Section 1 : HV PVC Insulated Wires	75000	60000	37500	15000	100 M	1.5	100000	0.75	Rest All	
1510	S 8783 : PART 4 : SEC 2	Winding Wires for Submersible Motors - Part 4 : Individual Wires - Section 3 : Polyester and Polypropylene Insulated Winding Wires	74000	60000	37000	14800	100 M	1	10000	0.5	Rest All	
1511	S 879	Sodium Nitrate	82000	66000	41000	16400	1 MT	36	For All			
1512	S 8794	Cast iron detachable joints for use with asbestos cement pressure pipes	56000	45000	28000	11200	1 TONNE	56	For All			
1513	S 8908	Barriers for Oil Pressure Stoves and Oil Pressure Heaters	64000	52000	32000	12800	100 PIECE	12	For All			
1514	S 8924 : PART 1	Electrical Moisture Meters I/2 Specification: Part										

1527	S 903	Specification for Fire Hose Delivery Couplings, Branch Pipe, Nozzles And Nozzle Spanner - Specification	56000	45000	28000	11200	1 PIECE	19	For All					
1528	S 9079	ELECTRIC MONOSET PUMPS FOR CLEAR, COLD WATER FOR AGRICULTURAL AND WATER SUPPLY PURPOSES	87000	70000	43900	17400	1 PIECE	8.7	For All					
1529	S 9103	Specification for Concrete Admixtures -	65000	50000	32500	13000	1 KL/1 TON	52	For All					
1530	S 9131	Rim Locks and Latches (Mechanically Operated) - Specification	177000	142000	88500	35400	1 PIECE	1.2	For All					
1531	S 9138	Azotobacter Spp. Inoculants - Specification (Third Revision)	92000	74000	46600	18400	1 MT	18.4	For All					
1532	S 9142 - PART 2	ARTIFICIAL LIGHTWEIGHT AGGREGATE FOR CONCRETE PART 2 SINTERED FLY ASH COARSE AGGREGATE	243000	195000	121500	48600	1 TON	1.4	For All					
1533	S 915	Laboratory Glassware - One-mark Volumetric Flasks	52000	42000	26000	10400	1 FLASK	1.06	For All					
1534	S 9157	Sodium nitrate and potassium nitrate for glass compositions	77000	62000	38600	15400	1 MT	4.1	For All					
1535	S 916	Squares - Pins for Solid Products	58000	47000	28500	11600	100 TBS	8.7	For All					
1536	S 9165 - PART 2	Surgical Instruments - Needles, suture Part 2 Eyed needles - Sizes, shapes and dimensions	73000	60000	36500	14600	1000 PIECE	432	For All					
1537	S 9167	Ear Protectors	68000	56000	34000	13600	100 PIECE	3.4	For All					
1538	S 9187	epoxy resin, hardeners and epoxy resin compositions for floor topping	193000	152000	96500	38600	1 KG	0.7	For All					
1539	S 920	Common Salt and Cattle Licks for Animal Consumption	62000	50000	31000	12400	10 pieces	05	For All					
1540	S 9201	Unreinforced Polyvinyl Chloride (UPVC) Single Wall Corrugated Pipes for Drainage	81000	65000	40500	16200	1 TON	40	For All					
1541	S 928	Specification For Fire Belts	83000	67000	41500	16600	1 PIECE	625	For All					
1542	S 9281 - PART 1	Electronic Weighing Systems - Part 1: Terms and Definitions	63000	49000	30500	12200	1 PIECE	40	For All					
1543	S 9281 - PART 2	Electronic Weighing Systems - Part 2: Requirements	63000	49000	30500	12200	1 PIECE	40	For All					
1544	S 9282	Wire Ropes and Strands for Suspension Bridges	34000	27000	16200	6480	1 TON	87	For All					
1545	S 9283	Motors for Submersible Pumps	46000	37000	23000	9000	1 KW	1.95	5000	L35	10000	03	Rest All	
1546	S 9294	COLD-ROLLED STAINLESS STEEL STRIPS FOR RAZOR BLADES - Specification (First Revision)	92000	74000	46600	18400	1 MT	30	For All					
1547	S 9295	STEEL TUBES FOR IDLERS FOR BELT CONVEYORS - SPECIFICATION (second revision)	61000	49000	30500	12200	ONE TONNE	8.7	For All					
1548	S 9354	Alachlor Emulsifiable Concentrates	52000	42000	26000	10400	100 LITRES	345	For All					
1549	S 9356	Butachlor Emulsifiable Concentrates	52000	42000	26000	10400	100 LITRE	38	For All					
1550	S 9399	Pesticide - Phorate G Encapsulated	53000	43000	26000	10600	ONE TONNE	90	For All					
1551	S 9360	Carborum granules, encapsulated - Specification (first revision)	46000	37000	23000	9200	1 TONNE	86.4	For All					
1552	S 9395	Bes, intensive Care	51000	41000	25000	10000	1 BEO	50	For All					
1553	S 9396 - PART 1	Round Open Top Sanitary Cans for Foods and Drinks - Part 1: Tintplate	64000	51000	31000	12000	1 MT	8.26	For All					
1554	S 9436	PERFORMANCE REQUIREMENTS AND METHODS OF TESTS FOR WHEELS FOR PASSENGER CARS	234000	189000	115800	47200	1 PIECE	02	For All					
1555	S 9438	PERFORMANCE REQUIREMENTS AND METHODS OF TESTS FOR WHEELS FOR TRUCKS	234000	189000	115800	47200	1 PIECE	20	For All					
1556	S 9471 - PART 2	Modular Lower Limb Orthotic Components - Part II: Straps, Split	46000	37000	23000	9000	1 PIECE	0.03	For All					
1557	S 9471 - PART 3	Modular Lower Limb Orthotic Components - Part II: Strapping Plates	46000	37000	23000	9000	1 PIECE	1	For All					
1558	S 9471 - PART 4	Modular Lower Limb Orthotic Components - Part IV: Joint Unit, Ankle	46000	37000	23000	9000	1 PIECE	0.3	For All					
1559	S 9471 - PART 5 - SEC 1	Modular Lower Limb Orthotic Components - Part 5: Joint Unit Section 1: Knee	46000	37000	23000	9000	1 PIECE	05	For All					
1560	S 9471 - PART 6	Modular Lower Limb Orthotic Components - Part 6: Orthotic Hip Joint (Joint Unit, Hip Drop Lock)	46000	37000	23000	9000	1 PIECE	15	For All					
1561	S 9471 - PART 7	Modular Lower Limb Orthotic Components - Part 7: Orthotic Joint Bars, Ankle and Knee (Upper and Lower)	46000	37000	23000	9000	1 PIECE	0.15	For All					
1562	S 9473	Respiratory Protective Devices - Filtering Half Masks to Protect Against Particles	46000	37000	23000	9000	100 PIECE	172	For All					
1563	S 9548	HEAT RESISTING STEEL	112000	91000	54600	21800	1 MT	15	For All					
1564	S 9523	DUCTILE IRON FITTINGS FOR PRESSURE PIPES FOR WATER, GAS AND SEWAGE	73000	64000	39500	15800	1 MT	43.9	For All					
1565	S 9532	CHMSA AND SHRM-WANO - SPECIFICATION (First Revision of S 9532)	51000	41000	25000	10200	ONE TONNE	172	For All					
1566	S 9537 - PART 2	Conduits for electrical installations:Part 2 Rigid steel conduits (superseding S-3659)	47000	38000	23500	9400	300M	1	For All					
1567	S 9537 - PART 3	Conduits for electrical installations: Part 3 Rigid plain conduits of insul ation materials (superseding S-2508)	51000	41000	25000	10200	100 M	22	For All					
1568	S 9537 - PART 4	Conduits for Electrical Installations - Part 4: Pliable Self-recovering Conduits of Insulating Materials	65000	53000	32500	13000	100 METRES	5.3	For All					
1569	S 9550	Bright Steel Bars	83000	67000	41500	16600	1 MT	4.7	For All					
1570	S 9562	Specification for non-metal helmet for police force	58000	47000	29000	11600	1 PIECE	1.46	For All					
1571	S 9567	Tin or Tin-lead Coated Copper Wire	112000	91000	54600	21800	1 MT	97	For All					
1572	S 9573 - PART 1	RUBBER HOSE FOR LIQUEFIED PETROLEUM GAS (LPG) - SPECIFICATION PART 1 INDUSTRIAL APPLICATION	107000	86000	53500	21400	100 M	135	For All					
1573	S 9573 - PART 2	RUBBER HOSE FOR LIQUEFIED PETROLEUM GAS (LPG) - SPECIFICATION PART 2 DOMESTIC AND COMMERCIAL APPLICATION	107000	86000	53500	21400	100 M	135	For All					
1574	S 9585	Lactometers - Specification	47000	38000	23500	9400	1 PIECE	0.36	For All					
1575	S 9612	Aluminium tubes for refrigeration purposes	118000	95000	58000	23600	1 MT	27.5	For All					
1576	S 9665	Proposed Emulsifiable Concentrates	52000	42000	26000	10600	100 LITRE	1	For All					
1577	S 9666	Bio-Granules	96000	77000	48000	19200	1 MT	5	For All					
1578	S 9738	Polyethylene Bags for General Purposes	46000	37000	23000	9000	1 MT	380	For All					
1579	S 9755	Textiles - High Density Polyethylene (HDPE) / Polypropylene (pp) Woven Sacks for Packing Fertilisers	120000	96000	60000	24000	1 MT	50	For All					
1580	S 9758	Roth valves and fittings for water closets and urinals	46000	37000	23000	9000	1 PIECE	35	For All					
1581	S 9762	polyethylene floats (spherical) for float valves	56000	45000	28000	11200	100 PIECE	5.4	For All					
1582	S 9763	Plastics Bib Taps, Pillar Taps, Angle Valves and Stop Valves for Hot and Cold Water Services -	71000	57000	35500	14200	100 PIECE	12.6	For All					
1583	S 9798	Low Pressure Regulators for Use with Liquefied Petroleum Gas (LPG) Mixtures	46000	37000	23000	9000	1 PIECE	0.44	For All					
1584	S 9825	Chlorine Tablets	55000	44000	27000	11000	1000 TABLETS	0.72	For All					
1585	S 9834	Specification for Iso - butyl Alcohol	51000	41000	25000	10200	1 TON	93	For All					
1586	S 9886	Explosives	88000	72000	44800	17600	1 PIECE	78	For All					
1587	S 9842	Perforated fibrous pipe insulation	145000	120000	74500	29800	1 MT	80	For All					
1588	S 9857	Welding Cables	60000	48000	30000	12000	100 METER	108	For All					
1589	S 9862	Ready mixed paint, brushing, bituminous, black, lead-free, acid, alkali, water and chlorine resisting	72000	58000	36000	14400	1 LITRE	0.25	For All					
1590	S 9873 - PART 1	SAFETY OF TOYS PART 1 SAFETY ASPECTS RELATED TO MECHANICAL AND PHYSICAL PROPERTIES	96000	75000	46000	18600	1000 PCS	45	For All					
1591	S 9880	General Purpose Ball Valves	58000	45000	28000	11200	1 PIECE	07	For All					
1592	S 9906	Formic Acid	78000	63000	38000	15600	1 MT	3.6	For All					
1593	S 996	Single-phase a.c. industrial motors for general purpose	49000	40000	24500	9800	1 PIECE	2	For All					
1594	S 9962	STEEL WIRE FOR NEEDLES	83000	67000	41500	16600	1 MT	30	For All					
1595	S 9968 - PART 1	Elastomer insulated cables:Part 1 For working voltages upto and including 1 100 V	111000	89000	55500	22200	100 METER	4	For All					
1596	S 9968 - PART 2	Elastomer insulated Cables - Part 2: For Working Voltages from 3.3 kV up to and including 3 3W	109000	88000	54000	21600	100 METER	93.9	For All					
1597	S 9972	Specification for Automatic Spray Nozzles for Fire Protection Service	40000	32000	19200	7600	1 PIECE	1.2	For All					
1598	S 9973	Specification for vane for scooter engines	60000	48000	30000	12000	1 PIECE	0.1	For All					
1599	S 9974 - PART 1	High pressure sodium vapour lamps: Part 1 General requirements and tests	88000	72000	44000	17600	1 PIECE	1.76	For All					
1600	S 9997	ALUMINIUM ALLOY REDRAW RODS FOR ELECTRICAL PURPOSES - SPECIFICATION	79000	64000	39500	15800	1 MT	65.85	For All					
1601	S 91495 - PART 3	Motor Circuit for Office Purposes Specification Part 3 Revolving and Timing (to Inequal)	35000	28000	17000	6800	1 PIECE	1	For All					
1602	S/IEC 60079 - PART 1	Explosive Atmospheres - Part 1: Equipment Protection by Flameproof Enclosures (S)	46000	37000	23000	9000	1 PIECE	1.76	For All					
1603	S/IEC 60079 - PART 11	Explosive atmospheres: Part 11 Equipment protection by intrinsic safety (S)	46000	37000	23000	9000	1 PIECE	17.3	For All					
1604	S/IEC 60269 - PART 2	LOW VOLTAGE FUSES PART 2 SUPPLEMENTARY REQUIREMENTS FOR FUSES FOR USE BY AUTHORIZED PERSONS (FUSES MAINLY FOR INDUSTRIAL APPLICATION) EXAMPLES OF STANDARDIZED SYSTEMS OF FUSES A TO K	65000	53000	32500	13000	100 PIECES	5.3	For All					
1605	S/IEC 60730 - PART 2 : SEC 5	AUTOMATIC ELECTRICAL CONTROLS FOR HOUSEHOLD AND SIMILAR USE PART 2 PARTICULAR REQUIREMENTS SECTION 5: THERMAL-TRIP SENSING CONTROLS	90000	72000	45000	18000	1 PIECE	0.55	For All					
1606	S/IEC 60898 - PART 1	ELECTRICAL ACCESSORIES - CIRCUIT-BREAKERS FOR OVERCURRENT PROTECTION FOR HOUSEHOLD AND SIMILAR INSTALLATIONS - PART 1 CIRCUIT-BREAKERS FOR AC OPERATION	130000	104000	65000	26000	1 PIECE	0.27	For All					
1607	S/IEC 60947 - PART 2	Low -voltage switchgear and controlgear: Part 2 circuit - breakers (First Revision)	75000	60000	37500	15000	-	0	For All					
1608	S/IEC 60947 - PART 3	Low-Voltage Switchgear and Controlgear: Part 3 Switches Disconnectors Switch- Disconnectors and Fuse- Combination Units	58000	47000	29000	11600	1 PIECE	0.9	For All					
1609	S/IEC 60947 - PART 3 X	Scheme - X S/IEC 60947-3 Low -Voltage switchgear and controlgear Part 3 switches, disconnectors, switch disconnectors and fuse - Combination units	75000	60000	37500	15000	-	0	For All					
1610	S/IEC 60947 - PART 4 : SEC 1	Low-Voltage switchgear and controlgear : Part 4-1 Contactors and motor starters electromechanical contactors and motor -Starters	58000	47000	29000	11600	1 PIECE	0.27	For All					
1611	S/IEC 60947 - PART 4 : SEC 1.5	Scheme - X S/IEC 60947-4-1 Low -Voltage switchgear and controlgear Part 4 contactors and motor - Starters Sec 1: electromechanical contactors and motor - Starters	75000	60000	37500	15000	-	0	For All					
1612	S/IEC 60947 - PART 5 : SEC 1	Low-Voltage Switchgear And Control Gear : Part 5-1 Control Circuit Devices And Switching Elements Electromechanical Control Circuit Devices	58000	47000	29000	11600	1 PIECE	0.42	For All					
1613	S/IEC 60947 - PART 5 : SEC 1.5	Scheme - X S/IEC 60947-5-1 Low -Voltage switchgear and controlgear Part 5 control circuit devices and switching elements Sec 1: electromechanical control circuit devices	75000	60000	37500	15000	-	0	For All					
1614	S/IEC 61331 - PART 3	PROTECTIVE DEVICES AGAINST DIAGNOSTIC MEDICAL X-RADIATION PART 3: PROTECTIVE CLOTHING, EYEWEAR AND PROTECTIVE PATIENT SHIELDS	85000	68000	42000	17000	1 PIECE	5	For All					
1615	S/IEC 61337	Cable Management - Cable Tray System and Cable Ladder System	355000	284000	177500	71000	100 M	47.35	For All					
1616	S/IEC 80601 - PART 2 : SEC 30	MEDICAL ELECTRICAL EQUIPMENT PART 2 :30 PARTICULAR REQUIREMENTS FOR BASIC SAFETY AND ESSENTIAL PERFORMANCE OF AUTOMATED NON-INVASIVE SPHGMOMANOMETERS	370000	296000	185000	74000	1 PIECE	1.6	For All					
1617	S/IEC 80601 - PART 2 : SEC 49	Medical electrical equipment Part 2: Particular requirements for basic safety and essential performance- Sec 49: Multifunction patient monitors	222000	178000	111000	44400	1 PIECE	160	For All					
1618	S/IEC 80601 - PART 2 : SEC 58	Medical electrical equipment Part 2: Particular requirements for the basic safety and essential performance Section 58 Lens removal devices and vitrectomy devices for ophthalmic surgery	232000	186000	116000	46400	1 PIECE	430	For All					
1619	S/ISO 10042	Ophthalmic Instruments - Eye Refractometers	245000	196000	123500	49000	1 PIECE	142	For All					
1620	S/ISO 13191													

1648	S 1961	Glass Tableware	117000	94000	58500	23400	1000 PIECES	640	For AI				
1649	S 2081	Flashlights	287000	210000	143500	97000	100 PIECES	1296	For AI				
1650	S 3039	Structural Steel for Ship Construction	113000	91000	56500	22600	1 MT	400	For AI				
1651	S 17399	Textiles - Polypropylene (PP)/High density polyethylene (HDPE) laminated woven sacks for mail sorting, storage, transport and distribution	132000	106000	66000	26400	1 MT	55	For AI				
1652	S 13450 (Part 2/ Sec 24)	Medical electrical equipment Part 2 Part 2 Particular Requirements for the Basic Safety and Essential Performance Section 24 Infusion pumps and controllers	331000	265000	165500	66200	1 PIECE	24	For AI				
1653	S 18166	Unplasticized Polyvinyl Chloride (PVC-U) Threaded Column Pipes for Borewells/Tubewells	162000	110000	81000	32400	1 TONNE	200	For AI				
1654	S 6702	Durom, Technical Specification	96000	77000	48500	19200	1 MT	43.75	For AI				
1655	S 26	Tin Ingot	79000	64000	39500	15800	1 MT	19.75	For AI				
1656	S 1388 (Part 1)	Laboratory Glass Ware -- Bottles Part 1 Screw Neck Bottles	96000	77000	48000	19200	1 PIECE	0.50	For AI				
1657	S 6308	Specification for Tables, Operation, Hydraulic, Minor	51000	41000	25500	10200	1 PC	103.7	For AI				
1658	S 15140	Coin Cell	62000	50000	31000	12400	100 SCM	0.50	For AI				
1659	S 9685	Textiles - Sand Bags	71000	57000	35500	14200	1 TONNE	184.50	For AI				
1660	S 249	Sodium Bichromate, Technical -	54000	44000	27000	10800	1 MT	11.85	For AI				
1661	S 280	Chromium Trioxide	95000	80000	49500	19800	1 MT	24.95	For AI				
1662	S 1540 (Part 2)	Quicklime and Hydrated Lime for Chemical Industries- Specification, Part 2- Hydrated Lime	68000	55000	34000	13600	1 MT	7.60	For AI				
1663	S 2782	Refined Nickel	98000	79000	49000	19600	1 MT	136.15	For AI				
1664	S 18236	Soft-Heat Glass Fibre Reinforced Polymer (GFRP) Bars for Concrete Reinforcement	246400	197000	122800	49100	1 MT	55	For AI				
1665	S 2191 (Part 1)	Wooden Flush Door Shutters (Cellular, Hollow and Tubular Core Type) -- Plywood Face Panels	197000	158000	98500	39400	1 SCM	2.00	For AI				
1666	S 19315	Ball Valves for Water Works Purposes	118000	95000	59000	23600	1 PIECE	0.30	For AI				
1667	S 8543	Plugs and Keys for Resistance Boxes - Specification (First Revision)	183000	147000	91500	36600	1 PIECE	3.05	For AI				
1668	S 14569	Commutators for Electrical Machines	61000	49000	30500	12200	100 Pcs	0.30	For AI				
1669	S 13730(Part 34)	Specification for Particular Types of Winding Wires Part 34 Polyester Enamelled Round Copper Wire Class 19L	76000	61000	38000	15200	1 MT	80	For AI				
1670	S 14810	Copper Tubes for plumbing	112000	90000	56000	22400	1 MT	85	For AI				
1671	S 9051	Rheostats	159000	128000	79500	31800	1 PIECE	0.60	For AI				
1672	S 2442	D.C. Moving Coil Galvanometers	171000	137000	85000	34200	1 PIECE	0.40	For AI				
1673	S 64	Barium Sulphate Pigments for Paints	65000	52000	32000	13000	1 MT	3.30	For AI				
1674	S 18126(Part 1)	Medical Suction Equipment Part 1 Electrically Powered Suction Equipment	347000	278000	173500	69400	1 PIECE	24	For AI				
1675	S 18471	Fasteners -- Drilling Screws with Tapping Screw Thread	138000	111000	69000	27600	1 MT	26	For AI				
1676	S 16301	Knives	91000	76000	47000	19000	100 PIECES	6.35	For AI				
1677	S 17636	Bulk Bolts	161000	129000	80500	32200	1 PIECE	4.45	For AI				
1678	S 13450 (Part 2/ Sec 30)	Medical electrical equipment, Part 2 Particular Requirements for the Basic Safety and Essential Performance Section 30; Infant phototherapy equipment	333000	268000	167500	67000	1 PIECE	36	For AI				
1679	S 15573	Electroplated Coatings of Zinc on Iron and Steel	119000	96000	59500	23800	1 MT	6.45	For AI				
1680	S 14738	Flexible Intermediate Bulk Containers	159000	128000	79500	31800	1 MT	88.35	For AI				
1681	S 16718	Agro Textiles-Polypropylene Spun Bonded Non-Woven Crop Covers and Fruit Skirting Bags for Agricultural and Horticultural Purposes	123000	99000	61500	24600	1 MT	109.85	For AI				
1682	S 4665-2-1	Hand-held Motor Operated Electric Tools Safety: Part 2 Particular Requirements, Section 1 Drills and Impact Drills	222000	178000	111000	44400	1 PIECE	3	For AI				