

☆ **BIS MITRA DEMO DATA - SYNTHETIC / NOT OFFICIAL BIS DATA**

Synthetic demonstration records only. Not official BIS Quality Control Orders.

DOMAIN 2 - QCO / QUALITY CONTROL ORDERS

Human-readable synthetic catalog for BIS MITRA demonstrations. No record in this document represents an official BIS Quality Control Order.

Metric	Value
Synthetic QCO records	12
Active records	11
Amended records	2
Superseded/withdrawn records	1
Cross-linked Domain 1 Standards	12

Demo source citation pattern

Each record has a stable demo_id and source reference, for example: BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-001. The linked standard is identified by its Domain 1 demo_id, standard number, and title.

QCO Catalog

Demo ID	QCO Number	Product Category	Linked Standard	Status
QCO-DEMO-001	QCO DEMO 001:2026	Personal Protective Equipment	STD-DEMO-001 - IS DEMO 1001:2026	Active
QCO-DEMO-002	QCO DEMO 002:2026	Food & Packaging	STD-DEMO-002 - IS DEMO 1002:2025	Active
QCO-DEMO-003	QCO DEMO 003:2026	Electrical Appliances	STD-DEMO-003 - IS DEMO 1003:2025	Active
QCO-DEMO-004	QCO DEMO 004:2025	Construction Materials	STD-DEMO-004 - IS DEMO 1004:2024	Active
QCO-DEMO-005	QCO DEMO 005:2026	Lighting	STD-DEMO-005 - IS DEMO 1005:2026	Active
QCO-DEMO-006	QCO DEMO 006:2025	Food-Contact Materials	STD-DEMO-006 - IS DEMO 1006:2025	Active
QCO-DEMO-007	QCO DEMO 007:2026	Gas Appliances	STD-DEMO-007 - IS DEMO 1007:2025	Active
QCO-DEMO-008	QCO DEMO 008:2024	Consumer & Institutional Products	STD-DEMO-008 - IS DEMO 1008:2024	Active
QCO-DEMO-009	QCO DEMO 009:2026	Renewable Energy	STD-DEMO-009 - IS DEMO 1009:2026	Active
QCO-DEMO-010	QCO DEMO 010:2024	Building Materials	STD-DEMO-010 - IS DEMO 1010:2023	Superseded / Withdrawn (from 2026-04-01)
QCO-DEMO-011	QCO DEMO 011:2026	Building Materials	STD-DEMO-011 - IS DEMO 1011:2026	Active
QCO-DEMO-012	QCO DEMO 012:2026	Electrical Appliances	STD-DEMO-014 - IS DEMO 1014:2025	Active

QCO-DEMO-001 | QCO DEMO 001:2026

Quality Control Order for Industrial Safety Helmets

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Personal Protective Equipment
Covered products	industrial safety helmets; protective headgear for workplaces; worker safety helmets
Product synonyms	safety helmet; industrial helmet; protective helmet; worker helmet; head protection
Linked Domain 1 standard demo_id	STD-DEMO-001
Applicable standard	IS DEMO 1001:2026
Standard title	Industrial Safety Helmets - Performance and Marking
Scope	Applies to helmets intended to reduce risk of head injury from impact and penetration in industrial and construction workplaces. Excludes sports, equestrian, and recreational helmets.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-01 - Product Certification Scheme for Industrial Head Protection
Effective date	2026-06-01
Notification date	2026-04-15
Status	Active
Amendment status	Amended
Amendment reference	AMD-QCO-DEMO-001:2026-01
Exemptions	Prototype helmets imported solely for laboratory evaluation, up to 25 units per model, may be exempt from certification before testing. They cannot be sold or distributed as compliant products.
Related QCOs	None
Keywords	industrial safety helmet; head protection; PPE; helmet certification; impact testing; QCO
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-001

Compliance details

Requirement area	Details
Manufacturer requirements	Maintain a documented production quality plan; use traceable helmet shells, suspension systems and straps; conduct defined in-process inspections; retain batch records; and notify the certification body before design or material changes.
Importer requirements	Verify that each imported model is covered by a valid demo certificate; check product markings and batch traceability; retain supplier invoices and test evidence; and prevent sale of models not covered by the certificate.
Testing requirements	Impact attenuation; penetration resistance; chin-strap strength where fitted; shell deformation; and limited flammability screening. Testing is to be performed on representative production samples.
Marking requirements	Manufacturer or brand name, model, size range, batch or production code, year of manufacture, applicable demo standard number, and synthetic certification mark.
Documentation required	Application form; technical specification; bill of materials; production QC plan; representative test report; factory inspection records; certificate copy; and batch traceability statement.
Enforcement notes	Non-compliant products may be withheld from release, subject to corrective action, certificate suspension or cancellation, and withdrawal from sale. Importers may be asked to demonstrate model-to-certificate traceability.

Amendment information

Amendment field	Value
Amendment number	AMD-QCO-DEMO-001:2026-01
Amendment date	2026-08-10
Affected clause	Clause 7 - Product traceability
Previous requirement	Batch traceability could be maintained through either a batch code on the product or packaging.
Revised requirement	The batch or production code must be permanently marked on the helmet and repeated on the outer packaging.
Reason for change	To improve field traceability and reduce ambiguity when products are separated from original packaging.
Amendment effective date	2026-09-01

QCO-DEMO-002 | QCO DEMO 002:2026

Quality Control Order for Flexible Polymer Food Packs

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Food & Packaging
Covered products	stand-up food pouches; laminated snack pouches; flexible food packaging bags; food-contact polymer film packs
Product synonyms	food pouch; flexible food packaging; snack pouch; retort pouch; food-contact packaging
Linked Domain 1 standard demo_id	STD-DEMO-002
Applicable standard	IS DEMO 1002:2025
Standard title	Flexible Polymer Food Packs - Food Contact and Performance Requirements
Scope	Applies to flexible polymer packs designed for direct contact with packaged food, including multi-layer films and formed pouches. Excludes packaging intended solely for non-food industrial chemicals.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-02 - Food-Contact Flexible Packaging Certification Scheme
Effective date	2026-05-15
Notification date	2026-03-20
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	Packaging quantities imported only as laboratory samples for food-contact testing, up to 100 kg per consignment, are exempt from certification when clearly marked "TEST SAMPLE - NOT FOR RETAIL SALE".
Related QCOs	QCO-DEMO-006
Keywords	food packaging; polymer pouch; food contact; migration testing; packaging QCO
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-002

Compliance details

Requirement area	Details
Manufacturer requirements	Control food-contact raw materials; maintain formulation and layer-structure records; verify migration performance; control seal quality; and retain production-batch traceability.
Importer requirements	Verify model or material grade coverage under the certificate; retain food-contact declarations and laboratory evidence; and ensure imported packaging matches the approved material construction.
Testing requirements	Overall migration screening; relevant specific migration checks based on material formulation; tensile strength; seal integrity; leakage resistance; and visual contamination inspection.
Marking requirements	Manufacturer, material or grade, batch code, production date or trace code, intended food-contact use statement, demo standard number, and synthetic certification mark.
Documentation required	Material composition declaration; food-contact raw material statement; migration test report; specification sheet; batch QC records; certificate copy; and supplier declaration for imported polymer inputs.
Enforcement notes	Non-compliant lots may be held from distribution. Manufacturers and importers must provide traceability and supporting migration evidence when requested.

QCO-DEMO-003 | QCO DEMO 003:2026

Quality Control Order for Domestic Induction Cooking Appliances

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Electrical Appliances
Covered products	portable induction cookers; built-in induction hobs; countertop induction cooking units
Product synonyms	induction cooker; induction stove; induction cooktop; induction hob; electric induction stove
Linked Domain 1 standard demo_id	STD-DEMO-003
Applicable standard	IS DEMO 1003:2025
Standard title	Domestic Induction Cooking Appliances - Safety and Performance
Scope	Applies to domestic induction cooking appliances intended for preparation or heating of food from single-phase household supplies, including portable and built-in models.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-03 - Domestic Electrical Appliance Safety Scheme
Effective date	2026-04-01
Notification date	2026-02-10
Status	Active
Amendment status	Amended
Amendment reference	AMD-QCO-DEMO-003:2026-01
Exemptions	Hand-built prototypes imported by recognized research laboratories for destructive testing are exempt before certification, provided they are not offered for retail sale.
Related QCOs	QCO-DEMO-012
Keywords	induction cooker; induction stove; electrical appliance; cooking appliance; QCO certification
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-003

Compliance details

Requirement area	Details
Manufacturer requirements	Maintain design-control records; provide protective earthing or equivalent insulation as applicable; control heating elements and electronics; run routine safety tests; and retain production test records.
Importer requirements	Verify certificate coverage by model; check rated voltage, model marking and test evidence; retain commercial invoices and supplier conformity documents; and stop distribution where certification is invalid or incomplete.
Testing requirements	Electric shock protection; dielectric strength; earth continuity where applicable; abnormal operation; surface temperature; mechanical safety; power input; control function; and relevant electromagnetic disturbance screening.
Marking requirements	Brand, model, rated voltage/frequency, rated power, serial or batch code, safety warnings, demo standard number, and synthetic certification mark.
Documentation required	Circuit diagram; critical component list; user safety instructions; risk assessment; type test report; routine test procedure; factory QC records; and certificate copy.
Enforcement notes	Products without valid certification may be prevented from commercial release. Corrective action may include retesting, certificate suspension, batch segregation, or product withdrawal.

Amendment information

Amendment field	Value
Amendment number	AMD-QCO-DEMO-003:2026-01
Amendment date	2026-07-20
Affected clause	Clause 5 - Abnormal operation and Clause 8 - Power cord anchorage
Previous requirement	Abnormal-operation verification and cord anchorage were evaluated using the base test sequence.
Revised requirement	The amended sequence adds a repeated dry-pan abnormal-operation test and a higher pull-cycle count for cord anchorage on portable units.
Reason for change	To improve demonstration of safety during foreseeable misuse and repeated handling.
Amendment effective date	2026-08-15

QCO-DEMO-004 | QCO DEMO 004:2025

Quality Control Order for Cementitious Repair Mortars

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Construction Materials
Covered products	cementitious concrete repair mortar; patch repair mortar; structural repair mortar dry mix
Product synonyms	repair mortar; concrete repair mix; patching mortar; structural repair mix; cement repair mortar
Linked Domain 1 standard demo_id	STD-DEMO-004
Applicable standard	IS DEMO 1004:2024
Standard title	Cementitious Repair Mortars - Industrial and Building Concrete Repair
Scope	Applies to factory-produced cementitious repair mortars intended for repair or reinstatement of concrete surfaces and structural repair zones.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-04 - Construction Material Conformity Scheme
Effective date	2025-09-01
Notification date	2025-06-15
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	No general product exemption. Evaluation samples supplied directly to a designated laboratory may be handled as non-sale samples under documented laboratory custody.
Related QCOs	QCO-DEMO-010; QCO-DEMO-011
Keywords	repair mortar; concrete repair; construction product; compressive strength; bond strength; QCO
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-004

Compliance details

Requirement area	Details
Manufacturer requirements	Control cement, aggregate and additive inputs; maintain formulation records; monitor mixing consistency; perform lot testing; and maintain traceability from raw materials to finished bags or containers.
Importer requirements	Verify certificate coverage for the declared formulation; ensure imported product labels and batch records are complete; and retain supplier test reports and invoices.
Testing requirements	Compressive strength; bond strength; setting time; water absorption; dimensional stability or shrinkage screening; and visual homogeneity checks.
Marking requirements	Product type, manufacturer, batch/lot code, packing date, net quantity, storage conditions, demo standard number, and synthetic certification mark.
Documentation required	Formulation sheet; raw material conformity records; batch test report; factory QC plan; certificate copy; packaging artwork; and storage/handling instructions.
Enforcement notes	Non-conforming construction material may be withheld from sale or site use until disposition is documented. Repeat non-conformity can trigger enhanced inspection or certificate action.

QCO-DEMO-005 | QCO DEMO 005:2026

Quality Control Order for LED Road Luminaires

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Lighting
Covered products	LED road luminaires; LED street lights; roadway LED fixtures; outdoor roadway lighting units
Product synonyms	LED street light; road light; roadway luminaire; LED road lamp; street lighting fixture
Linked Domain 1 standard demo_id	STD-DEMO-005
Applicable standard	IS DEMO 1005:2026
Standard title	LED Road Luminaires - Photometric, Electrical and Environmental Performance
Scope	Applies to fixed LED luminaires designed for roadway and street lighting, including pole-mounted and outreach-arm configurations intended for outdoor service.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-05 - Lighting Product Certification Scheme
Effective date	2026-07-01
Notification date	2026-05-10
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	Custom luminaires built only for a one-off research installation, not offered commercially, may be exempt with prior written laboratory declaration.
Related QCOs	QCO-DEMO-009
Keywords	LED street light; road luminaire; lighting QCO; photometric testing; LED certification
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-005

Compliance details

Requirement area	Details
Manufacturer requirements	Control LED modules, drivers, housings and thermal interfaces; maintain photometric and electrical design records; conduct routine safety checks; and track model revisions.
Importer requirements	Verify approved model and electrical rating; retain type-test and photometric evidence; inspect markings and model identity; and ensure replacement drivers remain within certified configuration.
Testing requirements	Photometric performance; luminous flux; power factor; electrical safety; insulation; ingress screening for the declared enclosure class; thermal performance; and endurance screening.
Marking requirements	Manufacturer, model, input rating, rated wattage, color characteristics where declared, batch/serial identifier, demo standard number, and synthetic certification mark.
Documentation required	Photometric test report; electrical safety report; driver and LED module specifications; thermal design summary; production QC checklist; certificate copy; and installation instructions.
Enforcement notes	Non-compliant luminaires may be blocked from commercial dispatch until corrective evidence is accepted. Model changes affecting the certified configuration require reassessment.

QCO-DEMO-006 | QCO DEMO 006:2025

Quality Control Order for Stainless Steel Food-Contact Utensils

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Food-Contact Materials
Covered products	stainless steel spoons; serving ladles; food-contact trays; stainless steel serving tongs; reusable food-contact utensils
Product synonyms	steel spoon; stainless spoon; serving ladle; food-contact utensil; stainless kitchen utensil
Linked Domain 1 standard demo_id	STD-DEMO-006
Applicable standard	IS DEMO 1006:2025
Standard title	Stainless Steel Food-Contact Utensils - Hygiene and Material Requirements
Scope	Applies to reusable stainless steel utensils intended for direct contact with food during preparation, serving, storage or eating.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-06 - Food-Contact Utensil Conformity Scheme
Effective date	2025-11-01
Notification date	2025-08-05
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	Artisanal display-only utensils not intended for food contact may be exempt when permanently marked "DECORATIVE - NOT FOR FOOD CONTACT".
Related QCOs	QCO-DEMO-002
Keywords	stainless steel utensils; food contact; spoon; ladle; material composition; QCO
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-006

Compliance details

Requirement area	Details
Manufacturer requirements	Use declared stainless steel grades; control fabrication, welding and finishing; verify food-contact surfaces are free of harmful residues; and maintain traceability of material heat or lot information where applicable.
Importer requirements	Confirm grade and product coverage against the certificate; retain material certificates and laboratory evidence; inspect markings; and keep supplier traceability records.
Testing requirements	Material composition verification; corrosion resistance screening; surface condition inspection; extractables screening where applicable; and dimensional checks for declared product types.
Marking requirements	Manufacturer/brand, product type or model, material grade where applicable, lot or batch code, food-contact indication, demo standard number, and synthetic certification mark.
Documentation required	Material certificate; product drawing/specification; food-contact declaration; test report; batch QC record; certificate copy; and supplier documentation for imported steel.
Enforcement notes	Products that fail material or food-contact checks may be held, segregated, or removed from the market. Importers should be able to connect the product to material and test records.

QCO-DEMO-007 | QCO DEMO 007:2026

Quality Control Order for LPG Cabinet Heaters for Indoor Domestic Use

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Gas Appliances
Covered products	portable LPG cabinet heaters; domestic LPG room heaters; indoor wheeled LPG heaters
Product synonyms	LPG heater; gas room heater; cabinet gas heater; portable LPG room heater; LPG space heater
Linked Domain 1 standard demo_id	STD-DEMO-007
Applicable standard	IS DEMO 1007:2025
Standard title	LPG Cabinet Heaters for Indoor Domestic Use - Safety Requirements
Scope	Applies to domestic indoor LPG cabinet heaters designed to burn LPG for space heating and incorporating a portable cabinet-type enclosure.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-07 - Domestic Gas Appliance Safety Scheme
Effective date	2026-03-01
Notification date	2026-01-12
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	Units imported solely for supervised laboratory combustion testing, with no retail or promotional distribution, may be exempt under a documented sample authorization.
Related QCOs	QCO-DEMO-003
Keywords	LPG heater; gas appliance; room heater; combustion testing; gas safety; QCO
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-007

Compliance details

Requirement area	Details
Manufacturer requirements	Control burner components, regulators, valves and safety devices; maintain leak-testing records; verify combustion performance; and ensure production appliances match the certified configuration.
Importer requirements	Verify certificate validity and model identity; inspect safety labels, hose/regulator accessories and batch codes; retain importer records; and prevent sale of uncertified configurations.
Testing requirements	Gas leakage; ignition reliability; flame stability; combustion performance; tip-over safety; over-temperature protection; and enclosure ventilation requirements defined by the demo standard.
Marking requirements	Manufacturer, model, LPG type/pressure information, warnings, batch/serial code, demo standard number, synthetic certification mark, and installation/use instructions reference.
Documentation required	Gas circuit diagram; component specifications; combustion test report; leak test procedure; safety-device list; production QC plan; certificate copy; and user manual.
Enforcement notes	Unsafe or uncertified gas appliances may be detained or removed from sale. Evidence of leak and combustion testing may be required during compliance checks.

QCO-DEMO-008 | QCO DEMO 008:2024

Quality Control Order for Modular Office Chairs

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Consumer & Institutional Products
Covered products	modular office chairs; task chairs; visitor chairs with modular components
Product synonyms	office chair; task chair; work chair; desk chair; ergonomic office chair
Linked Domain 1 standard demo_id	STD-DEMO-008
Applicable standard	IS DEMO 1008:2024
Standard title	Modular Office Chairs - Structural Safety and Durability
Scope	Applies to modular office seating intended for routine workplace or institutional use where structural strength and durability are relevant.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-08 - Furniture Structural Safety Scheme
Effective date	2024-10-01
Notification date	2024-07-10
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	One-off museum or archival display chairs are outside the commercial scope when permanently marked as display-only.
Related QCOs	None
Keywords	office chair; task chair; furniture QCO; chair certification; structural durability
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-008

Compliance details

Requirement area	Details
Manufacturer requirements	Use controlled frame, caster and fastener specifications; maintain assembly instructions; conduct durability and load checks; and retain production traceability.
Importer requirements	Verify model coverage, structural test evidence and markings; maintain supplier documentation; and ensure imported variants do not materially differ from the certified model.
Testing requirements	Static load; seat and back durability; base stability; caster/foot strength; armrest load where fitted; and fastener retention checks.
Marking requirements	Manufacturer/brand, model, production batch, rated user load where applicable, demo standard number, and synthetic certification mark.
Documentation required	Product drawings; bill of materials; load rating statement; structural test report; assembly instructions; batch QC records; and certificate copy.
Enforcement notes	Commercial office chairs covered by this QCO must maintain current certification and traceability. Model changes affecting structural configuration require reassessment before continued certified supply.

QCO-DEMO-009 | QCO DEMO 009:2026

Quality Control Order for Rooftop Solar PV Mounting Systems

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Renewable Energy
Covered products	rooftop solar PV mounting frames; module mounting rails; roof anchor mounting assemblies; small commercial PV support systems
Product synonyms	solar mounting structure; PV mounting system; solar panel frame; rooftop solar bracket; PV support structure
Linked Domain 1 standard demo_id	STD-DEMO-009
Applicable standard	IS DEMO 1009:2026
Standard title	Rooftop Solar PV Mounting Systems - Mechanical and Installation Requirements
Scope	Applies to mechanical mounting systems used to attach rooftop solar PV modules to building roofs, including rails, clamps, supports and roof anchoring assemblies.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-09 - Renewable Energy Mechanical Product Scheme
Effective date	2026-05-01
Notification date	2026-03-05
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	Prototype mounting assemblies used only for controlled field trials may be supplied without certification to a designated pilot site under a documented trial declaration.
Related QCOs	QCO-DEMO-005
Keywords	solar mounting structure; PV frame; rooftop solar; renewable energy; structural testing; QCO
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-009

Compliance details

Requirement area	Details
Manufacturer requirements	Control structural material grades, fasteners, corrosion protection and load assumptions; validate joint design; and maintain traceability of profile and fastener batches.
Importer requirements	Verify certified configuration and material declarations; retain structural test/calculation evidence; and ensure imported component combinations match the approved configuration.
Testing requirements	Static load; connection strength; pull-out or anchor verification where applicable; dimensional verification; corrosion-protection checks; and joint durability screening.
Marking requirements	Manufacturer, model/system designation, material or finish code, batch/lot, installation orientation information where needed, demo standard number, and synthetic certification mark.
Documentation required	Structural drawings; material certificates; fastener specifications; design calculation summary; test reports; installation instructions; certificate copy; and batch traceability records.
Enforcement notes	Mounting systems without required evidence may be stopped from commercial installation. Changes to load ratings, profiles or fastener configurations require documented reassessment.

QCO-DEMO-010 | QCO DEMO 010:2024

Quality Control Order for Legacy uPVC Drainage Pipes

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Building Materials
Covered products	uPVC gravity drainage pipes - legacy configuration; uPVC soil and waste pipes - legacy wall profile; legacy drainage pipe fittings
Product synonyms	PVC drainage pipe; uPVC sewer pipe; waste pipe; soil pipe; drain pipe
Linked Domain 1 standard demo_id	STD-DEMO-010
Applicable standard	IS DEMO 1010:2023
Standard title	uPVC Drainage Pipes - Gravity Drainage Service
Scope	Historical order for uPVC gravity drainage products manufactured to the earlier demo configuration. The order is retained for traceability of older certified products.
Mandatory certification	Yes during its period of validity
Certification scheme	PCS-DEMO-10 - Plastic Drainage Product Scheme (Legacy)
Effective date	2024-08-01
Notification date	2024-05-20
Status	Superseded / Withdrawn (from 2026-04-01)
Amendment status	Not amended
Amendment reference	None
Exemptions	No new-product exemption because the order is withdrawn. Historical stock may be identified using existing certification and traceability records.
Related QCOs	QCO-DEMO-011
Keywords	uPVC drainage pipe; PVC pipe; legacy QCO; superseded QCO; building materials
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-010

Compliance details

Requirement area	Details
Manufacturer requirements	During validity, manufacturers controlled resin formulation, dimensions, wall thickness, joint fit and batch test records. Current production should not be approved against this withdrawn order.
Importer requirements	Historical shipments had to match the certified legacy configuration. Current importers should not rely on this QCO for new commercial declarations.
Testing requirements	Dimensions; wall thickness; ring stiffness or crush resistance as relevant; impact screening; joint compatibility; and visual finish checks.
Marking requirements	Manufacturer, nominal size, product type, batch code, historical demo standard number, and synthetic certification mark.
Documentation required	Historical certificate; product specification; batch test report; production records; and shipment traceability evidence.
Enforcement notes	For current supply, this QCO should not be used as the compliance basis. Products intended for new commercial placement should be assessed against QCO-DEMO-011.

QCO-DEMO-011 | QCO DEMO 011:2026

Quality Control Order for uPVC Drainage Pipes - Current Requirements

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Building Materials
Covered products	uPVC gravity drainage pipes; uPVC soil and waste pipes; uPVC drainage fittings for gravity service
Product synonyms	PVC drainage pipe; uPVC sewer pipe; waste pipe; soil pipe; drainage fitting
Linked Domain 1 standard demo_id	STD-DEMO-011
Applicable standard	IS DEMO 1011:2026
Standard title	uPVC Drainage Pipes - Gravity Drainage Service, Revised Requirements
Scope	Applies to current uPVC pipes and associated fittings for gravity drainage, soil and waste service in building drainage systems.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-11 - Plastic Building Products Certification Scheme
Effective date	2026-04-01
Notification date	2026-02-25
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	Pipe samples supplied only for certification testing, up to 500 metres per application, may be imported without final certification marking when clearly identified as test material.
Related QCOs	QCO-DEMO-010; QCO-DEMO-004
Keywords	uPVC drainage pipe; PVC pipe; building product; drainage standard; current QCO; pipe certification
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-011

Compliance details

Requirement area	Details
Manufacturer requirements	Control resin and additive inputs; maintain dimensional and wall-thickness controls; perform routine pressure or stiffness-related checks as applicable; and retain batch traceability.
Importer requirements	Verify current QCO and certificate coverage; match product type, dimensions and model designation to the certificate; retain test evidence and shipment records.
Testing requirements	Dimensions; wall thickness; ring stiffness or crush resistance; impact resistance; joint leak or compatibility testing; thermal cycling screening; and visual defects inspection.
Marking requirements	Manufacturer, nominal size and class, batch code, product type, demo standard number, installation direction where needed, and synthetic certification mark.
Documentation required	Product drawings; material specification; routine test records; type test report; certificate copy; marking artwork; packaging/label records; and importer declaration.
Enforcement notes	New commercial supply should rely on this current QCO rather than the legacy QCO-DEMO-010. Non-compliant products may be withheld from release pending corrective evidence.

QCO-DEMO-012 | QCO DEMO 012:2026

Quality Control Order for Electric Storage Water Heaters

Field	Synthetic record value
Issuing authority	BIS MITRA Demo Authority (Synthetic)
Product category	Electrical Appliances
Covered products	electric storage water heaters; domestic electric geysers; storage-type electric water heating units
Product synonyms	electric geyser; water heater; storage water heater; electric hot water tank; domestic geyser
Linked Domain 1 standard demo_id	STD-DEMO-014
Applicable standard	IS DEMO 1014:2025
Standard title	Electric Storage Water Heaters - Domestic Safety and Energy Performance
Scope	Applies to domestic electric storage water heaters with a fixed tank and electric heating system intended to heat and store water for household use.
Mandatory certification	Yes
Certification scheme	PCS-DEMO-12 - Domestic Water Heating Appliance Scheme
Effective date	2026-06-15
Notification date	2026-04-25
Status	Active
Amendment status	Not amended
Amendment reference	None
Exemptions	Water heaters imported solely for controlled destructive testing or prototype evaluation by a designated laboratory may be exempt before certification, subject to non-sale conditions.
Related QCOs	QCO-DEMO-003
Keywords	electric water heater; geyser; storage water heater; water heater certification; electrical appliance QCO
Source reference	BIS MITRA Demo -> QCO / Quality Control Orders -> QCO-DEMO-012

Compliance details

Requirement area	Details
Manufacturer requirements	Control tank materials, heating elements, thermostats, pressure/temperature safety devices and insulation; perform routine electrical and leakage checks; and maintain model traceability.
Importer requirements	Verify certificate coverage by exact model; check rated capacity and electrical rating; retain supplier test reports and commercial records; and prevent sale of modified or uncertified variants.
Testing requirements	Dielectric strength; earth continuity or insulation checks; leakage current; thermostat cut-off; pressure containment; thermal safety; power input; and energy performance screening.
Marking requirements	Manufacturer, model, capacity, rated voltage/frequency, rated power, serial or batch code, installation warnings, demo standard number, and synthetic certification mark.
Documentation required	Tank and element specification; safety-device list; electrical schematic; type test report; energy test report; routine test procedure; certificate copy; and installation/use manual.
Enforcement notes	Electric water heaters without the required certification should not be commercially released. Repeated failures can result in batch hold, certificate action, or product withdrawal.

Demo Data Integrity Notes

This package intentionally uses fictional QCO numbers prefixed with "QCO DEMO" and links only to the synthetic Domain 1 Standards records. The same QCO values are used in the CSV and this PDF. Multi-value fields are semicolon-separated in the CSV.

Historical relationships demonstrated

QCO-DEMO-010 is a withdrawn/superseded legacy drainage QCO related to QCO-DEMO-011, which is the current requirements record. QCO-DEMO-008 is superseded/withdrawn and points current commercial applicants to QCO-DEMO-012 as the synthetic replacement for the seating product example.