

★ BIS MITRA DEMO DATA

Synthetic demonstration records - NOT official BIS data.

Dataset	BIS MITRA Standards Demo Dataset
Domain	STANDARDS
Records	14 synthetic standards
Purpose	Retrieval, citation, search, follow-up, comparison, testing, certification, QCO and historical relationships
Official status	NOT OFFICIAL BIS DATA

Demo citation format

Source: BIS MITRA Demo > Standards > STD-DEMO-001
File: standards_demo.pdf

Important: Every identifier, title, date, QCO reference, requirement, amendment and historical relationship in this package is fictional. Do not treat the data as an official BIS publication.

1. Standards Catalog

Demo ID	Standard number and title	Sector	Status	Published	Reviewed
STD-DEMO-001	IS DEMO 1001:2026 Industrial Safety Helmets - Performance and Marking	Personal Protective Equipment	Active	2026-02-12	2026-08-20
STD-DEMO-002	IS DEMO 1002:2025 Flexible Polymer Food Packs - Food Contact and Performance Requirements	Food and Packaging	Active	2025-04-10	2026-03-18
STD-DEMO-003	IS DEMO 1003:2025 Domestic Induction Cooking Appliances - Safety and Performance	Electrical Appliances	Active	2025-06-21	2026-04-12
STD-DEMO-004	IS DEMO 1004:2024 Cementitious Repair Mortars - Industrial and Building Concrete Repair	Construction Materials	Active	2024-08-05	2026-01-22
STD-DEMO-005	IS DEMO 1005:2026 LED Road Luminaires - Photometric, Electrical and Environmental Performance	Lighting	Active	2026-01-18	2026-08-02
STD-DEMO-006	IS DEMO 1006:2025 Stainless Steel Food-Contact Utensils - Hygiene and Material Requirements	Food Contact Materials	Active	2025-03-02	2026-02-10
STD-DEMO-007	IS DEMO 1007:2025 LPG Cabinet Heaters for Indoor Domestic Use - Safety Requirements	Gas Appliances	Active	2025-01-15	2026-05-04
STD-DEMO-008	IS DEMO 1008:2024 Modular Office Chairs - Structural Safety and Durability	Furniture	Active	2024-03-10	2026-06-09
STD-DEMO-009	IS DEMO 1009:2026 Rooftop Solar PV Mounting Systems - Mechanical and Installation Requirements	Renewable Energy	Active	2026-02-28	2026-08-18
STD-DEMO-010	IS DEMO 1010:2023 uPVC Drainage Pipes - Gravity Drainage Service	Building Materials	Superseded	2023-02-14	2025-12-05
STD-DEMO-011	IS DEMO 1011:2026 uPVC Drainage Pipes - Gravity Drainage Service, Revised Requirements	Building Materials	Active	2026-01-10	2026-08-10
STD-DEMO-012	IS DEMO 1012:2023 Solar Water Heating Collectors - Domestic Thermal Systems	Renewable Energy	Superseded	2023-05-20	2025-11-16
STD-DEMO-013	IS DEMO 1013:2026 Solar Water Heating Collectors - Domestic Thermal Systems, Current Requirements	Renewable Energy	Active	2026-02-05	2026-08-25
STD-DEMO-014	IS DEMO 1014:2025 Electric Storage Water Heaters - Domestic Safety and Energy Performance	Electrical Appliances	Active	2025-09-14	2026-07-12

Status distribution: 12 Active, 2 Superseded. Amended records: STD-DEMO-001 and STD-DEMO-005.
Historical chains: STD-DEMO-010 -> STD-DEMO-011 and STD-DEMO-012 -> STD-DEMO-013.

STD-DEMO-001 - IS DEMO 1001:2026

Industrial Safety Helmets - Performance and Marking

Sector	Personal Protective Equipment	Sub-sector	Occupational head protection
Standard type	Product standard	Edition/year	2026
Status	Active	QCO reference	QCO-DEMO-PPE-2026-01
Published	2026-02-12	Effective	2026-05-01
Last reviewed	2026-08-20	Amendment	Amended (AMD-DEMO-1001-01)
Supersedes	None	Superseded by	None

Scope: Specifies minimum performance, construction, inspection, and marking requirements for industrial safety helmets intended to protect workers from falling objects and incidental impact in routine industrial and construction environments.

Applicability: Applies to industrial safety helmets supplied for general workplace use; excludes helmets specifically designed for high-voltage electrical insulation, firefighting, sports, and motorcycling.

Certification applicability: Certification applicable where the referenced product control order is in force; otherwise this standard may be used for voluntary product conformity claims.

Key requirements

- Shell material shall maintain structural integrity after impact testing.
- Helmet suspension shall retain the shell and maintain clearance from the headform.
- Chin-strap attachment, where provided, shall meet the specified retention performance.
- Manufacturer shall control dimensions, materials, and production consistency.

Testing requirements

- Impact attenuation test using specified impact energies and headform configuration.
- Penetration resistance test using a controlled striker.
- Retention-system performance test where a retention system is supplied.
- Environmental conditioning before selected performance tests.

Relevant laboratory/test evidence

- Product test report identifying sample configuration and conditioning.
- Test observations and measured impact/penetration results.
- Laboratory statement linking sample identification to the tested production model.

Marking requirements

- Manufacturer or responsible brand identification.
- Model or product identification.
- Standard number: IS DEMO 1001:2026.
- Manufacturing batch or traceability mark.

Documentation required

- Product specification sheet.
- Bill of materials or material declaration.
- Routine production inspection record.
- Relevant laboratory test report.

Search and follow-up terms

Keywords: industrial safety helmet, head protection, workplace helmet, impact helmet, PPE

Synonyms: safety helmet, industrial helmet, protective helmet, worker helmet, head protection

Example products: Construction hard hats, Factory safety helmets, Warehouse worker helmets

Related standards: STD-DEMO-004, STD-DEMO-008

Amendment detail

Reference	AMD-DEMO-1001-01
Number	Amendment 1
Date	2026-07-15
Affected clause	Clause 7 - Marking and traceability
Previous requirement	Required the manufacturer identification and product model marking on the shell or label.
Revised requirement	Adds a batch or lot traceability mark and allows the mark to be placed on the shell or durable internal label.
Reason for change	Improves traceability for production batches and field investigations without changing the core safety performance criteria.
Amendment effective	2026-09-01

Demo source: BIS MITRA Demo > Standards > STD-DEMO-001 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-002 - IS DEMO 1002:2025

Flexible Polymer Food Packs - Food Contact and Performance Requirements

Sector	Food and Packaging	Sub-sector	Food-contact packaging
Standard type	Product standard	Edition/year	2025
Status	Active	QCO reference	QCO-DEMO-FP-2025-02
Published	2025-04-10	Effective	2025-07-01
Last reviewed	2026-03-18	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Covers flexible polymer films, pouches, and laminated packs intended for direct contact with dry, aqueous, or fatty foods under defined time and temperature conditions.

Applicability: Applies to packaging materials used in food storage and distribution when the material is intended to contact food directly; does not cover reusable rigid containers or pharmaceutical packaging.

Certification applicability: Certification not automatically required by this standard alone; applicability depends on the product, applicable regulatory order, and conformity route selected by the organization.

Key requirements

- Materials shall meet specified composition and migration criteria for the intended food-contact condition.
- Pack seams and closures shall maintain integrity during the declared service conditions.
- Odour and appearance shall remain within defined acceptance criteria after conditioning.
- Packaging construction shall be traceable to a defined material and supplier specification.

Testing requirements

- Overall migration test using the specified food simulant and exposure condition.
- Seal strength test for applicable pouch and bag constructions.
- Odour and sensory screening after conditioning.
- Thickness and dimensional verification.

Relevant laboratory/test evidence

- Migration test report with simulant, time, and temperature stated.
- Seal strength measurements for representative production lots.
- Material specification or certificate of composition from the supplier.

Marking requirements

- Manufacturer or converter identification.
- Material family or construction code.
- Batch or lot identification.
- Statement of intended food-contact use where required by the applicable conformity route.

Documentation required

- Packaging construction drawing.
- Material and supplier specifications.
- Food-contact test report.
- Production batch traceability record.

Search and follow-up terms

Keywords: food packaging, polymer film, food contact, pouch, migration
Synonyms: food-contact packaging, plastic food pack, food packaging film, polymer pouch, food pack
Example products: Snack pouches, Dry-food liners, Laminated food sachets
Related standards: STD-DEMO-006, STD-DEMO-012

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-002 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-003 - IS DEMO 1003:2025

Domestic Induction Cooking Appliances - Safety and Performance

Sector	Electrical Appliances	Sub-sector	Domestic cooking appliances
Standard type	Product standard	Edition/year	2025
Status	Active	QCO reference	QCO-DEMO-ELEC-2025-03
Published	2025-06-21	Effective	2025-09-01
Last reviewed	2026-04-12	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Specifies safety, electrical, thermal, and functional performance requirements for freestanding and countertop domestic induction cooking appliances supplied for household use.

Applicability: Applies to induction hobs and portable induction cookers designed for household cooking; excludes commercial catering equipment and laboratory heating equipment.

Certification applicability: Certification applicable where a product-specific control order adopts this standard; otherwise conformity assessment may be voluntary.

Key requirements

- Electrical insulation and protective measures shall meet the specified safety criteria.
- Accessible surfaces shall remain within defined temperature limits during declared use.
- The appliance shall safely detect or respond to abnormal operating conditions.
- Controls and indicators shall remain legible and function correctly.

Testing requirements

- Dielectric strength and insulation verification.
- Temperature rise testing under representative load.
- Abnormal operation and protective-device response testing.
- Control and indicator functional checks.

Relevant laboratory/test evidence

- Electrical safety test report.
- Temperature rise data for defined cooking-load conditions.
- Abnormal operation test record with protective responses.

Marking requirements

- Manufacturer name or trademark.
- Rated voltage, frequency, and power information.
- Model and serial/batch identification.
- Relevant warning and installation information.

Documentation required

- Circuit and wiring diagram.
- Rated electrical characteristics.
- User and installation instructions.
- Laboratory test evidence.

Search and follow-up terms

Keywords: induction cooker, electric cooking appliance, induction hob, kitchen appliance

Synonyms: induction stove, induction cooktop, portable induction cooker, electric induction appliance

Example products: Countertop induction cooker, Two-zone induction hob, Portable induction plate

Related standards: STD-DEMO-005, STD-DEMO-014

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-003 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-004 - IS DEMO 1004:2024

Cementitious Repair Mortars - Industrial and Building Concrete Repair

Sector	Construction Materials	Sub-sector	Concrete repair materials
Standard type	Product standard	Edition/year	2024
Status	Active	QCO reference	None in demo
Published	2024-08-05	Effective	2024-11-01
Last reviewed	2026-01-22	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Specifies composition, fresh-state properties, hardened performance, and application-related requirements for pre-bagged cementitious repair mortars used for patching and restoration of concrete substrates.

Applicability: Applies to non-structural and defined repair applications where the repair material is mixed and placed according to the manufacturer instructions; excludes resin-based repair systems.

Certification applicability: Certification generally voluntary unless a project specification, procurement condition, or applicable order requires conformity to this standard.

Key requirements

- Specified compressive strength shall be achieved at the declared test age.
- Fresh mortar shall meet workable consistency and water-demand limits.
- Bond performance to the defined concrete substrate shall meet the acceptance threshold.
- Packaging shall identify mixing instructions and declared batch information.

Testing requirements

- Compressive strength test on prepared mortar specimens.
- Bond strength or pull-off test on the defined substrate configuration.
- Water demand and workability verification.
- Drying shrinkage screening where declared.

Relevant laboratory/test evidence

- Strength test results by specimen and batch.
- Bond test report identifying substrate and surface preparation.
- Product formulation and mixing record.

Marking requirements

- Product name and manufacturer identification.
- Declared class or performance designation.
- Batch number and date of manufacture.
- Storage and mixing instructions.

Documentation required

- Technical data sheet.
- Batch certificate or quality-control record.
- Laboratory performance report.
- Application instructions.

Search and follow-up terms

Keywords: repair mortar, concrete repair, cementitious mortar, patch repair

Synonyms: concrete repair mortar, cement repair compound, patching mortar, concrete patch material

Example products: Pre-bagged repair mortar, Concrete patching mortar, Repair screed mortar

Related standards: STD-DEMO-001

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-004 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-005 - IS DEMO 1005:2026

LED Road Luminaires - Photometric, Electrical and Environmental Performance

Sector	Lighting	Sub-sector	Road and outdoor lighting
Standard type	Product standard	Edition/year	2026
Status	Active	QCO reference	QCO-DEMO-LTG-2026-01
Published	2026-01-18	Effective	2026-04-15
Last reviewed	2026-08-02	Amendment	Amended (AMD-DEMO-1005-01)
Supersedes	None	Superseded by	None

Scope: Specifies photometric, electrical, thermal, ingress-related, and marking requirements for LED road luminaires used on public and private roads, access ways, and comparable outdoor lighting installations.

Applicability: Applies to LED luminaires with integral drivers intended for fixed outdoor installation; excludes decorative luminaires and portable work lights.

Certification applicability: Certification applicable where the relevant product control order adopts this standard; otherwise conformity may be demonstrated through supplier declaration and test evidence.

Key requirements

- Declared luminous performance shall be supported by photometric measurements.
- Electrical input and protective measures shall meet the specified limits.
- Thermal design shall maintain component temperatures within declared limits.
- Enclosure and environmental protection shall match the declared installation condition.

Testing requirements

- Photometric test and luminous flux verification.
- Electrical safety and power-factor related checks where specified.
- Thermal endurance and temperature measurement.
- Environmental enclosure verification for the declared protection level.

Relevant laboratory/test evidence

- Photometric test report with mounting and operating conditions.
- Electrical safety and performance report.
- Thermal test data and enclosure verification record.

Marking requirements

- Manufacturer identification.
- Model/type designation.
- Rated electrical data.
- Declared outdoor/environmental protection information and batch traceability.

Documentation required

- Luminaire technical data sheet.
- LED module and driver identification.
- Photometric file or equivalent laboratory output.
- Environmental and electrical test reports.

Search and follow-up terms

Keywords: LED luminaire, road lighting, street light, outdoor lighting, photometry

Synonyms: LED street light, road light fitting, outdoor LED luminaire, highway LED light

Example products: Roadway LED luminaire, Street-light fitting, Outdoor access-road LED fixture

Related standards: STD-DEMO-003, STD-DEMO-009

Amendment detail

Reference	AMD-DEMO-1005-01
Number	Amendment 1
Date	2026-06-30
Affected clause	Clause 5.4 - Driver operating data
Previous requirement	Required declaration of rated input power and operating voltage.
Revised requirement	Adds maximum inrush current declaration for models using electronic drivers with active power management.
Reason for change	Provides installers with additional information for circuit protection and commissioning calculations.
Amendment effective	2026-08-15

Demo source: BIS MITRA Demo > Standards > STD-DEMO-005 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-006 - IS DEMO 1006:2025

Stainless Steel Food-Contact Utensils - Hygiene and Material Requirements

Sector	Food Contact Materials	Sub-sector	Metal utensils and kitchenware
Standard type	Product standard	Edition/year	2025
Status	Active	QCO reference	None in demo
Published	2025-03-02	Effective	2025-06-01
Last reviewed	2026-02-10	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Specifies material, finish, corrosion resistance, cleanability, and marking requirements for stainless steel utensils and kitchenware intended for repeated food contact.

Applicability: Applies to ladles, serving utensils, bowls, trays, and similar stainless steel kitchenware used in domestic or institutional food preparation and serving.

Certification applicability: Certification is not automatically required by the standard alone; it may become applicable through a product-specific order or contractual specification.

Key requirements

- Food-contact surfaces shall use the declared stainless-steel grade or an approved equivalent within the demo specification.
- Surfaces shall be reasonably smooth and cleanable for the intended use.
- Joints and seams shall not create avoidable food-retention pockets in areas declared as food contact.
- Products shall resist the defined corrosion screening exposure.

Testing requirements

- Material identification verification.
- Corrosion resistance screening under the defined exposure.
- Surface finish and cleanability inspection.
- Dimensional and workmanship checks.

Relevant laboratory/test evidence

- Material chemistry or grade-identification report.
- Corrosion test observations and acceptance result.
- Inspection record showing finish and workmanship.

Marking requirements

- Manufacturer identification or trade mark.
- Product/model identification.
- Batch or lot mark where traceability is claimed.
- Material grade designation where required by the product specification.

Documentation required

- Material grade certificate or supplier declaration.
- Production inspection checklist.
- Laboratory corrosion test report where applicable.
- Product drawing or dimensional specification.

Search and follow-up terms

Keywords: food contact, stainless steel utensil, kitchenware, corrosion resistance

Synonyms: stainless steel kitchenware, food-contact utensil, steel serving utensil, food-grade utensil

Example products: Serving ladles, Steel bowls, Institutional serving trays

Related standards: STD-DEMO-002

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-006 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-007 - IS DEMO 1007:2025

LPG Cabinet Heaters for Indoor Domestic Use - Safety Requirements

Sector	Gas Appliances	Sub-sector	LPG room heating appliances
Standard type	Product standard	Edition/year	2025
Status	Active	QCO reference	QCO-DEMO-GAS-2025-01
Published	2025-01-15	Effective	2025-04-01
Last reviewed	2026-05-04	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Specifies safety, combustion, gas-tightness, burner, ignition, flame-failure, and marking requirements for cabinet-type LPG room heaters intended for indoor domestic use.

Applicability: Applies to cabinet heaters using LPG supplied from portable cylinders under the defined appliance configuration; excludes industrial heaters and permanently installed central heating equipment.

Certification applicability: Certification applicable where a product-specific control order requires conformity to this standard; operation without the applicable conformity route is outside this demo dataset assumptions.

Key requirements

- Gas-carrying components shall maintain gas-tightness over the declared operating range.
- Burner combustion shall remain within the defined safety limits.
- Flame-failure protection shall safely interrupt gas flow under the specified failure condition.
- Hot-surface and ventilation warnings shall be provided as required.

Testing requirements

- Gas-tightness and leak verification.
- Flame-failure device response test.
- Combustion performance and stability test.
- Ignition and abnormal-condition testing.

Relevant laboratory/test evidence

- Gas-tightness test report.
- Combustion and flame-failure performance record.
- Abnormal-condition test evidence with appliance configuration.

Marking requirements

- Manufacturer identification.
- Appliance model/type.
- Gas type and rated heat input.
- Warning, ventilation, and installation information.

Documentation required

- Gas circuit schematic.
- Burner and safety-device specifications.
- Installation and operating instructions.
- Laboratory safety test report.

Search and follow-up terms

Keywords: LPG heater, gas heater, cabinet heater, room heater, flame failure
Synonyms: LPG room heater, gas room heater, cabinet gas heater, portable LPG heater
Example products: Cabinet LPG heater, Portable domestic gas heater
Related standards: STD-DEMO-003

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-007 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-008 - IS DEMO 1008:2024

Modular Office Chairs - Structural Safety and Durability

Sector	Furniture	Sub-sector	Office seating
Standard type	Product standard	Edition/year	2024
Status	Active	QCO reference	None in demo
Published	2024-03-10	Effective	2024-06-15
Last reviewed	2026-06-09	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Specifies dimensional, structural, stability, adjustment, durability, and marking requirements for modular office chairs intended for seated work in offices and similar indoor environments.

Applicability: Applies to adjustable and fixed office chairs assembled from modular components; excludes specialist medical seating and auditorium fixed seating.

Certification applicability: Certification generally voluntary unless required by procurement specifications or another applicable conformity instrument.

Key requirements

- Chair structure shall withstand the specified static loading sequences.
- Base and caster assembly shall maintain stability during prescribed movement conditions.
- Adjustment mechanisms shall operate without unsafe release or unintended movement.
- Repeated-use durability shall meet the defined cycle requirement.

Testing requirements

- Static load and stability test.
- Seat, backrest, and armrest durability cycling where applicable.
- Caster/base strength and movement test.
- Adjustment mechanism endurance test.

Relevant laboratory/test evidence

- Structural test report with load sequence.
- Durability-cycle results and failure observations.
- Stability and adjustment mechanism test record.

Marking requirements

- Manufacturer or supplier identification.
- Model/product code.
- Basic assembly and maximum-use information where relevant.
- Batch/lot reference for traceability claims.

Documentation required

- Assembly drawing.
- Materials and component specification.
- Durability and structural test evidence.
- User assembly instructions.

Search and follow-up terms

Keywords: office chair, modular furniture, seating, chair durability, stability

Synonyms: work chair, office seating, adjustable office chair, task chair, desk chair

Example products: Adjustable task chair, Modular workstation chair, Meeting-room office chair

Related standards: STD-DEMO-001

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-008 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-009 - IS DEMO 1009:2026

Rooftop Solar PV Mounting Systems - Mechanical and Installation Requirements

Sector	Renewable Energy	Sub-sector	Solar photovoltaic mounting
Standard type	Installation and product interface standard	Edition/year	2026
Status	Active	QCO reference	None in demo
Published	2026-02-28	Effective	2026-06-01
Last reviewed	2026-08-18	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Defines mechanical strength, corrosion protection, attachment, load-path, and installation documentation requirements for rooftop mounting systems supporting solar photovoltaic modules.

Applicability: Applies to fixed rooftop mounting systems for small and medium distributed solar PV installations; excludes ground-mounted utility-scale systems and tracking structures.

Certification applicability: Certification may be required when the mounting product is covered by a procurement or project conformity specification; this standard alone does not universally mandate certification.

Key requirements

- Mounting members shall withstand declared design loads for the installation zone.
- Fasteners and attachment details shall maintain the specified load path.
- Corrosion protection shall match the declared environmental exposure.
- Installation documents shall identify permitted roof interfaces and tightening requirements.

Testing requirements

- Mechanical load verification for representative assemblies.
- Fastener and connection strength checks.
- Corrosion-protection verification by documented coating or material evidence.
- Installation interface inspection.

Relevant laboratory/test evidence

- Mechanical load test report for the representative assembly.
- Connection-strength test records.
- Material/coating evidence for corrosion resistance.

Marking requirements

- Manufacturer identification.
- System/model designation.
- Material or coating identification where relevant.
- Batch or component identification for traceable parts.

Documentation required

- Assembly drawings and installation manual.
- Declared load capacities and design assumptions.
- Mechanical test evidence.
- Material/coating documentation.

Search and follow-up terms

Keywords: solar PV mounting, rooftop solar, solar mounting system, PV structure, roof attachment

Synonyms: rooftop solar structure, solar panel mounting, PV mounting frame, solar rooftop mounting

Example products: Rail-based rooftop mounting, Flat-roof ballast mounting, Pitched-roof PV attachment kit

Related standards: STD-DEMO-005, STD-DEMO-013

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-009 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-010 - IS DEMO 1010:2023

uPVC Drainage Pipes - Gravity Drainage Service

Sector	Building Materials	Sub-sector	Plastics piping systems
Standard type	Product standard	Edition/year	2023
Status	Superseded	QCO reference	QCO-DEMO-BLDG-2023-02
Published	2023-02-14	Effective	2023-05-01
Last reviewed	2025-12-05	Amendment	No amendment (None)
Supersedes	None	Superseded by	STD-DEMO-011

Scope: Specified dimensional, material, jointing, pressure-related, and workmanship requirements for unplasticized PVC drainage pipes used in gravity drainage applications.

Applicability: Applied to uPVC gravity drainage pipes produced under the earlier demo specification; this record is retained for historical lookup and replacement tracing.

Certification applicability: Certification applicability followed the conformity route attached to the earlier edition; it is not the current basis for new conformity claims in this demo dataset.

Key requirements

- Pipe dimensions and wall thickness shall match the declared size series.
- Material shall meet the earlier demo formulation limits.
- Jointing surfaces shall remain compatible with the specified connection method.
- Pipes shall meet the earlier stiffness and workmanship checks.

Testing requirements

- Dimensional and wall-thickness verification.
- Ring stiffness screening.
- Joint-leakage or watertightness check where applicable.
- Visual workmanship inspection.

Relevant laboratory/test evidence

- Historical product test report.
- Dimensional inspection results.
- Stiffness and joint performance evidence.

Marking requirements

- Manufacturer identification.
- Nominal size and class designation.
- Batch or production reference.
- Earlier standard number marking where historically applied.

Documentation required

- Historical product specification.
- Production test record.
- Archived conformity evidence.
- Replacement mapping to the current demo standard.

Search and follow-up terms

Keywords: uPVC pipe, drainage pipe, gravity drainage, plastic piping, superseded pipe standard

Synonyms: PVC drainage pipe, uPVC sewer pipe, plastic drain pipe, PVC gravity pipe

Example products: uPVC drain pipe, Building drainage pipe, Gravity wastewater pipe

Related standards: STD-DEMO-011

Amendment detail

No amendment in this synthetic demo record.

Historical relationship

This record is superseded by STD-DEMO-011. The newer record is the current active demo basis for this topic.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-010 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-011 - IS DEMO 1011:2026

uPVC Drainage Pipes - Gravity Drainage Service, Revised Requirements

Sector	Building Materials	Sub-sector	Plastics piping systems
Standard type	Product standard	Edition/year	2026
Status	Active	QCO reference	QCO-DEMO-BLDG-2026-02
Published	2026-01-10	Effective	2026-04-01
Last reviewed	2026-08-10	Amendment	No amendment (None)
Supersedes	STD-DEMO-010	Superseded by	None

Scope: Specifies current dimensional, material, jointing, stiffness, and identification requirements for unplasticized PVC drainage pipes intended for gravity drainage service in buildings and site drainage systems.

Applicability: Applies to new production and current conformity assessment for the defined uPVC drainage pipe range; the earlier 2023 demo edition is retained only as a superseded historical record.

Certification applicability: Certification applicable where the current product control route adopts this standard; otherwise the standard may support voluntary or contractually required conformity.

Key requirements

- Pipe dimensions and wall thickness shall meet the revised size-series tolerances.
- Ring stiffness classification shall be declared and supported by test evidence.
- Joint compatibility shall be demonstrated for the specified socket and seal configuration.
- Permanent identification shall include current standard reference and traceability information.

Testing requirements

- Dimensional and wall-thickness verification.
- Ring stiffness or flattening-related performance test.
- Joint watertightness or leakage test.
- Impact/workmanship inspection where the declared application requires it.

Relevant laboratory/test evidence

- Current-edition product test report.
- Stiffness results by representative pipe size.
- Joint performance report using the declared seal/joint system.

Marking requirements

- Manufacturer identification.
- Nominal size and stiffness/class designation.
- Current standard number: IS DEMO 1011:2026.
- Batch/production traceability mark.

Documentation required

- Current product specification.
- Installation and jointing instructions.
- Laboratory test evidence.
- Traceability and production-control record.

Search and follow-up terms

Keywords: uPVC drainage, current drainage pipe, gravity pipe, building drainage, replacement standard

Synonyms: revised uPVC drainage pipe, current PVC drain pipe standard, gravity drainage pipe, uPVC sewer pipe current

Example products: New-generation uPVC drain pipe, Building drainage pipe, Site gravity drainage pipe

Related standards: STD-DEMO-010

Amendment detail

No amendment in this synthetic demo record.

Historical relationship

This active record supersedes STD-DEMO-010. The replaced record remains in the dataset for historical lookup.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-011 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-012 - IS DEMO 1012:2023

Solar Water Heating Collectors - Domestic Thermal Systems

Sector	Renewable Energy	Sub-sector	Solar thermal water heating
Standard type	Product standard	Edition/year	2023
Status	Superseded	QCO reference	QCO-DEMO-REN-2023-01
Published	2023-05-20	Effective	2023-08-01
Last reviewed	2025-11-16	Amendment	No amendment (None)
Supersedes	None	Superseded by	STD-DEMO-013

Scope: Specified thermal efficiency, durability, connection, and basic safety requirements for domestic solar water-heating collectors used in small building-scale systems.

Applicability: Applied to the earlier collector design classes covered by the demo catalogue; retained for historical searches and replacement tracing.

Certification applicability: Certification was applicable under the earlier demo conformity route when invoked by procurement or product-control conditions; current conformity should use the replacement record.

Key requirements

- Collector shall achieve the declared thermal output under the defined test condition.
- Hydraulic connections shall remain leak-tight under the specified pressure.
- Thermal cycling shall not cause unacceptable functional damage.
- Collector casing and support points shall remain secure.

Testing requirements

- Thermal efficiency test under defined irradiance and inlet conditions.
- Pressure and leakage test.
- Thermal cycling durability test.
- Visual and dimensional inspection.

Relevant laboratory/test evidence

- Historical thermal-performance report.
- Pressure/leak test report.
- Durability and inspection records.

Marking requirements

- Manufacturer identification.
- Collector model.
- Rated thermal performance information.
- Batch/production identification.

Documentation required

- Collector specification sheet.
- Hydraulic connection details.
- Archived performance test evidence.
- Replacement mapping to the current standard.

Search and follow-up terms

Keywords: solar water heater, solar collector, thermal collector, hot water, superseded renewable standard

Synonyms: solar thermal collector, domestic solar heater collector, solar hot-water collector, solar water-heating panel

Example products: Flat-plate solar collector, Domestic solar thermal collector

Related standards: STD-DEMO-009, STD-DEMO-013

Amendment detail

No amendment in this synthetic demo record.

Historical relationship

This record is superseded by STD-DEMO-013. The newer record is the current active demo basis for this topic.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-012 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-013 - IS DEMO 1013:2026

Solar Water Heating Collectors - Domestic Thermal Systems, Current Requirements

Sector	Renewable Energy	Sub-sector	Solar thermal water heating
Standard type	Product standard	Edition/year	2026
Status	Active	QCO reference	QCO-DEMO-REN-2026-03
Published	2026-02-05	Effective	2026-05-15
Last reviewed	2026-08-25	Amendment	No amendment (None)
Supersedes	STD-DEMO-012	Superseded by	None

Scope: Specifies current thermal performance, pressure integrity, durability, materials, insulation, and marking requirements for domestic solar water-heating collectors used in building-scale hot-water systems.

Applicability: Applies to current collector models intended for domestic or small institutional hot-water systems; the 2023 demo edition is superseded and retained only for historical traceability.

Certification applicability: Certification applicable when a product-control or procurement route explicitly requires this current edition; otherwise test evidence may support voluntary conformity.

Key requirements

- Declared thermal performance shall be supported by the current test method and reporting format.
- Collector circuit shall withstand the specified pressure and leakage checks.
- Insulation and absorber construction shall maintain performance after durability conditioning.
- Materials and coatings shall be suitable for the declared operating temperature and environment.

Testing requirements

- Thermal performance test using the current conditioning and reporting method.
- Pressure integrity and leakage test.
- Thermal cycling and stagnation-related durability checks where applicable.
- Material, coating, and insulation inspection.

Relevant laboratory/test evidence

- Current thermal-performance laboratory report.
- Pressure integrity report for the representative collector.
- Durability and insulation evidence.

Marking requirements

- Manufacturer identification.
- Collector model/type.
- Declared thermal-performance designation.
- Current standard number and traceability mark.

Documentation required

- Current collector technical specification.
- Hydraulic and installation diagrams.
- Laboratory performance report.
- Material/coating evidence and traceability record.

Search and follow-up terms

Keywords: solar collector, solar thermal, domestic hot water, renewable energy, current collector standard

Synonyms: solar hot-water collector, solar thermal water heater, domestic solar collector, solar heating panel

Example products: Current flat-plate collector, Institutional solar hot-water collector

Related standards: STD-DEMO-009, STD-DEMO-012

Amendment detail

No amendment in this synthetic demo record.

Historical relationship

This active record supersedes STD-DEMO-012. The replaced record remains in the dataset for historical lookup.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-013 | Files: standards_demo.pdf / CSV / JSON / HTML

STD-DEMO-014 - IS DEMO 1014:2025

Electric Storage Water Heaters - Domestic Safety and Energy Performance

Sector	Electrical Appliances	Sub-sector	Domestic water heating
Standard type	Product standard	Edition/year	2025
Status	Active	QCO reference	QCO-DEMO-ELEC-2025-05
Published	2025-09-14	Effective	2025-12-01
Last reviewed	2026-07-12	Amendment	No amendment (None)
Supersedes	None	Superseded by	None

Scope: Specifies electrical safety, thermal performance, pressure containment, controls, energy-performance declaration, and marking requirements for domestic electric storage water heaters.

Applicability: Applies to fixed electric storage water heaters for domestic hot-water service within the declared capacity range; excludes instantaneous heaters and industrial hot-water vessels.

Certification applicability: Certification applicable where a relevant product control order adopts this standard; otherwise conformity assessment may be voluntary or procurement-driven.

Key requirements

- Tank and pressure-containing parts shall withstand the specified pressure condition.
- Electrical protection shall address insulation, leakage, and protective-device operation.
- Thermostatic controls shall maintain the declared water-temperature range.
- Energy-performance information shall be supported by the stated test method.

Testing requirements

- Pressure containment and leakage test.
- Dielectric strength and insulation tests.
- Thermostat and safety cut-out function test.
- Energy-performance or heat-loss verification.

Relevant laboratory/test evidence

- Pressure and leakage test report.
- Electrical safety report.
- Thermostat/safety cut-out functional test record.
- Energy-performance test results.

Marking requirements

- Manufacturer identification.
- Rated capacity and electrical data.
- Model and serial/batch identification.
- Installation warnings and pressure-related information.

Documentation required

- Tank construction specification.
- Electrical schematic and component list.
- Installation and operating manual.
- Laboratory safety and energy-performance evidence.

Search and follow-up terms

Keywords: electric water heater, storage water heater, geyser, domestic water heating, energy performance

Synonyms: electric geyser, storage geyser, hot-water storage heater, domestic electric heater

Example products: 10 L electric storage heater, 25 L domestic water heater, 50 L storage geyser

Related standards: STD-DEMO-003, STD-DEMO-013

Amendment detail

No amendment in this synthetic demo record.

Demo source: BIS MITRA Demo > Standards > STD-DEMO-014 | Files: standards_demo.pdf / CSV / JSON / HTML

2. Demo Scenario Coverage

Scenario	Records that support the demo
Industrial safety helmets	STD-DEMO-001
Electrical appliances	STD-DEMO-003, STD-DEMO-005, STD-DEMO-014
Food-contact materials	STD-DEMO-002, STD-DEMO-006
Superseded / replaced standards	STD-DEMO-010 -> STD-DEMO-011; STD-DEMO-012 -> STD-DEMO-013
Amendment follow-up	STD-DEMO-001, STD-DEMO-005
Certification / QCO follow-up	STD-DEMO-001, STD-DEMO-003, STD-DEMO-005, STD-DEMO-007, STD-DEMO-011, STD-DEMO-013, STD-DEMO-014
Testing / lab evidence follow-up	All 14 records
Sector search	All 14 records across multiple sectors
Comparison	Any pair; especially related records such as 010 vs 011 or 012 vs 013

Dataset notice

BIS MITRA DEMO DATA

Synthetic demonstration records - NOT official BIS data.