□ Logo S S S S S S S S S S S S S S S S S S	'h*
DETAILS THE PORT THE POR	5501
250 18R23 150 150 150 150 150 150 150 150 150 150	100
DETAILS 10 10 10 10 10 10 10 10 10 10 10 10 10	11 15 R2 2 3
Name Soll Abert Soll A	15
Roll Number 55 ARP 113 ASS ARP 113 ASS	BRID
3BR23CS011	
EXPERIMENT Tittle ADVACED SUB ARRAY PROBLEM AD	(501\13B)E
Title LEO	5
Title ADVACED SUB ARRAY, PROBLEM ADVACED SUB ARRAY, PROB	3550
EXPERIMENT ABRILLES ON ABRILLE	1138R1
You are competing in a basketball contest. In this contest the score for each successful shot depends on both the	15
distance from the basket and the player's position. The ball is shot N times, successfully. You are given an array A containing the distance of a player from basket for N shots. The index of array represents the position of the player. Score is calculated by multiplying the position with the distance from the basket.	550113
Your task is to find and return an integer value, representing the maximum possible score you can achieve by choosing a	22.
contiguous subarray of size K from the given array.	a 35EP2.
Note:	
* A subarray is a contiguous part of array.	23050
* Assume 1 based indexing.	38
* The array contains both negative and positive values.	<
* Assume the player is standing on a cartesian plane.	550175
Input Format	500
- input1:An integer value N representing the number of shots made by the player - input2 : An integer K representing the size of subarray	1
- input2 : An integer K representing the size of subarray	3173BR21
- input3 : An array of integers	55
Sample Input 5	C
5 5	2325
2	8750
12345 Sample Output	1
	28307
14	3275
Source Code: 1842-15-5011-1842-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011-1842-15-5011	STANDARD CENT
	3337°

```
goals=int(input())
    size=int(input())
    l=list(map(int,input().split()))
    for i in range(0,len(1)):
         sub=l[i:i+size]
         k=1
         s=0
         for j in sub:
              s+=(j*k)
              k+=1
              if s>mx:
                   mx=s
                                                                                                              -50<sup>1</sup> 38<sup>2</sup> 31 55<sup>0</sup> 38<sup>2</sup> 35<sup>0</sup>
    print(mx)
RESULT
  5 / 5 Test Cases Passed | 100 \%
```