

ASSIGNMENT NUMBER: A1

Revised On: 15/06/2017

TITLE	Study of Open source relational database: MySQL
PROBLEM STATEMENT /DEFINITION	To study open source relational MySql.
OBJECTIVE	To learn and understand the basic database architecture and the various components of it.
S/W PACKAGES AND HARDWARE APPARATUS USED	MySQL PC with the configuration as Latest Version of 64 bit Operating Systems, Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4 mysql.com/docs/mysql-tutorial-excerpt-5.1-en.pdf
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none">• Date• Title• Problem Definition• Learning Objective

	<ul style="list-style-type: none"> • Learning Outcome • Theory-Related concept,Architecture,Syntax etc • Class Diagram/ER diagram • Test cases • Program Listing • Output • Conclusion
--	---

Aim: Study of Open source relational database: MySQL.

Pre-requisite:

1. Basics of File handling, Databases

Learning Objectives:

- To learn and understand the basic database architecture and the various components of it.

Learning Outcomes:

The students will be able to

- Understand the basic database architecture and the various components of it.

Theory:

MySQL is a fast, easy-to-use RDBMS being used for many small and big businesses. MySQL is developed, marketed, and supported by MySQL AB, which is a Swedish company. MySQL is becoming so popular because of many good reasons:

MySQL is released under an open-source license. So you have nothing to pay to use it. MySQL is a very powerful program in its own right. It handles a large subset of the functionality of the most expensive and powerful database packages. MySQL uses a standard form of the well-known SQL data language. MySQL works on many operating systems and with many languages including PHP, PERL, C, C++, JAVA, etc. MySQL works very quickly and works well even with large data sets. MySQL is very friendly to PHP, the most appreciated language for web development. MySQL supports large databases, up to 50 million rows or more in a table. The default file size limit for a table is 4GB, but you can increase this (if your operating system can handle it) to a theoretical limit of 8 million terabytes (TB). MySQL is customizable. The open-source GPL license allows programmers to modify the MySQL software to fit their own specific environments.




Fig 1.Database Architecture

1. Application Layer and Interfaces

MySQL application layer is where the clients and users interact with the MySQL RDBMS. There are three components in this layer as can be seen in the layered. These components illustrate the different kinds of users that can interact with the MySQL RDBMS, which are the administrators, clients and query users. The administrators use the administrative interface and utilities. In MySQL, some of these utilities are mysqladmin which performs tasks like shutting down the server and creating or dropping databases. Clients communicate to the MySQL RDBMS through the interface or utilities. The client interface uses MySQL APIs for various different programming languages such as the C API, DBI API for Perl, PHP API, Java API, Python API, MySQL C++ API and Tcl. Query users interact with the MySQL RDBMS through a query interface that is mysql. Mysql is a monitor (interactive program) that allows the query users to issue SQL statements to the server and view the results.

2. Logical Layer

It was found that MySQL does indeed have a logical architecture . The MySQL documentation gave an indication as to precisely how these modules could be further broken down into subsystems arranged in a layered hierarchy corresponding to the layered architecture in Garlan and Shaw. The following section details these subsystems and the interactions within them.

2.1 Query Processor

The vast majority of interactions in the system occur when a user wishes to view or manipulate the underlying data in storage. These queries, which are specified using a data-manipulation language (ie SQL), are parsed and optimized by a query processor. This processor, depicted in Figure 3 above, can be represented as pipeline and filter architecture in the sense of Garlan and Shaw where the result of the previous component becomes an input or requirement to the next component. The component architecture of the query processor will be explained below.

2.1.1 Embedded DML Precompiler

When a request is received from a client in the application layer, it is the responsibility of the embedded DML (Data Manipulation Language) precompiler to extract the relevant SQL

statements embedded in the client API commands, or to translate the client commands into the corresponding SQL statements. This is the first step in the actual processing of a client application written in a programming language such as C++ or Perl, before compiling the SQL requests to access the MySQL databases received from an administrator are processed by the query. The client request could come from commands executed from an application interface (API) or an application program. This is prevalent in all general RDBMS's. MySQL has this component in order to process the MySQL client application request into the format that MySQL understands. The administrator and administrative utilities do not expose an interface, and hence execute directly to the MySQL server. Therefore, the embedded DML precompiler does not process it, and this explains the need for a DDL compiler.

2.1.2 DDL Compiler

2.1.3 Query Parser

After the relevant SQL query statements are obtained from deciphering the client request or the administrative request, the next step involves parsing the MySQL query. In this stage, the objective of the query parser is to create a parse tree structure based on the query so that it can be easily understood by the other components later in the pipeline.

2.1.4 Query Preprocessor

The query parse tree, as obtained from the query parser, is then used by the query preprocessor to check the SQL syntax and check the semantics of the MySQL query to determine if the query is valid. If it is a valid query, then the query progresses down the pipeline. If not, then the query does not proceed and the client is notified of the query processing error.

2.1.5 Security/Integration Manager

Once the MySQL query is deemed to be valid, the MySQL server needs to check the access control list for the client. This is the role of the security integration manager which checks to see if the client has access to connecting to that particular MySQL database and whether he/she has table and record privileges. In this case, this prevents malicious users from accessing particular tables and records in the database and causing havoc in the process.

2.1.6 Query Optimizer

After determining that the client has the proper permissions to access the specific table in the database, the query is then subjected to optimization. MySQL uses the query optimizer for

executing SQL queries as fast as possible. As a result, this is the reason why the performance of MySQL is fast compared to other RDBMS's. The task of the MySQL query optimizer is to analyze the processed query to see if it can take advantage of any optimizations that will allow it to process the query more quickly. MySQL query optimizer uses indexes whenever possible and uses the most restrictive index in order to first eliminate as many rows as possible as soon as possible. Queries can be processed more quickly if the most restrictive test can be done first.

2.1.7 Execution Engine

Once the MySQL query optimizer has optimized the MySQL query, the query can then be executed against the database. This is performed by the query execution engine, which then proceeds to execute the SQL statements and access the physical layer of the MySQL database. As well the database administrator can execute commands on the database to perform specific tasks such as repair, recovery, copying and backup, which it receives from the DDL compiler.

2.1.8 Scalability/Evolvability

The layered architecture of the logical layer of the MySQL RDBMS supports the evolvability of the system. If the underlying pipeline of the query processor changes, the other layers in the RDBMS are not affected. This is because the architecture has minimal sub-component interactions to the layers above and below it, as can be seen from the architecture diagram. The only sub-components in the query processor that interact with other layers is the embedded DML preprocessor, DDL compiler and query parser (which are at the beginning stages of the pipeline) and the execution engine (end of the pipeline). Hence, if the query preprocessor security/integration manager and/or query optimizer is replaced, this does not affect the outcome of the query processor.

2.2.1 Transaction Manager

As of version MySQL 4.0.x, support was added for transactions in MySQL. A transaction is a single unit of work that has one or more MySQL commands in it. The transaction manager is responsible for making sure that the transaction is logged and executed atomically. It does so through the aid of the log manager and the concurrency-control manager. Moreover, the transaction manager is also responsible for resolving any deadlock situations that occur. This situation can occur when two transactions cannot continue because they each have some data that

the other needs to proceed. Furthermore, the transaction manager is responsible for issuing the COMMIT and the ROLLBACK SQL commands. The COMMIT command commits to performing a transaction. Thus, a transaction is incomplete until it is committed to. The ROLLBACK command is used when a crash occurs during the execution of a transaction. If a transaction were left incomplete, the ROLLBACK command would undo all changes made by that transaction. The result of executing this command is restoring the database to its last stable state.

2.2.2 Concurrency-Control Manager

The concurrency-control manager is responsible for making sure that transactions are executed separately and independently. It does so by acquiring locks, from the locking table that is stored in memory, on appropriate pieces of data in the database from the resource manager. Once the lock is acquired, only the operations in one transaction can manipulate the data. If a different transaction tries to manipulate the same locked data, the concurrency-control manager rejects the request until the first transaction is complete.

2.3 Recovery Management

2.3.1 Log Manager

The log manager is responsible for logging every operation executed in the database. It does so by storing the log on disk through the buffer manager. The operations in the log are stored as MySQL commands. Thus, in the case of a system crash, executing every command in the log will bring back the database to its last stable state.

2.3.2 Recovery Manager

The recovery manager is responsible for restoring the database to its last stable state. It does so by using the log for the database, which is acquired from the buffer manager, and executing each operation in the log. Since the log manager logs all operations performed on the database (from the beginning of the database's life), executing each command in the log file would recover the database to its last stable state.

2.4 Storage Management

Storage is physically done on some type of secondary storage, however dynamic access of this medium is not practical. Thus, all work is done through a number of buffers. The buffers reside in main and virtual memory and are managed by a Buffer Manager. This manager works in conjunction with two other manager entities related to storage: the Resource Manager and the StorageManager.

2.4.1 Storage Manager

At the lowest level exists the Storage Manager. The role of the Storage Manager is to mediate requests between the Buffer Manager and secondary storage. The Storage Manager makes requests through the underlying disk controller (and sometimes the operating system) to retrieve data from the physical disk and reports them back to the Buffer Manager.

2.4.2 Buffer Manager

The role of the Buffer Manager is to allocate memory resources for the use of viewing and manipulating data. The Buffer Manager takes in formatted requests and decides how much memory to allocate per buffer and how many buffers to allocate per request. All requests are made from the Resource Manager.

2.4.3 Resource Manager

The purpose of the Resource Manager is to accept requests from the execution engine, put them into table requests, and request the tables from the Buffer Manager. The Resource Manager receives references to data within memory from the Buffer Manager and returns this data to the upper layers.

2.5 Evolvability/Scalability

The goals of the Transaction Management subsystem and the Recovery Management subsystem seem to provide non-functional requirements such as evolvability and scalability. For example, the different managers provide the necessary abstractions so that the implementation can change while leaving the interface the same, thereby ensuring that the system can evolve to contain better data structures or algorithms. Furthermore, these subsystems provide scalability by being able to handle several transactions from several different users concurrently, or by recovering crashes from several different databases without much effort.

FAQ questions :

1. List the different components of database architecture?
2. Explain the levels of data abstraction?
3. Explain 2-tier architecture?

Review questions:

1. Explain the DDL interpreter and DML compiler?
2. What is physical and logical independence for database?

ASSIGNMENT NUMBER: A2

Revised On: 15/06/2017

TITLE	Design and Develop SQL DDL statements which demonstrate the use of SQL objects such as creation of:
-------	---

	Table, View, Index, Sequence, Synonym.
PROBLEM STATEMENT /DEFINITION	Implement DDL commands in context of view, index, sequence.
OBJECTIVE	<ul style="list-style-type: none"> • To understand & implement the various DDL Commands. • To understand database concepts like view, index ,sequence and synonym.
S/W PACKAGES AND HARDWARE APPARATUS USED	<p>MySQL</p> <p>PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse</p>
REFERENCES	<p>Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X</p> <p>Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4</p> <p>mysql.com/docs/mysql-tutorial-excerpt-5.1-en.pdf</p>
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Title • Problem Definition • Learning Objective • Learning Outcome • Theory-Related concept,Architecture,Syntax etc

	<ul style="list-style-type: none"> • Class Diagram/ER diagram • Test cases • Program Listing • Output • Conclusion
--	---

Aim: Design and develop SQL DDL statements which demonstrate the use of SQL objects such as Table, View, Index ,sequence.

Pre-requisite:

- Basics of Database
- SQL DDL commands and their syntax,
- Constraints in SQL

Learning Objectives:

- To understand & implement the various DDL Commands.
- To understand database concepts like view, index ,sequence and synonym.

Learning Outcomes:

The students will be able to

- Use and Implement the DDL commands like Create the tables, Alter the table structure.
- Implement view, index (types of index),synonym and sequence concept.

Theory:

DDL COMMANDS: DDL is short form of Data Definition Language, which deals with data schemas and description, of how data can reside in database

Various commands in DDL are:

1. **Create :** Create table command defines each attribute uniquely. Each attribute has 3 mandatory things.

- (I) Attribute name
- (II) Attribute size
- (III) Data type

Syntax:

Create table tablename (Attribute_name attribute_datatype(size),Attribute_name attribute_datatype(size),Attribute_name attribute_datatype(size).....n)

2. **Alter :**

By using ALTER command existing table can be modify.

Adding New Columns

Syntax:

ALTER TABLE <table_name> ADD (<NewColumnName>
<Data_Type>(<size>),.....n)

Dropping a Column from the Table

Syntax :

ALTER TABLE <table_name> DROP COLUMN <column_name>
This command will drop particular column.

Modifying Existing Table

Syntax:

ALTER TABLE <table_name> MODIFY (<column_name>
<NewDataType>(<NewSize>))

Restriction on the ALTER TABLE

1. Using the ALTER TABLE clause the following tasks cannot be performed.
Change the name of the table
2. Change the name of the column
3. Decrease the size of a column if table data exists

Drop :

The Drop command will destroy table along with the data entries in it.

Syntax: Drop table <Tablename>

Truncate :

The truncate command deletes all entries existing in tables but keep the structure of table as described.

Syntax: Truncate Table <tablename>

Rename:

The rename command is used to rename the table

Syntax: Rename <OldTableName> <NewTableName>

Creating Views:

Database views are created using the CREATE VIEW statement. Views can be created from a single table, multiple tables, or another view. To create a view, a user must have the appropriate system privilege according to the specific implementation.

The basic CREATE VIEW syntax is as follows:

**CREATE VIEW view_name AS SELECT column1, column2.....FROM table_name
WHERE [condition];**

You can include multiple tables in your SELECT statement in very similar way as you use them in normal SQL SELECT query.

Example:

Consider the CUSTOMERS table having the following records:

```
+----+-----+----+-----+-----+
| ID | NAME   | AGE | ADDRESS | SALARY |
+----+-----+----+-----+-----+
| 1 | Ramesh | 32  | Ahmedabad | 2000.00 |
| 2 | Khilan | 25  | Delhi    | 1500.00 |
| 3 | kaushik | 23  | Kota     | 2000.00 |
| 4 | Chaitali | 25  | Mumbai   | 6500.00 |
| 5 | Hardik | 27  | Bhopal   | 8500.00 |
| 6 | Komal | 22  | MP       | 4500.00 |
| 7 | Muffy | 24  | Indore   | 10000.00 |
+----+-----+----+-----+-----+
```

Now, following is the example to create a view from CUSTOMERS table. This view would be used to have customer name and age from CUSTOMERS table:

SQL > CREATE VIEW CUSTOMERS_VIEW AS SELECT name, age FROM CUSTOMERS;

Now, you can query CUSTOMERS_VIEW in similar way as you query an actual table.
Following is the example:

```
SQL > SELECT * FROM CUSTOMERS_VIEW;
```

This would produce the following result:

```
+-----+-----+
| name   | age |
+-----+-----+
| Ramesh | 32 |
| Khilan | 25 |
| kaushik | 23 |
| Chaitali | 25 |
| Hardik | 27 |
| Komal  | 22 |
| Muffy  | 24 |
+-----+-----+
```

The WITH CHECK OPTION:

The WITH CHECK OPTION is a CREATE VIEW statement option. The purpose of the WITH CHECK OPTION is to ensure that all UPDATE and INSERTs satisfy the condition(s) in the view definition.

If they do not satisfy the condition(s), the UPDATE or INSERT returns an error.

The following is an example of creating same view CUSTOMERS_VIEW with the WITH CHECK OPTION:

```
CREATE VIEW CUSTOMERS_VIEW AS SELECT name, age FROM CUSTOMERS WHERE
age IS NOT NULL WITH CHECK OPTION;
```

The WITH CHECK OPTION in this case should deny the entry of any NULL values in the view's AGE column, because the view is defined by data that does not have a NULL value in the AGE column.

Updating a View:

A view can be updated under certain conditions:

The SELECT clause may not contain the keyword DISTINCT.

The SELECT clause may not contain summary functions.

The SELECT clause may not contain set functions.

The SELECT clause may not contain set operators.

The SELECT clause may not contain an ORDER BY clause.

The FROM clause may not contain multiple tables.

The WHERE clause may not contain subqueries.

The query may not contain GROUP BY or HAVING.

Calculated columns may not be updated.

All NOT NULL columns from the base table must be included in the view in order for the INSERT query to function.

So if a view satisfies all the above-mentioned rules then you can update a view. Following is an example to update the age of Ramesh:

```
SQL > UPDATE CUSTOMERS_VIEW SET AGE = 35 WHERE name='Ramesh';
```

This would ultimately update the base table CUSTOMERS and same would reflect in the view itself. Now, try to query base table, and SELECT statement would produce the following result:

```
+---+-----+---+-----+-----+
```


ID	NAME	AGE	ADDRESS	SALARY
1	Ramesh	35	Ahmedabad	2000.00
2	Khilan	25	Delhi	1500.00
3	kaushik	23	Kota	2000.00
4	Chaitali	25	Mumbai	6500.00
5	Hardik	27	Bhopal	8500.00
6	Komal	22	MP	4500.00
7	Muffy	24	Indore	10000.00

Inserting Rows into a View:

Rows of data can be inserted into a view. The same rules that apply to the UPDATE command also apply to the INSERT command.

Here we can not insert rows in CUSTOMERS_VIEW because we have not included all the NOT NULL columns in this view, otherwise you can insert rows in a view in similar way as you insert them in a table.

Deleting Rows into a View:

Rows of data can be deleted from a view. The same rules that apply to the UPDATE and INSERT commands apply to the DELETE command.

Following is an example to delete a record having AGE= 22.

```
SQL > DELETE FROM CUSTOMERS_VIEW WHERE age = 22;
```

This would ultimately delete a row from the base table CUSTOMERS and same would reflect in the view itself. Now, try to query base table, and SELECT statement would produce the following result:

```
+----+-----+----+-----+-----+
| ID | NAME   | AGE | ADDRESS | SALARY |
+----+-----+----+-----+-----+
| 1 | Ramesh | 35 | Ahmedabad | 2000.00 |
| 2 | Khilan | 25 | Delhi     | 1500.00 |
| 3 | kaushik | 23 | Kota      | 2000.00 |
| 4 | Chaitali | 25 | Mumbai    | 6500.00 |
| 5 | Hardik | 27 | Bhopal     | 8500.00 |
| 7 | Muffy  | 24 | Indore     | 10000.00 |
+----+-----+----+-----+-----+
```

Dropping Views:

Obviously, where you have a view, you need a way to drop the view if it is no longer needed. The syntax is very simple as given below:

```
DROP VIEW view_name;
```

Following is an example to drop CUSTOMERS_VIEW from CUSTOMERS table

```
DROP VIEW CUSTOMERS_VIEW;
```

INDEX

An index can be created in a table to find data more quickly and efficiently.

The users cannot see the indexes, they are just used to speed up searches/queries.

Note: Updating a table with indexes takes more time than updating a table without (because the indexes also need an update). So you should only create indexes on columns (and tables) that will be frequently searched against.

SQL CREATE INDEX Syntax

Creates an index on a table. Duplicate values are allowed:

```
CREATE INDEX index_name  
ON table_name (column_name)
```

SQL CREATE UNIQUE INDEX Syntax

Creates a unique index on a table. Duplicate values are not allowed:

```
CREATE UNIQUE INDEX index_name  
ON table_name (column_name)
```

CREATE INDEX Example

The SQL statement below creates an index named "PIndex" on the "LastName" column in the "Persons" table:

```
CREATE INDEX PIndex  
ON Persons (LastName)
```

If you want to create an index on a combination of columns, you can list the column names within the parentheses, separated by commas:

```
CREATE INDEX PIndex  
ON Persons (LastName, FirstName)
```


Creating Sequence

Syntax: CREATE Sequence sequence-name start with initial-value increment by increment-value maxvalue maximum-value cycle|nocycle

TWO-TIER AND THREE-TIER PROCESSING MODELS

The JDBC API supports both two-tier and three-tier processing models for database access.

Figure 1: Two-tier Architecture for Data Access.



In the two-tier model, a Java applet or application talks directly to the data source. This requires a JDBC driver that can communicate with the particular data source being accessed. A user's commands are delivered to the database or other data source, and the results of those statements are sent back to the user. The data source may be located on another machine to which the user is connected via a network. This is referred to as a client/server configuration, with the user's machine as the client, and the machine housing the data source as the server. The network can be an intranet, which, for example, connects employees within a corporation, or it can be the Internet.

In the three-tier model, commands are sent to a "middle tier" of services, which then sends the commands to the data source. The data source processes the commands and sends the results back to the middle tier, which then sends them to the user. MIS directors find the three-tier model very attractive because the middle tier makes it possible to maintain control over access and the kinds of updates that can be made to corporate data. Another advantage is that it simplifies the deployment of applications. Finally, in many cases, the three-tier architecture can provide performance advantages.

JDBC :-

The fundamental steps involved in the process of connecting to a database and executing a query consist of the following:

- Import JDBC packages.
- Load and register the JDBC driver.
- Open a connection to the database.
- Create a statement object to perform a query.
- Execute the statement object and return a query resultset.
- Process the resultset.
- Close the resultset and statement objects.
- Close the connection.

These steps are described in detail in the sections that follow.

Import JDBC Packages

This is for making the JDBC API classes immediately available to the application program. The following import statement should be included in the program irrespective of the JDBC driver being used:

```
import java.sql.*;
```

Additionally, depending on the features being used, Oracle-supplied JDBC packages might need to be imported. For example, the following packages might need to be imported while using the Oracle extensions to JDBC such as using advanced data types such as BLOB, and so on.

```
import oracle.jdbc.driver.*;  
import java.sql.*;
```

Load and Register the JDBC Driver

This is for establishing a communication between the JDBC program and the Oracle database. This is done by using the static `registerDriver()` method of the `DriverManager` class of the JDBC API. The following line of code does this job:

```
String url = "jdbc:mysql://192.168.5.101:3306/test";  
String userName = "abc";  
String password = "abc123";  
  
DriverManager.getConnection(url, userName, password);
```

JDBC Driver Registration

For the entire Java application, the JDBC driver is registered only once per each database that needs to be accessed. This is true even when there are multiple database connections to the same data server.

Alternatively, the `forName()` method of the `java.lang.Class` class can be used to load and register the JDBC driver:

```
String driver = "com.mysql.jdbc.Driver";  
Class.forName(driver).newInstance();
```

However, the `forName()` method is valid for only JDK-compliant Java Virtual Machines and implicitly creates an instance of the Oracle driver, whereas the `registerDriver()` method does this explicitly.

Connecting to a Database

Once the required packages have been imported and the Oracle JDBC driver has been loaded and registered, a database connection must be established. This is done by using the `getConnection()` method of the `DriverManager` class. A call to this method creates an object instance of the `java.sql.Connection` class. The `getConnection()` requires

three input parameters, namely, a connect string, a username, and a password. The connect string should specify the JDBC driver to be yes and the database instance to connect to.

The `getConnection()` method is an overloaded method that takes

- Three parameters, one each for the URL, username, and password.
- Only one parameter for the database URL. In this case, the URL contains the username and password.

The following lines of code illustrate using the `getConnection()` method:

```
Connection conn = DriverManager.getConnection(URL, username, passwd);  
Connection conn = DriverManager.getConnection(URL);
```

where URL, username, and passwd are of `String` data types.

Querying the Database

Querying the database involves two steps: first, creating a statement object to perform a query, and second, executing the query and returning a resultset.

Creating a Statement Object

This is to instantiate objects that run the query against the database connected to. This is done by the `createStatement()` method of the `conn` `Connection` object created above. A call to this method creates an object instance of the `Statement` class. The following line of code illustrates this:

```
Statement sql_stmt = conn.createStatement();
```

Executing the Query and Returning a ResultSet

Once a `Statement` object has been constructed, the next step is to execute the query. This is done by using the `executeQuery()` method of the `Statement` object. A call to this method takes as parameter a SQL `SELECT` statement and returns a JDBC `ResultSet` object. The following line of code illustrates this using the `sql_stmt` object created above:

```
ResultSet rset = sql_stmt.executeQuery  
    ("SELECT empno, ename, sal, deptno FROM emp ORDER BY ename");
```

Alternatively, the SQL statement can be placed in a string and then this string passed to the `executeQuery()` function. This is shown below.

```
String sql = "SELECT empno, ename, sal, deptno FROM emp ORDER BY ename";  
ResultSet res = sql_stmt.executeQuery(sql);
```

Statement and ResultSet Objects

Statement and ResultSet objects open a corresponding cursor in the database for SELECT and other DML statements.

The above statement executes the SELECT statement specified in between the double quotes and stores the resulting rows in an instance of the ResultSet object named `rset`.

Processing the Results of a Database Query That Returns Multiple Rows

Once the query has been executed, there are two steps to be carried out:

- Processing the output resultset to fetch the rows
- Retrieving the column values of the current row

The first step is done using the `next()` method of the ResultSet object. A call to `next()` is executed in a loop to fetch the rows one row at a time, with each call to `next()` advancing the control to the next available row. The `next()` method returns the Boolean value `true` while rows are still available for fetching and returns `false` when all the rows have been fetched.

The second step is done by using the `getXXX()` methods of the JDBC `rset` object. Here `getXXX()` corresponds to the `getInt()`, `getString()` etc with XXX being replaced by a Java datatype.

The following code demonstrates the above steps:

```
while (res.next()) {  
    int id = res.getInt("id");
```



```
String msg = res.getString("ename");
System.out.println(id + "\t" + ename);
}
```

Specifying get () Parameters

The parameters for the `getXXX()` methods can be specified by position of the corresponding columns as numbers 1, 2, and so on, or by directly specifying the column names enclosed in double quotes, as `getString("ename")` and so on, or a combination of both.

Closing the ResultSet and Statement

Once the `ResultSet` and `Statement` objects have been used, they must be closed explicitly. This is done by calls to the `close()` method of the `ResultSet` and `Statement` classes. The following code illustrates this:

```
res.close();
sql_stmt.close();
```

If not closed explicitly, there are two disadvantages:

- Memory leaks can occur
- Maximum Open cursors can be exceeded

Closing the `ResultSet` and `Statement` objects frees the corresponding cursor in the database.

Closing the Connection

The last step is to close the database connection opened in the beginning after importing the packages and loading the JDBC drivers. This is done by a call to the `close()` method of the `Connection` class.

The following line of code does this:

```
conn.close();
```

FAQ :

1. How to establish referential identity?
2. Which referential actions to be used while creating tables?

Oral/Review Questions:

1. What are DDL commands?
2. Explain sequence and synonyms?
3. What is view. Types of view?
4. What is index. Explain types of index?

ASSIGNMENT NUMBER: A3

TITLE	Design at least 10 SQL queries for suitable database application using SQL.
PROBLEM STATEMENT /DEFINITION	Design at least 10 SQL queries for suitable database application using SQL DML statements: Insert, Select, Update, Delete with operators ,functions and set operators
OBJECTIVE	<ul style="list-style-type: none"> • To understand & implement the various DML Commands. • To understand database concepts like functions and set operators.
S/W PACKAGES AND HARDWARE APPARATUS USED	<p>MY SQL</p> <p>PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse</p>
REFERENCES	<ul style="list-style-type: none"> • Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X • Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Title • Problem Definition • Learning Objectives • Theory • Class Diagram/ER Diagram • Test cases

	<ul style="list-style-type: none"> • Program Listing • Output • Conclusion
--	---

Aim: Design at least 10 SQL queries for suitable database application using SQL DML statements: Insert, Select, Update, Delete with operators ,functions and set operators

Pre-requisite:

- Basics of Database.
- SQL DML commands and their syntax.
- Functions and set operators

Learning Objectives:

- To understand & implement the various DML Commands.
- To understand database concepts like functions and set operators.

Learning Outcomes:

The students will be able to

1. Implement the various DML Commands with options.
2. Implement database concepts like functions and set operators.

Theory:

DML is short name of Data Manipulation Language which deals with data manipulation, and includes most common SQL statements such SELECT, INSERT, UPDATE, DELETE etc, and it is used to store, modify, retrieve, delete and update data in database.

SELECT: MySQL SELECT statement is used to fetch data from a database table.

Syntax: SELECT column_name(s) FROM table_name

INSERT: MySQL Query statement “INSERT ” is used to insert new records in a table

**Syntax: INSERT INTO table_name (column, column1, column2, column3, ...)
VALUES (value, value1, value2, value3 ...)**

UPDATE: The UPDATE statement is used to modify data in a table.

Syntax: UPDATE table_name

SET column=value, column1=value1,...

WHERE someColumn=someValue

DELETE: The DELETE FROM statement is used to delete data from a database table.

Syntax: DELETE FROM tableName

WHERE someColumn = someValue

SET-OPERATORS:-

UNION: It returns a union of two select statements. It is returning unique (distinct) values of them.

**Syntax: SELECT * FROM table1
UNION
SELECT * FROM table2;**

UNION ALL

Similar to UNION just that UNION ALL returns also the duplicated values.

```
Syntax: SELECT * FROM table1
        UNION
        SELECT * FROM table2;
```

When using UNION and UNION ALL columns in SELECT statements need to match. This would return an error:

```
Syntax : SELECT column1 FROM table1
          UNION
          SELECT * FROM table2;
```

MINUS

MINUS (also known as EXCEPT) returns the difference between the first and second SELECT statement. It is the one where we need to be careful which statement will be put first, cause we will get only those results that are in the first SELECT statement and not in the second.

```
Syntax: SELECT * FROM table1
        MINUS
        SELECT * FROM table2;
```

INTERSECT

INTERSECT is opposite from MINUS as it returns us the results that are both to be found in first and second SELECT statement.

Syntax: SELECT * FROM table1
INTERSECT
SELECT * FROM table2;

Test Cases:

Description	Expected Output	Actual Output	
1.Create table	Table created with attributed and constraints	Successful	Unsuccessful on syntax error
2.Insert	Insert new entry	Successful	Unsuccessful on syntax error
3.Alter	Alter cell of a table	Successful	Unsuccessful on syntax error
3.1 Alter Add	Add column in table	Successful	
3.2 Alter Modify	Modify Table entries	Successful	
3.3 Alter Drop	Drop attributes	Successful	
4.Select	Select specific rows	Successful	Unsuccessful on syntax error
5.Drop	Drop table	Successful	Unsuccessful on syntax error

FAQs:

1. Explain the types of DML commands?
- 2.What is operators, function, set-operators ?

Oral/Review Questions:

1. List types of comparison operators?
2. What are DCL and TCL commands?

ASSIGNMENT NUMBER: A4

Revised On: 15/06/2017

TITLE	Design at least 10 SQL queries for suitable database application using SQL DML statements:All types of join, sub-query and View.
PROBLEM STATEMENT /DEFINITION	Design at least 10 SQL queries for suitable database application using SQL DML statements:All types of join, sub-query and View
OBJECTIVE	To understand <ul style="list-style-type: none">• Types of joins.• Subquery and its types.• Complex views
S/W PACKAGES AND HARDWARE APPARATUS USED	MY-SQL PC with the configuration as Latest Version of 64 bit Operating Systems, Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	<ul style="list-style-type: none">• Maurice J.Bach “The Design of The Unix Operating system”, PHI, ISBN 978-81-203-0516-8• Evi Nemeth, Garth Snyder, Tren Hein, Ben Whaley, Unix and Linux

	System <ul style="list-style-type: none"> Administration Handbook, Fourth Edition, ISBN: 978-81-317-6177-9, 2011
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> Title Problem Definition Learning Objectives Theory Class Diagram/ER Diagram Test cases Program Listing Output Conclusion

Aim: To understand the use of joins, subquery and view with DML commands

Pre-requisite:

- Concept of join, sub query ,complex view and DML commands

Learning Objectives:

- To understand types of join, subquery and view.

- To understand how to use join with DML commands.
- To perform updation on simple view.

Learning Outcomes:

The students will be able to

- Identify and implement types of join, subquery and view.
- Implement and updation of simple view.

Theory:

JOIN:

SQL Join is used to fetch data from two or more tables, which is joined to appear as single set of data. SQL Join is used for combining column from two or more tables by using values common to both tables. Join Keyword is used in SQL queries for joining two or more tables. Minimum required condition for joining table, is (n-1) where n, is number of tables. A table can also join to itself known as, Self Join.

Types of join:-

Cross join : This type of JOIN returns the cartesian product of rows from the tables in Join. It will return a table which consists of records which combines each row from the first table with each row of the second table.

Syntax: **SELECT column-name-list**
 from table-name1
 CROSS JOIN
 table-name2;

Inner join: This is a simple JOIN in which the result is based on matched data as per the equality condition specified in the query.

Syntax- **SELECT column-name-list**
from table-name1
INNER JOIN
table-name2
WHERE table-name1.column-name = table-name2.column-name;

Natural join: Natural Join is a type of Inner join which is based on column having same name and same datatype present in both the tables to be joined.

Syntax : **SELECT *from**
table-name1
NATURAL JOIN
table-name2;

Outer JOIN

Outer Join is based on both matched and unmatched data. Outer Joins subdivide further into,

- Left Outer Join
- Right Outer Join
- Full Outer Join

Left Outer Join- The left outer join returns a result table with the matched data of two tables then remaining rows of the left table and null for the right table's column.

Syntax- **SELECT column-name-list**
from table-name1
LEFT OUTER JOIN

table-name2
on table-name1.column-name = table-name2.column-name;

Right Outer Join

The right outer join returns a result table with the matched data of two tables then remaining rows of the right table and null for the left table's columns.

Syntax- select column-name-list
from table-name1
RIGHT OUTER JOIN
table-name2
on table-name1.column-name = table-name2.column-name;

Full Outer Join

The full outer join returns a result table with the matched data of two table then remaining rows of both left table and then the right table.

Syntax- select column-name-list
from table-name1
FULL OUTER JOIN
table-name2
on table-name1.column-name = table-name2.column-name;

FAQs:

1. What is join. Explain different types of join
2. what is sub-query?

3. Is view is virtual justify your answer?

Oral/Review Questions:

1. Give difference between natural and inner join?
2. Give difference between left-outer and right-outer join?
3. What is nested query?
4. What is self join?
5. Explain equi JOIN and non-equi JOIN?

ASSIGNMENT NUMBER: A5

Revised On: 15/06/2017

TITLE	Write a PL/SQL block of code for the given requirements
PROBLEM STATEMENT /DEFINITION	Write a PL/SQL block of code for the following requirements
OBJECTIVE	<ul style="list-style-type: none">• To understand the control structure• To understand exception handling in PL/SQL

S/W PACKAGES AND HARDWARE APPARATUS USED	SQL package PC with the configuration as Latest Version of 64 bit Operating Systems, Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	Maurice J.Bach “The Design of The Unix Operating system”, PHI, ISBN 978-81-203-0516-8 Evi Nemeth, Garth Snyder, Tren Hein, Ben Whaley, Unix and Linux System Administration Handbook, Fourth Edition, ISBN: 978-81-317-6177-9, 2011
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Title • Problem Definition • Learning Objectives • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion

Aim: Write a PL/SQL block of code for the following requirements:-

Schema:

Customer(Cust_id,Name, DateofPayment, NameofScheme, Status)

Fine(Cust_id, Date, Amt)

1. Accept Cust_id & name of scheme from user.
2. Check the number of days (from date of payment), if days are between 15 to 30 then fine amount will be Rs 5per day.
3. If no. of days>30, per day fine will be Rs 50 per day & for days less than 30, Rs. 5 per day.
4. After payment, status will change from N to P.

If condition of fine is true, then details will be stored into Fine table.

Pre-requisite:

Basic knowledge of exception handling and control structure

Learning Objectives:

- To understand and write PL/SQL block code requirements defined.
- To understand exception handling.
- To understand basic structure of PL/SQL block
- To apply control structure

Learning Outcomes:

The students will be able to implement

- PL/SQL block, user-defined and predefined exception handling.
- Control structure using PL/SQL.

Theory:

PL/SQL:

PL/SQL stands for *Procedural Language/Structured Query Language*. PL/SQL offers a set of procedural commands (IF statements, loops, assignments), organized within blocks (explained below), that complement and extend the reach of SQL.

BLOCKS in PL\SQL:

PL/SQL is a block-structured language. A PL/SQL block is defined by the keywords DECLARE, BEGIN, EXCEPTION, and END, which break up the block into three sections:

1. **Declarative:** statements that declare variables, constants, and other code elements, which can then be used within that block
2. **Executable:** statements that are run when the block is executed
3. **Exception handling:** a specially structured section you can use to “catch,” or trap, any exceptions that are raised when the executable section runs.

Some examples:

- The classic “Hello World!” block contains an executable section that calls the DBMS_OUTPUT.PUT_LINE procedure to display text on the screen:

```
BEGIN
  DBMS_OUTPUT.put_line ('Hello World!');
END;
```

EXCEPTION HANDLING:

PL/SQL provides a feature to handle the Exceptions which occur in a PL/SQL Block known as exception Handling. Using Exception Handling we can test the code and avoid it from exiting abruptly. When an exception occurs a messages which explains its cause is received. PL/SQL Exception message consists of three parts.

- 1) Type of Exception
- 2) An Error Code
- 3) A message

Structure of Exception Handling.

General Syntax for coding the exception section

DECLARE

Declaration section

BEGIN

Exception section

EXCEPTION

WHEN ex_name1 THEN

-Error handling statements

WHEN ex_name2 THEN

-Error handling statements

WHEN Others THEN

-Error handling statements

END;

General PL/SQL statements can be used in the Exception Block.

When an exception is raised, Oracle searches for an appropriate exception handler in the exception section. For example in the above example, if the error raised is 'ex_name1 ', then the error is handled according to the statements under it. Since, it is not possible to determine all the possible run time errors during testing for the code, the 'WHEN Others' exception is used to manage the exceptions that are not explicitly handled. Only one exception can be raised in a Block and the control does not return to the Execution Section after the error is handled.

If there are nested PL/SQL blocks like this.

```
DELCARE
```

```
    Declaration section
```

```
BEGIN
```

```
    DECLARE
```

```
        Declaration section
```

```
    BEGIN
```

```
        Execution section
```

```
    EXCEPTION
```

```
        Exception section
```

```
    END;
```

```
EXCEPTION
```

```
    Exception section
```

```
END;
```

In the above case, if the exception is raised in the inner block it should be handled in the exception block of the inner PL/SQL block else the control moves to the Exception block of the

next upper PL/SQL Block. If none of the blocks handle the exception the program ends abruptly with an error.

Types of Exception.

There are 3 types of Exceptions.

- a) Named System Exceptions
- b) Unnamed System Exceptions
- c) User-defined Exceptions

a) Named System Exceptions

System exceptions are automatically raised by Oracle, when a program violates a RDBMS rule. There are some system exceptions which are raised frequently, so they are pre-defined and given a name in Oracle which are known as Named System Exceptions.

For example: NO_DATA_FOUND and ZERO_DIVIDE are called Named System exceptions.

Named system exceptions are:

- 1) Not Declared explicitly,
- 2) Raised implicitly when a predefined Oracle error occurs,
- 3) caught by referencing the standard name within an exception-handling routine.

b) Unnamed System Exceptions

Those system exception for which oracle does not provide a name is known as unnamed system exception. These exception do not occur frequently. These Exceptions have a code and an associated message.

There are two ways to handle unnamed sysyem exceptions:

- 1. By using the WHEN OTHERS exception handler, or
- 2. By associating the exception code to a name and using it as a named exception.

We can assign a name to unnamed system exceptions using a Pragma called EXCEPTION_INIT.

EXCEPTION_INIT will associate a predefined Oracle error number to a programmer_defined exception name.

Steps to be followed to use unnamed system exceptions are

- They are raised implicitly.
- If they are not handled in WHEN Others they must be handled explicitly.
- To handle the exception explicitly, they must be declared using Pragma EXCEPTION_INIT as given above and handled referencing the user-defined exception name in the exception section.

The general syntax to declare unnamed system exception using EXCEPTION_INIT is:

```
DECLARE
```

```
    exception_name EXCEPTION;
```

```
PRAGMA
```

```
    EXCEPTION_INIT (exception_name, Err_code);
```

```
BEGIN
```

```
Execution section
```

```
EXCEPTION
```

```
    WHEN exception_name THEN
```

```
        handle the exception
```

```
END;
```

For Example: Lets consider the product table and order_items table from sql joins.

Here product_id is a primary key in product table and a foreign key in order_items table. If we try to delete a product_id from the product table when it has child records in order_id table an exception will be thrown with oracle code number -2292. We can provide a name to this exception and handle it in the exception section as given below.

```
DECLARE

Child_rec_exception EXCEPTION;

PRAGMA

EXCEPTION_INIT (Child_rec_exception, -2292);

BEGIN

Delete FROM product where product_id= 104;

EXCEPTION

WHEN Child_rec_exception

THEN Dbms_output.put_line('Child records are present for this product_id.');
```

END;

c) User-defined Exceptions

Apart from system exceptions we can explicitly define exceptions based on business rules. These are known as user-defined exceptions.

Steps to be followed to use user-defined exceptions:

- They should be explicitly declared in the declaration section.
- They should be explicitly raised in the Execution Section.
- They should be handled by referencing the user-defined exception name in the exception section.

For Example: Let's consider the product table and order_items table from sql joins to explain user-defined exception. Let's create a business rule that if the total no of units of any particular product sold is more than 20, then it is a huge quantity and a special discount should be provided.

```

DECLARE

huge_quantity EXCEPTION;

CURSOR product_quantity is

SELECT p.product_name as name, sum(o.total_units) as units

FROM order_tems o, product p

WHERE o.product_id = p.product_id;

quantity order_tems.total_units%type;

up_limit CONSTANT order_tems.total_units%type := 20;

message VARCHAR2(50);

BEGIN

FOR product_rec in product_quantity LOOP

quantity := product_rec.units;

IF quantity > up_limit THEN

message := 'The number of units of product ' || product_rec.name ||

' is more than 20. Special discounts should be provided.

Rest of the records are skipped. '

RAISE huge_quantity;

ELSIF quantity < up_limit THEN

v_message:= 'The number of unit is below the discount limit.';

END IF;

```

```
    dbms_output.put_line (message);  
END LOOP;  
EXCEPTION  
    WHEN huge_quantity THEN  
        dbms_output.put_line (message);  
END;
```

FAQs:

1. What is PL-SQL block. Give types of PL-SQL block?
2. What is user defined and pre-defined exceptions?
3. What is cursors. Types of cursors?

Oral/Review Questions:

1. what are the different control structures supported in PL-SQL ?
2. What are the data types in PL-SQL?
3. Explain basic structure of PL-SQL?

ASSIGNMENT NUMBER: A6

Revised On: 15/06/2017

TITLE	Write a PL/SQL block of code using parameterized Cursor, that will merge the data available in the newly created table
PROBLEM STATEMENT /DEFINITION	Write a PL/SQL block of code using parameterized Cursor, that will merge the data available in the newly created table
OBJECTIVE	<ul style="list-style-type: none">• To understand the types of cursors• To understand how to use cursors with PL/SQL block
S/W PACKAGES AND HARDWARE APPARATUS USED	SQL package PC with the configuration as Latest Version of 64 bit Operating Systems, Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	Maurice J.Bach “The Design of The Unix Operating system”, PHI, ISBN 978-81-203-0516-8 Evi Nemeth, Garth Snyder, Tren Hein, Ben Whaley, Unix and Linux System Administration Handbook, Fourth Edition, ISBN: 978-81-317-6177-9, 2011
STEPS	Refer to details
INSTRUCTIONS FOR WRITING	<ul style="list-style-type: none">• Date• Title

JOURNAL	<ul style="list-style-type: none"> • Problem Definition • Learning Objective • Learning Outcome • Theory-Related concept,Architecture,Syntax etc • Class Diagram/ER diagram • Test cases • Program Listing • Output • Conclusion
---------	---

Aim: Cursors: (All types: Implicit, Explicit, Cursor FOR Loop, Parameterized Cursor)

Write a PL/SQL block of code using parameterized Cursor, that will merge the data available in the newly created table

N_EmpId with the data available in the table O_EmpId.

If the data in the first table already exist in the second table then that data should be skipped.

Pre-requisite:

Basic knowledge of MY-SQL and cursors

Learning Objectives:

- To understand and implement types of cursors with PL/SQL block code.

Learning Outcomes:

The students will be able to

- Implement PL/SQL block code.
- Implement types of cursors

Theory:

PL/SQL:

PL/SQL stands for *Procedural Language/Structured Query Language*. PL/SQL offers a set of procedural commands (IF statements, loops, assignments), organized within blocks (explained below), that complement and extend the reach of SQL.

BLOCKS in PL\SQL:

PL/SQL is a block-structured language. A PL/SQL block is defined by the keywords DECLARE, BEGIN, EXCEPTION, and END, which break up the block into three sections:

4. **Declarative:** statements that declare variables, constants, and other code elements, which can then be used within that block
5. **Executable:** statements that are run when the block is executed
6. **Exception handling:** a specially structured section you can use to “catch,” or trap, any exceptions that are raised when the executable section runs.

Some examples:

- The classic “Hello World!” block contains an executable section that calls the DBMS_OUTPUT.PUT_LINE procedure to display text on the screen:

```
BEGIN
  DBMS_OUTPUT.put_line ('Hello World!');
END;
```

CURSORS:

A cursor is a temporary work area created in the system memory when a SQL statement is executed. A cursor contains information on a select statement and the rows of data accessed by it.

This temporary work area is used to store the data retrieved from the database, and manipulate this data. A cursor can hold more than one row, but can process only one row at a time. The set of rows the cursor holds is called the active set.

There are two types of cursors in PL/SQL:

Implicit cursors

These are created by default when DML statements like, INSERT, UPDATE, and DELETE statements are executed. They are also created when a SELECT statement that returns just one row is executed.

Explicit cursors

They must be created when you are executing a SELECT statement that returns more than one row. Even though the cursor stores multiple records, only one record can be processed at a time, which is called as current row. When you fetch a row the current row position moves to next row.

Both implicit and explicit cursors have the same functionality, but they differ in the way they are accessed

for Example: Consider the PL/SQL Block that uses implicit cursor attributes as shown below:

```
DECLARE var_rows number(5);
```

```
BEGIN
```

```
    UPDATE employee
```

P:F-LTL-UG/03/R1

```
SET salary = salary + 1000;

IF SQL%NOTFOUND THEN

    dbms_output.put_line('None of the salaries where updated');

ELSIF SQL%FOUND THEN

    var_rows := SQL%ROWCOUNT;

    dbms_output.put_line('Salaries for ' || var_rows || 'employees are updated');

END IF;

END;
```

In the above PL/SQL Block, the salaries of all the employees in the ‘employee’ table are updated. If none of the employee’s salary are updated we get a message 'None of the salaries where updated'. Else we get a message like for example, 'Salaries for 1000 employees are updated' if there are 1000 rows in ‘employee’ table.

FAQs:

1. What are cursors?
2. Explain different types of cursors?
3. What are parameterized cursors?

Oral/Review Questions:

1. Give difference between implicit and explicit cursors?
2. Explain steps for using cursor?

3. Explain significance of using cursors?

ASSIGNMENT NUMBER: A7

Revised On: 15/06/2017

TITLE	PL/SQL Stored Procedure and Stored Function
PROBLEM STATEMENT /DEFINITION	Write a Stored Procedure namely proc_Grade for the categorization of student.
OBJECTIVE	<ul style="list-style-type: none">• Understand the PL/SQL Stored Procedure.• Understand the PL/SQL Stored Function• Write PL/SQL block code using stored procedure and stored function.

S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none"> • Mysql • PL/SQL
REFERENCES	<ol style="list-style-type: none"> 1 Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X 1. Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4 2. mysql.com/docs/mysql-tutorial-excerpt-5.1-en.pdf
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Date • Title • Problem Definition • Learning Objectives • Learning Outcomes • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion

Problem statement: PL/SQL Stored Procedure and Stored Function.

Write a Stored Procedure namely proc_Grade for the categorization of customer. If purchase by customer in year is ≤ 20000 and ≥ 10000 then customer will be placed in platinum category. If purchase by customer is between 9999 and 5000 category is gold, if purchase between 4999 and 2000 category is silver.

Write a PL/SQL block for using procedure created with above requirement.

Customer(Cust_id,name, total_purchase)

Category(Cust_id,Name,Class)

Aim: PL/SQL Stored Procedure and Stored Function

Pre-requisite:

Basic knowledge of PL/SQL Commands and Mysql.

Learning Objectives:

- To understand & implement the stored function and stored procedures in PL/SQL.
- To pass in, out parameters for function and procedure.

Learning Outcomes:

The students will be able to

- Implement stored function.
- Implement stored procedure

Theory:

PL/SQL:

PL/SQL stands for *Procedural Language/Structured Query Language*. PL/SQL offers a set of procedural commands (IF statements, loops, assignments), organized within blocks (explained below), that complement and extend the reach of SQL.

BLOCKS in PL\SQL:

PL/SQL is a block-structured language. A PL/SQL block is defined by the keywords DECLARE, BEGIN, EXCEPTION, and END, which break up the block into three sections:

1. **Declarative:** statements that declare variables, constants, and other code elements, which can then be used within that block
2. **Executable:** statements that are run when the block is executed
3. **Exception handling:** a specially structured section you can use to “catch,” or trap, any exceptions that are raised when the executable section runs.

Some examples:

- The classic “Hello World!” block contains an executable section that calls the DBMS_OUTPUT.PUT_LINE procedure to display text on the screen:

```
BEGIN
  DBMS_OUTPUT.put_line ('Hello World!');
END;
```

A) Stored Procedures:

1) What is a Stored Procedure?

A **stored procedure** or in simple a **proc** is a named PL/SQL block which performs one or more specific task. This is similar to a procedure in other programming languages. A procedure has a header and a body. The header consists of the name of the procedure and the parameters or variables passed to the procedure. The body consists of declaration section, execution section and exception section similar to a general PL/SQL Block. A procedure is similar to an anonymous PL/SQL Block but it is named for repeated usage.

Procedures: Passing Parameters

We can pass parameters to procedures in three ways.

- 1) IN-parameters
- 2) OUT-parameters
- 3) IN OUT-parameters

A procedure may or may not return any value.

General Syntax to create a procedure is:

```
CREATE [OR REPLACE] PROCEDURE proc_name [list of parameters]
```

```
IS
```

```
  Declaration section
```


BEGIN

Execution section

EXCEPTION

Exception section

END;

IS - marks the beginning of the body of the procedure and is similar to DECLARE in anonymous PL/SQL Blocks. The code between IS and BEGIN forms the Declaration section.

The syntax within the brackets [] indicate they are optional. By using CREATE OR REPLACE together the procedure is created if no other procedure with the same name exists or the existing procedure is replaced with the current code.

How to execute a Stored Procedure?

There are two ways to execute a procedure.

1) From the SQL prompt.

EXECUTE [or EXEC] procedure_name;

2) Within another procedure – simply use the procedure name.

procedure_name;

NOTE: In the examples given above, we are using backward slash '/' at the end of the program. This indicates the oracle engine that the PL/SQL program has ended and it can begin processing the statements.

B)Stored Function:

What is a Function in PL/SQL?

A function is a named PL/SQL Block which is similar to a procedure. The major difference between a procedure and a function is, a function must always return a value, but a procedure may or may not return a value.

General Syntax to create a function is

```
CREATE [OR REPLACE] FUNCTION function_name [parameters]
```

```
RETURN return_datatype;
```

```
IS
```

```
Declaration_section
```

```
BEGIN
```

```
Execution_section
```

```
Return return_variable;
```

```
EXCEPTION
```

```
exception section
```

```
Return return_variable;
```

END;

- 1) **Return Type:** The header section defines the return type of the function. The return datatype can be any of the oracle datatype like varchar, number etc.
- 2) The execution and exception section both should return a value which is of the datatype defined in the header section.

FAQ:

1. what is stored procedure?
2. Give difference between stored functions and stored procedure?

Oral/Review questions:

1. what are the advantages of using stored procedure?
2. Explain the different parameters used for stored procedure?

ASSIGNMENT NUMBER: A8

Revised On: 15/06/2017

TITLE	Database Trigger
--------------	------------------

PROBLEM STATEMENT /DEFINITION	<ul style="list-style-type: none"> • Write database trigger to keep track records on library table.
OBJECTIVE	<ul style="list-style-type: none"> • Understand the concept of database triggers. • Understand the Mysql commands
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none"> • MY SQL • PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	<ol style="list-style-type: none"> 1. Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X 2. Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4 3. mysql.com/docs/mysql-tutorial-excerpt-5.1-en.pdf
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Date • Title • Problem Definition • Learning Objectives • Learning Outcomes • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion

Problem statement:**Database Trigger (All Types: Row level and Statement level triggers, Before and After Triggers).**

Write a database trigger on Student table. The System should keep track of the records that are being updated or deleted. The old value of updated or deleted records should be added in Alumni table.

Student(Rollno,Name,DateofAdmission,branch,percent,Status)

Aim: Study of database trigger.

Pre-requisite:

Basic knowledge of Mysql Commands and Mysql database

Learning Objectives:

- To understand Database trigger and its types.

Learning Outcomes:

The students will be able to

- Implement and apply types of database trigger.

Theory:

- **What are triggers?**

A trigger defines an action the database should take when some database-related event (such as inserts, updates, deletes) occurs. Triggers are similar to procedures, in that they are named PL/SQL blocks.

Differences between Procedures and Triggers

A procedure is executed explicitly from another block via a procedure call with passing arguments, while a trigger is executed (or fired) **implicitly** whenever the triggering event (**DML**: INSERT, UPDATE, or DELETE) happens, and a trigger doesn't accept arguments.

When triggers are used?

- Maintaining complex integrity constraints (referential integrity) or business rules
- Auditing information in a table by recording the changes.
- Automatically signaling other programs that action needs to take place when changes are made to a table
- Collecting/maintaining statistical data.

```
CREATE [OR REPLACE] TRIGGER trigger_name
{BEFORE | AFTER} {INSERT|UPDATE|DELETE} [OF column]
ON table_reference
[FOR EACH ROW [WHEN trigger_condition]]

[DECLARE] optional, for declaring local variables trigger_body;
```

- Note that the DECLARE keyword is back in Trigger.
- The Trigger_body is executed when an event (Insert, Update, Delete operation) occurs.

Trigger names

Triggers exist in a separate namespace from procedure, package, tables (that share the same namespace), which means that a trigger can have the same name as a table or procedure.

Types of triggers

There are two types of triggers in Oracle including row-level triggers and statement-level triggers

Row-level triggers for **data**-related activities

- Row-level triggers execute **once for each row** in a transaction.
- Row-level triggers are the most common type of triggers; they are often used in data auditing applications.
- Row-level trigger is identified by the **FOR EACH ROW** clause in the CREATE TRIGGER command.

Statement-level triggers for transaction-related activities

- Statement-level triggers execute **once for each transaction**. For example, if a single transaction inserted 500 rows into the Customer table, then a statement-level trigger on that table would only be executed once.
- Statement-level triggers therefore are not often used for *data-related* activities; they are normally used to enforce additional security measures on the types of transactions that may be performed on a table.
- Statement-level triggers are the default type of triggers created and are identified by **omitting** the **FOR EACH ROW** clause in the CREATE TRIGGER command.

Before and After Triggers

- Since triggers occur because of events, they may be set to occur immediately before or after those events. The events that execute triggers are database transactions, triggers can be executed immediately BEFORE or AFTER the statements INSERTs, UPDATEs, DELETEs.
- AFTER row-level triggers are frequently used in auditing applications, since they do not fire until the row has been modified. Clearly, there is a great deal of flexibility in the design of a trigger.

Valid trigger types (possible combination of triggers)

- **Statement** (INSERT, DELETE, UPDATE), **Timing** (BEFORE, AFTER),
Level (Row-level, Statement-level)

The values for the statement, timing, and level determine the types of the triggers. There are total of 12 possible types of triggers: $3 \times 2 \times 2 = 12$

An Example of Trigger -- for the table major_stats (major, total_credits, total_students);

CREATE OR REPLACE TRIGGER updateMajorStats

AFTER INSERT OR DELETE OR UPDATE ON students -- Oracle will check the status of this table

DECLARE-- unlike a procedure, use DECLARE keywordCURSOR c_statistics IS

SELECT major, COUNT(*) total_students, SUM(current_credits) total_credits

FROM students

GROUP BY major;

BEGIN

FOR v_statsRecord IN c_statistics LOOP

UPDATE major_stats

SET total_credits = v_statsRecord.total_credits,

total_students = v_statsRecord.total_students

WHERE major = v_statsRecord.major;

IF SQL%NOTFOUND THEN

INSERT INTO major_stats(major, total_credits, total_students)

VALUES(v_statsRecord.major,

v_statsRecord.total_credits, v_statsRecord.total_students);

END IF;

END LOOP;

END updateMajorStats;

FAQ :

1. What is trigger. Explain different types of trigger
2. what is the difference between stored procedure and trigger?

Oral/Review:

1. what are the commands to enable and disable trigger?
2. How to check errors in trigger?

ASSIGNMENT NUMBER:B1

Revised On: 15/06/2017

TITLE	Study of Open Source NOSQL Database: MongoDB (Installation, Basic CRUD operations, Execution)
--------------	---

PROBLEM STATEMENT /DEFINITION	Implement database with suitable example using Mongo DB and Implement Study of Open Source NOSQL Database: MongoDB (Installation, Basic CRUD operations, Execution)
OBJECTIVE	<ul style="list-style-type: none"> • Understand the concept of NOSQL DB. • Understand the concept of Mongo DB with CRUD operation • Understand the basic installation and administrative commands of Mongo DB .
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none"> • MongoDB • PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	<ul style="list-style-type: none"> • MongoDB: The Definitive Guide by Kristina Chodorow • http://docs.mongodb.org/manual/
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Title • Problem Definition • Learning Objectives • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion

Aim: Study of Open Source NOSQL Database: MongoDB (Installation, Basic CRUD operations, Execution)

Pre-requisite:

Basic knowledge SQL/NOSQL.

P:F-LTL-UG/03/R1

Learning Objectives:

- Understand the concept of NOSQL DB.
- Understand the concept of Mongo DB with CRUD operation
- Understand the basic installation and administrative commands of Mongo DB .
-

Learning Outcomes:

The students will be able to

- Implement the commands .
- Implement the Database in Mongo DB.

Theory:

MongoDB is an open-source document database that provides high performance, high availability, and automatic scaling.

Document Database

A record in MongoDB is a document, which is a data structure composed of field and value pairs. MongoDB documents are similar to JSON objects. The values of fields may include other documents, arrays, and arrays of documents.

```
{
  name: "sue",
  age: 26,
  status: "A",
  groups: [ "news", "sports" ]
}
```

← field: value

← field: value

← field: value

← field: value

Create Operations

Create or insert operations add new documents to a collection. If the collection does not currently exist, insert operations will create the collection.

MongoDB provides the following methods to insert documents into a collection:

- `db.collection.insertOne()` *New in version 3.2*
- `db.collection.insertMany()` *New in version 3.2*

In MongoDB, insert operations target a single collection. All write operations in MongoDB are atomic on the level of a single document.

FAQ :

1. Give different types of NOSQL databases?
2. What are CRUD operations?

ASSIGNMENT NUMBER:B2

Revised On: 15/06/2017

TITLE	Design and Develop MongoDB Queries using CRUD operations.
PROBLEM STATEMENT /DEFINITION	Design and Develop MongoDB Queries using CRUD operations. (Use CRUD operations, SAVE method, logical operators)

OBJECTIVE	<ul style="list-style-type: none"> To understand & implement the CRUD operations in Mongo DB.
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none"> MongoDB PC with the configuration as Latest Version of 64 bit Operating Systems, Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	<ul style="list-style-type: none"> MongoDB: The Definitive Guide by Kristina Chodorow http://docs.mongodb.org/manual/
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> Title Problem Definition Learning Objectives Theory Class Diagram/ER Diagram Test cases Program Listing Output Conclusion

Aim: Implement Mongo DB and Implement Basic operations

Problem Statment: Design and Develop MongoDB Queries using CRUD operations. (Use CRUD operations, SAVE method, logical operators).

Pre-requisite:

Basic knowledge SQL/NOSQL.

Learning Objectives:

- To understand & implement the CRUD operations in Mongo DB

Learning Outcomes:

The students will be able to

- Implement the commands on two tier.
- Implement the Database in Mongo DB.

Theory:

Mongo DB:

MongoDB is a cross-platform, document oriented database that provides, high performance, high availability, and easy scalability. MongoDB works on concept of collection and document. A single MongoDB server typically has multiple databases.

Collection

Collection is a group of MongoDB documents. It is the equivalent of an RDBMS table. A collection exists within a single database. Collections do not enforce a schema. Documents within a collection can have different fields. Typically, all documents in a collection are of similar or related purpose.

Document

A document is a set of key-value pairs. Documents have dynamic schema. Dynamic schema means that documents in the same collection do not need to have the same set of fields or structure, and common fields in a collection's documents may hold different types of data.

Sample document

Below given example shows the document structure of a blog site which is simply a comma separated key value pair.

```
{
  _id: ObjectId(7df78ad8902c)
  title: 'MongoDB Overview',
  description: 'MongoDB is no sql database',
```

```
by: 'tutorials point',
url: 'http://www.tutorialspoint.com',
tags: ['mongodb', 'database', 'NoSQL'],
likes: 100,
comments: [
{
user:'user1',
message: 'My first comment',
dateCreated: new Date(2011,1,20,2,15),
like: 0
},
{
user:'user2',
message: 'My second comments',
dateCreated: new Date(2011,1,25,7,45),
like: 5
}
]
}
```

_id is a 12 bytes hexadecimal number which assures the uniqueness of every document. You can provide _id while inserting the document. If you didn't provide then MongoDB provide a unique id for every document. These 12 bytes first 4 bytes for the current timestamp, next 3 bytes for machine id, next 2 bytes for process id of mongodb server and remaining 3 bytes are simple incremental value.

Advantages of MongoDB over RDBMS

1. Schema less : MongoDB is document database in which one collection holds different documents. Number of fields, content and size of the document can be differ from one document to another.
2. Structure of a single object is clear
3. No complex joins
4. Deep query-ability. MongoDB supports dynamic queries on documents using a document-based query language that's nearly as powerful as SQL
5. Tuning
6. Ease of scale-out: MongoDB is easy to scale

7. Conversion / mapping of application objects to database objects not needed
8. Uses internal memory for storing the (windowed) working set, enabling faster access of data

MongoDB CRUD operations with Python (Pymongo)

PyMongo is a Python distribution that contains tools for working with MongoDB, So in this blog post let's see some basic methods that perform CRUD operations to a collection.

Install pymongo:

```
pip install pymongo
```

Connecting to with Database with PyMongo:

5. To perform CRUD operations first need to establish the connection using Mongo client

```
>>> from pymongo import MongoClient
>>> client = MongoClient('localhost',27017)
```

6. Next step is to connect to the database (test)

```
db = client.test
```

7. Now retrieve the collection (person) from the database

```
col = db.person
```

Now we are ready to perform the actual CRUD operations.

CRUD Operations

C – Create : Mongo store the data in the form of JSON objects. So every record for a collection in mongo is called a **document**. If the collection does not currently exist, insert operations will create the collection. We can insert the documents into collection in 3 ways.

1. insert_one()
2. insert_many()
3. insert()

1. insert_one(): insert_one() inserts a single document into a collection.

```
col.insert_one(  
{  
  name: "John",  
  salary: 100 ,  
}  
)
```

2. insert_many(): insert_many() inserts multiple documents into a collection.

```
col.insert_many(  
[ { name: "George", salary: 100},  
  { name: "Steve", salary: 100},  
  { name: "David", salary: 100} ]  
)
```

3. insert(): insert() can be used to insert single or array or documents.

single document

```
col.insert({ name: "George", salary: 100})
```

array of documents

```
col.insert([ { name: "George", salary: 100}, { name: "Steve", salary: 100}])
```

R - Read: We can retrieve the documents from a collection using 2 methods.

2. `find()`

3. `find_one()`

1. **find():** `find()` function will return with all the documents in that collection. By default it returns a cursor object.

`col.find()`

2. **find_one():** `find_one()` returns the first document in the collection.

`col.find_one()`

`{u'salary': 100, u'_id': ObjectId('57611a711aa303032ad5ba9b'), u'name': u'John'}`

D- Delete: We can delete the documents in the collection using the following methods.

3. `delete_one()`

4. `delete_many()`

Both these methods will return a **DeleteResult** object. The general syntax for the above methods is as follows.

`<method_name>(condition)`

Following are the examples how we use the `delete_one()` and `delete_many()` methods, both returns the **DeleteResult** object.

```
>>> col.delete_one({"name":"John"})  
<pymongo.results.DeleteResult object at 0x7f8fbe7fba00>
```

```
>>> col.delete_many({"name":"John"})  
<pymongo.results.DeleteResult object at 0x7f8fbe7fb960>
```

U- Update: We can update the documents from the collection with the following methods.

- update()
- update_one()
- update_many()
- replace_one()

The general syntax for all the above methods is

```
<method_name>(condition, update_or_replace_document, upsert=False,  
bypass_document_validation=False)
```

Here,

condition: A query that matches the document to replace.

update_or_replace_document: The new document.

upsert (optional): If True, perform an insert if no documents match the filter.

bypass_document_validation: (optional) If True, allows the write to opt-out of document level validation. Default is False.

update_one

```
>>> col.update_one({"name":"John"}, {"$set":{"name":"Joseph"}})
<pymongo.results.UpdateResult object at 0x7f8fbe7fb910>
```

update_many

```
>>> col.update_many({"name":"John"}, {"$set":{"name":"Joseph"}})
<pymongo.results.UpdateResult object at 0x7f8fbe7fb7d0>
```

update

```
>>> col.update({"name":"John"}, {"$set":{"name":"George"}}){'updatedExisting': False,
u'nModified': 0, u'ok': 1, u'n': 0}
```

#replace_one

```
>>> col.replace_one({"name":"John"}, {"name":"George"}) <pymongo.results.UpdateResult
object at 0x7f8fbe7fb910>
```

Logical Query Operators

- **\$or** - Joins query clauses with a logical **OR** returns all documents that match the conditions of either clause.

```
{ $or:[ {<expression1>}, {<expression2>},..., {<expressionN>} ] }
```

- **\$and** - Joins query clauses with a logical **AND** returns all documents that match the conditions of both clauses.

`{ $and:[{<expression1>},{<expression2>},...,{<expressionN>}] }`

- **\$not** - Inverts the effect of a query expression and returns documents that do **not** match the query expression.

`{ field: { $not: { <operator-expression> } } }`

- **\$nor** - Joins query clauses with a logical **NOR** returns all documents that fail to match both clauses.

`{ $nor:[{<expression1>},{<expression2>},...,{<expressionN>}] }`

FAQs:

1. Explain the MongoDB on Two tier architecture?
2. Explain basic commands of MongoDB ?

Oral/Review Questions:

1. Explain Index in MongoDB

ASSIGNMENT NUMBER: B3

Revised On: 15/06/2017

TITLE	Implement aggregation and indexing with suitable example using MongoDB
PROBLEM STATEMENT /DEFINITION	Implement aggregation and indexing with suitable example using MongoDB.
OBJECTIVE	<ul style="list-style-type: none">Understand indexing and aggregation concept on <u>MongoDB</u>
S/W PACKAGES AND HARDWARE APPARATUS USED	Mongoddb Operating Systems <ul style="list-style-type: none">(64-Bit)64-BIT Fedora 17 or latest 64-BIT Update of Equivalent Open source OS or latest 64-BIT Version and update of Microsoft Windows 7 Operating System onwards

	<ul style="list-style-type: none"> • Programming Tools (64-Bit) Latest Open source update of Eclipse Programming frame work, MongoDB 2.6.
REFERENCES	<ol style="list-style-type: none"> 1. MongoDB: The Definitive Guide, 2nd Edition, Powerful and Scalable Data Storage By Kristina Chodorow Publisher: O'Reilly Media 2. http://docs.mongodb.org/manual
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Title • Problem Definition • Learning Objectives • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion

Aim: Implement aggregation and indexing with suitable example using MongoDB

Problem Statement: Implement aggregation and indexing with suitable example using MongoDB

Requirements:

- Computer System with Windows/Linux/Open Source Operating System.
- MongoDB Server

Learning Objectives

P:F-LTL-UG/03/R1

- To understand indexing and aggregation concept in MongoDB.

Theory:

Indexing:

Indexes support the efficient resolution of queries. Without indexes, MongoDB must scan every document of a collection to select those documents that match the query statement. This scan is highly inefficient and requires the MongoDB to process a large volume of data.

Indexes are special data structures, which store a small portion of the data set in an easy to traverse form. The index stores the value of a specific field or set of fields, ordered by the value of the field as specified in index. Indexing can be achieved on any field in a document using ensureIndex () method.ensureIndex ()

Syntax:

```
>db.COLLECTION_NAME.ensureIndex  
({KEY:1})
```

Here key is the name of field on which you want to create index and 1 is for ascending order.

To create index in descending order one need to use -

1.Example:

```
>db.ensureIndex({eid:1})
```

This is simple/unique index. We can define index on multiple fields as well resulting into composite index.

>db.ensureIndex({eid:1,ename:-1}) Sole purpose of indexing lies in faster retrieval of data by organizing data in organized format.

Aggregation:

Aggregation operations process data records and return computed results. Aggregation operations group values from multiple documents together, and can perform a variety of operations on the grouped data to return a single result.

In sql count(*) and with group by is an equivalent of MongoDB aggregation. The aggregate () Method For the aggregation in MongoDB one should use aggregate() method.

Syntax:

>db.COLLECTION_NAME.aggregate(AGGREGATE_OPERATION)

Aggregate operation could be finding sum on particular field/key or taking an average or finding maximum or minimum values associated with particular field from various documents in a single collection.

Example:

Assume a sample collection with sample documents inserted as below:

```
> db.emp1.insert(
.. [{eid:101,ename:"sachin",dept:"IT",sal:40000},
.. {eid:110,ename:"pranav",dept:"IT",sal:60000},
.. {eid:105,ename:"manoj",dept:"COMP",sal:45000},
```

```
.. {eid:102,ename:"yogesh",dept:"FE",sal:20000}}))
```

If we want to display all employees based on their departments along with average salary of particular department we can write following query:

```
> db.emp1.aggregate([{$group: {_id: "$dept", "avg  
sal": {$avg: "$sal"}}}])
```

The above query computes average salary per department.

Following query displays number of employees associated along with particular department.

```
db.emp1.aggregate([{$group: {_id: "$dept", "number of emp": {$sum: 1}}}])
```

In the above example we have grouped documents by field dept and on each occurrence of dept previous value of sum is incremented. The various available aggregation expressions are listed below:

Expression

Description

\$sum

Sums up the defined value from all documents in the collection.

\$avg

It computes average of defined value from all documents in the collection.

\$max

It displays maximum of defined value from all documents in the collection.

\$min

It displays minimum of defined value from all documents in the collection.

Oral Questions

1. Compare SQL vs. MongoDB indexing.
2. What changes you observe after performing Indexing?
3. How to remove specific document from MongoDB collection?
4. Execute all queries solved earlier on MySQL using MongoDB.
5. Can we specify more than one aggregate function simultaneously in MongoDB?

ASSIGNMENT NUMBER: B4

Revised On: 15/06/2017

TITLE	Map reduce operation with suitable example using MongoDB
PROBLEM STATEMENT /DEFINITION	Write an example of Map reduce using MongoDB
OBJECTIVE	<ul style="list-style-type: none">• To understand concept of Map-reduce as data processing paradigm for condensing large volumes of data into useful aggregated results.
S/W PACKAGES AND HARDWARE APPARATUS USED	Operating Systems (64-Bit)64-BIT Fedora 17 or latest 64-BIT Update of Equivalent Open source OS or latest 64-BIT Version and update of Microsoft Windows 7 Operating System onwards Programming Tools (64-Bit) Latest Open source update of Eclipse Programming frame work, TC++, GTK++, mongoDB 2.6.

REFERENCES	http://docs.mongodb.org/manual <ul style="list-style-type: none"> • MongoDB: The Definitive Guide, 2nd Edition, Powerful and Scalable Data Storage By Kristina Chodorow Publisher: O'Reilly Media
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ol style="list-style-type: none"> 1. Title 2. Problem Definition 3. Learning Objectives 4. Theory 5. Class Diagram/ER Diagram 6. Test cases 7. Program Listing 8. Output 9. Conclusion

THEORY:

Map Reduce

- MapReduce is a powerful and flexible tool for aggregating data.
- It can solve some problems that are too complex to express using the aggregation framework's query language.
- It uses JavaScript as its "query language".
- It is fairly slow and should not be used for real-time data analysis.
- MapReduce can be easily parallelized across multiple servers.

Map Phase

- Map an operation onto every document in a collection. That operation could be either “do nothing” or “emit these keys with X values.”

Intermediate stage


- Keys are grouped and lists of emitted values are created for each key.

Reduce phase

- Takes this list of values and reduces it to a single element.
- This element is returned to the shuffle step until each key has a list containing a single value: the result.

Syntax:

```
>db.collection.mapReduce(  
  function() {emit(key,value);}, //map function  
  function(key,values) {return reduceFunction}, { //reduce function  
    out: collection,  
    query: document,  
    sort: document,  
    limit: number  
  }  
)
```



Review Questions

P:F-LTL-UG/03/R1

3. What is map reduce?
4. What is emit function?
5. How map reduce work?

ASSIGNMENT NUMBER: B5

Revised On: 15/06/2017

TITLE	Implement 5 Basic query using Mongo DB
PROBLEM STATEMENT /DEFINITION	Design and Implement any 5 query using MongoDB
OBJECTIVE	<ol style="list-style-type: none">1. Understand the concept of Mongo DB.2. Understand the concept of Mongo DB on Two tier3. Understand the basic commands of Mongo DB .
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none">• Mongo DB• PC with the configuration as Latest Version of 64 bit Operating Systems, Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	<ol style="list-style-type: none">1. MongoDB: The Definitive Guide by Kristina Chodorow2. http://docs.mongodb.org/manual/
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none">• Title• Problem Definition• Learning Objectives• Theory• Class Diagram/ER Diagram• Test cases• Program Listing• Output

	<ul style="list-style-type: none"> • Conclusion
--	---

Aim: Design and Implement any 5 query using MongoDB

Pre-requisite:

Basic knowledge SQL/NOSQL.

Learning Objectives:

4. To understand & implement the various commands of Mongo DB.

Learning Outcomes:

The students will be able to

3. Implement the commands on two tier.
4. Implement the Database in Mongo DB.

Theory:

o **Mongo DB:**

MongoDB is a cross-platform, document oriented database that provides, high performance, high availability, and easy scalability. MongoDB works on concept of collection and document. A single MongoDB server typically has multiple databases.

Collection

Collection is a group of MongoDB documents. It is the equivalent of an RDBMS table. A collection exists within a single database. Collections do not enforce a schema. Documents within a collection can have different fields. Typically, all documents in a collection are of similar or related purpose.

Document

A document is a set of key-value pairs. Documents have dynamic schema. Dynamic schema means that documents in the same collection do not need to have the same set of fields or structure, and common fields in a collection's documents may hold different types of data.

Sample document

Below given example shows the document structure of a blog site which is simply a comma separated key value pair.

```
{
  _id: ObjectId(7df78ad8902c)
  title: 'MongoDB Overview',
  description: 'MongoDB is no sql database',
  by: 'tutorials point',
  url: 'http://www.tutorialspoint.com',
  tags: ['mongodb', 'database', 'NoSQL'],
  likes: 100,
  comments: [
    {
      user:'user1',
      message: 'My first comment',
      dateCreated: new Date(2011,1,20,2,15),
      like: 0
    },
    {
      user:'user2',
      message: 'My second comments',
      dateCreated: new Date(2011,1,25,7,45),
      like: 5
    }
  ]
}
```

•

- **_id** is a 12 bytes hexadecimal number which assures the uniqueness of every document. You can
- provide **_id** while inserting the document. If you didn't provide then MongoDB provide a unique

id for every document. These 12 bytes first 4 bytes for the current timestamp, next 3 bytes for machine id, next 2 bytes for process id of mongodb server and remaining 3 bytes are simple incremental value.

- **Advantages of MongoDB over RDBMS**
-
- Schema less : MongoDB is document database in which one collection holds different documents. Number of fields, content and size of the document can be differ from one document to another.
- Structure of a single object is clear
- No complex joins
- Deep query-ability. MongoDB supports dynamic queries on documents using a document-based query language that's nearly as powerful as SQL
- Tuning
- Ease of scale-out: MongoDB is easy to scale
- Conversion / mapping of application objects to database objects not needed
- Uses internal memory for storing the (windowed) working set, enabling faster access of data

5. MongoDB Create Database

The use Command

MongoDB use DATABASE_NAME is used to create database. The command will create a new database, if it doesn't exist otherwise it will return the existing database.

Syntax:

use DATABASE_NAME

Example:

If you want to create a database with name <mydb>, then use DATABASE statement would be as follows:

```
>use mydb
```

switched to db mydb

To check your currently selected database use the command db
>db
>Mydb

FAQs:

- o Explain the MongoDB on Two tier architecture?
- o Explain basic commands of MongoDB ?

ASSIGNMENT NUMBER:B6

Revised On: 15/06/2017

TITLE	Create simple objects and array objects using JSON
PROBLEM STATEMENT /DEFINITION	Create simple objects and array objects using JSON
OBJECTIVE	<ul style="list-style-type: none">• Understand the concept objects in JSON• Understand the simple and array objects
S/W PACKAGES AND HARDWARE APPARATUS USED	PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	1.Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X 2. Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4
STEPS	Refer to details
INSTRUCTIONS FOR WRITING	<ul style="list-style-type: none">• Title• Problem Definition• Learning Objectives• Theory

JOURNAL	<ul style="list-style-type: none"> • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion
----------------	---

Aim: Create simple objects and array objects using JSON

Problem Statement: Create simple objects and array objects using JSON

Pre-requisite:

Basic knowledge of HTML and JSON.

Learning Objectives:

- To understand the concept of JSON and creating array objects.

Theory:

JSON objects can be created with JavaScript. Let us see the various ways of creating JSON objects using JavaScript –

- Creation of an empty Object –

```
var JSONObj = {};
```

- Creation of a new Object –

```
var JSONObj = new Object();
```

- Creation of an object with attribute **bookname** with value in string, attribute **price** with numeric value. Attribute is accessed by using '.' Operator –

```
var JSONObj = { "bookname ":"VB BLACK BOOK", "price":500 };
```

```
<html>
  <head>
    <title>Creating Object JSON with JavaScript</title>

    <script language = "javascript" >

      var JSONObj = { "name" : "tutorialspoint.com", "year" : 2005 };

      document.write("<h1>JSON with JavaScript example</h1>");
      document.write("<br>");
      document.write("<h3>Website Name = "+JSONObj.name+"</h3>");
      document.write("<h3>Year = "+JSONObj.year+"</h3>");

    </script>

  </head>

  <body>
  </body>

</html>
```

Creating Array Objects

The following example shows creation of an array object in javascript using JSON, save the below code as **json_array_object.htm** –

```
<html>
  <head>
    <title>Creation of array object in javascript using JSON</title>

    <script language = "javascript" >

      document.writeln("<h2>JSON array object</h2>");

    </script>
  </head>
  <body>
  </body>
</html>
```



```

var books = { "Pascal" : [
    { "Name" : "Pascal Made Simple", "price" : 700 },
    { "Name" : "Guide to Pascal", "price" : 400 }],

    "Scala" : [
        { "Name" : "Scala for the Impatient", "price" : 1000 },
        { "Name" : "Scala in Depth", "price" : 1300 } ]
}

var i = 0
document.writeln("<table border = '2'><tr>");

for(i = 0;i<books.Pascal.length;i++){
    document.writeln("<td>");
    document.writeln("<table border = '1' width = 100 >");
    document.writeln("<tr><td><b>Name</b></td><td width = 50>" +
books.Pascal[i].Name+"</td></tr>");
    document.writeln("<tr><td><b>Price</b></td><td width = 50>" +
books.Pascal[i].price +"</td></tr>");
    document.writeln("</table>");
    document.writeln("</td>");
}

for(i = 0;i<books.Scala.length;i++){
    document.writeln("<td>");
    document.writeln("<table border = '1' width = 100 >");
    document.writeln("<tr><td><b>Name</b></td><td width = 50>" +
books.Scala[i].Name+"</td></tr>");
    document.writeln("<tr><td><b>Price</b></td><td width = 50>" +
books.Scala[i].price+"</td></tr>");
    document.writeln("</table>");
    document.writeln("</td>");
}

document.writeln("</tr></table>");

</script>

</head>

```

```
<body>  
</body>  
  
</html>
```

FAQs:

Oral/Review Questions:

1. Explain what is JSON?
2. What is the file extension name of JSON?
3. How many languages, including in JSON?
4. What is the rule for JSON syntax rules? Explain with an example of JSON object?

ASSIGNMENT NUMBER: B7

Revised On: 15/06/2017

TITLE	Study and demonstrate the use of encoding and decoding JSON objects using Java/Perl/PHP/Python/Ruby.
PROBLEM STATEMENT /DEFINITION	Study and demonstrate the use of encoding and decoding JSON objects using Java/Perl/PHP/Python/Ruby.
OBJECTIVE	<ul style="list-style-type: none">• To understand and implement encoding and decoding of JSON objects.
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none">• Eclipse• JAVA/Python• PC with the configuration as Latest Version of 64 bit Operating Systems, Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	.http://www.tutorialspoint.com/json/
STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none">• Title• Problem Definition• Learning Objectives• Theory• Class Diagram/ER Diagram

	<ul style="list-style-type: none"> • Test cases • Program Listing • Output • Conclusion
--	---

Aim: Encode and Decode JSON Objects using Java/Perl/PHP/Python/Ruby.

Problem Statment :Study and demonstrate the use of encoding and decoding JSON objects using Java/Perl/PHP/Python/Ruby.

Requirements:

- Computer System with Windows/Linux/Open Source Operating System.
- JavaScript
- JAVA
- PHP
- PYTHON

Theory:

JSON extension is bundled with PHP by default from version 5.2.0 so there is no need of any special environment.

JSON Functions:

- 1.json_encode: It returns the JSON representation of a value.
- 2.json_decode: It decodes a JSON string.
- 3.json_last_error: It returns the last error occurred.

Encoding:

json_encode() function is used for encoding which returns JSON representation of a value.

Syntax:

```
string json_encode ( $value [, $options = 0 ] )
```

The value parameter specifies value being specified. It works only with UTF-8 encoded data.

The options parameter specifies the a bitmask consisting of

JSON_HEX_QUOT,JSON_HEX_TAG,JSON_HEX_AMP,JSON_HEX_APOS,JSON_NUM
ERIC_CHECK,JSON_PRETTY_PRINT,JSON_UNESCAPED_SLASHES,
JSON_FORCE_OBJECT.

Example:

The following PHP code

```
<?php  
  
class Emp {  
  
    public $name = "";  
  
    public  
  
    $hobbies = "";  
  
    public $birthdate = "";  
  
}  
  
$e = new Emp();  
  
$e->name = "sachin";  
  
$e->hobbies = "sports";  
  
$e->birthdate = date('m/d/Y h:i:s a', strtotime("8/5/1974 11:20:03"));
```

```
echo json_encode($e);?>
```

can be encoded to JSON object

```
{"name":"sachin","hobbies
```

```
":"sports","birthdate":"08/05/1974
```

```
11:20:03 pm"}
```

Decoding:

json_decode () function is used for decoding JSON object in to PHP.

Syntax:

```
json_decode ($json [, $assoc = false [, $depth = 511 [, $options = 0 ]]])
```

Parameters:

- json_string :It is encoded string which must be UTF-8 encoded data.
- assoc :It is a boolean type parameter, when set to TRUE, returned objects will be converted into associative arrays.
- depth:It is an integer type parameter which specifies recursion depth
- options: It is an integer type bitmask of JSON decode. It supports JSON_BIGINT_AS_STRING

Example:

The following JSON object

```
<?php
```

```
$json = '{"a":1,"b":2,"c":3,"d":4,"e":5}';
```

```
var_dump(json_decode($json));
```

```
var_dump(json_decode($json, true));
```

```
?>
```

```
Can be decoded into object(stdClass)#1 (5) {
```

```
["a"] => int(1)
```

```
["b"] => int(2)
```

```
["c"] => int(3)
```

```
["d"] => int(4)
```

```
["e"] => int(5)
```

```
}
```

```
array(5) {
```

```
["a"] => int(1)
```

```
["b"] => int(2)
```

```
["c"] => int(3)
```

```
["d"] => int(4)
```

```
["e"] => int(5)
```

```
}
```

Viva Questions

1. Implement encoding/decoding of JSON objects using JAVA.
2. Define encoding and decoding of objects in general.

3. Whether encoding/decoding supports simple JSON objects or JSON Array objects or both.
Explain with suitable example.

ASSIGNMENT NUMBER: C1**Revised On: 15/06/2017**

TITLE	Implement MONGO DB database connectivity with PHP/ python/Java. Implement Database navigation operations (add, delete, edit,) using ODBC/JDBC
PROBLEM STATEMENT /DEFINITION	To study and implement database connectivity and perform operations on it.
OBJECTIVE	<ul style="list-style-type: none">• Understand the concept of database.• Understand the concept of mongo db.• Understand the database operations.
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none">• Mongo db• Java / Python / PHP• PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	<ul style="list-style-type: none">• 1.Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X• Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4• mysql.com/docs/mysql-tutorial-excerpt-5.1-en.pdf
STEPS	Refer to details
INSTRUCTIONS FOR	<ul style="list-style-type: none">• Date• Title

WRITING JOURNAL	<ul style="list-style-type: none"> • Problem Definition • Learning Objectives • Learning Outcomes • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion
------------------------	--

Aim: Implement Mongo DB database connectivity with PHP/ python/Java. Implement Database navigation operations (add, delete, edit,) using ODBC/JDBC.

Pre-requisite:

Basic knowledge of database, java/python programming and php.

Learning Objectives:

- To understand & implement the database connectivity and perform operations.

Learning Outcomes:

The students will be able to

- Implement the database using Mongo DB.
- Implement and perform different queries on database.

Theory:

MongoDB (from *humongous*) is a free and open-source cross-platform document-oriented database program. Classified as a NoSQL database program, MongoDB uses JSON-like

documents with schemas. MongoDB is developed by MongoDB Inc., and is published under a combination of the GNU Affero General Public License and the Apache License.

Connect to Database java:

To connect database, you need to specify the database name, if the database doesn't exist then MongoDB creates it automatically.

Following is the syntax to connect to the database –

```
// Creating a Mongo client
MongoClient mongo = new MongoClient( "localhost" , 27017 );

// Creating Credentials
MongoCredential credential;
credential = MongoCredential.createCredential("sampleUser", "myDb",
    "password".toCharArray());
System.out.println("Connected to the database successfully");

// Accessing the database
MongoDatabase database = mongo.getDatabase("myDb");
System.out.println("Credentials ::"+ credential);
}
}
```

Database connection with python:

```
>>> import pymongo
```

```
$ mongod
```

Making a Connection with MongoClient

The first step when working with **PyMongo** is to create a [MongoClient](#) to the running **mongod** instance. Doing so is easy:

```
>>> from pymongo import MongoClient
>>> client = MongoClient()
```

The above code will connect on the default host and port. We can also specify the host and port explicitly, as follows:

```
>>> client = MongoClient('localhost', 27017)
```

Or use the MongoDB URI format:

```
>>> client = MongoClient('mongodb://localhost:27017/')
```

FAQs:

- Explain the RDBMS?
- Explain commands to insert,delete,modify into database table ?

Oral/Review Questions:

- What is the difference between DBMS and RDBMS ?
- Which of the following will be used to modify entries in database (insert, delete, update) command.

ASSIGNMENT NUMBER: C2

Revised On: 15/06/2017

TITLE	Implement MYSQL/Oracle database connectivity with PHP/ python/Java. Implement Database navigation operations (add, delete, edit,) using ODBC/JDBC
PROBLEM STATEMENT /DEFINITION	To study and implement database connectivity and perform operations on it.
OBJECTIVE	<ul style="list-style-type: none">• Understand the concept of database.• Understand the concept of ODBC/JDBC• Understand the database operations
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none">• MY SQL• Java / Python / PHP• PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouse
REFERENCES	<ul style="list-style-type: none">• 1.Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X• Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4• mysql.com/docs/mysql-tutorial-excerpt-5.1-en.pdf
STEPS	Refer to details

INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Date • Title • Problem Definition • Learning Objectives • Learning Outcomes • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion
---	---

Aim: Implement MYSQL/Oracle database connectivity with PHP/ python/Java. Implement Database navigation operations (add, delete, edit,) using ODBC/JDBC.

Pre-requisite:

Basic knowledge of database, java/python programming and php.

Learning Objectives:

- To understand & implement the database connectivity and perform operations.

Learning Outcomes:

The students will be able to

- Implement the database using MySQL.
- Implement and perform different queries on database.

Theory:

MySQL is the most popular Open Source Relational SQL Database Management System. MySQL is one of the best RDBMS being used for developing various web-based software applications. MySQL is developed, marketed and supported by MySQL AB, which is a Swedish company. This tutorial will give you a quick start to MySQL and make you comfortable with MySQL programming.

Connectivity to Database

```
$dbhost = 'localhost:3306';  
$dbuser = 'guest';  
$dbpass = 'guest123';  
$conn = mysql_connect($dbhost, $dbuser, $dbpass);  
if(! $conn ) {  
die('Could not connect: ' . mysql_error());  
}  
echo 'Connected successfully';
```

Insert into Database

```
$sql = "INSERT INTO tutorials_tbl "  
      "(tutorial_title,tutorial_author, submission_date) ". "VALUES "  
      "('$tutorial_title','$tutorial_author','$submission_date')";
```

Delete from Database

```
$sql = 'DELETE FROM tutorials_tbl' WHERE tutorial_id=3';
```

Update into Database

```
$sql = 'UPDATE tutorials_tbl SET tutorial_title="Learning JAVA" WHERE  
tutorial_id=3';
```

FAQs:

- Explain the RDBMS?
- Explain commands to insert,delete,modify into database table ?

Oral/Review Questions:

- What is the difference between DBMS and RDBMS ?
- Which of the following will be used to modify entries in database (insert, delete, update) command.

ASSIGNMENT NUMBER: C3**Revised On: 15/06/2017**

TITLE	Using the database concepts covered in Part-I & Part-II & connectivity concepts covered in Part C, students in group are expected to design and develop database application.
PROBLEM STATEMENT /DEFINITION	To design and develop database application with following details: <ul style="list-style-type: none">• Design Entity Relationship Model, Relational Model, Database Normalization
OBJECTIVE	<ul style="list-style-type: none">• Understand the concept of database.• Develop a database application
S/W PACKAGES AND HARDWARE APPARATUS USED	<ul style="list-style-type: none">• MY SQL• Java / PythFront End : Java/Perl/PHP/Python/Ruby/.net Backend : MongoDB/MYSQL/Oracle Database Connectivity : ODBC/JDBC <ul style="list-style-type: none">• PC with the configuration as Latest Version of 64 bit Operating Systems,Open Source Fedora-GHz. 8 G.B. RAM, 500 G.B. HDD, 15"Color Monitor, Keyboard, Mouseon / PHP
REFERENCES	<ul style="list-style-type: none">• Silberschatz A., Korth H., Sudarshan S., "Database System Concepts", 5th Edition, McGraw Hill Publishers, 2002, ISBN 0-07-120413-X• Connally T., Begg C., "Database Systems", 3rd Edition, Pearson Education, 2002, ISBN 81-7808-861-4• mysql.com/docs/mysql-tutorial-excerpt-5.1-en.pdf

STEPS	Refer to details
INSTRUCTIONS FOR WRITING JOURNAL	<ul style="list-style-type: none"> • Date • Title • Problem Definition • Learning Objectives • Learning Outcomes • Theory • Class Diagram/ER Diagram • Test cases • Program Listing • Output • Conclusion

Aim: Using the database concepts covered in Part-I & Part-II & connectivity concepts covered in Part C, students in group are expected to design and develop database application.

Pre-requisite:

Basic knowledge of database, java/python programming and php.

Learning Objectives:

- To understand, design & implement the database application.

Learning Outcomes:

The students will be able to

- Identify requirement and design database application
- Implement the database using MySQL.
- Develop database application

Guidelines for Miniproject:

- Group of students should submit the Project Report which will consist of documentation related to different phases of Software Development Life Cycle: Title of the Project, Abstract, Introduction, scope, Requirements, Data Modeling features, Data Dictionary, Relational Database Design, Database Normalization, Graphical User Interface, Source Code, Testing document, Conclusion.
- Instructor should maintain progress report of mini project throughout the semester from project group and assign marks as a part of the term work.
- Students should follow the following Requirement Gathering and Scope finalization

- **Database Analysis and Design:**

- □ **Design Entity Relationship Model, Relational Model, Database Normalization**

- **Implementation :**

- □ **Front End : Java/Perl/PHP/Python/Ruby/.net**

- □ **Backend : MongoDB/MYSQL/Oracle**

- □ **Database Connectivity : ODBC/JDBC**

Testing : Data Validation

FAQs:

- Explain the RDBMS?
- Explain commands to insert,delete,modify into database table ?

Oral/Review Questions:

- What is the difference between DBMS and RDBMS ?
- Which of the following will be used to modify entries in database (insert, delete, update) command.

P:F-LTL-UG/03/R1