

main.c



Share

Run

Output

Clear

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5     printf("Enter number of students: ");
6     scanf("%d", &n);
7
8     int roll[1001];
9
10    printf("Enter %d roll numbers: ", n);
11    for (int i = 0; i < n; i++) {
12        scanf("%d", &roll[i]);
13    }
14    int x;
15    printf("Enter roll number to search: ");
16    scanf("%d", &x);
17
18    int found = 0;
19    for (int i = 0; i < n; i++) {
20        if (roll[i] == x) {
21            printf("Found at Index %d\n", i+1);
22            found = 1;
23            break;
24        }
25    }
26
27    if (found == 0) {
28        printf("Not Found\n");
29    }
30
31    return 0;
32 }
```

```
Enter number of students: 5
Enter 5 roll numbers: 4 7 6 9 8
Enter roll number to search: 4
Found at index 1

=== Code Execution Successful ===
```

php

main.c

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5
6     printf("Enter number of products: ");
7     scanf("%d", &n);
8
9     int id[10000];
10
11     printf("Enter sorted product IDs: ");
12     for (int i = 0; i < n; i++) {
13         scanf("%d", &id[i]);
14     }
15
16     int target;
17     printf("Enter product ID to search: ");
18     scanf("%d", &target);
19
20     int low = 0, high = n - 1;
21     int found = 0;
22     while (low <= high) {
23         int mid = (low + high) / 2;
24
25         if (id[mid] == target) {
26             found = 1;
27             break;
28         }
29         else if (id[mid] < target) {
30             low = mid + 1;
31         }
32         else {
33             high = mid - 1;
34         }
35     }
36
37     if (found == 1) {
38         printf("Product Available\n");
39     } else {
40         printf("Product Not Available\n");
41     }
42
43     return 0;
44 }
```

Output

```
Enter number of products: 4
Enter sorted product IDs: 12 54 67 89
Enter product ID to search: 54
Product Available
```

--- Code Execution Successful ---

Clear

main.c



Share

Run

Output

Clear

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5
6     printf("Enter number of scores: ");
7     scanf("%d", &n);
8
9     int score[1000];
10
11     printf("Enter %d scores: ", n);
12     for (int i = 0; i < n; i++) {
13         scanf("%d", &score[i]);
14     }
15     for (int i = 0; i < n - 1; i++) {
16         for (int j = 0; j < n - 1 - i; j++) {
17             if (score[j] > score[j + 1]) {
18                 int temp = score[j];
19                 score[j] = score[j + 1];
20                 score[j + 1] = temp;
21             }
22         }
23     }
24
25     printf("Sorted scores: ");
26     for (int i = 0; i < n; i++) {
27         printf("%d ", score[i]);
28     }
29     printf("\n");
30
31     return 0;
32 }
```

Enter number of scores: 7
Enter 7 scores: 11 97 65 45 34 66 61
Sorted scores: 11 34 45 61 65 66 97

--- Code Execution Successful ---

main.c

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5
6     printf("Enter number of books: ");
7     scanf("%d", &n);
8
9     int book[1000];
10
11     printf("Enter %d book numbers: ", n);
12     for (int i = 0; i < n; i++) {
13         scanf("%d", &book[i]);
14     }
15     for (int i = 1; i < n; i++) {
16         int key = book[i];
17         int j = i - 1;
18         while (j >= 0 && book[j] > key) {
19             book[j + 1] = book[j];
20             j--;
21         }
22         book[j + 1] = key;
23     }
24
25     printf("Sorted book numbers: ");
26     for (int i = 0; i < n; i++) {
27         printf("%d ", book[i]);
28     }
29     printf("\n");
30
31     return 0;
32 }
```



Share



Run

Output

Clear

Enter number of books: 5
Enter 5 book numbers: 54 12 96 54 34
Sorted book numbers: 12 34 54 54 96

--- Code Execution Successful ---

main.c



Run

Output

Clear

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5
6     printf("Enter number of players: ");
7     scanf("%d", &n);
8
9     int score[1000];
10
11     printf("Enter %d scores: ", n);
12     for (int i = 0; i < n; i++) {
13         scanf("%d", &score[i]);
14     }
15     for (int i = 0; i < n - 1; i++) {
16         int minIndex = i;
17
18         for (int j = i + 1; j < n; j++) {
19             if (score[j] < score[minIndex]) {
20                 minIndex = j;
21             }
22         }
23         int temp = score[minIndex];
24         score[minIndex] = score[i];
25         score[i] = temp;
26     }
27
28     printf("Sorted scores: ");
29     for (int i = 0; i < n; i++) {
30         printf("%d ", score[i]);
31     }
32     printf("\n");
33
34     return 0;
35 }
```

Enter number of players: 5
Enter 5 scores: 6 8 4 3 9
Sorted scores: 3 4 6 8 9

--- Code Execution Successful ---