

Full Stack Application Development with Cloud Computing

Module 2 – Front-End Development Tools, Technologies and Frameworks

<u>Lab - 2</u>

Unit 2 - CSS3 Essentials & Layout Techniques

Topic: CSS Properties

Ex. 1: An HTML page that includes CSS properties applied to different elements.

```
<!DOCTYPE html>
<html>
<head>
  <title>CSS Properties Example</title>
  <style>
    /* Styling the body */
     body {
       font-family: Arial, sans-serif;
       margin: 0;
       padding: 0;
       background-color: #F0FFF0;
       color: #333;
     }
     /* Styling the header */
     header {
       background-color: #333;
       color: #fff;
       text-align: center;
```



```
padding: 1rem;
    }
    /* Styling navigation links */
     nav a {
       color: #444;
       text-decoration: none;
       padding: 0.5rem;
    }
    /* Styling the main content */
    section {
       padding: 1rem;
    }
    /* Styling unordered list items */
     ul li {
       list-style-type: square;
       margin-left: 1rem;
    }
    /* Styling the footer */
    footer {
       background-color: #555;
       color: #fff;
       text-align: center;
       padding: 1rem;
     }
  </style>
</head>
<body>
  <!-- Header section -->
  <header>
```



```
<h1>CSS Properties Example</h1>
    Exploring Different CSS Properties
  </header>
  <!-- Navigation section -->
  <nav>
    <a href="#">Home</a> |
    <a href="#">About</a> |
    <a href="#">Services</a> |
    <a href="#">Contact</a>
  </nav>
  <!-- Main content section -->
  <section>
    <h2>About CSS Properties</h2>
    CSS properties control the appearance and layout of HTML
elements.
    <h3>Property Examples</h3>
    ul>
      This is an example of the <code>font-family</code>
property.
      This is an example of the <code>background-color</code>
property.
      This is an example of the <code>color</code> property.
      This is an example of the <code>text-align</code>
property.
      This is an example of the <code>padding</code>
property.
      This is an example of the <code>list-style-type</code>
property.
    </section>
```



```
<!-- Footer section -->
<footer>
&copy; 2023 CSS Properties Example. All rights reserved.
</footer>
</body>
</html>
```

Output:



Practice Question

Ex. 2: An HTML document containing a navigation menu. Task is to style the navigation menu using CSS properties to achieve the following:

- Set the background color of the navigation menu
- Display the menu items as horizontal inline elements.
- Apply a padding to the menu items.
- Change the text color of the menu items
- Add a bottom border to the currently active menu item.