

≡

←

→

Home

Workspaces

API Network

Search Postman

Ctrl K

Invite

⚙

🔔

🔗

Upgrade

—

📄

✕

My Workspace

New

Import

POST http://localhost:3000/

+

⚙

http://localhost:3000/api/recipes

Save

Share

POST

http://localhost:3000/api/recipes

Send

Params

Authorization

Headers (10)

Body

Scripts

Tests

Settings

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

☐ GraphQL

☒ JSON

2

3

4

5

6

7

8

"recipeTitle": "Aloo Fry",

"ingredients": ["Aloo", "Oil", "Gas"],

"instructions": "Pour oil into pan and fry the aloo slowly under low flame",

"cookTime": "30 mins",

"tags": ["simple", "instant", "tasty"],

"difficulty": "easy"

}

Body

Cookies

Headers (8)

Test Results

201 Created

120 ms

643 B

🌐

⋮

{}

JSON

Preview

Visualize

1

2

3

4

5

6

7

8

9

10

11

12

13

14

{

"id": "82353ea5-a21d-4928-9efe-5e9b810240c7",

"recipeTitle": "Aloo Fry",

"ingredients": [

"Aloo",

"Oil",

"Gas"

],

"instructions": "Pour oil into pan and fry the aloo slowly under low flame",

"cookTime": "30 mins",

"tags": [

"simple",

"instant",

"tasty"

]

}

🔍

🔍

🔍

🔍

🔍

🔍

📁 Collections

🏠 Environments

📄 Flows

🕒 History

📁+

My first collection

☆

⋮

First folder inside collection

GET

POST

GET

Second folder inside collection

GET

GET

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

🔍 Online

🔍 Find and replace

📄 Console

🏃 Runner

🌐 Start Proxy

🍪 Cookies

🔒 Vault

🗑 Trash

⚙

?

The screenshot shows the Postman application interface. On the left sidebar, there are four icons representing different views: 'Collections' (selected), 'Environments', 'Flows', and 'History'. The main area displays a collection named 'My first collection'. This collection is expanded, showing two folders: 'First folder inside collection' and 'Second folder inside collection'. Each folder contains three requests: 'GET', 'POST', and 'GET'. The 'POST' request in the first folder is highlighted in orange. A search bar is visible at the top right of the main area.

Create a collection for your requests

Create Collection

http://localhost:3000/api/recipes

GET http://localhost:3000/api/recipes

Send

Params Authorization Headers (8) Body Scripts Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

1 Ctrl+Alt+P to Ask AI

```
Body Cookies Headers (8) Test Results 200 OK • 15 ms • 640 B •  
{} JSON Preview Visualize
1 [
2   {
3     "id": "82353ea5-a21d-4928-9efe-5e9b810240c7",
4     "recipeTitle": "Aloo Fry",
5     "ingredients": [
6       "Aloo",
7       "Oil",
8       "Gas"
9     ],
10    "instructions": "Pour oil into pan and fry the aloo slowly under low flame",
11    "cookTime": "30 mins",
12    "tags": [
13      "simple",
14      "instant",
15      "tasty"
16    ],
17    "difficulty": "easy",
18    "userId": "user",
19    "username": "user",
```

≡

←

→

Home

Workspaces ▾

API Network

🔍 Search Postman

Ctrl K

👤 Invite

⚙️

🔔

🔗

Upgrade ▾

—

📁

✕

🔒 My Workspace

New

Import

PUT http://localhost:3000/api

+

⌵

No environment ▾

📄

🗑 Collections

+

🔍 Search collections

My first collection ☆ ⋮

- First folder inside collection
 - GET
 - POST
 - GET
- Second folder inside collection
 - GET
 - GET

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

🌐 http://localhost:3000/api/recipes/82353ea5-a21d-4928-9efe-5e9b810240c7

Save ▾

Share

🔗

PUT ▾

http://localhost:3000/api/recipes/82353ea5-a21d-4928-9efe-5e9b810240c7

Send ▾

Params

Authorization

Headers (10)

Body •

Scripts

Tests

Settings

Cookies

Beautify

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

☐ GraphQL

JSON ▾

```
1 {
2   "cookTime": "40 mins"
3 }
```

Body

Cookies

Headers (8)

Test Results

🕒

200 OK

16 ms

638 B

🌐

⋮

{ } JSON ▾

▶ Preview

🖼 Visualize ▾

🔍

📄

🔗

```
1 {
2   "id": "82353ea5-a21d-4928-9efe-5e9b810240c7",
3   "recipeTitle": "Aloo Fry",
4   "ingredients": [
5     "Aloo",
6     "Oil",
7     "Gas"
8   ],
9   "instructions": "Pour oil into pan and fry the aloo slowly under low flame",
10  "cookTime": "40 mins",
11  "tags": [
12    "simple",
13    "instant",
14    "tasty"
15  ],
16  "difficulty": "easy".
```

📄 Online

🔍 Find and replace

📄 Console

▶ Runner

🔗 Start Proxy

🍪 Cookies

🏠 Vault

🗑 Trash

⚙️

?

My Workspace

NewImport

Collections

Environments

Flows

History

Search collections

My first collection

First folder inside collection

GET

POST

GET

Second folder inside collection

GET

GET

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

DEL http://localhost:3000/api/recipes/82353ea5-a21d-4928-9efe-5e9b810240c7

http://localhost:3000/api/recipes/82353ea5-a21d-4928-9efe-5e9b810240c7

Save

Share

DELETE

http://localhost:3000/api/recipes/82353ea5-a21d-4928-9efe-5e9b810240c7

Send

Params

Authorization

Headers (8)

Body

Scripts

Tests

Settings

Cookies

Beautify

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

1 Ctrl+Alt+P to Ask AI

Body

Cookies

Headers (8)

Test Results

200 OK

16 ms

296 B

⌵

⌵

{}

JSON

Preview

Visualize

1 {

2 |

3 }

"message": "Recipe deleted."

Online

Find and replace

Console

Runner

Start Proxy

Cookies

Vault

Trash

AnuragTummapudi/BEWD_CA3

BEWD_CA3 • Web Service • Re

dashboard.render.com/web/srv-d4251r95pdvs73evhgc0/events

My Workspace

BEWD_CA3

Search

+ New

Upgrade

?

T

Dashboard

BEWD_CA3

Events

Settings

MONITOR

Logs

Metrics

MANAGE

Environment

Shell

Scaling

Changelog

Invite a friend

Contact support

Render Status

WEB SERVICE

BEWD_CA3

Node

Free

Upgrade your instance

Connect

Manual Deploy

Service ID: srv-d4251r95pdvs73evhgc0

AnuragTummapudi / BEWD_CA3

main

https://bewd-ca3-vsix.onrender.com

Your free instance will spin down with inactivity, which can delay requests by 50 seconds or more.

Upgrade now

Filter events 31

Deploy live for 031a579: added render URL

October 31, 2025 at 11:34 AM

Deploy started for 031a579: added render URL

New commit via Auto-Deploy

October 31, 2025 at 11:34 AM

Deploy live for a9f690d: Initial Push

FileEditSelectionViewGoRun...

BEWD_CA3_AnuragTummapudi

package-lock.jsonrecipes.jsonJS auth.jsJS recipes.jsJS store.jsREADME.mdchallenges.md

BEWD_CA3_ANURAGTUMMAPUDI

data
middlewares
node_modules
routes
utils
.env
.env.example
.gitignore
challenges.md
package-lock.json
package.json
README.md
server.js

OUTLINE
TIMELINE

challenges.md > # Challenges Faced:

```
1 # Challenges Faced:
2 1. Data Validation: Ensuring that all required fields are provided and correctly formatted (e.g.,
3 tags as an array, difficulty level validation).
4 2. Authorization Logic: Implementing checks to ensure that only the owner of a recipe can update or
5 delete it, preventing unauthorized modifications.
6 3. Duplicate Recipe Prevention: Adding logic to prevent users from submitting duplicate recipes with
the same title.
```

Ln 6, Col 1Spaces: 4UTF-8CRLF{} MarkdownGo LivePrettier