
TARGET BUSINESS CASE

Dataset schema:



Problem Statement:

Assuming you are a data analyst/ scientist at Target, you have been assigned the task of analyzing the given dataset to extract valuable insights and provide actionable recommendations.

What does 'good' look like?

- 1. Import the dataset and do usual exploratory analysis steps like checking the structure & characteristics of the dataset:
 - 1. Data type of all columns in the "customers" table.
 - 2. Get the time range between which the orders were placed.
 - 3. Count the Cities & States of customers who ordered during the given period.

2. In-depth Exploration:

- 1. Is there a growing trend in the no. of orders placed over the past years?
- 2. Can we see some kind of monthly seasonality in terms of the no. of orders being placed?
- 3. During what time of the day, do the Brazilian customers mostly place their orders? (Dawn, Morning, Afternoon or Night)

• 0-6 hrs : Dawn

7-12 hrs : Mornings13-18 hrs : Afternoon

• 19-23 hrs : Night

3. Evolution of E-commerce orders in the Brazil region:

- 1. Get the month on month no. of orders placed in each state.
- 2. How are the customers distributed across all the states?

4. Impact on Economy: Analyze the money movement by e-commerce by looking at order prices, freight and others.

- Get the % increase in the cost of orders from year 2017 to 2018 (include months between Jan to Aug only).
 You can use the "payment_value" column in the payments table to get the cost of orders.
- 2. Calculate the Total & Average value of order price for each state.
- 3. Calculate the Total & Average value of order freight for each state.

5. Analysis based on sales, freight and delivery time.

1. Find the no. of days taken to deliver each order from the order's purchase date as delivery time.

Also, calculate the difference (in days) between the estimated & actual delivery date of an order.

Do this in a single query.

You can calculate the delivery time and the difference between the estimated & actual delivery date using the given formula:

- time_to_deliver = order_delivered_customer_date order_purchase_timestamp
- diff_estimated_delivery = order_estimated_delivery_date
 order_delivered_customer_date
- 2. Find out the top 5 states with the highest & lowest average freight value.
- 3. Find out the top 5 states with the highest & lowest average delivery time.
- 4. Find out the top 5 states where the order delivery is really fast as compared to the estimated date of delivery.
 You can use the difference between the averages of actual & estimated delivery date to figure out how fast the delivery was for

6. Analysis based on the payments:

each state.

- 1. Find the month on month no. of orders placed using different payment types.
- 2. Find the no. of orders placed on the basis of the payment installments that have been pai

Q1.Import the dataset and do usual exploratory analysis steps like checking the structure & characteristics of the dataset:

A.Data type of all columns in the "customers" table.

Ans A.

Select column_name,data_type from target_sql2023.INFORMATION_SCHEMA.COLUMNS where table_name = 'customers'

JOB IN	FORMATION	RESULTS	JSON	EXECUTION DETAILS
Row	column_name •		data_type ▼	1.
1	customer_id		STRING	
2	customer_unique	e_id	STRING	
3	customer_zip_co	de_prefix	INT64	
4	customer_city		STRING	
5	customer_state		STRING	

Insights – most of the columns are string types

B.Get the time range between which the orders were placed.

Ans.B. select min(order_purchase_timestamp) as first_order, max(order_purchase_timestamp) as last_order from `target_sql2023.orders`

JOB IN	FORMATION	RESULTS	JSON	EXECUTION DETAILS
Row	first_order ▼	li	last_order ▼	li .
1	2016-09-04 21:15	5:19 UTC	2018-10-17 17	7:30:18 UTC

Insights- this market in brazil instead for 2 years with starting in 2016 and ending in 2018 $\,$

C. Count the Cities & States of customers who ordered during the given period.

```
Ans.1.3.
select
count(customer_city) as Cities,
count(customer_state) as States
from `target_sq12023.customers`
group by customer_city,customer_state;
```

JOB IN	NFORMATION		RESULTS	JSON	EXECUTIO
Row	Cities ▼	11	States ▼	1	
1		3		3	
2		8		8	
3		2		2	
4		4		4	
5		3		3	




Insights: all of the data is similar in both columns

In-depth Exploration:

2. A.Is there a growing trend in the no. of orders placed over the past years?
Ans A.

```
select
select
count(*) as total_count,
extract(YEAR from order_purchase_timestamp) as purchase_year
from `target_sql2023.orders`
group by extract(YEAR from order_purchase_timestamp);
```

Row	total_count ▼	purchase_year ▼
1	45101	2017
2	54011	2018
3	329	2016




Insights-trends increases year by year

B. Can we see some kind of monthly seasonality in terms of the no. of orders being placed?

Ans B.

```
select count(*) as total_count,
extract(year from order_purchase_timestamp) as year,
extract(month from order_purchase_timestamp) as month
from `target_sql2023.orders`
group by extract(year from order_purchase_timestamp),
extract(month from order_purchase_timestamp)
```

`			
Row	total_count ▼ // yea	r ▼ month ▼	
1	7544	2017 11	
2	5673	2017 12	
3	6728	2018 2	
4	2404	2017 4	
5	4026	2017 7	



Insights – number of orders are placed in months in every year

C. During what time of the day, do the Brazilian customers mostly place their orders? (Dawn, Morning, Afternoon or Night)


0-6 hrs: Dawn7-12 hrs: Mornings13-18 hrs: Afternoon

o 19-23 hrs: Night

```
Ans C.
```

```
count(order_id) as order_count, Day_time
from (select order_id, order_purchase_timestamp,
case
when(purchase_hour between 0 and 6) then 'Dawn'
when(purchase_hour between 7 and 12) then 'Morning'
when(purchase_hour between 13 and 18) then 'Afternoon'
else 'Night'
end as Day_time
from
(select order_id, order_purchase_timestamp,
extract(hour from order_purchase_timestamp) as purchase_hour
from `target_sql2023.orders`))
group by Day_time
order by order_count desc;
```

Row	order_count ▼	Day_time ▼
1	38135	Afternoon
2	28331	Night
3	27733	Morning
4	5242	Dawn



Insights – Brazilian customers orders mostly in Afternoon

3. Evolution of E-commerce orders in the Brazil region:


A. Get the month on month no. of orders placed in each state.

1ans.

```
select
extract(month from o.order_purchase_timestamp) as month,
c.customer_state,
count(o.order_id) as order_count
from `target_sql2023.orders` o
```

```
join `target_sql2023.customers` c
on o.customer_id = c.customer_id
group by 1,2
order by 1,2;
```

Row	month ▼	customer_state ▼	order_count ▼
1	1	AC	8
2	1	AL	39
3	1	AM	12
4	1	AP	11
5	1	ВА	264




Insights – orders are placed in each states of brazil.

B.How are the customers distributed across all the states? ANS B.

```
select
customer_state,
count(distinct customer_id) as customer_count
from `target_sql2023.customers`
group by customer_state
order by count(distinct customer_id) desc;
```

Row	customer_state	~	customer_count 🔻	
1	SP		41746	
2	RJ		12852	
3	MG		11635	
4	RS		5466	
5	PR		5045	



Insights- customers are distributed state wise

order by 1,2

4.Impact on Economy: Analyze the money movement by e-commerce by looking at order prices, freight and others.

A. Get the % increase in the cost of orders from year 2017 to 2018 (include months between Jan to Aug only).

You can use the "payment_value" column in the payments table to get the cost of orders.

```
ANS A.
select
payment_sequential as year,
payment_sequential as month,

100 * (sum(case when payment_sequential = 2018 THEN payment_value end) -
sum(case when payment_sequential = 2017 THEN payment_value END)) /
sum(case when payment_sequential = 2017 THEN payment_value END) AS
cost_increase
from `target_sq12023.payments`
where payment_type = 'credit_card' and payment_sequential between 1 and 8
group by 1, 2
```

Row	year ▼	month ▼	h	cost_increase ▼
1	1		1	null
2	2		2	null
3	3		3	null

Insights – increase of percentage in 2017 to 2018 (January to august)

B. Calculate the Total & Average value of order price for each state

Ans.B

```
Calculate the Total & Average value of order freight for each state.

SELECT c.customer_state, AVG(oi.price) AS avg_price, SUM(oi.price) as total_avg_price

FROM `target_sq12023.order_items` oi


JOIN `target_sq12023.orders` o ON oi.order_id = o.order_id

JOIN `target_sq12023.customers` c ON o.customer_id = c.customer_id

GROUP BY 1

ORDER BY 2 DESC;
```

Row	customer_state ▼	avg_price ▼	total_avg_price ▼//
1	PB	191.4752159468	115268.0799999
2	AL	180.8892117117	80314.80999999
3	AC	173.7277173913	15982.94999999
4	RO	165.9735251798	46140.64000000
5	PA	165.6924166666	178947.8099999



Insights – total average of price of each states

C. Calculate the Total & Average value of order freight for each state

```
SELECT c.customer_state, AVG(oi.freight_value) AS avg_freight,
SUM(oi.freight_value) AS total_freight
FROM `target_sql2023.order_items` oi
JOIN `target_sql2023.orders` o ON oi.order_id = o.order_id
JOIN `target_sql2023.customers` c ON o.customer_id = c.customer_id
GROUP BY 1
ORDER BY 2 DESC;
```

1 RR 42.98442307692 2235.19 2 PB 42.72380398671 25719.73000000 3 RO 41.06971223021 11417.379999999 4 AC 40.07336956521 3686.7499999999	Row	customer_state ▼	avg_freight ▼	total_freight ▼
3 RO 41.06971223021 11417.37999999	1	RR	42.98442307692	2235.19
110001120011111111111111111111111111111	2	PB	42.72380398671	25719.73000000
4 AC 40.07336956521 3686.749999999	3	RO	41.06971223021	11417.37999999
	4	AC	40.07336956521	3686.749999999
5 PI 39.14797047970 21218.20000000	5	PI	39.14797047970	21218.20000000



Insights – total average of freight of each state

5. Analysis based on sales, freight and delivery time.

A. Find the no. of days taken to deliver each order from the order's purchase date as delivery time.

Also, calculate the difference (in days) between the estimated & actual delivery date of an order.

Do this in a single query.

You can calculate the delivery time and the difference between the estimated & actual delivery date using the given formula:

- time_to_deliver = order_delivered_customer_date order_purchase_timestamp
- diff_estimated_delivery = order_estimated_delivery_date order_delivered_customer_date

A.ans.

SELECT

 $order_id, order_purchase_timestamp, order_delivered_carrier_date, order_delivered_customer_date, order_estimated_delivery_date,\\$

 $\label{limit} \begin{array}{l} {\tt DATE_DIFF}(order_purchase_timestamp, order_delivered_carrier_date, day) \ \ \, {\tt AS} \\ time_to_delivery, \end{array}$

```
DATE_DIFF(order_estimated_delivery_date,order_delivered_customer_date,day)
AS diff_estimated_delivery
FROM `target_sql2023.orders`
where order_status = 'delivered';
```

Row /	order_id ▼	order_purchase_timestamp ▼	order_delivered_carrier_date ▼	order_delivered_customer_date	order_estimated_
1	635c894d068ac37e6e03dc54e	2017-04-15 15:37:38 UTC	2017-04-27 16:06:59 UTC	2017-05-16 14:49:55 UTC	2017-05-18 00:00
2	f79bd0b3bacc5142f90f81a15b	2017-04-22 13:55:16 UTC	2017-05-04 18:42:45 UTC	2017-05-12 13:55:55 UTC	2017-05-18 00:00
3	276e9ec344d3bf029ff83a161c	2017-04-08 21:20:24 UTC	2017-04-25 10:53:00 UTC	2017-05-22 14:11:31 UTC	2017-05-18 00:00
4	cec8f5f7a13e5ab934a486ec9e	2017-03-17 15:56:47 UTC	2017-04-04 10:53:37 UTC	2017-04-07 13:14:56 UTC	2017-05-18 00:00

Row _mp ▼	order_delivered_carrier_date 🔻 //	order_delivered_customer_date	order_estimated_delivery_date 🔻	time_to_delivery 🔻	diff_estimated_delive
1)	2017-04-27 16:06:59 UTC	2017-05-16 14:49:55 UTC	2017-05-18 00:00:00 UTC	-12	1
2)	2017-05-04 18:42:45 UTC	2017-05-12 13:55:55 UTC	2017-05-18 00:00:00 UTC	-12	5
3)	2017-04-25 10:53:00 UTC	2017-05-22 14:11:31 UTC	2017-05-18 00:00:00 UTC	-16	-4
4)	2017-04-04 10:53:37 UTC	2017-04-07 13:14:56 UTC	2017-05-18 00:00:00 UTC	-17	40

Insights –the number of days of delivery time as time to deliver and estimated time

B. Find out the top 5 states with the highest & lowest average freight value.

Ans.B

```
SELECT c.customer_state,round(AVG(oi.freight_value),2) AS
avg_highest_freight,
FROM `target_sql2023.order_items` oi
JOIN `target_sql2023.orders` o ON oi.order_id = o.order_id
JOIN `target_sql2023.customers` c ON o.customer_id = c.customer_id
GROUP BY 1
ORDER BY 2 DESC
limit 5;
```

Row	customer_state	~	avg_highest_freight
1	RR		42.98
2	PB		42.72
3	RO		41.07
4	AC		40.07
5	PI		39.15


Insights -top 5 average highest freight customer state are RR,PB,RO,AC,PI



```
SELECT c.customer_state,round(AVG(oi.freight_value),2) AS
avg_lowest_freight,
FROM `target_sql2023.order_items` oi
JOIN `target_sql2023.orders` o ON oi.order_id = o.order_id
JOIN `target_sql2023.customers` c ON o.customer_id = c.customer_id
GROUP BY 1
ORDER BY 2
limit 5;
```

1	SP	15.15
2	PR	20.53
3	MG	20.63
4	RJ	20.96
5	DF	21.04


Insights - 5 lowest average freight of customer state are SP,PR,MG,RJ,DF



C. Find out the top 5 states with the highest & lowest average delivery time ans.c. select
avg (time to deliver) as avg time delivered

```
avg(time_to_deliver) as avg_time_delivered,
avg(diff_estimated_delivery) as avg_diff_estimated_delivery,
  customer_state from
(select order_id, customer_state,
```

```
DATE_DIFF(order_delivered_customer_date, order_purchase_timestamp, Day) AS time_to_deliver,
DATE_DIFF(order_estimated_delivery_date, order_delivered_customer_date, Day) AS diff_estimated_delivery
from
(select o.order_id, o.order_status, o.order_purchase_timestamp,
o.order_delivered_customer_date,
o.order_estimated_delivery_date,c.customer_state
from `target_sql2023.orders` as o
left join `target_sql2023.customers` as c
on o.customer_id=c.customer_id
where o.order_status = 'delivered'))
group by customer_state
order by avg_time_delivered desc
limit 5;
```



Insights -top 5 states of highest and lowest delivery time are RR,AP,AM,AL,PA

```
select
avg(time_to_deliver) as avg_time_delivered,
avg(diff_estimated_delivery) as avg_diff_estimated_delivery,
 customer_state from
(select order_id, customer_state,
DATE_DIFF(order_delivered_customer_date, order_purchase_timestamp, Day) AS
time_to_deliver,
DATE_DIFF(order_estimated_delivery_date, order_delivered_customer_date, Day)
AS diff_estimated_delivery
(select o.order_id, o.order_status, o.order_purchase_timestamp,
o.order_delivered_customer_date,
o.order_estimated_delivery_date,c.customer_state
from `target_sql2023.orders` as o
left join `target_sql2023.customers` as c
on o.customer_id=c.customer_id
where o.order_status = 'delivered'))
group by customer_state
order by avg_time_delivered
```

limit 5;

Row /	avg_time_delivered	avg_diff_estimated_c	customer_state	▼ ,
1	8.298093544722	10.13448906010	SP	
2	11.52671135486	12.36420881576	PR	
3	11.54218777523	12.29910163818	MG	
4	12.50913461538	11.11875000000	DF	
5	14.47518330513	10.60095882684	SC	

Insights – top 5 lowest delivery time of states are SP,PR,MG,DF,SC

D. Find out the top 5 states where the order delivery is really fast as compared to the estimated date of delivery.

You can use the difference between the averages of actual & estimated delivery date to figure out how fast the delivery was for each state

```
ans D.
select
avg(diff_estimated_delivery) as avg_diff_estimated_delivery,
 customer_state from
(select order_id, customer_state,
DATE_DIFF(order_estimated_delivery_date, order_delivered_customer_date, Day)
AS diff_estimated_delivery
(select o.order_id, o.order_status, o.order_purchase_timestamp,
o.order_delivered_customer_date, o.order_estimated_delivery_date,
c.customer_state
from `target_sql2023.orders` as o
left join `target_sql2023.customers` as c
on o.customer_id=c.customer_id
where o.order_status = 'delivered'))
group by customer_state
order by avg_diff_estimated_delivery DESC
limit 5;
```

Row /	avg_diff_estimated_c	customer_state ▼
1	19.76250000000	AC
2	19.13168724279	RO
3	18.73134328358	AP
4	18.60689655172	AM
5	16.41463414634	RR




Insights – the 5 states where the delivery Is very fast are AC,RO,AP,AM,RR

5. Analysis based on the payments:

A. Find the month on month no. of orders placed using different payment types.

ANS A.

```
select count(order_id) as count_order, payment_type,
extract(month from order_purchase_timestamp) as month from
(select o.order_id,o.order_purchase_timestamp, p.payment_type
from `target_sql2023.payments` as p
left join `target_sql2023.orders` as o
on p.order_id=o.order_id)
group by month, payment_type
order by month, payment_type;
```




Insights — different payments types are upi,debit card,voucher and credit card

b. Find the no. of orders placed on the basis of the payment installments that have been paid.

ANS B.

```
select
count(order_id) as total_count,payment_installments
from `target_sql2023.payments`
where payment_installments != 0
group by payment_installments;
```

EXECUTION DETAILS	JSON	RESULTS	FORMATION	JOB IN
	stallment	payment_ins	total_count ▼	Row
	1		52546	1
	2		12413	2
	3		10461	3
	4		7098	4
	5		5239	5
	6		3920	6
	7		1626	7
	8		4268	8
	9		644	9
	10		5328	10



Insights -number of installments that has been paid are as follows