



Case Study: Virtual Art Gallery

Instructions

- Project submissions should be done through the participants' Github repository and the link should be shared with trainers and Hexavarsity.
- Each section builds upon the previous one, and by the end, you will have a comprehensive Virtual Art Gallery implemented with a strong focus on SQL, control flow statements, loops, arrays, collections, exception handling, database interaction and Unit Testing.
- Follow object-oriented principles throughout the project. Use classes and objects to model real-world entities, encapsulate data and behavior, and ensure code reusability.
- Throw user defined exceptions from corresponding methods and handled.
- The following Directory structure is to be followed in the application.
 - **entity**
 - Create entity classes in this package. All entity class should not have any business logic.
 - **dao**
 - Create Service Provider interface to showcase functionalities.
 - Create the implementation class for the above interface with db interaction.
 - **exception**
 - Create user defined exceptions in this package and handle exceptions whenever needed.
 - **util**
 - Create a DBPropertyUtil class with a static function which takes property file name as parameter and returns connection string.
 - Create a DBConnUtil class which holds static method which takes connection string as parameter file and returns connection object(Use method defined in DBPropertyUtil class to get the connection String).
 - **main**
 - Create a class MainModule and demonstrate the functionalities in a menu driven application.

Key Functionalities:

Artwork management The Virtual Art Gallery System aims to provide an immersive and interactive experience for art enthusiasts to explore, view, and appreciate a diverse collection of artworks online.

Personal Galleries: Enable users to create their virtual galleries and curate their collections.

Schema design:

Entities:

- Designing the schema for a Virtual Art Gallery involves creating a structured representation of the database that will store information about artworks, artists, users, galleries, and various relationships between them. Below is a schema design for a Virtual Art Gallery database:



- **Entities and Attributes:**

- **Artwork**

ArtworkID (Primary Key)

Title

Description

CreationDate

Medium

ImageURL (or any reference to the digital representation)

- **Artist**

ArtistID (Primary Key)

Name

Biography

BirthDate

Nationality

Website

Contact Information

- **User**

UserID (Primary Key)

Username

Password

Email

First Name

Last Name

Date of Birth

Profile Picture

FavoriteArtworks (a list of references to ArtworkIDs)

- **Gallery**

GalleryID (Primary Key)

Name



Description

Location

Curator (Reference to ArtistID)

OpeningHours

- **Relationships:**

- **Artwork - Artist (Many-to-One)**

An artwork is created by one artist.

Artwork.ArtistID (Foreign Key) references Artist.ArtistID.

- **User - Favorite Artwork (Many-to-Many)**

A user can have many favorite artworks, and an artwork can be a favorite of multiple users.

User_Favorite_Artwork (junction table):

UserID (Foreign Key) references User.UserID.

ArtworkID (Foreign Key) references Artwork.ArtworkID.

- **Artist - Gallery (One-to-Many)**

An artist can be associated with multiple galleries, but a gallery can have only one curator (artist).

Gallery.ArtistID (Foreign Key) references Artist.ArtistID.

- **Artwork - Gallery (Many-to-Many)**

An artwork can be displayed in multiple galleries, and a gallery can have multiple artworks.

Artwork_Gallery (junction table):

ArtworkID (Foreign Key) references Artwork.ArtworkID.

GalleryID (Foreign Key) references Gallery.GalleryID.

Coding

Create the model/entity classes corresponding to the schema within package entity with variables declared private, constructors(default and parametrized) and getters, setters)

Service Provider Interface/Abstract class

Keep the interfaces and implementation classes in package dao

Create **IVirtualArtGallery** Interface/abstract class with the following methods



```
// Artwork Management
addArtwork();
parameters- Artwork object
return type Boolean
updateArtwork();
parameters- Artwork object
return type Boolean

removeArtwork()
parameters-artworkID
return type Boolean
getArtworkById();
parameters-artworkID
return type Artwork
searchArtworks();
parameters- keyword
return type list of Artwork Object

// User Favorites
addArtworkToFavorite();
parameters- userId, artworkId
return type boolean

removeArtworkFromFavorite()
parameters- userId, artworkId
return type boolean

getUserFavoriteArtworks()
parameters- userId
return type boolean

}
```

7: Connect your application to the SQL database:

1. Write code to establish a connection to your SQL database.

Create a utility class **DBConnection** in a package **util** with a static variable **connection** of Type **Connection** and a static method **getConnection()** which returns connection.

Connection properties supplied in the connection string should be read from a property file.

Create a utility class **PropertyUtil** which contains a static method named **getPropertyString()** which reads a property file containing connection details like hostname, dbname, username, password, port number and returns a connection string.

8: Service implementation



1. Create a Service class **CrimeAnalysisServiceImpl** in **dao** with a static variable named **connection** of type **Connection** which can be assigned in the constructor by invoking the **getConnection()** method in **DBConnection** class
2. Provide implementation for all the methods in the interface.

9: Exception Handling

Create the exceptions in package **myexceptions**

Define the following custom exceptions and throw them in methods whenever needed. Handle all the exceptions in main method,

1. **ArtWorkNotFoundException** :throw this exception when user enters an invalid id which doesn't exist in db
2. **UserNotFoundException** :throw this exception when user enters an invalid id which doesn't exist in db

9. Main Method

Create class named **MainModule** with main method in **main** package.

Trigger all the methods in service implementation class.

10. Unit Testing

Creating Unit test cases for a Virtual Art Gallery system is essential to ensure that the system functions correctly. Below are sample test case questions that can serve as a starting point for your JUnit test suite:

1. Artwork Management:

- a. Test the ability to upload a new artwork to the gallery.
- b. Verify that updating artwork details works correctly.
- c. Test removing an artwork from the gallery.
- d. Check if searching for artworks returns the expected results.

2. Gallery Management:

- a. Test creating a new gallery.
- b. Verify that updating gallery information works correctly.
- c. Test removing a gallery from the system.
- d. Check if searching for galleries returns the expected results.