Formula for making Command

Usage: docker run [OPTIONS] IMAGE [COMMAND] [ARG...]

jo bhi [] chokor dabbe me hai, vo optional hota hai...

docker run IMAGE

Small = constant

CAPITAL = variable

docker run -d --name dhondhu_container nginx

docker ps [OPTIONS]

docker ps

docker stop [OPTIONS] CONTAINER [CONTAINER...]

[] chokor dabbe ki chizo ko hata do

docker stop CONTAINERID

docker stop dhondhu_container

docker start [OPTIONS] CONTAINER [CONTAINER...]

docker start CONTAINER

docker start dhondhu_container

Terminal
docker run -d nginx
docker ps
docker exec

dhondhu_container

docker exec [OPTIONS] CONTAINER COMMAND [ARG...]

docker exec CONTAINER COMMAND

docker exec dhondhu_container ls

ssh devopsadmin@123.432.3

Ubuntu

Psydu Terminal Mil jata hai

sh

bash

docker exec -i -t dhondhu_container bash

bash

Mehman

21 Avenue Street, Ghatkopar

1	Drawing Room
2	Kitchen
3	Store Room

4   5   6   70   3   8000

80   22   9056

5   22

70   **nginx**   80   TUNNEL

1   6   3

80   TUNNEL   10078

nginx

User

Port Mapping

localhost:9056

65536

Port

localhost

192.168.1.8:80

docker run -d --name tondu_container -p 9056:80 nginx

HOSTPORT : CONTAINERPORT