

Date	02.11.2023
Project title	How to add Google Analytics to a website

CODE-LAYOUT, READABILITY AND REUSABILITY

CODE- LAYOUT

```
<?xml version="1.0" encoding="UTF-8" ?>
```

```
<!DOCTYPE html>
```

```
<html b:version='2' class='v2' expr:dir='data:blog.languageDirection' expr:lang='data:blog.locale' xmlns='http://www.w3.org/1999/xhtml'
xmlns:b='http://www.google.com/2005/gml/b' xmlns:data='http://www.google.com/2005/gml/data'
xmlns:expr='http://www.google.com/2005/gml/expr'>
```

```
<b:include data='blog' name='google-analytics'/>
```

```
<head>
```

```
<meta expr:content='data:blog.isMobile ? &quot; &quot; width=device-width,initial-scale=1.0,minimum-scale=1.0,maximum-scale=1.0&quot; :
&quot; width=1100&quot;' name='viewport'/>
```

```
<b:include data='blog' name='all-head-content'/>
```

```
<title><data:blog.pageTitle/></title>
```

```
<b:skin><![CDATA[/*
```

```
Blogger Template Style
```

```
Name: Awesome Inc.
```

```
Designer: Tina Chen
```

```
URL: tinachen.org
```

```
----- */
```

```
/* Variable definitions
```

```
=====
```

```
<Variable name="keycolor" description="Main Color" type="color" default="#ffffff" value="#d52a33"/>
```

```
<Group description="Page" selector="body">
```

```
<Variable name="body.font" description="Font" type="font"
```

```
default="normal normal 13px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal normal 13px Arial, Tahoma, Helvetica,
FreeSans, sans-serif"/>
```

```
<Variable name="body.background.color" description="Background Color" type="color" default="#000000" value="#d5b7bc"/>
```

```
<Variable name="body.text.color" description="Text Color" type="color" default="#ffffff" value="#333333"/>
```

```
</Group>
```

```
<Group description="Links" selector=".main-inner">
```

```
<Variable name="link.color" description="Link Color" type="color" default="#888888" value="#d52a33"/>
```

```
<Variable name="link.visited.color" description="Visited Color" type="color" default="#444444" value="#7d181e"/>
```

```
<Variable name="link.hover.color" description="Hover Color" type="color" default="#cccccc" value="#d52a33"/>
```

```
</Group>
```

```
<Group description="Blog Title" selector=".header h1">
```

```
<Variable name="header.font" description="Title Font" type="font"
```

```
default="normal bold 40px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal normal 38px Arial, Tahoma, Helvetica, FreeSans,
sans-serif"/>
```

```
<Variable name="header.text.color" description="Title Color" type="color" default="$(body.text.color)" value="#333333"/>
```

```
<Variable name="header.background.color" description="Header Background" type="color" default="transparent" value="rgba(0,0,0,0)"/>
```

```
</Group>
```

```
<Group description="Blog Description" selector=".header .description">
```

```
<Variable name="description.font" description="Font" type="font"
```

```
default="normal normal 14px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal normal 16px Arial, Tahoma, Helvetica,
FreeSans, sans-serif"/>
```

```

<Variable name="description.text.color" description="Text Color" type="color"
  default="$(body.text.color)" value="#000000"/>
</Group>

<Group description="Tabs Text" selector=".tabs-inner .widget li a">
  <Variable name="tabs.font" description="Font" type="font"
    default="normal bold 14px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal normal 13px Arial, Tahoma, Helvetica, FreeSans,
sans-serif"/>
  <Variable name="tabs.text.color" description="Text Color" type="color" default="$(body.text.color)" value="#ffffff"/>
  <Variable name="tabs.selected.text.color" description="Selected Color" type="color" default="$(tabs.text.color)" value="#ffffff"/>
</Group>

<Group description="Tabs Background" selector=".tabs-outer .PageList">
  <Variable name="tabs.background.color" description="Background Color" type="color" default="#141414" value="rgba(0,0,0,0)"/>
  <Variable name="tabs.selected.background.color" description="Selected Color" type="color" default="#444444" value="#000000"/>
  <Variable name="tabs.border.color" description="Border Color" type="color" default="$(widget.border.color)" value="#ce5f70"/>
</Group>

<Group description="Date Header" selector=".main-inner .widget h2.date-header, .main-inner .widget h2.date-header span">
  <Variable name="date.font" description="Font" type="font"
    default="normal normal 14px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal normal 13px Arial, Tahoma, Helvetica,
FreeSans, sans-serif"/>
  <Variable name="date.text.color" description="Text Color" type="color" default="#666666" value="#ffffff"/>
  <Variable name="date.border.color" description="Border Color" type="color" default="$(widget.border.color)" value="rgba(0,0,0,0)"/>
</Group>

<Group description="Post Title" selector="h3.post-title, h4, h3.post-title a">
  <Variable name="post.title.font" description="Font" type="font"
    default="normal bold 22px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal normal 26px Arial, Tahoma, Helvetica, FreeSans,
sans-serif"/>
  <Variable name="post.title.text.color" description="Text Color" type="color" default="$(body.text.color)" value="#d52a33"/>
</Group>

<Group description="Post Background" selector=".post">
  <Variable name="post.background.color" description="Background Color" type="color" default="$(widget.background.color)"
value="#ffffff"/>
  <Variable name="post.border.color" description="Border Color" type="color" default="$(widget.border.color)" value="#f4d3cc"/>
  <Variable name="post.border.bevel.color" description="Bevel Color" type="color" default="$(widget.border.color)" value="#f4d3cc"/>
</Group>

<Group description="Gadget Title" selector="h2">
  <Variable name="widget.title.font" description="Font" type="font"
    default="normal bold 14px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal bold 14px Arial, Tahoma, Helvetica, FreeSans,
sans-serif"/>
  <Variable name="widget.title.text.color" description="Text Color" type="color" default="$(body.text.color)" value="#ffffff"/>
</Group>

<Group description="Gadget Text" selector=".sidebar .widget">
  <Variable name="widget.font" description="Font" type="font"
    default="normal normal 14px Arial, Tahoma, Helvetica, FreeSans, sans-serif" value="normal normal 13px Arial, Tahoma, Helvetica, FreeSans,
sans-serif"/>
  <Variable name="widget.text.color" description="Text Color" type="color" default="$(body.text.color)" value="#ffffff"/>
  <Variable name="widget.alternate.text.color" description="Alternate Color" type="color" default="#666666" value="#ffffff"/>
</Group>

<Group description="Gadget Links" selector=".sidebar .widget">
  <Variable name="widget.link.color" description="Link Color" type="color" default="$(link.color)" value="#dab7bc"/>
  <Variable name="widget.link.visited.color" description="Visited Color" type="color" default="$(link.visited.color)" value="#dac399"/>
  <Variable name="widget.link.hover.color" description="Hover Color" type="color" default="$(link.hover.color)" value="#dab7bc"/>
</Group>

<Group description="Gadget Background" selector=".sidebar .widget">
  <Variable name="widget.background.color" description="Background Color" type="color" default="#141414" value="rgba(0,0,0,0)"/>
  <Variable name="widget.border.color" description="Border Color" type="color" default="#222222" value="rgba(0,0,0,0)"/>
  <Variable name="widget.border.bevel.color" description="Bevel Color" type="color" default="#000000" value="rgba(0,0,0,0)"/>

```

```

</Group>

<Group description="Sidebar Background" selector=".column-left-inner .column-right-inner">
  <Variable name="widget.outer.background.color" description="Background Color" type="color" default="transparent" value="rgba(0,0,0,0)"/>
</Group>

<Group description="Images" selector=".main-inner">
  <Variable name="image.background.color" description="Background Color" type="color" default="transparent" value="#ffffff"/>
  <Variable name="image.border.color" description="Border Color" type="color" default="transparent" value="#cccccc"/>
</Group>

<Group description="Feed" selector=".blog-feeds">
  <Variable name="feed.text.color" description="Text Color" type="color" default="$(body.text.color)" value="#333333"/>
</Group>

<Group description="Feed Links" selector=".blog-feeds">
  <Variable name="feed.link.color" description="Link Color" type="color" default="$(link.color)" value="#ffffff"/>
  <Variable name="feed.link.visited.color" description="Visited Color" type="color" default="$(link.visited.color)" value="#ffffff"/>
  <Variable name="feed.link.hover.color" description="Hover Color" type="color" default="$(link.hover.color)" value="#ffffff"/>
</Group>

<Group description="Pager" selector=".blog-pager">
  <Variable name="pager.background.color" description="Background Color" type="color" default="$(post.background.color)" value="#ffffff"/>
</Group>

<Group description="Footer" selector=".footer-outer">
  <Variable name="footer.background.color" description="Background Color" type="color" default="$(widget.background.color)" value="rgba(0,0,0,0)"/>
  <Variable name="footer.text.color" description="Text Color" type="color" default="$(body.text.color)" value="#333333"/>
</Group>

<Variable name="title.shadow.spread" description="Title Shadow" type="length" default="-1px" min="-1px" max="100px" value="-1px"/>

<Variable name="body.background" description="Body Background" type="background"
  color="$(body.background.color)"
  default="$(color) none repeat scroll top left" value="#d5b7bc url(/themes.googleusercontent.com/image?id=0BwVBOzw_-
hbMOGFhZWQ3YjgtZGZiZC00ODlhLWfkNmQtMzRmZmQzMjAxNTY0) repeat-x fixed center center /* Credit:jusant
(https://www.istockphoto.com/googleimages.php?id=5359589&platform=blogger) */"/>
  <Variable name="body.background.gradient.cap" description="Body Gradient Cap" type="url"
    default="none" value="none"/>
  <Variable name="body.background.size" description="Body Background Size" type="string" default="auto" value="100% auto"/>

<Variable name="tabs.background.gradient" description="Tabs Background Gradient" type="url"
  default="none" value="url(https://resources.blogblog.com/blogblog/data/1kt/awesomeinc/tabs_gradient_artsy.png)"/>

<Variable name="header.background.gradient" description="Header Background Gradient" type="url" default="none"
value="url(https://resources.blogblog.com/blogblog/data/1kt/awesomeinc/header_gradient_artsy.png)"/>
  <Variable name="header.padding.top" description="Header Top Padding" type="length" default="22px" min="0" max="100px" value="9px"/>
  <Variable name="header.margin.top" description="Header Top Margin" type="length" default="0" min="0" max="100px" value="14px"/>
  <Variable name="header.margin.bottom" description="Header Bottom Margin" type="length" default="0" min="0" max="100px"
value="10px"/>

  <Variable name="widget.padding.top" description="Widget Padding Top" type="length" default="8px" min="0" max="20px" value="8px"/>
  <Variable name="widget.padding.side" description="Widget Padding Side" type="length" default="15px" min="0" max="100px" value="0"/>
  <Variable name="widget.outer.margin.top" description="Widget Top Margin" type="length" default="0" min="0" max="100px" value="0"/>
  <Variable name="widget.outer.background.gradient" description="Gradient" type="url" default="none"
value="url(https://resources.blogblog.com/blogblog/data/1kt/awesomeinc/tabs_gradient_artsy.png)"/>
  <Variable name="widget.border.radius" description="Gadget Border Radius" type="length" default="0" min="0" max="100px" value="10px"/>
  <Variable name="outer.shadow.spread" description="Outer Shadow Size" type="length" default="0" min="0" max="100px" value="0"/>

  <Variable name="date.header.border.radius.top" description="Date Header Border Radius Top" type="length" default="0" min="0"
max="100px" value="10px"/>

```

```

<Variable name="date.header.position" description="Date Header Position" type="length" default="15px" min="0" max="100px"
value="25px"/>

<Variable name="date.space" description="Date Space" type="length" default="30px" min="0" max="100px" value="60px"/>
<Variable name="date.position" description="Date Float" type="string" default="static" value="absolute"/>
<Variable name="date.padding.bottom" description="Date Padding Bottom" type="length" default="0" min="0" max="100px" value="0"/>
<Variable name="date.border.size" description="Date Border Size" type="length" default="0" min="0" max="10px" value="0"/>
<Variable name="date.background" description="Date Background" type="background" color="transparent"
default="$(color) none no-repeat scroll top left" value="transparent
url(https://resources.blogblog.com/blogblog/data/1kt/awesomeinc/tabs_gradient_artsy.png) repeat fixed center center"/>
<Variable name="date.first.border.radius.top" description="Date First top radius" type="length" default="$(widget.border.radius)" min="0"
max="100px" value="10px"/>
<Variable name="date.last.space.bottom" description="Date Last Space Bottom" type="length"
default="20px" min="0" max="100px" value="0"/>
<Variable name="date.last.border.radius.bottom" description="Date Last bottom radius" type="length" default="$(widget.border.radius)"
min="0" max="100px" value="0"/>

<Variable name="post.first.padding.top" description="First Post Padding Top" type="length" default="0" min="0" max="100px" value="10px"/>

<Variable name="image.shadow.spread" description="Image Shadow Size" type="length" default="0" min="0" max="100px" value="0"/>
<Variable name="image.border.radius" description="Image Border Radius" type="length" default="0" min="0" max="100px" value="0"/>

<Variable name="separator.outdent" description="Separator Outdent" type="length" default="15px" min="0" max="100px" value="0"/>
<Variable name="title.separator.border.size" description="Widget Title Border Size" type="length" default="1px" min="0" max="10px"
value="0"/>
<Variable name="list.separator.border.size" description="List Separator Border Size" type="length" default="1px" min="0" max="10px"
value="0"/>
<Variable name="shadow.spread" description="Shadow Size" type="length" default="0" min="0" max="100px" value="0"/>

<Variable name="startSide" description="Side where text starts in blog language" type="automatic" default="left"/>
<Variable name="endSide" description="Side where text ends in blog language" type="automatic" default="right"/>

<Variable name="date.side" description="Side where date header is placed" type="string" default="$(endSide)" value="left"/>

<Variable name="pager.border.radius.top" description="Pager Border Top Radius" type="length" default="$(widget.border.radius)" min="0"
max="100px" value="0"/>
<Variable name="pager.space.top" description="Pager Top Space" type="length" default="1em" min="0" max="20em" value="0"/>

<Variable name="footer.background.gradient" description="Background Gradient" type="url" default="none"
value="url(https://resources.blogblog.com/blogblog/data/1kt/awesomeinc/header_gradient_artsy.png)/>

<Variable name="mobile.background.size" description="Mobile Background Size" type="string"
default="$(body.background.size)" value="100% auto"/>
<Variable name="mobile.background.overlay" description="Mobile Background Overlay" type="string"
default="transparent none repeat scroll top left" value="transparent none repeat scroll top left"/>
<Variable name="mobile.button.color" description="Mobile Button Color" type="color" default="#ffffff" value="#ffffff"/>
*/

/* Content
----- */
body {
font: $(body.font);
color: $(body.text.color);
background: $(body.background);
}

html body .content-outer {
min-width: 0;
max-width: 100%;
width: 100%;
}

a:link {
text-decoration: none;
color: $(link.color);

```

```

}

a:visited {
  text-decoration: none;
  color: $(link.visited.color);
}

a:hover {
  text-decoration: underline;
  color: $(link.hover.color);
}

.body-fauxcolumn-outer .cap-top {
  position: absolute;
  z-index: 1;

  height: 276px;
  width: 100%;

  background: transparent $(body.background.gradient.cap) repeat-x scroll top left;
  _background-image: none;
}

/* Columns
----- */
.content-inner {
  padding: 0;
}

.header-inner .section {
  margin: 0 16px;
}

.tabs-inner .section {
  margin: 0 16px;
}

.main-inner {
  padding-top: $(date.space);
}

.main-inner .column-center-inner,
.main-inner .column-left-inner,
.main-inner .column-right-inner {
  padding: 0 5px;
}

*+html body .main-inner .column-center-inner {
  margin-top: -$(date.space);
}

#layout .main-inner .column-center-inner {
  margin-top: 0;
}

/* Header
----- */
.header-outer {
  margin: $(header.margin.top) 0 $(header.margin.bottom) 0;
  background: $(header.background.color) $(header.background.gradient) repeat scroll 0 0;
}

.Header h1 {
  font: $(header.font);
  color: $(header.text.color);
}

```

```

text-shadow: 0 0 $(title.shadow.spread) #000000;
}

.Header h1 a {
color: $(header.text.color);
}

.Header .description {
font: $(description.font);
color: $(description.text.color);
}

.header-inner .Header .titlewrapper,
.header-inner .Header .descriptionwrapper {
padding-left: 0;
padding-right: 0;
margin-bottom: 0;
}

.header-inner .Header .titlewrapper {
padding-top: $(header.padding.top);
}

/* Tabs
----- */
.tabs-outer {
overflow: hidden;
position: relative;
background: $(tabs.background.color) $(tabs.background.gradient) repeat scroll 0 0;
}

#layout .tabs-outer {
overflow: visible;
}

.tabs-cap-top, .tabs-cap-bottom {
position: absolute;
width: 100%;

border-top: 1px solid $(tabs.border.color);
}

.tabs-cap-bottom {
bottom: 0;
}

.tabs-inner .widget li a {
display: inline-block;

margin: 0;
padding: .6em 1.5em;

font: $(tabs.font);
color: $(tabs.text.color);

border-top: 1px solid $(tabs.border.color);
border-bottom: 1px solid $(tabs.border.color);
border-$startSide: 1px solid $(tabs.border.color);

height: 16px;
line-height: 16px;
}

.tabs-inner .widget li:last-child a {

```

```

border-$endSide: 1px solid $(tabs.border.color);
}

.tabs-inner .widget li.selected a, .tabs-inner .widget li a:hover {
background: $(tabs.selected.background.color) $(tabs.background.gradient) repeat-x scroll 0 -100px;
color: $(tabs.selected.text.color);
}

/* Headings
----- */
h2 {
font: $(widget.title.font);
color: $(widget.title.text.color);
}

/* Widgets
----- */
.main-inner .section {
margin: 0 27px;
padding: 0;
}

.main-inner .column-left-outer,
.main-inner .column-right-outer {
margin-top: $(widget.outer.margin.top);
}

#layout .main-inner .column-left-outer,
#layout .main-inner .column-right-outer {
margin-top: 0;
}

.main-inner .column-left-inner,
.main-inner .column-right-inner {
background: $(widget.outer.background.color) $(widget.outer.background.gradient) repeat 0 0;

-moz-box-shadow: 0 0 $(outer.shadow.spread) rgba(0, 0, 0, .2);
-webkit-box-shadow: 0 0 $(outer.shadow.spread) rgba(0, 0, 0, .2);
-goog-ms-box-shadow: 0 0 $(outer.shadow.spread) rgba(0, 0, 0, .2);
box-shadow: 0 0 $(outer.shadow.spread) rgba(0, 0, 0, .2);

-moz-border-radius: $(widget.border.radius);
-webkit-border-radius: $(widget.border.radius);
-goog-ms-border-radius: $(widget.border.radius);
border-radius: $(widget.border.radius);
}

#layout .main-inner .column-left-inner,
#layout .main-inner .column-right-inner {
margin-top: 0;
}

.sidebar .widget {
font: $(widget.font);
color: $(widget.text.color);
}

.sidebar .widget a:link {
color: $(widget.link.color);
}

.sidebar .widget a:visited {
color: $(widget.link.visited.color);
}

```

```

.sidebar .widget a:hover {
  color: $(widget.link.hover.color);
}

.sidebar .widget h2 {
  text-shadow: 0 0 $(title.shadow.spread) #000000;
}

.main-inner .widget {
  background-color: $(widget.background.color);
  border: 1px solid $(widget.border.color);
  padding: 0 $(widget.padding.side) 15px;
  margin: 20px -16px;

  -moz-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  -webkit-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  -goog-ms-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);

  -moz-border-radius: $(widget.border.radius);
  -webkit-border-radius: $(widget.border.radius);
  -goog-ms-border-radius: $(widget.border.radius);
  border-radius: $(widget.border.radius);
}

.main-inner .widget h2 {
  margin: 0 -$(separator.outdent);
  padding: .6em $(separator.outdent) .5em;
  border-bottom: 1px solid $(widget.border.bevel.color);
}

.footer-inner .widget h2 {
  padding: 0 0 .4em;

  border-bottom: 1px solid $(widget.border.bevel.color);
}

.main-inner .widget h2 + div, .footer-inner .widget h2 + div {
  border-top: $(title.separator.border.size) solid $(widget.border.color);
  padding-top: $(widget.padding.top);
}

.main-inner .widget .widget-content {
  margin: 0 -$(separator.outdent);
  padding: 7px $(separator.outdent) 0;
}

.main-inner .widget ul, .main-inner .widget #ArchiveList ul.flat {
  margin: -$(widget.padding.top) -15px 0;
  padding: 0;

  list-style: none;
}

.main-inner .widget #ArchiveList {
  margin: -$(widget.padding.top) 0 0;
}

.main-inner .widget ul li, .main-inner .widget #ArchiveList ul.flat li {
  padding: .5em 15px;
  text-indent: 0;

  color: $(widget.alternate.text.color);

  border-top: $(list.separator.border.size) solid $(widget.border.color);

```



```

border-bottom: 1px solid $(widget.border.bevel.color);
}

.main-inner .widget #ArchiveList ul li {
padding-top: .25em;
padding-bottom: .25em;
}

.main-inner .widget ul li:first-child, .main-inner .widget #ArchiveList ul.flat li:first-child {
border-top: none;
}

.main-inner .widget ul li:last-child, .main-inner .widget #ArchiveList ul.flat li:last-child {
border-bottom: none;
}

.post-body {
position: relative;
}

.main-inner .widget .post-body ul {
padding: 0 2.5em;
margin: .5em 0;

list-style: disc;
}

.main-inner .widget .post-body ul li {
padding: 0.25em 0;
margin-bottom: .25em;

color: $(body.text.color);

border: none;
}

.footer-inner .widget ul {
padding: 0;

list-style: none;
}

.widget .zippy {
color: $(widget.alternate.text.color);
}

/* Posts
----- */
body .main-inner .Blog {
padding: 0;
margin-bottom: 1em;

background-color: transparent;
border: none;

-moz-box-shadow: 0 0 0 rgba(0, 0, 0, 0);
-webkit-box-shadow: 0 0 0 rgba(0, 0, 0, 0);
-goog-ms-box-shadow: 0 0 0 rgba(0, 0, 0, 0);
box-shadow: 0 0 0 rgba(0, 0, 0, 0);
}

.main-inner .section:last-child .Blog:last-child {
padding: 0;
margin-bottom: 1em;
}

```

```

.main-inner .widget h2.date-header {
margin: 0 -15px 1px;
padding: 0 0 $(date.padding.bottom) 0;

font: $(date.font);
color: $(date.text.color);

background: $(date.background);

border-top: $(date.border.size) solid $(date.border.color);
border-bottom: 1px solid $(widget.border.bevel.color);

-moz-border-radius-topleft: $(date.header.border.radius.top);
-moz-border-radius-topright: $(date.header.border.radius.top);
-webkit-border-top-left-radius: $(date.header.border.radius.top);
-webkit-border-top-right-radius: $(date.header.border.radius.top);
border-top-left-radius: $(date.header.border.radius.top);
border-top-right-radius: $(date.header.border.radius.top);

position: $(date.position);
bottom: 100%;
$(date.side): $(date.header.position);
text-shadow: 0 0 $(title.shadow.spread) #000000;
}

.main-inner .widget h2.date-header span {
font: $(date.font);
display: block;
padding: .5em 15px;
border-left: $(date.border.size) solid $(date.border.color);
border-right: $(date.border.size) solid $(date.border.color);
}

.date-outer {
position: relative;
margin: $(date.space) 0 20px;
padding: 0 15px;

background-color: $(post.background.color);
border: 1px solid $(post.border.color);

-moz-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
-webkit-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
-goog-ms-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);

-moz-border-radius: $(widget.border.radius);
-webkit-border-radius: $(widget.border.radius);
-goog-ms-border-radius: $(widget.border.radius);
border-radius: $(widget.border.radius);
}

.date-outer:first-child {
margin-top: 0;
}

.date-outer:last-child {
margin-bottom: $(date.last.space.bottom);

-moz-border-radius-bottomleft: $(date.last.border.radius.bottom);
-moz-border-radius-bottomright: $(date.last.border.radius.bottom);
-webkit-border-bottom-left-radius: $(date.last.border.radius.bottom);
-webkit-border-bottom-right-radius: $(date.last.border.radius.bottom);
-goog-ms-border-bottom-left-radius: $(date.last.border.radius.bottom);

```

```
-goog-ms-border-bottom-right-radius: $(date.last.border.radius.bottom);
border-bottom-left-radius: $(date.last.border.radius.bottom);
border-bottom-right-radius: $(date.last.border.radius.bottom);
}

.date-posts {
margin: 0 -$(separator.outdent);
padding: 0 $(separator.outdent);

clear: both;
}

.post-outer, .inline-ad {
border-top: 1px solid $(post.border.bevel.color);

margin: 0 -$(separator.outdent);
padding: 15px $(separator.outdent);
}

.post-outer {
padding-bottom: 10px;
}

.post-outer:first-child {
padding-top: $(post.first.padding.top);
border-top: none;
}

.post-outer:last-child, .inline-ad:last-child {
border-bottom: none;
}

.post-body {
position: relative;
}

.post-body img {
padding: 8px;
background: $(image.background.color);
border: 1px solid $(image.border.color);

-moz-box-shadow: 0 0 $(image.shadow.spread) rgba(0, 0, 0, .2);
-webkit-box-shadow: 0 0 $(image.shadow.spread) rgba(0, 0, 0, .2);
box-shadow: 0 0 $(image.shadow.spread) rgba(0, 0, 0, .2);

-moz-border-radius: $(image.border.radius);
-webkit-border-radius: $(image.border.radius);
border-radius: $(image.border.radius);
}

h3.post-title, h4 {
font: $(post.title.font);
color: $(post.title.text.color);
}

h3.post-title a {
font: $(post.title.font);
color: $(post.title.text.color);
}

h3.post-title a:hover {
color: $(link.hover.color);
text-decoration: underline;
}
```

```

.post-header {
  margin: 0 0 1em;
}

.post-body {
  line-height: 1.4;
}

.post-outer h2 {
  color: $(body.text.color);
}

.post-footer {
  margin: 1.5em 0 0;
}

#blog-pager {
  padding: 15px;
  font-size: 120%;

  background-color: $(pager.background.color);
  border: 1px solid $(widget.border.color);

  -moz-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  -webkit-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  -goog-ms-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);

  -moz-border-radius: $(widget.border.radius);
  -webkit-border-radius: $(widget.border.radius);
  -goog-ms-border-radius: $(widget.border.radius);
  border-radius: $(widget.border.radius);

  -moz-border-radius-topleft: $(pager.border.radius.top);
  -moz-border-radius-topright: $(pager.border.radius.top);
  -webkit-border-top-left-radius: $(pager.border.radius.top);
  -webkit-border-top-right-radius: $(pager.border.radius.top);
  -goog-ms-border-top-left-radius: $(pager.border.radius.top);
  -goog-ms-border-top-right-radius: $(pager.border.radius.top);
  border-top-left-radius: $(pager.border.radius.top);
  border-top-right-radius-topright: $(pager.border.radius.top);

  margin-top: $(pager.space.top);
}

.blog-feeds, .post-feeds {
  margin: 1em 0;
  text-align: center;
  color: $(feed.text.color);
}

.blog-feeds a, .post-feeds a {
  color: $(feed.link.color);
}

.blog-feeds a:visited, .post-feeds a:visited {
  color: $(feed.link.visited.color);
}

.blog-feeds a:hover, .post-feeds a:hover {
  color: $(feed.link.hover.color);
}

.post-outer .comments {
  margin-top: 2em;
}

```

```

}

/* Comments
----- */
.comments .comments-content .icon.blog-author {
  background-repeat: no-repeat;
  background-image:
url(
/wD/oL2nkwAAAAIwSF1zAAALEgAACxIB0t1+/AAAAAd0SU1FB9sLFwMcCjjhcOMAAAD+SURBVDjLtZSvTgNBEIe/WRRnm3U8RC1n
eQdsm1zSBIU9VVf1FkUguQQsD9ITmD7ECZIJSE4OZo9stoVjC/zc7ky+zH9hXwVwDpTAWWLrgS3QAe8AZgaAJI5zYAmc8r0G4AHYHQ
KVwII8PZrZFsBFkeRCABYiMh9BRUhnSkPTNCtVXYXURi1FpBDgArj8QU1eVXUzfnjv7yP7kwu1mYrkWIU33vs1QNu2qU8pwN0UpKoq
okjWwCztrMuBhEhnh8bD5UDqur75asbcX0BGUB9/HAMB+r32hznJgXy2v0sGLBcyAJ1EK3LFcbo1s91JeLwAbwGYu7TP/3ZGfnXYPgAVN
ngtqatUNgAAAABJRU5ErkJggg==);
}

.comments .comments-content .loadmore a {
  border-top: 1px solid $(tabs.border.color);
  border-bottom: 1px solid $(tabs.border.color);
}

.comments .continue {
  border-top: 2px solid $(tabs.border.color);
}

/* Footer
----- */
.footer-outer {
  margin: -$(shadow.spread) 0 -1px;
  padding: $(shadow.spread) 0 0;
  color: $(footer.text.color);
  overflow: hidden;
}

.footer-fauxborder-left {
  border-top: 1px solid $(widget.border.color);
  background: $(footer.background.color) $(footer.background.gradient) repeat scroll 0 0;

  -moz-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  -webkit-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  -goog-ms-box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);
  box-shadow: 0 0 $(shadow.spread) rgba(0, 0, 0, .2);

  margin: 0 -$(shadow.spread);
}

/* Mobile
----- */
body.mobile {
  background-size: $(mobile.background.size);
}

.mobile .body-fauxcolumn-outer {
  background: $(mobile.background.overlay);
}

*+html body.mobile .main-inner .column-center-inner {
  margin-top: 0;
}

.mobile .main-inner .widget {
  padding: 0 0 15px;
}

.mobile .main-inner .widget h2 + div,
.mobile .footer-inner .widget h2 + div {

```

```

border-top: none;
padding-top: 0;
}

.mobile .footer-inner .widget h2 {
padding: 0.5em 0;
border-bottom: none;
}

.mobile .main-inner .widget .widget-content {
margin: 0;
padding: 7px 0 0;
}

.mobile .main-inner .widget ul,
.mobile .main-inner .widget #ArchiveList ul.flat {
margin: 0 -15px 0;
}

.mobile .main-inner .widget h2.date-header {
$(date.side): 0;
}

.mobile .date-header span {
padding: 0.4em 0;
}

.mobile .date-outer:first-child {
margin-bottom: 0;
border: 1px solid $(post.border.color);

-moz-border-radius-topleft: $(date.first.border.radius.top);
-moz-border-radius-topright: $(date.first.border.radius.top);
-webkit-border-top-left-radius: $(date.first.border.radius.top);
-webkit-border-top-right-radius: $(date.first.border.radius.top);
-goog-ms-border-top-left-radius: $(date.first.border.radius.top);
-goog-ms-border-top-right-radius: $(date.first.border.radius.top);
border-top-left-radius: $(date.first.border.radius.top);
border-top-right-radius: $(date.first.border.radius.top);
}

.mobile .date-outer {
border-color: $(post.border.color);
border-width: 0 1px 1px;
}

.mobile .date-outer:last-child {
margin-bottom: 0;
}

.mobile .main-inner {
padding: 0;
}

.mobile .header-inner .section {
margin: 0;
}

.mobile .post-outer, .mobile .inline-ad {
padding: 5px 0;
}

.mobile .tabs-inner .section {
margin: 0 10px;
}

```

```

.mobile .main-inner .widget h2 {
  margin: 0;
  padding: 0;
}

.mobile .main-inner .widget h2.date-header span {
  padding: 0;
}

.mobile .main-inner .widget .widget-content {
  margin: 0;
  padding: 7px 0 0;
}

.mobile #blog-pager {
  border: 1px solid transparent;
  background: $(footer.background.color) $(footer.background.gradient) repeat scroll 0 0;
}

.mobile .main-inner .column-left-inner,
.mobile .main-inner .column-right-inner {
  background: $(widget.outer.background.color) $(widget.outer.background.gradient) repeat 0 0;

  -moz-box-shadow: none;
  -webkit-box-shadow: none;
  -goog-ms-box-shadow: none;
  box-shadow: none;
}

.mobile .date-posts {
  margin: 0;
  padding: 0;
}

.mobile .footer-fauxborder-left {
  margin: 0;
  border-top: inherit;
}

.mobile .main-inner .section:last-child .Blog:last-child {
  margin-bottom: 0;
}

.mobile-index-contents {
  color: $(body.text.color);
}

.mobile .mobile-link-button {
  background: $(link.color) $(tabs.background.gradient) repeat scroll 0 0;
}

.mobile-link-button a:link, .mobile-link-button a:visited {
  color: $(mobile.button.color);
}

.mobile .tabs-inner .PageList .widget-content {
  background: transparent;
  border-top: 1px solid;
  border-color: $(tabs.border.color);
  color: $(tabs.text.color);
}

.mobile .tabs-inner .PageList .widget-content .pagelist-arrow {
  border-$startSide: 1px solid $(tabs.border.color);
}

```

```

}
]]></b:skin>

<b:template-skin>
  <b:variable default='960px' name='content.width' type='length'/>
  <b:variable default='0' name='main.column.left.width' type='length'/>
  <b:variable default='310px' name='main.column.right.width' type='length'/>

  <![CDATA[
    body {
      min-width: $(content.width);
    }

    .content-outer, .content-fauxcolumn-outer, .region-inner {
      min-width: $(content.width);
      max-width: $(content.width);
      _width: $(content.width);
    }

    .main-inner .columns {
      padding-left: $(main.column.left.width);
      padding-right: $(main.column.right.width);
    }

    .main-inner .fauxcolumn-center-outer {
      left: $(main.column.left.width);
      right: $(main.column.right.width);
      /* IE6 does not respect left and right together */
      _width: expression(this.parentNode.offsetWidth -
        parseInt("$(main.column.left.width)") -
        parseInt("$(main.column.right.width)") + 'px');
    }

    .main-inner .fauxcolumn-left-outer {
      width: $(main.column.left.width);
    }

    .main-inner .fauxcolumn-right-outer {
      width: $(main.column.right.width);
    }

    .main-inner .column-left-outer {
      width: $(main.column.left.width);
      right: 100%;
      margin-left: -$(main.column.left.width);
    }

    .main-inner .column-right-outer {
      width: $(main.column.right.width);
      margin-right: -$(main.column.right.width);
    }

    #layout {
      min-width: 0;
    }

    #layout .content-outer {
      min-width: 0;
      width: 800px;
    }

    #layout .region-inner {
      min-width: 0;
      width: auto;
    }
  ]]>

```



```

body#layout div.add_widget {
    padding: 8px;
}

body#layout div.add_widget a {
    margin-left: 32px;
}
]]>
</b:template-skin>

<b:if cond='data:skin.vars.body_background.image.isResizable'>
    <b:include cond='not data:view.isPreview' data='{
        &quot;body&quot;;
        image: data:skin.vars.body_background.image,
        selector:
    }' name='responsiveImageStyle'/>
</b:if>

<b:include data='blog' name='google-analytics'/>
</head>

<body expr:class='&quot;loading&quot; + data:blog.mobileClass'>
<b:section class='navbar' id='navbar' maxwidgets='1' name='Navbar' showaddelement='no'>
<b:widget id='Navbar1' locked='true' title='Navbar' type='Navbar'>
    <b:includable id='main'>&lt;script type='&quot;text/javascript&quot;'>&gt;
function setAttributeOnload(object, attribute, val) {
    if(window.addEventListener) {
        window.addEventListener(&#39;load&#39;,
            function(){ object[attribute] = val; }, false);
    } else {
        window.attachEvent(&#39;onload&#39;, function(){ object[attribute] = val; });
    }
}
&lt;/script&gt;
&lt;div id='&quot;navbar-iframe-container&quot;'>&gt;&lt;/div&gt;
&lt;script type='&quot;text/javascript&quot;' src='&quot;https://apis.google.com/js/platform.js&quot;'>&gt;&lt;/script&gt;
&lt;script type='&quot;text/javascript&quot;'>
    gapi.load(&quot;gapi.iframes:gapi.iframes.style.bubble&quot;;, function() {
        if (gapi.iframes &amp;&amp; gapi.iframes.getContext) {
            gapi.iframes.getContext().openChild({
                url:
&#39;https://www.blogger.com/navbar.g?targetBlogID\x3d2781285489010112598\x26blogName\x3dEnchanted+Exchanges\x26publishMode\x3dPUBLISH_MODE_BLOGSPOT\x26navbarType\x3dLIGHT\x26layoutType\x3dLAYOUTS\x26searchRoot\x3dhttps://enchantedexchanges.blogspot.com/search\x26blogLocale\x3den\x26v\x3d2\x26homepageTitle\x3dhttp://enchantedexchanges.blogspot.com/\x26vt\x3d-4753515978958151582&#39;;
                where: document.getElementById(&quot;navbar-iframe-container&quot;),
                id: &quot;navbar-iframe&quot;;
            });
        }
    });
&lt;/script&gt;&lt;script type='&quot;text/javascript&quot;'>
(function() {
    var script = document.createElement(&#39;script&#39;);
    script.type = &#39;text/javascript&#39;;
    script.src = &#39;//pagead2.googlesyndication.com/pagead/js/google_top_exp.js&#39;;
    var head = document.getElementsByTagName(&#39;head&#39;)[0];
    if (head) {
        head.appendChild(script);
    })();
&lt;/script&gt;
</b:includable>
</b:widget>
</b:section>

<b:if cond='data:blog.pageType == &quot;index&quot;'>
    <div itemscope='itemscope' itemType='http://schema.org/Blog' style='display: none;'>
        <meta expr:content='data:blog.title' itemprop='name'/>

```

```

    <b:if cond='data:blog.metaDescription'>
      <meta expr:content='data:blog.metaDescription' itemprop='description' />
    </b:if>
  </div>
</b:if>

<div class='body-fauxcolumns'>
  <div class='fauxcolumn-outer body-fauxcolumn-outer'>
    <div class='cap-top'>
      <div class='cap-left'>
      <div class='cap-right'>
    </div>
    <div class='fauxborder-left'>
    <div class='fauxborder-right'>
    <div class='fauxcolumn-inner'>
    </div>
  </div>
  <div class='cap-bottom'>
    <div class='cap-left'>
    <div class='cap-right'>
  </div>
</div>
</div>

<div class='content'>
<div class='content-fauxcolumns'>
  <div class='fauxcolumn-outer content-fauxcolumn-outer'>
    <div class='cap-top'>
      <div class='cap-left'>
      <div class='cap-right'>
    </div>
    <div class='fauxborder-left'>
    <div class='fauxborder-right'>
    <div class='fauxcolumn-inner'>
    </div>
  </div>
  <div class='cap-bottom'>
    <div class='cap-left'>
    <div class='cap-right'>
  </div>
</div>
</div>

<div class='content-outer'>
<div class='content-cap-top cap-top'>
  <div class='cap-left'>
  <div class='cap-right'>
</div>
<div class='fauxborder-left content-fauxborder-left'>
<div class='fauxborder-right content-fauxborder-right'>
<div class='content-inner'>

  <header>
    <div class='header-outer'>
      <div class='header-cap-top cap-top'>
        <div class='cap-left'>
        <div class='cap-right'>
      </div>
      <div class='fauxborder-left header-fauxborder-left'>
      <div class='fauxborder-right header-fauxborder-right'>
      <div class='region-inner header-inner'>
        <b:section class='header' id='header' maxwidgets='1' name='Header' showaddelement='no'>
          <b:widget id='Header1' locked='true' title='Enchanted Exchanges (Header)' type='Header'>
            <b:widget-settings>
              <b:widget-setting name='displayUrl' />

```

```

        <b:widget-setting name='displayHeight'>0</b:widget-setting>
        <b:widget-setting name='sectionWidth'>-1</b:widget-setting>
        <b:widget-setting name='useImage'>>false</b:widget-setting>
        <b:widget-setting name='shrinkToFit'>>false</b:widget-setting>
        <b:widget-setting name='imagePlacement'>BEHIND</b:widget-setting>
        <b:widget-setting name='displayWidth'>0</b:widget-setting>
    </b:widget-settings>
    <b:includable id='main'>

<b:if cond='data:useImage'>
<b:if cond='data:imagePlacement == &quot;BEHIND&quot;'>
    <!--
    Show image as background to text. You can't really calculate the width
    reliably in JS because margins are not taken into account by any of
    clientWidth, offsetWidth or scrollWidth, so we don't force a minimum
    width if the user is using shrink to fit.
    This results in a margin-width's worth of pixels being cropped. If the
    user is not using shrink to fit then we expand the header.
    -->
    <b:if cond='data:mobile'>
    <div id='header-inner'>
        <div class='titlewrapper' style='background: transparent'>
            <h1 class='title' style='background: transparent; border-width: 0px'>
                <b:include name='title'>
            </h1>
        </div>
        <b:include name='description'>
    </div>
    </b:if>
    <div expr:style='&quot;background-image: url(\&quot;&quot; + data:sourceUrl + &quot;&quot;); &quot;
position: &quot; + data:backgroundPositionStyleStr + &quot;; &quot; + data:widthStyleStr + &quot;;min-
height: &quot; + data:height + &quot;;_height: &quot; + data:height + &quot;;background-repeat: no-repeat; &quot;'
id='header-inner'>
        <div class='titlewrapper' style='background: transparent'>
            <h1 class='title' style='background: transparent; border-width: 0px'>
                <b:include name='title'>
            </h1>
        </div>
        <b:include name='description'>
    </div>
    </b:if>
</b:else>
    <!--Show the image only-->
    <div id='header-inner'>
        <a expr:href='data:blog.homepageUrl' style='display: block'>
            <img expr:alt='data:title' expr:height='data:height' expr:id='data:widget.instanceId + &quot;_headerimg&quot;' expr:src='data:sourceUrl'
expr:width='data:width' style='display: block'>
        </a>
        <!--Show the description-->
        <b:if cond='data:imagePlacement == &quot;BEFORE_DESCRIPTION&quot;'>
            <b:include name='description'>
        </b:if>
    </div>
</b:if>
</b:else>
    <!--No header image -->
    <div id='header-inner'>
        <div class='titlewrapper'>
            <h1 class='title'>
                <b:include name='title'>
            </h1>
        </div>
        <b:include name='description'>
    </div>
</b:if>

```

```

</b:includable>
  <b:includable id='description'>
    <div class='descriptionwrapper'>
      <p class='description'><span><data:description/></span></p>
    </div>
  </b:includable>
  <b:includable id='title'>
    <b:tag cond='data:blog.url != data:blog.homepageUrl' expr:href='data:blog.homepageUrl' name='a'>
      <data:title/>
    </b:tag>
  </b:includable>
  <b:widget>
    <b:section>
      <div>
      </div>
      <div class='header-cap-bottom cap-bottom'>
        <div class='cap-left'>
        <div class='cap-right'>
      </div>
      </div>
    </header>

    <div class='tabs-outer'>
      <div class='tabs-cap-top cap-top'>
        <div class='cap-left'>
        <div class='cap-right'>
      </div>
      <div class='fauxborder-left tabs-fauxborder-left'>
      <div class='fauxborder-right tabs-fauxborder-right'>
      <div class='region-inner tabs-inner'>
        <b:section class='tabs' id='crosscol' maxwidgets='1' name='Cross-Column' showaddelement='yes'>
        <b:section class='tabs' id='crosscol-overflow' name='Cross-Column 2' showaddelement='no'>
      </div>
      </div>
      <div class='tabs-cap-bottom cap-bottom'>
        <div class='cap-left'>
        <div class='cap-right'>
      </div>
      </div>

    <div class='main-outer'>
      <div class='main-cap-top cap-top'>
        <div class='cap-left'>
        <div class='cap-right'>
      </div>

      <div class='fauxborder-left main-fauxborder-left'>
      <div class='fauxborder-right main-fauxborder-right'>
      <div class='region-inner main-inner'>

    <div class='columns fauxcolumns'>

      <div class='fauxcolumn-outer fauxcolumn-center-outer'>
        <div class='cap-top'>
          <div class='cap-left'>
          <div class='cap-right'>
        </div>
        <div class='fauxborder-left'>
        <div class='fauxborder-right'>
        <div class='fauxcolumn-inner'>
      </div>
      </div>
      <div class='cap-bottom'>
        <div class='cap-left'>
        <div class='cap-right'>

```

```

</div>
</div>

<div class='fauxcolumn-outer fauxcolumn-left-outer'>
<div class='cap-top'>
  <div class='cap-left'>
    <div class='cap-right'>
</div>
<div class='fauxborder-left'>
<div class='fauxborder-right'>
<div class='fauxcolumn-inner'>
</div>
</div>
<div class='cap-bottom'>
  <div class='cap-left'>
    <div class='cap-right'>
</div>
</div>

<div class='fauxcolumn-outer fauxcolumn-right-outer'>
<div class='cap-top'>
  <div class='cap-left'>
    <div class='cap-right'>
</div>
<div class='fauxborder-left'>
<div class='fauxborder-right'>
<div class='fauxcolumn-inner'>
</div>
</div>
<div class='cap-bottom'>
  <div class='cap-left'>
    <div class='cap-right'>
</div>
</div>

<!-- corrects IE6 width calculation -->
<div class='columns-inner'>

<div class='column-center-outer'>
<div class='column-center-inner'>
<b:section class='main' id='main' name='Main' showaddelement='no'>
  <b:widget id='Blog1' locked='true' title='Blog Posts' type='Blog'>
    <b:widget-settings>
      <b:widget-setting name='showDateHeader'>true</b:widget-setting>
      <b:widget-setting name='style.textcolor'>#ffffff</b:widget-setting>
      <b:widget-setting name='showShareButtons'>true</b:widget-setting>
      <b:widget-setting name='authorLabel'>By</b:widget-setting>
      <b:widget-setting name='showCommentLink'>true</b:widget-setting>
      <b:widget-setting name='style.urlcolor'>#ffffff</b:widget-setting>
      <b:widget-setting name='showAuthor'>>false</b:widget-setting>
      <b:widget-setting name='style.linkcolor'>#ffffff</b:widget-setting>
      <b:widget-setting name='style.unittype'>TextAndImage</b:widget-setting>
      <b:widget-setting name='style.bgcolor'>#ffffff</b:widget-setting>
      <b:widget-setting name='reactionsLabel'>/>
      <b:widget-setting name='showAuthorProfile'>>false</b:widget-setting>
      <b:widget-setting name='style.layout'>1x1</b:widget-setting>
      <b:widget-setting name='showLabels'>true</b:widget-setting>
      <b:widget-setting name='showLocation'>true</b:widget-setting>
      <b:widget-setting name='showTimestamp'>true</b:widget-setting>
      <b:widget-setting name='postsPerAd'>3</b:widget-setting>
      <b:widget-setting name='showBacklinks'>>false</b:widget-setting>
      <b:widget-setting name='style.bordercolor'>#ffffff</b:widget-setting>
      <b:widget-setting name='showInlineAds'>true</b:widget-setting>
      <b:widget-setting name='showReactions'>>false</b:widget-setting>
    </b:widget-settings>
  </b:widget>
</div>
</div>

```

```

        <b:includable id='main' var='top'>
<b:if cond='!data:mobile'>
    <!-- posts -->
    <div class='blog-posts hfeed'>

        <b:include data='top' name='status-message'/>

        <b:loop values='data:posts' var='post'>
            <b:if cond='data:post.isDateStart and not data:post.isFirstPost'>
                &lt;/div&gt;&lt;/div&gt;
            </b:if>
            <b:if cond='data:post.isDateStart'>
                &lt;div class='&quot;date-outer&quot;'&gt;&gt;
            </b:if>
            <b:if cond='data:post.dateHeader'>
                <h2 class='date-header'><span><data:post.dateHeader/></span></h2>
            </b:if>
            <b:if cond='data:post.isDateStart'>
                &lt;div class='&quot;date-posts&quot;'&gt;&gt;
            </b:if>
            <div class='post-outer'>
                <b:include data='post' name='post'/>
                <b:include cond='data:blog.pageType in {&quot;static_page&quot;,&quot;item&quot;}' data='post' name='comment_picker'/>
            </div>

            <!-- Ad -->
            <b:if cond='data:post.includeAd'>
                <div class='inline-ad'>
                    <data:adCode/>
                </div>
            </b:if>
        </b:loop>
        <b:if cond='data:numPosts != 0'>
            &lt;/div&gt;&lt;/div&gt;
        </b:if>
    </div>

    <!-- navigation -->
    <b:include name='nextprev'/>

    <!-- feed links -->
    <b:include name='feedLinks'/>

</b:else/>
<b:include name='mobile-main'/>
</b:if>
</b:includable>
        <b:includable id='backlinkDeleteIcon' var='backlink'/>
        <b:includable id='backlinks' var='post'/>
        <b:includable id='comment-form' var='post'>
<div class='comment-form'>
    <a name='comment-form'/>
    <b:if cond='data:mobile'>
        <h4 id='comment-post-message'>
            <a
                expr:id='data:widget.instanceId'
                href='javascript:void(0)'><data:postCommentMsg/></a></h4>
            <p><data:blogCommentMessage/></p>
            <data:blogTeamBlogMessage/>
            <a expr:href='data:post.commentFormIframeSrc' id='comment-editor-src'/>
            <iframe allowtransparency='true' class='blogger-iframe-colorize blogger-comment-from-post' expr:height='data:cmIframeInitialHeight'
                frameborder='0' id='comment-editor' name='comment-editor' src='' style='display: none' width='100%'>
        </b:if>
        <h4 id='comment-post-message'><data:postCommentMsg/></h4>
        <p><data:blogCommentMessage/></p>
        <data:blogTeamBlogMessage/>
    
```

```

    <a expr:href='data:post.commentFormIframeSrc' id='comment-editor-src'/>
    <iframe allowtransparency='true' class='blogger-iframe-colorize' blogger-comment-from-post' expr:height='data:cmtIframeInitialHeight'
frameborder='0' id='comment-editor' name='comment-editor' src='' width='100%'>
</b:if>
<data:post.cmtfpIframe/>
<script type='text/javascript'>
    BLOG_CMT_createIframe(&#39;<data:post.appRpcRelayPath/>&#39;);
</script>
</div>
</b:includable>
    <b:includable id='commentDeleteIcon' var='comment'>
<span expr:class='&quot;item-control &quot; + data:comment.adminClass'>
    <b:if cond='data:showCmtPopup'>
    <div class='goog-toggle-button'>
    <div class='goog-inline-block comment-action-icon'>
    </div>
    <b:else/>
    <a class='comment-delete' expr:href='data:comment.deleteUrl' expr:title='data:top.deleteCommentMsg'>
    <img src='https://resources.blogblog.com/img/icon_delete13.gif'>
    </a>
    </b:if>
</span>
</b:includable>
    <b:includable id='comment_count_picker' var='post'>
<a class='comment-link' expr:href='data:post.addCommentUrl' expr:onclick='data:post.addCommentOnClick'>
    <data:post.commentLabelFull/>
</a>
</b:includable>
    <b:includable id='comment_picker' var='post'>
<b:if cond='data:post.showThreadedComments'>
    <b:include data='post' name='threaded_comments'>
<b:else/>
    <b:include data='post' name='comments'>
</b:if>
</b:includable>
    <b:includable id='comments' var='post'>
<div class='comments' id='comments'>
    <a name='comments'>
<b:if cond='data:post.allowComments'>
    <h4><data:post.commentLabelFull/>:</h4>

    <b:if cond='data:post.commentPagingRequired'>
    <span class='paging-control-container'>
    <b:if cond='data:post.hasOlderLinks'>
    <a expr:class='data:post.oldLinkClass' expr:href='data:post.oldestLinkUrl'><data:post.oldestLinkText/></a>
    &#160;
    <a expr:class='data:post.oldLinkClass' expr:href='data:post.olderLinkUrl'><data:post.olderLinkText/></a>
    &#160;
    </b:if>

    <data:post.commentRangeText/>

    <b:if cond='data:post.hasNewerLinks'>
    &#160;
    <a expr:class='data:post.newLinkClass' expr:href='data:post.newerLinkUrl'><data:post.newerLinkText/></a>
    &#160;
    <a expr:class='data:post.newLinkClass' expr:href='data:post.newestLinkUrl'><data:post.newestLinkText/></a>
    </b:if>
    </span>
</b:if>

<div expr:id='data:widget.instanceId + &quot;_comments-block-wrapper&quot;'>
<dl expr:class='data:post.avatarIndentClass' id='comments-block'>
    <b:loop values='data:post.comments' var='comment'>
    <dt expr:class='&quot;comment-author &quot; + data:comment.authorClass' expr:id='data:comment.anchorName'>

```

```

<b:if cond='data:comment.favicon'>
  <img expr:src='data:comment.favicon' height='16px' style='margin-bottom:-2px;' width='16px' />
</b:if>
<a expr:name='data:comment.anchorName' />
<b:if cond='data:blog.enabledCommentProfileImages'>
  <data:comment.authorAvatarImage />
</b:if>
<b:if cond='data:comment.authorUrl'>
  <a expr:href='data:comment.authorUrl' rel='nofollow'><data:comment.author /></a>
<b:else/>
  <data:comment.author />
</b:if>
<data:commentPostedByMsg />
</dt>
<dd class='comment-body' expr:id='data:widget.instanceId + data:comment.cmtBodyIdPostfix'>
  <b:if cond='data:comment.isDeleted'>
    <span class='deleted-comment'><data:comment.body /></span>
  <b:else/>
    <p>
      <data:comment.body />
    </p>
  </b:if>
</dd>
<dd class='comment-footer'>
  <span class='comment-timestamp'>
    <a expr:href='data:comment.url' title='comment permalink'>
      <data:comment.timestamp />
    </a>
    <b:include data='comment' name='commentDeleteIcon' />
  </span>
</dd>
</b:loop>
</dl>
</div>

<b:if cond='data:post.commentPagingRequired'>
  <span class='paging-control-container'>
    <a expr:class='data:post.oldLinkClass' expr:href='data:post.oldestLinkUrl'>
      <data:post.oldestLinkText />
    </a>
    <a expr:class='data:post.oldLinkClass' expr:href='data:post.olderLinkUrl'>
      <data:post.olderLinkText />
    </a>
    &#160;
    <data:post.commentRangeText />
    &#160;
    <a expr:class='data:post.newLinkClass' expr:href='data:post.newerLinkUrl'>
      <data:post.newerLinkText />
    </a>
    <a expr:class='data:post.newLinkClass' expr:href='data:post.newestLinkUrl'>
      <data:post.newestLinkText />
    </a>
  </span>
</b:if>

<p class='comment-footer'>
  <b:if cond='data:post.embedCommentForm'>
    <b:if cond='data:post.allowNewComments'>
      <b:include data='post' name='comment-form' />
    <b:else/>
      <data:post.noNewCommentsText />
    </b:if>
  <b:elseif cond='data:post.allowComments' />
    <a expr:href='data:post.addCommentUrl' expr:onclick='data:post.addCommentOnClick'><data:postCommentMsg /></a>
  </b:if>

```



```

    </p>
  </b:if>
  <b:if cond='data:showCmtPopup'>
    <div id='comment-popup'>
      <iframe allowtransparency='true' frameborder='0' id='comment-actions' name='comment-actions' scrolling='no'>
      </iframe>
    </div>
  </b:if>

</div>
</b:includable>
  <b:includable id='feedLinks'>
    <b:if cond='data:blog.pageType != &quot;item&quot;'> <!-- Blog feed links -->
      <b:if cond='data:feedLinks'>
        <div class='blog-feeds'>
          <b:include data='feedLinks' name='feedLinksBody' />
        </div>
      </b:if>

      <b:else/> <!-- Post feed links -->
        <div class='post-feeds'>
          <b:loop values='data:posts' var='post'>
            <b:include cond='data:post.allowComments and data:post.feedLinks' data='post.feedLinks' name='feedLinksBody' />
          </b:loop>
        </div>
      </b:if>
    </b:includable>
    <b:includable id='feedLinksBody' var='links'>
      <div class='feed-links'>
        <data:feedLinksMsg/>
        <b:loop values='data:links' var='f'>
          <a class='feed-link' expr:href='data:f.url' expr:type='data:f.mimeType' target='_blank'><data:f.name/> (<data:f.feedType/>)</a>
        </b:loop>
      </div>
    </b:includable>
    <b:includable id='iframe_comments' var='post'>
      <!-- G+ comments, no longer available. The includable is retained for backwards-compatibility. -->
    </b:includable>
    <b:includable id='mobile-index-post' var='post'>
      <div class='mobile-date-outer date-outer'>
        <b:if cond='data:post.dateHeader'>
          <div class='date-header'>
            <span><data:post.dateHeader/></span>
          </div>
        </b:if>

        <div class='mobile-post-outer'>
          <a expr:href='data:post.url'>
            <h3 class='mobile-index-title entry-title' itemprop='name'>
              <data:post.title/>
            </h3>

            <div class='mobile-index-arrow'>&amp;rsaquo;</div>

            <div class='mobile-index-contents'>
              <b:if cond='data:post.thumbnailUrl'>
                <div class='mobile-index-thumbnail'>
                  <div class='Image'>
                    <img expr:src='data:post.thumbnailUrl' />
                  </div>
                </div>
              </b:if>

              <div class='post-body'>
                <b:if cond='data:post.snippet'><data:post.snippet/></b:if>

```

```

        </div>
    </div>

    <div style='clear: both;'>
</a>

    <div class='mobile-index-comment'>
        <b:include cond='data:blog.pageType != &quot;static_page&quot;'
data:post.numComments != 0' data='post' name='comment_count_picker'>
        and data:post.allowComments
        and
    </div>
    </div>
</div>
</b:includable>
    <b:includable id='mobile-main' var='top'>
    <!-- posts -->
    <div class='blog-posts hfeed'>

        <b:include data='top' name='status-message'>

        <b:if cond='data:blog.pageType == &quot;index&quot;'>
        <b:loop values='data:posts' var='post'>
            <b:include data='post' name='mobile-index-post'>
        </b:loop>
        <b:else/>
        <b:loop values='data:posts' var='post'>
            <b:include data='post' name='mobile-post'>
        </b:loop>
        </b:if>
    </div>

    <b:include name='mobile-nextprev'>
</b:includable>
    <b:includable id='mobile-nextprev'>
    <div class='blog-pager' id='blog-pager'>
    <b:if cond='data:newerPageUrl'>
        <div class='mobile-link-button' id='blog-pager-newer-link'>
        <a class='blog-pager-newer-link' expr:href='data:newerPageUrl' expr:id='data:widget.instanceId + &quot;_blog-pager-newer-link&quot;'
expr:title='data:newerPageTitle'>&lsaquo;</a>
        </div>
    </b:if>

    <b:if cond='data:olderPageUrl'>
        <div class='mobile-link-button' id='blog-pager-older-link'>
        <a class='blog-pager-older-link' expr:href='data:olderPageUrl' expr:id='data:widget.instanceId + &quot;_blog-pager-older-link&quot;'
expr:title='data:olderPageTitle'>&rsaquo;</a>
        </div>
    </b:if>

    <div class='mobile-link-button' id='blog-pager-home-link'>
    <a class='home-link' expr:href='data:blog.homepageUrl'><data:homeMsg/></a>
    </div>

    <div class='mobile-desktop-link'>
    <a class='home-link' expr:href='data:desktopLinkUrl'><data:desktopLinkMsg/></a>
    </div>

</div>
<div class='clear'>
</b:includable>
    <b:includable id='mobile-post' var='post'>
    <div class='date-outer'>
    <b:if cond='data:post.dateHeader'>
        <h2 class='date-header'><span><data:post.dateHeader/></span></h2>
    </b:if>
    <div class='date-posts'>

```

```

<div class='post-outer'>

<div class='post hentry uncustomized-post-template' itemscope='itemscope' itemtype='http://schema.org/BlogPosting'>
  <b:if cond='data:post.thumbnailUrl'>
    <meta expr:content='data:post.thumbnailUrl' itemprop='image_url'/>
  </b:if>
  <meta expr:content='data:blog.blogId' itemprop='blogId'/>
  <meta expr:content='data:post.id' itemprop='postId'/>

  <a expr:name='data:post.id'/>
  <b:if cond='data:post.title'>
    <h3 class='post-title entry-title' itemprop='name'>
      <b:if cond='data:post.link'>
        <a expr:href='data:post.link'><data:post.title/></a>
      <b:elseif cond='data:post.url and data:blog.url != data:post.url'>
        <a expr:href='data:post.url'><data:post.title/></a>
      <b:else/>
        <data:post.title/>
      </b:if>
    </h3>
  </b:if>

  <div class='post-header'>
    <div class='post-header-line-1'>
  </div>

  <div class='post-body entry-content' expr:id='&quot;post-body-&quot; + data:post.id' itemprop='articleBody'>
    <data:post.body/>
    <div style='clear: both;'> <!-- clear for photos floats -->
  </div>

  <div class='post-footer'>
    <div class='post-footer-line post-footer-line-1'>
      <span class='post-author vcard'>
        <b:if cond='data:top.showAuthor'>
          <b:if cond='data:post.authorProfileUrl'>
            <span class='fn' itemprop='author' itemscope='itemscope' itemtype='http://schema.org/Person'>
              <meta expr:content='data:post.authorProfileUrl' itemprop='url'/>
              <a expr:href='data:post.authorProfileUrl' rel='author' title='author profile'>
                <span itemprop='name'><data:post.author/></span>
              </a>
            </span>
          <b:else/>
            <span class='fn' itemprop='author' itemscope='itemscope' itemtype='http://schema.org/Person'>
              <span itemprop='name'><data:post.author/></span>
            </span>
          </b:if>
        </b:if>
      </span>

      <span class='post-timestamp'>
        <b:if cond='data:top.showTimestamp'>
          <data:top.timestampLabel/>
        <b:if cond='data:post.url'>
          <meta expr:content='data:post.url.canonical' itemprop='url'/>
          <a class='timestamp-link' expr:href='data:post.url' rel='bookmark' title='permanent link'><abbr class='published'
expr:title='data:post.timestampISO8601' itemprop='datePublished'><data:post.timestamp/></abbr></a>
        </b:if>
      </b:if>
    </span>

    <span class='post-comment-link'>
      <b:include cond='data:blog.pageType not in {&quot;item&quot;,&quot;static_page&quot;}'
data:post.allowComments' data='post' name='comment_count_picker'>
    </span>

```

```

</div>

<div class='post-footer-line post-footer-line-2'>
  <b:if cond='data:top.showMobileShare'>
    <div class='mobile-link-button goog-inline-block' id='mobile-share-button'>
      <a href='javascript:void(0);'><data:shareMsg/></a>
    </div>
  </b:if>
</div>

</div>
</div>

<b:include cond='data:blog.pageType in {&quot;static_page&quot;,&quot;item&quot;}' data='post' name='comment_picker'>
</div>
</div>
</div>
</b:includable>
  <b:includable id='nextprev'>
<div class='blog-pager' id='blog-pager'>
  <b:if cond='data:newerPageUrl'>
    <span id='blog-pager-newer-link'>
      <a class='blog-pager-newer-link' expr:href='data:newerPageUrl' expr:id='data:widget.instanceId + &quot;_blog-pager-newer-link&quot;'
expr:title='data:newerPageTitle'><data:newerPageTitle/></a>
    </span>
  </b:if>

  <b:if cond='data:olderPageUrl'>
    <span id='blog-pager-older-link'>
      <a class='blog-pager-older-link' expr:href='data:olderPageUrl' expr:id='data:widget.instanceId + &quot;_blog-pager-older-link&quot;'
expr:title='data:olderPageTitle'><data:olderPageTitle/></a>
    </span>
  </b:if>

  <a class='home-link' expr:href='data:blog.homepageUrl'><data:homeMsg/></a>

  <b:if cond='data:mobileLinkUrl'>
    <div class='blog-mobile-link'>
      <a expr:href='data:mobileLinkUrl'><data:mobileLinkMsg/></a>
    </div>
  </b:if>

</div>
<div class='clear'>
</b:includable>
  <b:includable id='post' var='post'>
<div class='post hentry uncategorized-post-template' itemprop='blogPost' itemscope='itemscope' itemtype='http://schema.org/BlogPosting'>
  <b:if cond='data:post.firstImageUrl'>
    <meta expr:content='data:post.firstImageUrl' itemprop='image_url'>
  </b:if>
  <meta expr:content='data:blog.blogId' itemprop='blogId'>
  <meta expr:content='data:post.id' itemprop='postId'>

  <a expr:name='data:post.id'>
  <b:if cond='data:post.title'>
    <h3 class='post-title entry-title' itemprop='name'>
      <b:if cond='data:post.link or (data:post.url and data:blog.url != data:post.url)'>
        <a expr:href='data:post.link ? data:post.link : data:post.url'><data:post.title/></a>
      <b:else/>
        <data:post.title/>
      </b:if>
    </h3>
  </b:if>

  <div class='post-header'>

```

```

<div class='post-header-line-1'/>
</div>

<!-- Then use the post body as the schema.org description, for good G+/FB snippeting. -->
<div class='post-body entry-content' expr:id='&quot;post-body-&quot;' + data:post.id' expr:itemprop='(data:blog.metaDescription ?
&quot;&quot;; &quot;description &quot;)+ &quot;articleBody&quot;';>
  <data:post.body/>
  <div style='clear: both;'/> <!-- clear for photos floats -->
</div>

<b:if cond='data:post.hasJumpLink'>
  <div class='jump-link'>
    <a expr:href='data:post.url + &quot;#more&quot;,' expr:title='data:post.title'><data:post.jumpText/></a>
  </div>
</b:if>

<div class='post-footer'>
<div class='post-footer-line post-footer-line-1'>
  <span class='post-author vcard'>
    <b:if cond='data:top.showAuthor'>
      <data:top.authorLabel/>
      <b:if cond='data:post.authorProfileUrl'>
        <span class='fn' itemprop='author' itemscope='itemscope' itemType='http://schema.org/Person'>
          <meta expr:content='data:post.authorProfileUrl' itemprop='url'/'>
          <a class='g-profile' expr:href='data:post.authorProfileUrl' rel='author' title='author profile'>
            <span itemprop='name'><data:post.author/></span>
          </a>
        </span>
      <b:else/>
        <span class='fn' itemprop='author' itemscope='itemscope' itemType='http://schema.org/Person'>
          <span itemprop='name'><data:post.author/></span>
        </span>
      </b:if>
    </b:if>
  </span>

  <span class='post-timestamp'>
    <b:if cond='data:top.showTimestamp'>
      <data:top.timestampLabel/>
      <b:if cond='data:post.url'>
        <meta expr:content='data:post.url.canonical' itemprop='url'/'>
        <a class='timestamp-link' expr:href='data:post.url' rel='bookmark' title='permanent link'><abbr class='published'
expr:title='data:post.timestampISO8601' itemprop='datePublished'><data:post.timestamp/></abbr></a>
      </b:if>
    </b:if>
  </span>

  <span class='post-comment-link'>
    <b:include cond='data:blog.pageType not in {&quot;item&quot;;&quot;static_page&quot;}' and data:post.allowComments'
data='post' name='comment_count_picker'/'>
  </span>

  <span class='post-icons'>
    <!-- email post links -->
    <b:if cond='data:post.emailPostUrl'>
      <span class='item-action'>
        <a expr:href='data:post.emailPostUrl' expr:title='data:top.emailPostMsg'>
          <img alt="" class='icon-action' height='13' src='https://resources.blogblog.com/img/icon18_email.gif' width='18'/'>
        </a>
      </span>
    </b:if>

    <!-- quickedit pencil -->
    <b:include data='post' name='postQuickEdit'/'>
  </span>

```

```

<!-- share buttons -->
<div class='post-share-buttons goog-inline-block'>
  <b:include cond='data:post.sharePostUrl' data='post' name='shareButtons'/>
</div>

</div>

<div class='post-footer-line post-footer-line-2'>
<span class='post-labels'>
  <b:if cond='data:top.showPostLabels and data:post.labels'>
    <data:postLabelsLabel/>
    <b:loop values='data:post.labels' var='label'>
      <a expr:href='data:label.url' rel='tag'><data:label.name/></a><b:if cond='not data:label.isLast'>,</b:if>
    </b:loop>
  </b:if>
</span>
</div>

<div class='post-footer-line post-footer-line-3'>
<span class='post-location'>
  <b:if cond='data:top.showLocation and data:post.location'>
    <data:postLocationLabel/>
    <a expr:href='data:post.location.mapsUrl' target='_blank'><data:post.location.name/></a>
  </b:if>
</span>
</div>
<b:if cond='data:post.authorAboutMe'>
  <div class='author-profile' itemprop='author' itemscope='itemscope' itemtype='http://schema.org/Person'>
    <b:if cond='data:post.authorPhoto.url'>
      <img expr:src='data:post.authorPhoto.url' itemprop='image' width='50px' />
    </b:if>
    <div>
      <a class='g-profile' expr:href='data:post.authorProfileUrl' itemprop='url' rel='author' title='author profile'>
        <span itemprop='name'><data:post.author/></span>
      </a>
    </div>
    <span itemprop='description'><data:post.authorAboutMe/></span>
  </div>
</b:if>
</div>
</div>
</b:includable>
  <b:includable id='postQuickEdit' var='post'>
    <b:if cond='data:post.editUrl'>
      <span expr:class='&quot;item-control &quot; + data:post.adminClass'>
        <a expr:href='data:post.editUrl' expr:title='data:top.editPostMsg'>
          <img alt="" class='icon-action' height='18' src='https://resources.blogblog.com/img/icon18_edit_allbkg.gif' width='18' />
        </a>
      </span>
    </b:if>
  </b:includable>
  <b:includable id='shareButtons' var='post'>
    <b:if cond='data:top.showEmailButton'><a class='goog-inline-block share-button sb-email' expr:href='data:post.sharePostUrl +
    &quot;&amp;target=email&quot;' expr:title='data:top.emailThisMsg' target='_blank'><span class='share-button-link-
    text'><data:top.emailThisMsg/></span></a></b:if><b:if cond='data:top.showBlogThisButton'><a class='goog-inline-block share-button sb-blog'
    expr:href='data:post.sharePostUrl + &quot;&amp;target=blog&quot;' expr:onclick='&quot;window.open(this.href, \&quot;_blank\&quot;,
    \&quot;height=270,width=475\&quot;); return false;&quot;' expr:title='data:top.blogThisMsg' target='_blank'><span class='share-button-link-
    text'><data:top.blogThisMsg/></span></a></b:if><b:if cond='data:top.showTwitterButton'><a class='goog-inline-block share-button sb-twitter'
    expr:href='data:post.sharePostUrl + &quot;&amp;target=twitter&quot;' expr:title='data:top.shareToTwitterMsg' target='_blank'><span
    class='share-button-link-text'><data:top.shareToTwitterMsg/></span></a></b:if><b:if cond='data:top.showFacebookButton'><a class='goog-
    inline-block share-button sb-facebook' expr:href='data:post.sharePostUrl + &quot;&amp;target=facebook&quot;'
    expr:onclick='&quot;window.open(this.href, \&quot;_blank\&quot;, \&quot;height=430,width=640\&quot;); return false;&quot;'
    expr:title='data:top.shareToFacebookMsg' target='_blank'><span class='share-button-link-
    text'><data:top.shareToFacebookMsg/></span></a></b:if><b:if cond='data:top.showPinterestButton'><a class='goog-inline-block share-button
  </b:if>
  </div>
</div>

```

```

sb-pinterest'    expr:href='data:post.sharePostUrl    +    &quot;&amp;target=pinterest&quot;'    expr:title='data:top.shareToPinterestMsg'
target='_blank'><span class='share-button-link-text'><data:top.shareToPinterestMsg/></span></a></b:if>
</b:includable>
    <b:includable id='status-message'>
<b:if cond='data:navMessage'>
<div class='status-msg-wrap'>
<div class='status-msg-body'>
<data:navMessage/>
</div>
<div class='status-msg-border'>
<div class='status-msg-bg'>
<div class='status-msg-hidden'><data:navMessage/></div>
</div>
</div>
</div>
<div style='clear: both;'/>
</b:if>
</b:includable>
    <b:includable id='threaded-comment-form' var='post'>
<div class='comment-form'>
<a name='comment-form'/'>
<b:if cond='data:mobile'>
<p><data:blogCommentMessage/></p>
<data:blogTeamBlogMessage/>
<a expr:href='data:post.commentFormIframeSrc' id='comment-editor-src'/'>
<iframe allowtransparency='true' class='blogger-iframe-colorize blogger-comment-from-post' expr:height='data:cmtIframeInitialHeight'
frameborder='0' id='comment-editor' name='comment-editor' src='' style='display: none' width='100%'/'>
<b:else/>
<p><data:blogCommentMessage/></p>
<data:blogTeamBlogMessage/>
<a expr:href='data:post.commentFormIframeSrc' id='comment-editor-src'/'>
<iframe allowtransparency='true' class='blogger-iframe-colorize blogger-comment-from-post' expr:height='data:cmtIframeInitialHeight'
frameborder='0' id='comment-editor' name='comment-editor' src='' width='100%'/'>
</b:if>
<data:post.cmtfpIframe/>
<script type='text/javascript'>
    BLOG_CMT_createIframe(&#39;<data:post.appRpcRelayPath/>&#39;);
</script>
</div>
</b:includable>
    <b:includable id='threaded_comment_js' var='post'>
<script async='async' expr:src='data:post.commentSrc' type='text/javascript'/'>

<script type='text/javascript'>
(function() {
    var items = <data:post.commentJs/>;
    var msgs = <data:post.commentMsgs/>;
    var config = <data:post.commentConfig/>;

// <![CDATA[
    var cursor = null;
    if (items && items.length > 0) {
        cursor = parseInt(items[items.length - 1].timestamp) + 1;
    }

    var bodyFromEntry = function(entry) {
        var text = (entry &&
            ((entry.content && entry.content.$t) ||
            (entry.summary && entry.summary.$t))) ||
            '';
        if (entry && entry.gd$extendedProperty) {
            for (var k in entry.gd$extendedProperty) {
                if (entry.gd$extendedProperty[k].name == 'blogger.contentRemoved') {
                    return '<span class="deleted-comment">' + text + '</span>';
                }
            }
        }
    }

```

```

    }
  }
  return text;
}

var parse = function(data) {
  cursor = null;
  var comments = [];
  if (data && data.feed && data.feed.entry) {
    for (var i = 0, entry; entry = data.feed.entry[i]; i++) {
      var comment = {};
      // comment ID, parsed out of the original id format
      var id = /blog-(\d+).post-(\d+)/.exec(entry.id.$t);
      comment.id = id ? id[2] : null;
      comment.body = bodyFromEntry(entry);
      comment.timestamp = Date.parse(entry.published.$t) + "";
      if (entry.author && entry.author.constructor === Array) {
        var auth = entry.author[0];
        if (auth) {
          comment.author = {
            name: (auth.name ? auth.name.$t : undefined),
            profileUrl: (auth.uri ? auth.uri.$t : undefined),
            avatarUrl: (auth.gd$image ? auth.gd$image.src : undefined)
          };
        }
      }
      if (entry.link) {
        if (entry.link[2]) {
          comment.link = comment.permalink = entry.link[2].href;
        }
        if (entry.link[3]) {
          var pid = /.comments\/default\/(\d+)\.?/.exec(entry.link[3].href);
          if (pid && pid[1]) {
            comment.parentId = pid[1];
          }
        }
      }
      comment.deleteclass = 'item-control blog-admin';
      if (entry.gd$extendedProperty) {
        for (var k in entry.gd$extendedProperty) {
          if (entry.gd$extendedProperty[k].name === 'blogger.itemClass') {
            comment.deleteclass += ' ' + entry.gd$extendedProperty[k].value;
          } else if (entry.gd$extendedProperty[k].name === 'blogger.displayTime') {
            comment.displayTime = entry.gd$extendedProperty[k].value;
          }
        }
      }
      comments.push(comment);
    }
  }
  return comments;
};

var paginator = function(callback) {
  if (hasMore()) {
    var url = config.feed + '?alt=json&v=2&orderby=published&reverse=false&max-results=50';
    if (cursor) {
      url += '&published-min=' + new Date(cursor).toISOString();
    }
    window.bloggercomments = function(data) {
      var parsed = parse(data);
      cursor = parsed.length < 50 ? null
        : parseInt(parsed[parsed.length - 1].timestamp) + 1
      callback(parsed);
      window.bloggercomments = null;
    };
  }
};

```



```

    }
    url += '&callback=bloggercomments';
    var script = document.createElement('script');
    script.type = 'text/javascript';
    script.src = url;
    document.getElementsByTagName('head')[0].appendChild(script);
  }
};
var hasMore = function() {
  return !!cursor;
};
var getMeta = function(key, comment) {
  if ('iswriter' === key) {
    var matches = !!comment.author
      && comment.author.name === config.authorName
      && comment.author.profileUrl === config.authorUrl;
    return matches ? 'true' : '';
  } else if ('deletelink' === key) {
    return config.baseUri + '/delete-comment.g?blogID='
      + config.blogId + '&postID=' + comment.id;
  } else if ('deleteclass' === key) {
    return comment.deleteclass;
  }
  return '';
};

var replybox = null;
var replyUrlParts = null;
var replyParent = undefined;

var onReply = function(commentId, domId) {
  if (replybox === null) {
    // lazily cache replybox, and adjust to suit this style:
    replybox = document.getElementById('comment-editor');
    if (replybox !== null) {
      replybox.height = '250px';
      replybox.style.display = 'block';
      replyUrlParts = replybox.src.split('#');
    }
  }
  if (replybox && (commentId !== replyParent)) {
    replybox.src = '';
    document.getElementById(domId).insertBefore(replybox, null);
    replybox.src = replyUrlParts[0]
      + (commentId ? '&parentID=' + commentId : '')
      + '#' + replyUrlParts[1];
    replyParent = commentId;
  }
};

var hash = (window.location.hash || '#').substring(1);
var startThread, targetComment;
if (/^comment-form_/.test(hash)) {
  startThread = hash.substring('comment-form_'.length);
} else if (/^c[0-9]+$/.test(hash)) {
  targetComment = hash.substring(1);
}

// Configure commenting API:
var configJso = {
  'maxDepth': config.maxThreadDepth
};
var provider = {
  'id': config.postId,
  'data': items,

```

```

        'loadNext': paginator,
        'hasMore': hasMore,
        'getMeta': getMeta,
        'onReply': onReply,
        'rendered': true,
        'initComment': targetComment,
        'initReplyThread': startThread,
        'config': configJso,
        'messages': msgs
    };

    var render = function() {
        if (window.goog && window.goog.comments) {
            var holder = document.getElementById('comment-holder');
            window.goog.comments.render(holder, provider);
        }
    };

    // render now, or queue to render when library loads:
    if (window.goog && window.goog.comments) {
        render();
    } else {
        window.goog = window.goog || {};
        window.goog.comments = window.goog.comments || {};
        window.goog.comments.loadQueue = window.goog.comments.loadQueue || [];
        window.goog.comments.loadQueue.push(render);
    }
    })();
// ]]>
</script>
</b:includable>
    <b:includable id='threaded_comments' var='post'>
<div class='comments' id='comments'>
    <a name='comments'/>
    <h4><data:post.commentLabelFull/></h4>

    <div class='comments-content'>
        <b:include cond='data:post.embedCommentForm' data='post' name='threaded_comment_js'/>
        <div id='comment-holder'>
            <data:post.commentHtml/>
        </div>
    </div>

    <p class='comment-footer'>
        <b:if cond='data:post.allowNewComments'>
            <b:include data='post' name='threaded-comment-form'/>
        <b:else/>
            <data:post.noNewCommentsText/>
        </b:if>
    </p>

    <b:if cond='data:showCmtPopup'>
        <div id='comment-popup'>
            <iframe allowtransparency='true' frameborder='0' id='comment-actions' name='comment-actions' scrolling='no'>
            </iframe>
        </div>
    </b:if>

    <div id='backlinks-container'>
        <div expr:id='data:widget.instanceId + &quot;_backlinks-container&quot;'>
        </div>
    </div>
</div>
</b:includable>
    </b:widget>

```

```

        <b:widget id='FeaturedPost1' locked='false' title='' type='FeaturedPost'>
        <b:widget-settings>
        <b:widget-setting name='showSnippet'>true</b:widget-setting>
        <b:widget-setting name='showPostTitle'>true</b:widget-setting>
        <b:widget-setting name='showFirstImage'>true</b:widget-setting>
        <b:widget-setting name='useMostRecentPost'>true</b:widget-setting>
        </b:widget-settings>
        <b:includable id='main'>
        <!-- Only display title if it's non-empty -->
        <b:if cond='data:title != &quot;&quot;'>
        <h2 class='title'><data:title/></h2>
        </b:if>
        <b:include name='content'/>

        <b:include name='quickedit'/>
    </b:includable>
    <b:includable id='content'>
    <div class='post-summary'>
    <b:if cond='data:showPostTitle and data:postTitle != &quot;&quot;'>
    <h3><a expr:href='data:postUrl'><data:postTitle/></a></h3>
    </b:if>
    <b:if cond='data:showSnippet and data:postSummary != &quot;&quot;'>
    <p>
    <data:postSummary/>
    </p>
    </b:if>
    <b:if cond='data:showFirstImage and data:postFirstImage != &quot;&quot;'>
    <img class='image' expr:src='data:postFirstImage'/>
    </b:if>
    </div>

    <style type='text/css'>
    .image {
    width: 100%;
    }
    </style>
    </b:includable>
    </b:widget>
    <b:widget id='PopularPosts1' locked='false' title='' type='PopularPosts'>
    <b:widget-settings>
    <b:widget-setting name='numItemsToShow'>3</b:widget-setting>
    <b:widget-setting name='showThumbnails'>true</b:widget-setting>
    <b:widget-setting name='showSnippets'>true</b:widget-setting>
    <b:widget-setting name='timeRange'>LAST_YEAR</b:widget-setting>
    </b:widget-settings>
    <b:includable id='main'>
    <b:if cond='data:title != &quot;&quot;'><h2><data:title/></h2></b:if>
    <div class='widget-content popular-posts'>
    <ul>
    <b:loop values='data:posts' var='post'>
    <li>
    <b:if cond='!data:showThumbnails'>
    <b:if cond='!data:showSnippets'>
    <!-- (1) No snippet/thumbnail -->
    <a expr:href='data:post.href'><data:post.title/></a>
    <b:else/>
    <!-- (2) Show only snippets -->
    <div class='item-title'><a expr:href='data:post.href'><data:post.title/></a></div>
    <div class='item-snippet'><data:post.snippet/></div>
    </b:if>
    <b:else/>
    <!-- (3) Show only thumbnails or (4) Snippets and thumbnails. -->
    <div expr:class='data:showSnippets ? &quot;item-content&quot; : &quot;item-thumbnail-only&quot;'>
    <b:if cond='data:post.featuredImage.isResizable or data:post.thumbnail'>
    <div class='item-thumbnail'>

```

```

        <a expr:href='data:post.href' target='_ blank'>
            <b:with value='data:post.featuredImage.isResizable
: data:post.thumbnail' var='image'>
                <img alt=" border='0' expr:src='data:image'/'>
                <b:with>
                    </a>
                </div>
            </b:if>
            <div class='item-title'><a expr:href='data:post.href'><data:post.title/></a></div>
            <b:if cond='data:showSnippets'>
                <div class='item-snippet'><data:post.snippet/></div>
            </b:if>
        </div>
        <div style='clear: both;'/>
    </b:if>
</li>
</b:loop>
</ul>
<b:include name='quickedit'/'>
</div>
</b:includable>
    <b:widget>
    </b:section>
</div>
</div>

<div class='column-left-outer'>
<div class='column-left-inner'>
    <aside>
        <macro:include id='main-column-left-sections' name='sections'>
            <macro:param default='0' name='num'/'>
            <macro:param default='sidebar-left' name='idPrefix'/'>
            <macro:param default='sidebar' name='class'/'>
            <macro:param default='true' name='includeBottom'/'>
        </macro:include>
    </aside>
</div>
</div>

<div class='column-right-outer'>
<div class='column-right-inner'>
    <aside>
        <macro:include id='main-column-right-sections' name='sections'>
            <macro:param default='2' name='num'/'>
            <macro:param default='sidebar-right' name='idPrefix'/'>
            <macro:param default='sidebar' name='class'/'>
            <macro:param default='true' name='includeBottom'/'>
        </macro:include>
    </aside>
</div>
</div>

</div>

<div style='clear: both;'/>
<!-- columns -->
</div>

<!-- main -->
</div>
</div>
<div class='main-cap-bottom cap-bottom'>
    <div class='cap-left'/'>
    <div class='cap-right'/'>
</div>

```

? resizeImage(data:post.featuredImage, 72, "l:l")

```

</div>

<footer>
<div class='footer-outer'>
<div class='footer-cap-top cap-top'>
  <div class='cap-left'>
  <div class='cap-right'>
</div>
<div class='fauxborder-left footer-fauxborder-left'>
<div class='fauxborder-right footer-fauxborder-right'>
<div class='region-inner footer-inner'>
  <macro:include id='footer-sections' name='sections'>
    <macro:param default='2' name='num'>
    <macro:param default='footer' name='idPrefix'>
    <macro:param default='foot' name='class'>
    <macro:param default='false' name='includeBottom'>
  </macro:include>
  <!-- outside of the include in order to lock Attribution widget -->
  <b:section class='foot' id='footer-3' name='Footer' showaddelement='no'>
    <b:widget id='Attribution1' locked='true' title='' type='Attribution'>
      <b:widget-settings>
        <b:widget-setting name='copyright'>
      </b:widget-settings>
      <b:includable id='main'>
<div class='widget-content' style='text-align: center;'>
  <b:if cond='data:attribution != &quot;&quot;'>
    <data:attribution/>
  </b:if>
</div>

  <b:include name='quickedit'>
</b:includable>
  </b:widget>
</b:section>
</div>
</div>
<div class='footer-cap-bottom cap-bottom'>
  <div class='cap-left'>
  <div class='cap-right'>
</div>
</div>
</footer>

<!-- content -->
</div>
</div>
<div class='content-cap-bottom cap-bottom'>
  <div class='cap-left'>
  <div class='cap-right'>
</div>
</div>
</div>

<script type='text/javascript'>
window.setTimeout(function() {
  document.body.className = document.body.className.replace(&#39;loading&#39;, &#39;&#39;);
}, 10);
</script>
</body>

<macro:includable id='sections' var='col'>
<macro:if cond='data:col.num == 0'>
<macro:else/>
  <b:section mexpr:class='data:col.class' mexpr:id='data:col.idPrefix + &quot;-1&quot;' preferred='yes' showaddelement='yes'>

```

```

<macro:if cond='data:col.num &gt;= 2'>
  <table border='0' cellpadding='0' cellspacing='0' mexpr:class='&quot;section-columns columns-&quot; + data:col.num'>
    <tbody>
      <tr>
        <td class='first columns-cell'>
          <b:section mexpr:class='data:col.class' mexpr:id='data:col.idPrefix + &quot;-1&quot;' />
        </td>

        <td class='columns-cell'>
          <b:section mexpr:class='data:col.class' mexpr:id='data:col.idPrefix + &quot;-2&quot;' />
        </td>

        <macro:if cond='data:col.num &gt;= 3'>
          <td class='columns-cell'>
            <b:section mexpr:class='data:col.class' mexpr:id='data:col.idPrefix + &quot;-2-3&quot;' />
          </td>
        </macro:if>

        <macro:if cond='data:col.num &gt;= 4'>
          <td class='columns-cell'>
            <b:section mexpr:class='data:col.class' mexpr:id='data:col.idPrefix + &quot;-2-4&quot;' />
          </td>
        </macro:if>
      </tr>
    </tbody>
  </table>

  <macro:if cond='data:col.includeBottom'>
    <b:section mexpr:class='data:col.class' mexpr:id='data:col.idPrefix + &quot;-3&quot;' showaddelement='no' />
  </macro:if>
</macro:if>
</macro:if>
</macro:includable>

<b:section-contents id='sidebar-right-1'>
<b:widget id='BlogSearch1' locked='false' title='Search This Blog' type='BlogSearch'>
  <b:includable id='main'>
    <!-- only display title if it's non-empty -->
    <b:if cond='data:title != &quot;&quot;'>
      <h2 class='title'><data:title /></h2>
    </b:if>

    <div class='widget-content'>
      <div expr:id='data:widget.instanceId + &quot;_form&quot;'>
        <form class='gsc-search-box' expr:action='data:blog.searchUrl'>
          <b:attr cond='not data:view.isPreview' name='target' value='_top' />
          <table cellpadding='0' cellspacing='0' class='gsc-search-box'>
            <tbody>
              <tr>
                <td class='gsc-input'>
                  <input autocomplete='off' class='gsc-input' expr:value='data:view.isSearch ? data:view.search.query.escaped : &quot;&quot;' name='q'
size='10' title='search' type='text' />
                </td>
                <td class='gsc-search-button'>
                  <input class='gsc-search-button' expr:value='data:messages.search' title='search' type='submit' />
                </td>
              </tr>
            </tbody>
          </table>
        </form>
      </div>
    </div>

    <b:include name='quickedit' />
  </b:includable>

```

```

</b:widget>
<b:widget id='PageList1' locked='false' title='' type='PageList'>
  <b:widget-settings>
    <b:widget-setting
name='pageListJson'><![CDATA[{"home":{"href":"http://enchantedexchanges.blogspot.com/","position":0,"title":"Home"}}]]></b:widget-
setting>
    <b:widget-setting name='homeTitle'>Home</b:widget-setting>
  </b:widget-settings>
  <b:includable id='main'>
<b:if cond='data:title != &quot;&quot;'><h2><data:title/></h2></b:if>
<div class='widget-content'>
  <b:if cond='data:mobile'>
    <select expr:id='data:widget.instanceId + &quot;_select&quot;'>
      <b:if cond='data:showPlaceholder'>
        <option disabled='disabled' hidden='hidden' value=''>
          <b:attr cond='!data:hasCurrentPage' name='selected' value='selected' />
          <b:message name='messages.moveToPage' />
        </option>
      </b:if>
      <b:loop values='data:links' var='link'>
        <option expr:value='data:link.href'>
          <b:attr cond='data:link.isCurrentPage' name='selected' value='selected' />
          <data:link.title/>
        </option>
      </b:loop>
    </select>
    <span class='pagelist-arrow'>&amp;#9660;</span>
  <b:else/>
    <ul>
      <b:loop values='data:links' var='link'>
        <li>
          <b:class cond='data:link.isCurrentPage' name='selected' />
          <a expr:href='data:link.href'><data:link.title/></a>
        </li>
      </b:loop>
    </ul>
  </b:if>
  <b:include name='quickedit' />
</div>
</b:includable>
</b:widget>
<b:widget id='AdSense1' locked='false' title='' type='AdSense'>
  <b:includable id='main'>
<div class='widget-content'>
  <data:adCode/>
  <b:include name='quickedit' />
</div>
</b:includable>
</b:widget>
<b:widget id='AdSense2' locked='false' title='' type='AdSense'>
  <b:includable id='main'>
<div class='widget-content'>
  <data:adCode/>
  <b:include name='quickedit' />
</div>
</b:includable>
</b:widget>
<b:widget id='Profile1' locked='false' title='About Me' type='Profile'>
  <b:widget-settings>
    <b:widget-setting name='showaboutme'>true</b:widget-setting>
    <b:widget-setting name='showlocation'>>false</b:widget-setting>
  </b:widget-settings>
  <b:includable id='main'>
<b:if cond='data:title != &quot;&quot;'>
  <h2><data:title/></h2>

```

```

</b:if>
<div class='widget-content'>
<b:if cond='data:team'> <!-- team blog profile -->
  <ul>
    <b:loop values='data:authors' var='i'>
      <li><a class='profile-name-link g-profile' expr:href='data:i.userUrl' expr:style='&quot;background-image: url(&quot; + data:i.profileLogo +
&quot;);&quot;'><data:i.display-name/></a></li>
    </b:loop>
  </ul>

  <b:else/> <!-- normal blog profile -->

    <b:if cond='data:photo.url != &quot;&quot;'>
      <a expr:href='data:userUrl'><img class='profile-img' expr:alt='data:messages.myPhoto' expr:height='data:photo.height'
expr:src='data:photo.url' expr:width='data:photo.width'></a>
    </b:if>

    <dl class='profile-datablock'>
      <dt class='profile-data'>
        <a class='profile-name-link g-profile' expr:href='data:userUrl' expr:style='&quot;background-image: url(&quot; + data:profileLogo +
&quot;);&quot;' rel='author'>
          <data:displayName/>
        </a>
      </dt>

      <b:if cond='data:showlocation'>
        <dd class='profile-data'><data:location/></dd>
      </b:if>

      <b:if cond='data:aboutme != &quot;&quot;'><dd class='profile-textblock'><data:aboutme/></dd></b:if>
    </dl>
    <a class='profile-link' expr:href='data:userUrl' rel='author'><data:viewProfileMsg/></a>
  </b:if>

  <b:include name='quickedit'>
</div>
</b:includable>
</b:widget>
</b:section-contents><b:section-contents id='sidebar-right-2-1'>
  <b:widget id='ReportAbuse1' locked='false' title='' type='ReportAbuse'>
    <b:includable id='main'>
      <b:include name='reportAbuse'>
    </b:includable>
  </b:widget>
</b:section-contents><b:section-contents id='sidebar-right-2-2'>
  <b:widget id='Label1' locked='false' title='Labels' type='Label'>
    <b:widget-settings>
      <b:widget-setting name='sorting'>ALPHA</b:widget-setting>
      <b:widget-setting name='display'>LIST</b:widget-setting>
      <b:widget-setting name='selectedLabelsList'>
      <b:widget-setting name='showType'>ALL</b:widget-setting>
      <b:widget-setting name='showFreqNumbers'>false</b:widget-setting>
    </b:widget-settings>
    <b:includable id='main'>
      <b:if cond='data:title != &quot;&quot;'>
        <h2><data:title/></h2>
      </b:if>
      <div expr:class='&quot;widget-content &quot; + data:display + &quot;;-label-widget-content&quot;'>
        <b:if cond='data:display == &quot;;list&quot;'>
          <ul>
            <b:loop values='data:labels' var='label'>
              <li>
                <b:if cond='data:blog.url == data:label.url'>
                  <span expr:dir='data:blog.languageDirection'><data:label.name/></span>
                <b:else/>

```



```

        <a expr:dir='data:blog.languageDirection' expr:href='data:label.url'><data:label.name/></a>
    </b:if>
    <b:if cond='data:showFreqNumbers'>
        <span dir='ltr'>(<data:label.count/>)</span>
    </b:if>
</li>
</b:loop>
</ul>
<b:else/>
    <b:loop values='data:labels' var='label'>
        <span expr:class='&quot;label-size label-size-&quot; + data:label.cssSize'>
            <b:if cond='data:blog.url == data:label.url'>
                <span expr:dir='data:blog.languageDirection'><data:label.name/></span>
            <b:else/>
                <a expr:dir='data:blog.languageDirection' expr:href='data:label.url'><data:label.name/></a>
            </b:if>
            <b:if cond='data:showFreqNumbers'>
                <span class='label-count' dir='ltr'>(<data:label.count/>)</span>
            </b:if>
        </span>
    </b:loop>
</b:if>
    <b:include name='quickedit'>
</div>
</b:includable>
</b:widget>
</b:section-contents><b:section-contents id='sidebar-right-3'>
    <b:widget id='BlogArchive1' locked='false' title='Blog Archive' type='BlogArchive'>
        <b:widget-settings>
            <b:widget-setting name='showStyle'>FLAT</b:widget-setting>
            <b:widget-setting name='yearPattern'>yyyy</b:widget-setting>
            <b:widget-setting name='showWeekEnd'>true</b:widget-setting>
            <b:widget-setting name='monthPattern'>MMMM yyyy</b:widget-setting>
            <b:widget-setting name='dayPattern'>MMM dd</b:widget-setting>
            <b:widget-setting name='weekPattern'>MM/dd</b:widget-setting>
            <b:widget-setting name='chronological'>false</b:widget-setting>
            <b:widget-setting name='showPosts'>true</b:widget-setting>
            <b:widget-setting name='frequency'>MONTHLY</b:widget-setting>
        </b:widget-settings>
        <b:includable id='main'>
            <b:if cond='data:title != &quot;&quot;'>
                <h2><data:title/></h2>
            </b:if>
            <div class='widget-content'>
                <div id='ArchiveList'>
                    <div expr:id='data:widget.instanceId + &quot;_ArchiveList&quot;'>
                        <b:include cond='data:style == &quot;HIERARCHY&quot;' data='data' name='interval'>
                            <b:include cond='data:style == &quot;FLAT&quot;' data='data' name='flat'>
                                <b:include cond='data:style == &quot;MENU&quot;' data='data' name='menu'>
                                    </div>
                                </div>
                            <b:include name='quickedit'>
                                </div>
                            </b:includable>
                            <b:includable id='flat' var='data'>
                                <ul class='flat'>
                                    <b:loop values='data:data' var='i'>
                                        <li class='archivedate'>
                                            <a expr:href='data:i.url'><data:i.name/></a> (<data:i.post-count/>)
                                        </li>
                                    </b:loop>
                                </ul>
                            </b:includable>
                            <b:loop values='data:intervalData' var='interval'>

```

```

<ul class='hierarchy'>
  <li expr:class='&quot;archivedate &quot; + data:interval.expclass'>
    <b:include cond='data:interval.toggleId' data='interval' name='toggle'>
      <a class='post-count-link' expr:href='data:interval.url'>
        <data:interval.name/>
      </a>
      <span class='post-count' dir='ltr'>(<data:interval.post-count/>)</span>
      <b:include cond='data:interval.data' data='interval.data' name='interval'>
      <b:include cond='data:interval.posts' data='interval.posts' name='posts'>
      </li>
    </ul>
  </b:loop>
</b:includable>
  <b:includable id='menu' var='data'>
    <select expr:id='data.widget.instanceId + &quot;_ArchiveMenu&quot;'>
      <option value=''><data:title/></option>
      <b:loop values='data:data' var='i'>
        <option expr:value='data:i.url'><data:i.name/> (<data:i.post-count/>)</option>
      </b:loop>
    </select>
  </b:includable>
  <b:includable id='posts' var='posts'>
    <ul class='posts'>
      <b:loop values='data:posts' var='post'>
        <li><a expr:href='data:post.url'><data:post.title/></a></li>
      </b:loop>
    </ul>
  </b:includable>
  <b:includable id='toggle' var='interval'>
    <a class='toggle' href='javascript:void(0)'>
      <span expr:class='&quot;zippy&quot; + (data:interval.expclass == &quot;expanded&quot; ? &quot; toggle-open&quot; : &quot;&quot;)'>
        <b:if cond='data:interval.expclass == &quot;expanded&quot;'>
          &#9660;&#160;
        <b:elseif cond='data:blog.languageDirection == &quot;rtl&quot;'>
          &#9668;&#160;
        <b:else/>
          &#9658;&#160;
        </b:if>
      </span>
    </a>
  </b:includable>
</b:widget>
</b:section-contents><b:section-contents id='footer-1'><b:section-contents id='footer-2-1'><b:section-contents id='footer-2-2'></html>

```

<p>Are you tired of the same old, predictable gifts that lack the spark of excitement? Do you want to make your loved ones feel truly special and cherished on those memorable occasions? Look no further because "Enchanted Exchanges" is here to transform your gifting experience into something magical and unforgettable.</p><div class="separator" style="clear: both; text-align: center;"></div><p>A World of Enchantment</p><p>At Enchanted Exchanges, we believe that gifts are not just mere objects; they are tokens of love, appreciation, and celebration. Each present carries a unique story, and our mission is to help you tell that story in a way that leaves your loved ones enchanted. We are more than just a gift shop; we are curators of enchanting moments. Our selection of gifts spans a wide array of categories, from personalized items that touch the heart to imaginative and artistic expressions that ignite the soul. With Enchanted Exchanges, gifting becomes an art, and each exchange is a magical experience.</p><p>Why Choose Enchanted Exchanges?</p><p>1. Curated Selection: We take great care in selecting each item in our store. Our collection features items that are not only beautiful and high-

quality but also unique and meaningful.

2. **Personalization**: Many of our gifts can be personalized to make your present even more special. Add names, dates, or heartfelt messages to create a lasting memory.

3. **Quality and Craftsmanship**: We prioritize quality and craftsmanship in every product we offer. You can trust that your gift will stand the test of time and be a treasured keepsake.

4. **Gifts for Every Occasion**: From birthdays and anniversaries to holidays and celebrations, our shop has something for every occasion.

5. **Unforgettable Moments**: We believe that the experience of giving and receiving a gift should be memorable. Our enchanting packaging and presentation ensure your gift will be a source of delight from the moment it's received.

Our Enchanted Categories

Personalized Gifts: Express your love and thoughtfulness with our wide range of personalized gifts. From custom-engraved jewelry to monogrammed homeware, these treasures are perfect for commemorating special moments.

Artistic Expressions: For those who appreciate the beauty of creativity, we offer a selection of art, sculpture, and handcrafted items that will inspire and awe.

Tokens of Affection: Our line of romantic and sentimental gifts is designed to strengthen the bonds of love and affection between you and your special someone.

Celebration Central: Planning a party or event? Explore our collection of celebration items, including decorations, party favors, and themed gifts that will make your occasion unforgettable.

Enchanting Moments for Everyone

Our goal at Enchanted Exchanges is to create enchanting moments for everyone. Whether you're shopping for your significant other, a family member, a friend, or even yourself, we have a gift that will capture your heart and imagination.

The Magic of Personalization

One of the highlights of our store is the option for personalization. Adding a name, date, or personal message to a gift can turn a beautiful item into a cherished keepsake. From custom-made jewelry to monogrammed home decor, our personalization services ensure that your gift is one-of-a-kind, just like the recipient.

Experience the Enchanted Packaging

At Enchanted Exchanges, we believe the joy of gifting should start from the moment you see the beautifully wrapped package. Our enchanting packaging is designed to create a sense of wonder and excitement as the recipient begins to unwrap their gift. It's all part of the enchantment we bring to your gifting experience.

Customer-Centric Service

Our commitment to enchantment goes beyond the products we offer. We take pride in providing exceptional customer service. Our knowledgeable and friendly staff is ready to assist you with any questions or concerns, making your shopping experience as delightful as the gifts you'll find in our store.

Spread Enchantment with Us

Join us on a journey to bring more magic and joy into the world through the art of gifting. Enchanted Exchanges is more than just a gift shop; it's a place where moments are transformed into enchanting memories.

Let Enchanted Exchanges be your go-to destination for all your gifting needs. Explore our online store, and discover the magic for yourself. With us, you'll never look at gifting the same way again.

READABILITY:

- **Consistent Styling**: The HTML content uses inline styles for text formatting and image layout. While this works, it's recommended to separate the styling from the HTML by using CSS to improve readability and maintainability.
- **Content Structure**: The content is well-structured with appropriate paragraph tags (<p>) and headings. This enhances readability, making it easy for users to understand the text's hierarchy and flow.
- **Hyperlinks and Images**: Hyperlinks are used to direct users to external pages or resources, and images are included. These elements should have appropriate alt text for accessibility and SEO benefits.
- **Font Sizes and Styles**: Inline styles are used for font size and style. Consider using CSS classes to apply consistent styles and make changes more manageable.

REUSABILITY:

- **Modularization**: The content is well-structured into paragraphs and headings. These can be easily reused and restructured for other parts of your website or in different sections.

- **Reusable Classes:** Instead of using inline styles, consider creating CSS classes for styling elements like headings and font sizes. These classes can be reused across your website.
- **Links to Other Sections:** If this content is part of a larger website, consider creating anchor links to help users navigate to different sections on the same page.
- **Template Integration:** If your website uses a content management system (CMS) or templating engine, consider integrating this content as a template that can be reused across multiple pages.
- **Separation of Concerns:** As project grows, you may want to separate the HTML content from JavaScript and CSS. This separation helps with code organization and maintainability.
- **Reusable Components:** If you have common elements like headers, footers, or sidebars, create reusable templates or components to ensure consistency across your website.
- **Localization and Personalization:** If your website serves a diverse audience, consider making content variables for localization (translations) and personalization (customization based on user preferences).