



Feature			Scei	nario			Step T P F		
Name	Duration	T	P	F	S	T	P	F	S
Dieticians Role Module Positive Scenarios	10.447 s	9	9	0	0	18	18	0	0
Patient Role Module Positive Scenarios	1.028 s	4	4	0	0	8	8	0	0
Dieticians Role Module Patient Deletion Positive Scenarios	0.798 s	3	3	0	0	6	6	0	0
Dietician API Negative Scenarios	3.963 s	12	12	0	0	24	24	0	0

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Dieticians Role Module Positive Scenarios	9	9	0	0	10.447 s
2	Patient Role Module Positive Scenarios	4	4	0	0	1.028 s
3	Dieticians Role Module Patient Deletion Positive Scenarios	3	3	0	0	0.798 s
4	Dietician API Negative Scenarios	12	12	0	0	3.963 s


SCENARIOS SUMMARY -- 4 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dieticians Role Module Positive Scenarios	Check if user(Dietician) is able to login valid endpoint and with valid email id and password in request body	2	2	0	0	6.492 s
2		Check if user_dietician able to create a patient with valid endpoint and request body for non existing values	2	2	0	0	1.364 s
3		Check if user able to retrieve all patients with valid API Endpoint	2	2	0	0	0.279 s
4		Check if user_dietician is able to update a patient with valid patient details and mandatory request body	2	2	0	0	0.643 s
5		Check if user able to retrieve specific patients test report with valid API Endpoint	2	2	0	0	0.304 s
6		Check if user able to retrieve specific patients test report by fileid with valid API Endpoint	2	2	0	0	0.197 s
7		Check if user able to retrieve all morbidity information	2	2	0	0	0.169 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if user able to retrieve a morbidity information with	2	2	0	0	0.210 s
		valid Morbidity TestName					


SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Dieticians Role Module Positive Scenarios	Check if user able to logout from Dietician API	2	2	0	0	0.216 s
10	Patient Role Module Positive Scenarios	Check if user(Patient) is able to login valid endpoint and with valid email id and password in request body	2	2	0	0	0.391 s
11		Check if user able to retrieve specific patients test report with valid API Endpoint	2	2	0	0	0.256 s
12		Check if user able to retrieve specific patients test report by fileid with valid API Endpoint	2	2	0	0	0.167 s
13		Check if user able to logout from Dietician API	2	2	0	0	0.175 s
14	Dieticians Role Module Patient Deletion Positive Scenarios	Check if user(Dietician) is able to login valid endpoint and with valid email id and password in request body	2	2	0	0	0.408 s
15		Check if user(Dietician) able to delete patient record with valid endpoint	2	2	0	0	0.182 s


#	# Feature Name	Scenario Name	T	P	F	S	Duration
1	6	Check if user able to logout from Dietician API	2	2	0	0	0.169 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Dietician API Negative Scenarios	Check if user(Dietician) is able to login with invalid/blank credentials in request body	2	2	0	0	0.630 s
18		Check if user(Dietician) is able to login with invalid/blank credentials in request body	2	2	0	0	0.318 s
19		Check if user(Dietician) is able to login with invalid/blank credentials in request body	2	2	0	0	0.329 s
20		Check if user(Dietician) is able to login with invalid/blank credentials in request body	2	2	0	0	0.374 s
21		Check if user(Dietician) is able to login valid endpoint and with valid email id and password in request body	2	2	0	0	0.298 s
22		Check if user_dietician able to create a patient with valid endpoint and request body for non existing values	2	2	0	0	0.313 s
23		Check if user_dietician able to create a patient with valid endpoint and request body for non existing values	2	2	0	0	0.337 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
24		Check if user_dietician is able to update a patient with invalid patient details and mandatory request body	2	2	0	0	0.417 s
25		Check if user able to retrieve specific patients test report with valid API Endpoint	2	2	0	0	0.160 s
26		Check if user able to retrieve specific patients test report by fileid with valid API Endpoint	2	2	0	0	0.167 s
27		Check if user able to retrieve a morbidity information with valid Morbidity TestName	2	2	0	0	0.177 s
28		Check if user(Dietician) able to delete patient record with valid endpoint	2	2	0	0	0.159 s

#### **Dieticians Role Module Positive Scenarios**




### Check if user(Dietician) is able to login valid endpoint and with valid email id and password in request body



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with valid emailid and password from the excel sheet "User_Login" and 0	PASSED	6.466 s
2	Then User receives 201 Ok Status with response body and successfully logs in	PASSED	0.006 s


### Check if user\_dietician able to create a patient with valid endpoint and request body for non existing values



DETAILED SECTION -- 11 --


#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with mandatory and additional fields to create a patient records from the	PASSED	1.358 s
	excel sheet "New_Patient" and 0		
2	Then User receives 201 Created Status with response body and patient is successfully created	PASSED	0.002 s

### **Check if user able to retrieve all patients with valid API Endpoint**




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request to retrieve all patients details	PASSED	0.274 s
2	Then User recieves 200 OK with response body	PASSED	0.002 s

### Check if user\_dietician is able to update a patient with valid patient details and mandatory request body




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with mandatory and additional fields to update a patient records from the	PASSED	0.637 s
	excel sheet "Update_Patient" and 0		
2	Then User recieves 200 Ok with response body with response body and patient details are successfully updated	PASSED	0.003 s

Check if user able to retrieve specific patients test report with valid API Endpoint




	#	Step / Hook Details	Status	Duration
1	-	When User sends HTTPS Request with valid patient id 0		0.298 s
2	<u>-</u>	Then User recieves 200 OK with patient test report details	PASSED	0.002 s

# Check if user able to retrieve specific patients test report by fileid with valid API Endpoint



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with valid fileid "value"	PASSED	0.194 s
2	Then User recieves 200 OK with patient test report details	PASSED	0.001 s


#### Check if user able to retrieve all morbidity information



DETAILED SECTION -- 13 --


#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request to retrieve all morbidity details	PASSED	0.165 s
2	Then User recieves 200 OK with response body with all morbidities	PASSED	0.002 s

### Check if user able to retrieve a morbidity information with valid Morbidity TestName



#	Step / Hook Details		Duration
1	When User sends HTTPS Request with morbidity test name "value"	PASSED	0.201 s
2	Then User recieves 200 OK with response body with the details of morbidity test name	PASSED	0.003 s

#### **Check if user able to logout from Dietician API**




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS GET Request to logout from the Dietician API	PASSED	0.211 s
2	Then User receives 200 OK Status with response body Logout successful	PASSED	0.002 s

#### **Patient Role Module Positive Scenarios**

PASSED	DURATION - 1.028 s	Scenarios		Steps	
		Total - 4		Total - 8	
/ 7:31:20.079 am	n // 7:31:21.107 am /	Pass - 4	4	Pass - 8	8
		Fail - 0	- T	Fail - 0	
		Skip - 0		Skip - 0	

# Check if user(Patient) is able to login valid endpoint and with valid email id and password in request body




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with valid patient emailid and password from the excel sheet "User_Login"		0.389 s
	and 1		
2	Then User receives 201 Ok Status with response body and the patient successfully logs in	PASSED	0.001 s

#### **Check if user able to retrieve specific patients test report with valid API Endpoint**

PASSED DU	JRATION - 0.256 s	0.6 -		 <u> </u>	Steps	
/ 7:31:20.486 am // 7	7:31:20.742 am /	0.4 -			Total - 2 Pass - 2	
	D. ''.				Fail - 0	2
Patient Role Module	e Positive Scenarios	0.2 -		 	Skip - 0	
		0 -		 		
			1	 2		


#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with valid patient id 0	PASSED	0.253 s
2	Then User recieves 200 OK with patient test report details	PASSED	0.001 s

## **Check if user able to retrieve specific patients test report by fileid with valid API Endpoint**



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with valid fileid "value"	PASSED	0.164 s
2	Then User recieves 200 OK with patient test report files	PASSED	0.001 s

#### **Check if user able to logout from Dietician API**




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS GET Request to logout from the Dietician API	PASSED	0.173 s
2	Then User receives 200 OK Status with response body Logout successful	PASSED	0.001 s

#### **Dieticians Role Module Patient Deletion Positive Scenarios**

PASSED	DURATION - 0.798 s	Scenarios Total - 3		Steps Total - 6	
/ 7:31:21.133 am //	7:31:21.931 am /	Pass - 3	3	Pass - 6	6
		Skip - 0		Skip - 0	


DETAILED SECTION -- 16 --

### Check if user(Dietician) is able to login valid endpoint and with valid email id and password in request body



	#	Step / Hook Details	Status	Duration
1	1	When User sends HTTPS Request and request Body with valid emailid and password from the excel sheet "User_Login" and 0	PASSED	0.404 s
2	2	Then User receives 201 Ok Status with response body and successfully logs in	PASSED	0.002 s


# Check if user(Dietician) able to delete patient record with valid endpoint



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request to delete a patient record using patient 0	PASSED	0.179 s
2	Then User recieves 200 OK with response	PASSED	0.001 s

**Check if user able to logout from Dietician API** 

DETAILED SECTION -- 17 --




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS GET Request to logout from the Dietician API	PASSED	0.167 s
2	Then User receives 200 OK Status with response body Logout successful	PASSED	0.000 s

### **Dietician API Negative Scenarios**

PASSED	DURATION - 3.963 s	Scenarios Total - 12		Steps Total - 24	
/ 7:31:21.987 am //	7:31:25.950 am /	Pass - 12	12	Pass - 24	24
		Skip - 0		Skip - 0	


# Check if user(Dietician) is able to login with invalid/blank credentials in request body



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with invalid blank emailids and passwords from the excel sheet	PASSED	0.628 s
	"Invalid_Credentials" and 0		
2	Then User receives 401 Unauthorized Status in the response body	PASSED	0.002 s


DETAILED SECTION -- 18 --

## Check if user(Dietician) is able to login with invalid/blank credentials in request body



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with invalid blank emailids and passwords from the excel sheet	PASSED	0.313 s
	"Invalid_Credentials" and 1		
2	Then User receives 401 Unauthorized Status in the response body	PASSED	0.002 s


#### Check if user(Dietician) is able to login with invalid/blank credentials in request body



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with invalid blank emailids and passwords from the excel sheet	PASSED	0.327 s
	"Invalid_Credentials" and 2		
2	Then User receives 401 Unauthorized Status in the response body	PASSED	0.001 s


Check if user(Dietician) is able to login with invalid/blank credentials in request body

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with invalid blank emailids and passwords from the excel sheet	PASSED	0.372 s
	"Invalid_Credentials" and 3		
2	Then User receives 401 Unauthorized Status in the response body	PASSED	0.001 s


### Check if user(Dietician) is able to login valid endpoint and with valid email id and password in request body



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with valid emailid and password from the excel sheet "User_Login" and 0	PASSED	0.296 s
2	Then User receives 201 Ok Status with response body and successfully logs in	PASSED	0.001 s


Check if user\_dietician able to create a patient with valid endpoint and request body for non existing values

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body without mandatory fields tries to create a patient records from the excel	PASSED	0.310 s
	sheet "New_Patient" and 0		
2	Then User receives 400 Bad Request Status created	PASSED	0.001 s


### Check if user\_dietician able to create a patient with valid endpoint and request body for non existing values



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body without patientinfo and attaches only the file tries to create a patient	PASSED	0.335 s
	records from the excel sheet "New_Patient" and 0		
2	Then User receives 400 Bad Request Status created and patientid is not created	PASSED	0.001 s


Check if user\_dietician is able to update a patient with invalid patient details and mandatory request body

DETAILED SECTION -- 21 --




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with mandatory and additional fields to update a patient records with	PASSED	0.411 s
	invalid patientID from the excel sheet "Update_Patient" and 0		
2	Then User recieves 400 bad request is created and update failed	PASSED	0.004 s

#### Check if user able to retrieve specific patients test report with valid API Endpoint




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with invalid patient id 0	PASSED	0.156 s
2	Then User recieves 404 not found and reports failed to be displayed.	PASSED	0.001 s

Check if user able to retrieve specific patients test report by fileid with valid API Endpoint




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with invalid fileid "value"	PASSED	0.166 s
2	Then User recieves 404 not found with no patient test report details	PASSED	0.001 s

# Check if user able to retrieve a morbidity information with valid Morbidity TestName



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with invalid morbidity test name "value"	PASSED	0.175 s
2	Then User recieves 400 Bad Request with no details of morbidity test name getting displayed	PASSED	0.001 s

#### Check if user(Dietician) able to delete patient record with valid endpoint



DETAILED SECTION -- 23 --

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request to delete a patient record using invalid patient 0	PASSED	0.157 s
2	Then User recieves 404 not found with response	PASSED	0.000 s