

Cucumber Report

Jul 27, 2023, 4:35:34 AM

Start : Jul 27, 4:34:41.732 AM

End : Jul 27, 4:35:29.729 AM

Duration : 47.997 s

Features

Scenarios

Steps

PASSED - 6

FAILED - 5

SKIPPED - 0

PASSED - 66




FAILED - 11

SKIPPED - 0

PASSED - 161

FAILED - 11

SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Program Module Positive Scenarios</u>	17.207 s	5	5	0	0	10	10	0	0
<u>Batch Module</u>	4.145 s	6	6	0	0	18	18	0	0
<u>User Module</u>	7.049 s	7	6	1	0	19	17	1	1
<u>Assignment Module</u>	2.366 s	5	5	0	0	10	10	0	0
<u>Assignment Submit Module</u>	3.180 s	9	7	2	0	18	16	2	0
<u>Program module Negative Scenarios</u>	2.948 s	7	7	0	0	14	14	0	0
<u>Check Negative Scenario for Batch Module</u>	2.787 s	8	7	1	0	24	23	1	0
<u>User Negative Scenarios</u>	1.425 s	8	3	5	0	21	11	5	5
<u>Assignment Negative Scenarios</u>	2.212 s	7	7	0	0	14	14	0	0
<u>Assignment Submit Negative Scenarios</u>	2.969 s	9	9	0	0	18	18	0	0
<u>Deletion All Module</u>	1.394 s	6	4	2	0	12	10	2	0


#	Feature Name	Scenario Name
1	<u>User Module</u>	<u>Check if user able to assign user to program and batch with valid User Id and request body</u>
2	<u>Assignment Submit Module</u>	<u>Check if user is able to retrieve assignment submissions by grades with valid assignment id LMS API endpoints</u>
3		<u>Check if user able to update a submission with valid submission ID and mandatory request body</u>
4	<u>Check Negative Scenario for Batch Module</u>	<u>Create a batch with valid endpoints and request body with existing batch name</u>
5	<u>User Negative Scenarios</u>	<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>
6		<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>
7		<u>Check if user able to update a user with valid User Id and request body (missing field)</u>

#	Feature Name	Scenario Name
8	<u>User Negative Scenarios</u>	<u>Check if user able to create a User missing mandatory fields in request body</u>
9		<u>Check if user able to assign user to program / batch with invalid User Id and request body</u>
10	<u>Deletion All Module</u>	<u>Check if user able to delete a record with valid Program ID</u>
11		<u>Check if user able to delete a program with valid programName</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Api_create_User	1	1	0	0	1	0	1	0
@Api_get_UserId	1	1	0	0	1	0	1	0
@Api_getAllUsers	1	1	0	0	1	0	1	0
@Api_AllStaff	1	1	0	0	1	0	1	0
@Api_get_roles	1	1	0	0	1	0	1	0
@Api_put_PBU_update	1	0	1	0	1	0	1	0
@Api_update_roleStatus	1	1	0	0	1	0	1	0
@negative1_post	1	0	1	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Program Module Positive Scenarios</u>	5	5	0	0	17.207 s
2	<u>Batch Module</u>	6	6	0	0	4.145 s
3	<u>User Module</u>	7	6	1	0	7.049 s
4	<u>Assignment Module</u>	5	5	0	0	2.366 s
5	<u>Assignment Submit Module</u>	9	7	2	0	3.180 s
6	<u>Program module Negative Scenarios</u>	7	7	0	0	2.948 s
7	<u>Check Negative Scenario for Batch Module</u>	8	7	1	0	2.787 s
8	<u>User Negative Scenarios</u>	8	3	5	0	1.425 s
9	<u>Assignment Negative Scenarios</u>	7	7	0	0	2.212 s
10	<u>Assignment Submit Negative Scenarios</u>	9	9	0	0	2.969 s



#	Feature Name	T	P	F	S	Duration
11	<u>Deletion All Module</u>	6	4	2	0	1.394 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Program Module Positive Scenarios</u>	<u>create a program with valid endpoints and request body</u>	2	2	0	0	13.644 s
2		<u>Check user is able to retrieve all programs</u>	2	2	0	0	0.375 s
3		<u>check user is able to get request by programId</u>	2	2	0	0	0.684 s
4		<u>update a program with valid id and request body</u>	2	2	0	0	0.884 s
5		<u>update a program with valid programName</u>	2	2	0	0	0.986 s
6	<u>Batch Module</u>	<u>Create a batch with valid endpoints and request body</u>	3	3	0	0	1.450 s
7		<u>Check user is able to retrieve all batches</u>	3	3	0	0	0.720 s
8		<u>Check user is able to retrieve batch with valid batchid</u>	3	3	0	0	0.381 s
9		<u>Check user is able to retrieve batch with valid batchname</u>	3	3	0	0	0.218 s
10		<u>Check user is able to retrieve batch with valid programid</u>	3	3	0	0	0.210 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Batch Module</u>	<u>Update a batch with valid batchid and mandatory request body</u>	3	3	0	0	0.985 s
12	<u>User Module</u>	<u>Check if user is able to create a new user with valid endpoints and request body</u>	2	2	0	0	1.558 s
13		<u>Check if user able to retrieve a user with valid User ID</u>	3	3	0	0	0.280 s
14		<u>Get request to extract all the users</u>	3	3	0	0	3.526 s
15		<u>Check if user able to retrieve a users of all staff with valid LMS API</u>	3	3	0	0	0.286 s
16		<u>Check if user able to retrieve a users by roles with valid LMS API</u>	3	3	0	0	0.249 s
17		<u>Check if user able to assign user to program and batch with valid User Id and request body</u>	2	0	1	1	0.532 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18		<u>Check if user able to update a user with valid User Id and request body</u>	3	3	0	0	0.305 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Assignment Module</u>	<u>Check if user is able to create a new assignment with valid endpoints and request body</u>	2	2	0	0	0.530 s
20		<u>Check if user able to retrieve a record with valid Assignment ID</u>	2	2	0	0	0.292 s
21		<u>Check if user is able to retrieve all assignments with valid LMS API endpoints</u>	2	2	0	0	0.724 s
22		<u>Check if user able to retrieve a record with valid Batch ID</u>	2	2	0	0	0.250 s
23		<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	2	2	0	0	0.447 s
24	<u>Assignment Submit Module</u>	<u>Check if user is able to create a new assignment submission id with valid endpoints and request body</u>	2	2	0	0	0.451 s
25		<u>Check if user is able to retrieve all submission with valid LMS API endpoints</u>	2	2	0	0	0.441 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
26		<u>Check if user is able to retrieve assignment submissions by grades with valid batchid LMS API endpoints</u>	2	2	0	0	0.214 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Assignment Submit Module</u>	<u>Check if user able to grade assignment with valid submission Id and mandatory request body</u>	2	2	0	0	0.497 s
28		<u>Check if user is able to retrieve assignment submissions by grades with valid studid LMS API endpoints</u>	2	2	0	0	0.278 s
29		<u>Check if user is able to retrieve assignment submissions with valid userid LMS API endpoints</u>	2	2	0	0	0.251 s
30		<u>Check if user is able to retrieve assignment submissions with valid batchid LMS API endpoints</u>	2	2	0	0	0.183 s
31		<u>Check if user is able to retrieve assignment submissions by grades with valid assignment id LMS API endpoints</u>	2	1	1	0	0.220 s
32		<u>Check if user able to update a submission with valid submission ID and mandatory request body</u>	2	1	1	0	0.448 s
33	<u>Program module Negative Scenarios</u>	<u>create a program with valid end points and request body with existing data</u>	2	2	0	0	0.498 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
34	<u>Program module Negative Scenarios</u>	<u>create a program with missing mandatory field in request body</u>	2	2	0	0	0.441 s
35		<u>check user is able to get request by invalid programId</u>	2	2	0	0	0.391 s
36		<u>update a program with invalid id</u>	2	2	0	0	0.377 s
37		<u>update a program with missed mandatory feilds</u>	2	2	0	0	0.428 s
38		<u>update a program with invalid programName</u>	2	2	0	0	0.345 s
39		<u>update a program with missed mandatoryfileds</u>	2	2	0	0	0.374 s
40	<u>Check Negative Scenario for Batch Module</u>	<u>Create a batch with valid endpoints and request body with exsisting batch name</u>	3	2	1	0	0.553 s
41		<u>Create a batch missing mandatory fields in request body</u>	3	3	0	0	0.502 s
42		<u>Check user is able to retrive batch with invalid batchid</u>	3	3	0	0	0.266 s
43		<u>Check user is able to retrive batch with invalid batchname</u>	3	3	0	0	0.293 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>Check Negative Scenario for Batch Module</u>	<u>Check user is able to retrieve batch with invalid programid</u>	3	3	0	0	0.220 s
45		<u>Update a batch with invalid batchid and mandatory request body</u>	3	3	0	0	0.396 s
46		<u>Update a batch with valid batchid and missing mandatory fields from request body</u>	3	3	0	0	0.209 s
47		<u>Check user is able to delete batch with invalid programname</u>	3	3	0	0	0.201 s
48	<u>User Negative Scenarios</u>	<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>	2	0	1	1	0.083 s
49		<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>	2	0	1	1	0.116 s
50		<u>Check if user able to retrieve a user with Invalid User ID</u>	3	3	0	0	0.295 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
51		<u>Check if user able to update a user with invalid User Id and request body</u>	3	3	0	0	0.266 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
52	<u>User Negative Scenarios</u>	<u>Check if user able to update a user with valid User Id and request body (missing field)</u>	3	1	1	1	0.011 s
53		<u>Check if user able to delete a user with valid LMS API, invalid user Id</u>	3	3	0	0	0.188 s
54		<u>Check if user able to create a User missing mandatory fields in request body</u>	3	1	1	1	0.108 s
55		<u>Check if user able to assign user to program / batch with invalid User Id and request body</u>	2	0	1	1	0.139 s
56	<u>Assignment Negative Scenarios</u>	<u>Check if user able to add a record with valid endpoint and request body with existing value</u>	2	2	0	0	0.429 s
57		<u>Check if user able to add a record with valid endpoint and request body with missing value</u>	2	2	0	0	0.328 s
58		<u>Check if user able to retrieve a record with invalid Assignment ID</u>	2	2	0	0	0.224 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
59		<u>Check if user able to retrieve a record with invalid Batch ID</u>	2	2	0	0	0.230 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>Assignment Negative Scenarios</u>	<u>Check if user able to update a assignment with invalid assignment ID and mandatory request body</u>	2	2	0	0	0.383 s
61		<u>Check if user able to update a assignment with valid assignment ID and missing mandatory fields request body</u>	2	2	0	0	0.321 s
62		<u>Check if user able to delete a record with invalid Assignment ID</u>	2	2	0	0	0.205 s
63	<u>Assignment Submit Negative Scenarios</u>	<u>Check if user is able to create assignment submission id with valid endpoints and request body for existing values</u>	2	2	0	0	0.376 s
64		<u>Check if user is able to create assignment submission id with valid endpoints and request body missing mandatory *</u>	2	2	0	0	0.332 s
65		<u>Check if user able to retrieve a grades with invalid Assignment ID</u>	2	2	0	0	0.521 s
66		<u>Check if user able to retrieve a grades with invalid Student ID</u>	2	2	0	0	0.294 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
67		<u>Check if user able to retrieve a grades with invalid batch ID</u>	2	2	0	0	0.240 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
68	<u>Assignment Submit Negative Scenarios</u>	<u>Check if user able to retrieve a submission with invalid user ID</u>	2	2	0	0	0.203 s
69		<u>Check if user able to update a submission with invalid submission ID and mandatory request body</u>	2	2	0	0	0.300 s
70		<u>Check if user able to update a submission with valid submission ID and missing mandatory fields request body</u>	2	2	0	0	0.357 s
71		<u>Check if user able to delete a record with invalid Submission ID</u>	2	2	0	0	0.215 s
72	<u>Deletion All Module</u>	<u>Check if user able to delete a submission with valid submission Id</u>	2	2	0	0	0.207 s
73		<u>Check if user able to delete a record with valid Assignment ID</u>	2	2	0	0	0.176 s
74		<u>Check if user able to delete a record with valid User ID</u>	2	2	0	0	0.199 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
75		<u>Check if user able to delete a record with valid Batch ID</u>	2	2	0	0	0.200 s
76		<u>Check if user able to delete a record with valid Program ID</u>	2	1	1	0	0.190 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
77	<u>Deletion All Module</u>	<u>Check if user able to delete a program with valid programName</u>	2	1	1	0	0.337 s

Program Module Positive Scenarios



PASSED	DURATION - 17.207 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 4:34:41.732 AM // 4:34:58.939 AM /					

create a program with valid endpoints and request body

PASSED	DURATION - 13.644 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:34:41.778 AM // 4:34:55.422 AM /				
Program Module Positive Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request,request body to create program from the excel sheet "ProgramData" and 0	PASSED	11.307 s
2	Then The user submits the post request and verifies the status 201	PASSED	2.315 s



Check user is able to retrieve all programs

PASSED	DURATION - 0.375 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:34:55.867 AM // 4:34:56.242 AM /				
Program Module Positive Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request to get all programs	PASSED	0.372 s



#	Step / Hook Details	Status	Duration
2	Then The user submits the get request and verifies the status 200	PASSED	0.001 s

check user is able to get request by programId

PASSED	DURATION - 0.684 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:34:56.297 AM // 4:34:56.981 AM /				
Program Module Positive Scenarios				


#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request to get request by valid programid	PASSED	0.678 s
2	Then The user submits the get request and verifies the status 200	PASSED	0.002 s

update a program with valid id and request body

PASSED	DURATION - 0.884 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:34:57.025 AM // 4:34:57.909 AM /				
Program Module Positive Scenarios				


#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with mandatory fields to update a request by program id from the excel sheet "ProgramData" and 1	PASSED	0.878 s
2	Then The user submits the update request and verifies the status 200	PASSED	0.003 s

update a program with valid programName




#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with mandatory fields to update program by program name from the excel sheet "ProgramData" and 2	PASSED	0.980 s
2	Then The user submits the update request and verifies the status 200	PASSED	0.001 s

Batch Module





Create a batch with valid endpoints and request body



#	Step / Hook Details	Status	Duration
1	Given User create post request	PASSED	0.002 s
2	When User sends HTTPS request, request body from excel sheet "ProgramBatch" and 0	PASSED	1.443 s



#	Step / Hook Details	Status	Duration
3	Then The user receives 201 status code	PASSED	0.001 s

Check user is able to retrieve all batches

PASSED	DURATION - 0.720 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:35:00.458 AM // 4:35:01.178 AM /				
Batch Module				


#	Step / Hook Details	Status	Duration
1	Given User create get all request	PASSED	0.083 s
2	When User sends HTTPS request	PASSED	0.632 s
3	Then User receives 200 OK status with response body	PASSED	0.001 s

Check user is able to retrieve batch with valid batchid

PASSED	DURATION - 0.381 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:01.248 AM // 4:35:01.629 AM /				
Batch Module				


#	Step / Hook Details	Status	Duration
1	Given User create get request with valid batchid	PASSED	0.003 s
2	When User sends HTTPS Request with a valid 11356	PASSED	0.374 s
3	Then User receives 200 OK status with response body by batchid	PASSED	0.001 s

Check user is able to retrieve batch with valid batchname





#	Step / Hook Details	Status	Duration
1	Given User create get request with valid batchname	PASSED	0.002 s
2	When User sends HTTPS request by valid "Jul23-Coders_Creepers-SDET-SDET01-08"	PASSED	0.212 s
3	Then User receives 200 OK status with response body by valid batchname	PASSED	0.001 s

Check user is able to retrieve batch with valid programid





#	Step / Hook Details	Status	Duration
1	Given User create get request with valid programid	PASSED	0.002 s
2	When User sends HTTPS request by valid programid with 14521	PASSED	0.206 s
3	Then User receives 200 OK status with response body	PASSED	0.001 s

Update a batch with valid batchid and mandatory request body



<div>PASSED</div>	<div>DURATION - 0.985 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:02.141 AM // 4:35:03.126 AM /</div>				
<div>Batch Module</div>				

#	Step / Hook Details	Status	Duration
1	Given User create put request and valid batchid	PASSED	0.001 s
2	When User sends HTTPS put request for 11356 request body from excel sheet "ProgramBatch" and 1	PASSED	0.981 s
3	Then The user receives 200 status and updated response body	PASSED	0.001 s

User Module



<div>FAILED</div>	<div>DURATION - 7.049 s</div>	<div>Scenarios</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 17</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 4:35:03.166 AM // 4:35:10.215 AM /					

Check if user is able to create a new user with valid endpoints and request body

<div>PASSED</div> <div>DURATION - 1.558 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:03.167 AM // 4:35:04.725 AM /</div>			
<div>User Module</div>			
<div>@Api_create_User</div>			



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request and request body with mandatory and additional fields from the user excel sheet "User" and 0	PASSED	1.549 s
2	Then User receives 201 created status with response body for the user module post request	PASSED	0.001 s

Check if user able to retrieve a user with valid User ID

PASSED	DURATION - 0.280 s	 <p>A bar chart with a y-axis from 0 to 0.6 and an x-axis with labels 1, 2, 3. A single black bar is present at x=1, reaching a height of approximately 0.28.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	 <p>A green donut chart with the number 3 in the center, indicating 3 out of 3 steps passed.</p>
/ 4:35:04.797 AM // 4:35:05.077 AM /				
User Module				
@Api_get_UserId				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid "U8267"	PASSED	0.273 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User receives 200 OK Status with response body for get user	PASSED	0.001 s

Get request to extract all the users

PASSED	DURATION - 3.526 s	 <p>A bar chart with a y-axis from 0 to 4 and an x-axis with labels 1, 2, 3. A single black bar is present at x=3, reaching a height of approximately 3.5.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	 <p>A green donut chart with the number 3 in the center, indicating 3 out of 3 steps passed.</p>
/ 4:35:05.097 AM // 4:35:08.623 AM /				
User Module				
@Api_getAllUsers				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API All User endpoint	PASSED	0.001 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User fetches all the user and do validations	PASSED	3.521 s

Check if user able to retrieve a users of all staff with valid LMS API

PASSED	DURATION - 0.286 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:35:08.683 AM // 4:35:08.969 AM /				
User Module				
@Api_AllStaff				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API All Staff endpoint	PASSED	0.001 s
2	When User sends HTTPS Request	PASSED	0.000 s
3	Then User fetches all staff and do validations	PASSED	0.279 s

Check if user able to retrieve a users by roles with valid LMS API

PASSED	DURATION - 0.249 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:35:08.988 AM // 4:35:09.237 AM /				
User Module				
@Api_get_roles				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API for users with the roles	PASSED	0.001 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User receives the list of users with their roles	PASSED	0.246 s

Check if user able to assign user to program and batch with valid User Id and request body



<div>FAILED</div> <div>DURATION - 0.532 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:35:09.256 AM // 4:35:09.788 AM /</div>				
<div>User Module</div>				
<div>@Api_put_PBU_update</div>				

#	Step / Hook Details	Status	Duration
1	<p>When User sends HTTPS PUT Request and request Body with mandatory fields from the user excel sheet "UserBatchProg" and 0</p> <pre> java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: userId=U11560. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) </pre>	FAILED	0.526 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.CRUDOperations.User_CRUD.updateUser(User_CRUD.java:132) at api.Actions.User_TestCases.TestUpdateUser(User_TestCases.java:124) at api.Step_Definitions.User_Steps. user_sends_https_put_request_and_request_body_with_mandatory_fields_from_the_user_excel_sheet_and(User_Steps.java:126) at ?.User sends HTTPS PUT Request and request Body with mandatory fields from the user excel sheet "UserBatchProg" and 0(file:///C:/Users/Prasanna/eclipse-workspace/Maven/API_Rest/API_CodeCreepers/.src/test/resources/Features/03User.feature:51) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receives 200 Ok Status with response message for the user module put request	SKIPPED	0.002 s

Check if user able to update a user with valid User Id and request body



PASSED		DURATION - 0.305 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 4:35:09.910 AM // 4:35:10.215 AM /							
User Module							
@Api_update_roleStatus							

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for updating user details in the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with mandatory fields "U8267"	PASSED	0.301 s
3	Then User receives 200 Ok Status with response message for the user module put request	PASSED	0.001 s

Assignment Module



PASSED	DURATION - 2.366 s	Scenarios		Steps	
/ 4:35:10.242 AM // 4:35:12.608 AM /		Total - 5 Pass - 5 Fail - 0 Skip - 0		Total - 10 Pass - 10 Fail - 0 Skip - 0	

Check if user is able to create a new assignment with valid endpoints and request body

PASSED	DURATION - 0.530 s		Steps	
/ 4:35:10.242 AM // 4:35:10.772 AM /			Total - 2 Pass - 2 Fail - 0 Skip - 0	
Assignment Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request and request body with mandatory and additional fields from the assignment excel sheet "Assignment" and 0	PASSED	0.527 s
2	Then User receives 201 created status with response body for the assignment module post request	PASSED	0.001 s

Check if user able to retrieve a record with valid Assignment ID

PASSED		DURATION - 0.292 s			<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 4:35:10.792 AM // 4:35:11.084 AM /							
Assignment Module							



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with a valid Assignment 3515	PASSED	0.289 s
2	Then User receives 200 OK Status with response body for GET assignment	PASSED	0.001 s

Check if user is able to retrieve all assignments with valid LMS API endpoints

PASSED	DURATION - 0.724 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0				
/ 4:35:11.103 AM // 4:35:11.827 AM /							
Assignment Module							



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS GET Request to retrieve all assignments	PASSED	0.722 s
2	Then User receives 200 OK Status with response body for Get All	PASSED	0.001 s

Check if user able to retrieve a record with valid Batch ID

PASSED	DURATION - 0.250 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:11.846 AM // 4:35:12.096 AM /				
Assignment Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with a valid Batch 6481	PASSED	0.248 s
2	Then User receives 200 OK Status with response body for GET assignment using batchid	PASSED	0.001 s

Check if user able to update a record with valid AssignmentID and mandatory request body



PASSED	DURATION - 0.447 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0				
/ 4:35:12.161 AM // 4:35:12.608 AM /							
Assignment Module							

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with mandatory and additional fields from the assignment excel sheet "Assignment" and 1	PASSED	0.444 s
2	Then User receives 200 OK Status with updated value in response body for the PUT request	PASSED	0.001 s

Assignment Submit Module



FAILED		DURATION - 3.180 s		Scenarios Total - 9 Pass - 7 Fail - 2 Skip - 0		Steps Total - 18 Pass - 16 Fail - 2 Skip - 0			
/ 4:35:12.639 AM // 4:35:15.819 AM /									

Check if user is able to create a new assignment submission id with valid endpoints and request body

PASSED		DURATION - 0.451 s			<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:12.639 AM // 4:35:13.090 AM /						
Assignment Submit Module						



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request and request body with mandatory and additional fields from the assignment submit excel sheet "AssignmentSubmit" and 2	PASSED	0.449 s
2	Then User receives 201 created status with response body for the assignment submit module post request	PASSED	0.000 s

Check if user is able to retrieve all submission with valid LMS API endpoints

<div>PASSED</div>	<div>DURATION - 0.441 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:13.107 AM // 4:35:13.548 AM /</div>				
<div>Assignment Submit Module</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS GET Request	PASSED	0.439 s
2	Then User receives 200 OK Status with response body	PASSED	0.001 s

Check if user is able to retrieve assignment submissions by grades with valid batchid LMS API endpoints

<div>PASSED</div>	<div>DURATION - 0.214 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:13.565 AM // 4:35:13.779 AM /</div>				
<div>Assignment Submit Module</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid Batch 6481	PASSED	0.212 s
2	Then User receives 200 OK Status with response body for GET Grades using batchid	PASSED	0.000 s

Check if user able to grade assignment with valid submission Id and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.497 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:13.798 AM // 4:35:14.295 AM /</div>				
<div>Assignment Submit Module</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Put Request and request Body with mandatory fields from the assignment submit excel sheet "AssignmentSubmit" and 0	PASSED	0.495 s
2	Then User receives 200 OK Status with updated value in response body	PASSED	0.001 s

Check if user is able to retrieve assignment submissions by grades with valid studid LMS API endpoints

<div>PASSED</div>	<div>DURATION - 0.278 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:35:14.315 AM // 4:35:14.593 AM /</div>				
<div>Assignment Submit Module</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid Stud "U9357"	PASSED	0.276 s
2	Then User receives 200 OK Status with response body for GET Grades using studid	PASSED	0.001 s

Check if user is able to retrieve assignment submissions with valid userid LMS API endpoints

PASSED	DURATION - 0.251 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0				
/ 4:35:14.610 AM // 4:35:14.861 AM /							
Assignment Submit Module							



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid User "U9357"	PASSED	0.250 s
2	Then User receives 200 OK Status with response body for GET submissions using userid	PASSED	0.001 s

Check if user is able to retrieve assignment submissions with valid batchid LMS API endpoints

<div>PASSED</div>	<div>DURATION - 0.183 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:14.878 AM // 4:35:15.061 AM /</div>				
<div>Assignment Submit Module</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid batchid 6481	PASSED	0.180 s
2	Then User receives 200 OK Status with response body for GET submissions using batchid	PASSED	0.001 s

Check if user is able to retrieve assignment submissions by grades with valid assignment id LMS API endpoints

FAILED	DURATION - 0.220 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 4:35:15.130 AM // 4:35:15.350 AM /				
Assignment Submit Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid assignment 3935	PASSED	0.210 s
2	Then User receives 200 OK Status with response body for GET submissions using assignmentid <pre> java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_status(Assignment_Submit_TestCases.java:179) at api.Step_Definitions.Assignment_Submit_Steps. user_receives_ok_status_with_response_body_for_get_submissions_using_assignmentid(Assignment_Submit_Steps.java:166) at ?.User receives 200 OK Status with response body for GET submissions using assignmentid(file:///C:/Users/Prasanna/eclipse-workspace/ Maven/API_Rest/API_CodeCreepers/./src/test/resources/Features/05AssignmentSubmit.feature:73) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.009 s

Check if user able to update a submission with valid submission ID and mandatory request body



FAILED	DURATION - 0.448 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 4:35:15.371 AM // 4:35:15.819 AM /				
Assignment Submit Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Put Request to update submission and request Body with mandatory fields from the assignment submit excel sheet "AssignmentSubmit" and 1	PASSED	0.444 s
2	Then User receives 200 OK Status with updated submission value in response body java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_Resubmitput_status(Assignment_Submit_TestCases.java:382) at api.Step_Definitions.Assignment_Submit_Steps. user_receives_ok_status_with_updated_submission_value_in_response_body(Assignment_Submit_Steps.java:190) at ?.User receives 200 OK Status with updated submission value in response body(file:///C:/Users/Prasanna/eclipse-workspace/Maven/ API_Rest/API_CodeCreeper/.src/test/resources/Features/05AssignmentSubmit.feature:82) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Program module Negative Scenarios



PASSED	DURATION - 2.948 s	Scenarios Total - 7 Pass - 7 Fail - 0 Skip - 0		Steps Total - 14 Pass - 14 Fail - 0 Skip - 0	
/ 4:35:15.851 AM // 4:35:18.799 AM /					

create a program with valid end points and request body with existing data

<div>PASSED</div> <div>DURATION - 0.498 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:15.851 AM // 4:35:16.349 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request,request body with existing program name from the excel sheet "ProgNeg" and 2	PASSED	0.497 s
2	Then The user submits the post request and verifies the status 400	PASSED	0.000 s

create a program with missing mandatory field in request body

PASSED	<i>DURATION - 0.441 s</i>		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:16.364 AM // 4:35:16.805 AM /				
<i>Program module Negative Scenarios</i>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request,request body with missing mandatory fields from the excel sheet "ProgNeg" and 3	PASSED	0.439 s
2	Then The user submits the post request and verifies the status 400	PASSED	0.001 s

check user is able to get request by invalid programId

<div>PASSED</div>	<div>DURATION - 0.391 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:16.823 AM // 4:35:17.214 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request to get request by invalid program id from the excel sheet "ProgNeg" and 4	PASSED	0.390 s
2	Then The user submits the get request and verifies the status 404	PASSED	0.001 s

update a program with invalid id

PASSED	DURATION - 0.377 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:17.230 AM // 4:35:17.607 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with invalid program id to update program from the excel sheet "ProgNeg" and 6	PASSED	0.376 s
2	Then The user submits the update request and verifies the status 404	PASSED	0.001 s

update a program with missed mandatory feilds

PASSED	DURATION - 0.428 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:17.622 AM // 4:35:18.050 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with missing mandatory fields to update program by program id from the excel sheet "ProgNeg" and 7	PASSED	0.426 s
2	Then The user submits the update request and verifies the status 500	PASSED	0.001 s

update a program with invalid programName

<div>PASSED</div> <div>DURATION - 0.345 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:18.065 AM // 4:35:18.410 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with invalid program name to update program from the excel sheet "ProgNeg" and 9	PASSED	0.343 s
2	Then The user submits the update request and verifies the status 404	PASSED	0.001 s

update a program with missed mandatoryfiles



<div>PASSED</div>	<div>DURATION - 0.374 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:18.425 AM // 4:35:18.799 AM /</div>				
<div>Program module Negative Scenarios</div>				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with missing mandatory fields to update program by program name from the excel sheet "ProgNeg" and 10	PASSED	0.372 s
2	Then The user submits the update request and verifies the status 500	PASSED	0.000 s

Check Negative Scenario for Batch Module



<div>FAILED</div> <div>DURATION - 2.787 s</div>		<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 23</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 4:35:18.829 AM // 4:35:21.616 AM /					

Create a batch with valid endpoints and request body with exsisting batch name

<div>FAILED</div> <div>DURATION - 0.553 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 4:35:18.829 AM // 4:35:19.382 AM /				
Check Negative Scenario for Batch Module				



#	Step / Hook Details	Status	Duration
1	Given User create post request with exsisting batch name	PASSED	0.001 s
2	When User sends HTTPS request, request body from excel sheet again "ProgramBatch" and 2	PASSED	0.547 s
3	Then User receives 400 Bad Request status <pre>java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_Batch_Negative_TestCases.verify_post_status_Existing_Batchname(Program_Batch_Negative_TestCases.java:38) at api.Step_Definitions.Program_Batch_Negative_Steps.user_receives_bad_request_status(Program_Batch_Negative_Steps.java:45) at ?.User receives 400 Bad Request status(file:///C:/Users/Prasanna/eclipse-workspace/Maven/API_Rest/API_CodeCreepers/.src/test/resources/Features/07ProgramBatch_Negative.feature:8) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

Create a batch missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.502 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:19.400 AM // 4:35:19.902 AM /</div>				
<div>Check Negative Scenario for Batch Module</div>				



#	Step / Hook Details	Status	Duration
1	Given User create post request missing mandatory fields	PASSED	0.000 s
2	When User sends HTTPS request, request body from excel sheet "ProgramBatch" and 1 with missing mandatory field	PASSED	0.499 s
3	Then User receives 400 Bad Requests status	PASSED	0.001 s

Check user is able to retrieve batch with invalid batchid

PASSED	DURATION - 0.266 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:35:19.917 AM // 4:35:20.183 AM /				
Check Negative Scenario for Batch Module				



#	Step / Hook Details	Status	Duration
1	Given User create get request with invalid batchid	PASSED	0.001 s
2	When User sends HTTPS request by invalid 11	PASSED	0.263 s
3	Then User receives 404 NOT FOUND status	PASSED	0.001 s

Check user is able to retrieve batch with invalid batchname

PASSED	DURATION - 0.293 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:20.231 AM // 4:35:20.524 AM /				
Check Negative Scenario for Batch Module				



#	Step / Hook Details	Status	Duration
1	Given User create get request with invalid batchname	PASSED	0.000 s
2	When User sends HTTPS request with invalid "Jul23-Coders_Creepers-SDET"	PASSED	0.289 s
3	Then User receives 404 NOT FOUND status by invalid batchname	PASSED	0.001 s

Check user is able to retrieve batch with invalid programid

<div>PASSED</div>	<div>DURATION - 0.220 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:20.538 AM // 4:35:20.758 AM /</div>				
<div>Check Negative Scenario for Batch Module</div>				



#	Step / Hook Details	Status	Duration
1	Given User create get request with invalid programid	PASSED	0.001 s
2	When User sends HTTPS request 14	PASSED	0.216 s
3	Then User receives 404 NOT FOUND status for programid	PASSED	0.001 s

Update a batch with invalid batchid and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.396 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:20.780 AM // 4:35:21.176 AM /</div>				
<div>Check Negative Scenario for Batch Module</div>				



#	Step / Hook Details	Status	Duration
1	Given User create put request and invalid batchid	PASSED	0.001 s
2	When User sends HTTPS request for 11 request body from excel sheet "ProgramBatch" and 0	PASSED	0.394 s
3	Then The user receives 404 NOT FOUND status for invalid batchid	PASSED	0.001 s

Update a batch with valid batchid and missing mandatory fields from request body

PASSED		<i>DURATION - 0.209 s</i>			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0		
<i>/ 4:35:21.191 AM // 4:35:21.400 AM /</i>							
<i>Check Negative Scenario for Batch Module</i>							



#	Step / Hook Details	Status	Duration
1	Given User creates put request and valid batchid and missing mandatory feilds	PASSED	0.000 s
2	When User sends HTTPS request for 11356 request body from excel sheet "ProgramBatch" and 1 with missing mandatory feilds	PASSED	0.206 s
3	Then The user receives 400 Bad Request status for missing mandatory feilds	PASSED	0.000 s

Check user is able to delete batch with invalid programname



<div>PASSED</div>	<div>DURATION - 0.201 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:21.415 AM // 4:35:21.616 AM /</div>				
<div>Check Negative Scenario for Batch Module</div>				

#	Step / Hook Details	Status	Duration
1	Given User create delete request with invalid batchid	PASSED	0.001 s
2	When User sends HTTPS request with Invalid 11	PASSED	0.199 s
3	Then The user receives 404 Bad Request status for Invalid batchid	PASSED	0.000 s

User Negative Scenarios



FAILED	DURATION - 1.425 s	Scenarios Total - 8 Pass - 3 Fail - 5 Skip - 0		Steps Total - 21 Pass - 11 Fail - 5 Skip - 5	
/ 4:35:21.644 AM // 4:35:23.069 AM /					

Check if user able to create a User with valid endpoint and request body (existing values in phone no)

<div>FAILED</div> <div>DURATION - 0.083 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:35:21.644 AM // 4:35:21.727 AM /</div>				
<div>User Negative Scenarios</div>				
<div>@negative1_post</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPSrequest from the user excel sheet "UserNeg" and 0 for negative Post <pre> java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps. user_sends_http_srequest_from_the_user_excel_sheet_and_for_negative_post(User_Negative_Steps.java:30) at ?.User sends HTTPSrequest from the user excel sheet "UserNeg" and 0 for negative Post(file:///C:/Users/Prasanna/eclipse-workspace/ Maven/API_Rest/API_CodeCreepers/./src/test/resources/Features/08User_Negative.feature:9) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.081 s
2	Then User receives 400 Bad Request Status with message and boolean success details for invalid user req	SKIPPED	0.001 s

Check if user able to create a User with valid endpoint and request body (existing values in phone no)

<div>FAILED</div> <div>DURATION - 0.116 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 4:35:21.780 AM // 4:35:21.896 AM /				
User Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body (missing mandatory fields) "UserNeg" and 0 for negative Post <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps.user_sends_https_request_and_request_body_missing_mandatory_fields_and_for_negative_post(User_Negative_Steps.java:55) at ?.User sends HTTPS Request and request Body (missing mandatory fields) "UserNeg" and 0 for negative Post(file:///C:/Users/Prasanna/eclipse-workspace/Maven/API_Rest/API_CodeCreepers/.src/test/resources/Features/08User_Negative.feature:19) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.115 s
2	Then User receives 400 Bad Request Status with message and boolean success details for invalid user req	SKIPPED	0.000 s

Check if user able to retrieve a user with Invalid User ID

<div>PASSED</div>	<div>DURATION - 0.295 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:21.951 AM // 4:35:22.246 AM /				
User Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with Invalid "U826"	PASSED	0.294 s
2	When User sends HTTPS Request	PASSED	0.000 s
3	Then User receives 404 Not Found Status with response body for user update	PASSED	0.000 s

Check if user able to update a user with invalid User Id and request body

<div>PASSED</div>	<div>DURATION - 0.266 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:22.260 AM // 4:35:22.526 AM /</div>				
<div>User Negative Scenarios</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with mandatory fields "U826"	PASSED	0.263 s
3	Then User receives 404 Not Found Status with response body for user update	PASSED	0.000 s

Check if user able to update a user with valid User Id and request body (missing field)



<div>FAILED</div> <div>DURATION - 0.011 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:35:22.542 AM // 4:35:22.553 AM /</div>				
<div>User Negative Scenarios</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with missing mandatory fields "U8267" from the user excel "UserNeg" and 0	FAILED	0.006 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [User sends HTTPS Request and request Body with missing mandatory fields {string} from the user excel {string} and {int}] defined at 'api.Step_Definitions.User_Negative_Steps.user_sends_https_request_and_request_body_with_missing_mandatory_fields_from_the_user_excel_and(java.lang.String,int,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58)		



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:85) at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47) at org.apache.maven.surefire.junitplatform.LazyLauncher.execute(LazyLauncher.java:56) at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:184) at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:148) at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:122) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) </pre> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void api.Step_Definitions.User_Negative_Steps.user_sends_https_request_and_request_body_with_missing_mandatory_fields_from_the_user_excel_and(java.lang.String,int,java.lang.String) throws org.apache.poi.openxml4j.exceptions.InvalidFormatException,java.io.IOException</p> <pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 56 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:108) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
3	Then User receives 400 Not Found Status with response body for user update	SKIPPED	0.000 s

Check if user able to delete a user with valid LMS API,invalid user Id

PASSED	DURATION - 0.188 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:35:22.575 AM // 4:35:22.763 AM /				
User Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and invalid "U10"	PASSED	0.181 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid user req	PASSED	0.001 s

Check if user able to create a User missing mandatory fields in request body

FAILED	DURATION - 0.108 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 4:35:22.781 AM // 4:35:22.889 AM /				
User Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API endpoint missing	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with mandatory ,additional fields "UserNeg" and 0 <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps. user_sends_https_request_and_request_body_with_mandatory_additional_fields_and(User_Negative_Steps.java:132) at ?.User sends HTTPS Request and request Body with mandatory ,additional fields "UserNeg" and 0(file:///C:/Users/Prasanna/eclipse-workspace/Maven/API_Rest/API_CodeCreepers/src/test/resources/Features/08User_Negative.feature:67) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.105 s
3	Then User receives 400 Bad Request Status with message and boolean success details invalid missing field	SKIPPED	0.001 s

Check if user able to assign user to program / batch with invalid User Id and request body



FAILED	DURATION - 0.139 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:35:22.930 AM // 4:35:23.069 AM /				
User Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with mandatory fields from the user excel "UserNeg" and 0 <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps.user_sends_https_put_request_and_request_body_with_mandatory_fields_from_the_user_excel_and(User_Negative_Steps.java:155) at ?.User sends HTTPS PUT Request and request Body with mandatory fields from the user excel "UserNeg" and 0(file:///C:/Users/Prasanna/eclipse-workspace/Maven/API_Rest/API_CodeCreepers/.src/test/resources/Features/08User_Negative.feature:76) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.137 s
2	Then User receives 404 Not Found Status with message and boolean success detailst	SKIPPED	0.000 s

Assignment Negative Scenarios



<div>PASSED</div>	<div>DURATION - 2.212 s</div>	<div>Scenarios</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 14</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>
<div>/ 4:35:23.104 AM // 4:35:25.316 AM /</div>					

Check if user able to add a record with valid endpoint and request body with existing value

<div>PASSED</div>	<div>DURATION - 0.429 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:35:23.104 AM // 4:35:23.533 AM /</div>				
<div>Assignment Negative Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with mandatory and additional fields for an existing id from the excel sheet "Assignment" and 0	PASSED	0.427 s
2	Then User receives 400 Bad Request Status with message and boolean success details with invalid Assignment Request	PASSED	0.001 s

Check if user able to add a record with valid endpoint and request body with missing value

<div>PASSED</div>	<div>DURATION - 0.328 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:35:23.549 AM // 4:35:23.877 AM /</div>				
<div>Assignment Negative Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with missing mandatory and additional fields for an id from the excel sheet "Assignment" and 0	PASSED	0.328 s
2	Then User receives 400 Bad Request Status with message and boolean success details with invalid Assignment Request	PASSED	0.000 s

Check if user able to retrieve a record with invalid Assignment ID

<div>PASSED</div>	<div>DURATION - 0.224 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:23.894 AM // 4:35:24.118 AM /				
Assignment Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Assignment 3635 in the request	PASSED	0.222 s
2	Then User receives 404 Not Found Status with message and boolean success details for Get Request with invalid Assignmentid	PASSED	0.001 s

Check if user able to retrieve a record with invalid Batch ID

PASSED	DURATION - 0.230 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0				
/ 4:35:24.135 AM // 4:35:24.365 AM /							
Assignment Negative Scenarios							



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Batch 6023 in the request	PASSED	0.229 s
2	Then User receives 404 Not Found Status with message and boolean success details for Get Request with invalid BatchId	PASSED	0.001 s

Check if user able to update a assignment with invalid assignment ID and mandatory request body

PASSED	DURATION - 0.383 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:24.380 AM // 4:35:24.763 AM /				
Assignment Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with invalid assignment Id 3635 mandatory and additional fields from excel sheet "Assignment" and 1	PASSED	0.381 s
2	Then User receives 404 Not Found Status with message and boolean success details for put Request with invalid Assignmentid	PASSED	0.000 s

Check if user able to update a assignment with valid assignment ID and missing mandatory fields request body

PASSED	DURATION - 0.321 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:24.777 AM // 4:35:25.098 AM /				
Assignment Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with missing mandatory fields with valid assignment Id 3935 mandatory and additional fields from excel sheet "Assignment" and 1	PASSED	0.318 s
2	Then User receives 400 Bad request with message and boolean success details for put Request with valid Assignmentid	PASSED	0.001 s

Check if user able to delete a record with invalid Assignment ID



PASSED		DURATION - 0.205 s			Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:25.111 AM // 4:35:25.316 AM /						
Assignment Negative Scenarios						

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for invalid assignment 3654	PASSED	0.204 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Assignment ID	PASSED	0.001 s

Assignment Submit Negative Scenarios



PASSED	DURATION - 2.969 s	Scenarios Total - 9 Pass - 9 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 4:35:25.342 AM // 4:35:28.311 AM /					

Check if user is able to create assignment submission id with valid endpoints and request body for existing values

<div>PASSED</div>	<div>DURATION - 0.376 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:25.342 AM // 4:35:25.718 AM /</div>				
<div>Assignment Submit Negative Scenarios</div>				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS POST request and request body with mandatory and additional fields from the assignment submit excel sheet "AssignmentSubmit" and 0	PASSED	0.374 s
2	Then User receives 400 Bad Request with response body for the assignment submit module invalid post request	PASSED	0.001 s



Check if user is able to create assignment submission id with valid endpoints and request body missing mandatory fields

<div>PASSED</div>	<div>DURATION - 0.332 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:35:25.732 AM // 4:35:26.064 AM /</div>				
<div>Assignment Submit Negative Scenarios</div>				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS POST request and request body with missing mandatory fields from the assignment submit excel	PASSED	0.332 s



#	Step / Hook Details	Status	Duration
	sheet "AssignmentSubmit" and 1		
2	Then User receives 400 Bad Request with response body for the assignment submit module invalid post request	PASSED	0.000 s

Check if user able to retrieve a grades with invalid Assignment ID

PASSED	DURATION - 0.521 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:26.081 AM // 4:35:26.602 AM /				
Assignment Submit Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Assignment ID 3635	PASSED	0.520 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request	PASSED	0.000 s

Check if user able to retrieve a grades with invalid Student ID

PASSED	DURATION - 0.294 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:35:26.623 AM // 4:35:26.917 AM /				
Assignment Submit Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Student ID "U9343"	PASSED	0.293 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request	PASSED	0.001 s

Check if user able to retrieve a grades with invalid batch ID

PASSED	DURATION - 0.240 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0				
/ 4:35:26.937 AM // 4:35:27.177 AM /							
Assignment Submit Negative Scenarios							



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid batch ID 6023	PASSED	0.238 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request	PASSED	0.000 s

Check if user able to retrieve a submission with invalid user ID

PASSED	DURATION - 0.203 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:27.192 AM // 4:35:27.395 AM /				
Assignment Submit Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request to retrieve submission with invalid user ID "U4512"	PASSED	0.202 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request	PASSED	0.000 s

Check if user able to update a submission with invalid submission ID and mandatory request body

PASSED	DURATION - 0.300 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:27.409 AM // 4:35:27.709 AM /				
Assignment Submit Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with invalid submission Id 1234 mandatory and additional fields from excel sheet "AssignmentSubmit" and 1	PASSED	0.298 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request	PASSED	0.001 s

Check if user able to update a submission with valid submission ID and missing mandatory fields request body

PASSED	DURATION - 0.357 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:27.723 AM // 4:35:28.080 AM /				
Assignment Submit Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with missing mandatory fields with valid submission Id 1562 mandatory and additional fields from excel sheet "AssignmentSubmit" and 1	PASSED	0.355 s
2	Then User receives 400 Bad request with message and boolean success details for invalid Submission request	PASSED	0.000 s

Check if user able to delete a record with invalid Submission ID



PASSED	DURATION - 0.215 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:28.096 AM // 4:35:28.311 AM /				
Assignment Submit Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for invalid Submission 1023	PASSED	0.214 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission ID	PASSED	0.000 s

Deletion All Module



FAILED	DURATION - 1.394 s	Scenarios Total - 6 Pass - 4 Fail - 2 Skip - 0		Steps Total - 12 Pass - 10 Fail - 2 Skip - 0	
/ 4:35:28.335 AM // 4:35:29.729 AM /					

Check if user able to delete a submission with valid submission Id


PASSED	DURATION - 0.207 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:28.335 AM // 4:35:28.542 AM /				
Deletion All Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid submission 3515	PASSED	0.205 s
2	Then User receives 200 Ok status with message	PASSED	0.001 s


Check if user able to delete a record with valid Assignment ID

PASSED	DURATION - 0.176 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:35:28.566 AM // 4:35:28.742 AM /				
Deletion All Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid assignment 3935	PASSED	0.174 s
2	Then User receives 200 Ok status with message with valid assignmentid	PASSED	0.001 s



Check if user able to delete a record with valid User ID

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid User "U9357"	PASSED	0.197 s
2	Then User receives 200 Ok status with message with valid userid	PASSED	0.000 s

Check if user able to delete a record with valid Batch ID



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid Batch 6481	PASSED	0.199 s
2	Then User receives 200 Ok status with message with valid batchid	PASSED	0.001 s

Check if user able to delete a record with valid Program ID

FAILED	DURATION - 0.190 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:35:29.186 AM // 4:35:29.376 AM /				
Deletion All Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid Program 10942	PASSED	0.188 s
2	Then User receives 200 Ok status with message with valid programid <pre>java.lang.AssertionError: expected [200] but found [500] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_delete_request_by_program_Id_status(Program_TestCases.java:197) at api.Step_Definitions.Delete_Steps.user_receives_ok_status_with_message_with_valid_programid(Delete_Steps.java:88) at ?.User receives 200 Ok status with message with valid programid(file:///C:/Users/Prasanna/eclipse-workspace/Maven/API_Rest/API_CodeCreepers/src/test/resources/Features/11Delete.feature:44) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

Check if user able to delete a program with valid programName

<div>FAILED</div> <div>DURATION - 0.337 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 4:35:29.392 AM // 4:35:29.729 AM /				
Deletion All Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request to delete program by program name from the excel sheet "ProgramData" and 3	PASSED	0.335 s
2	Then The user submits the update request and verifies the status 200 for successful deletion	FAILED	0.001 s
	<pre> java.lang.AssertionError: expected [200] but found [500] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_delete_request_by_program_name_status(Program_TestCases.java:179) at api.Step_Definitions.Delete_Steps. the_user_submits_the_update_request_and_verifies_the_status_for_successful_deletion(Delete_Steps.java:102) at ?.The user submits the update request and verifies the status 200 for successful deletion(file:///C:/Users/Prasanna/eclipse-workspace/ Maven/API_Rest/API_CodeCreepers/./src/test/resources/Features/11Delete.feature:53) * Not displayable characters are replaced by '?'. </pre>		