

Cucumber Report

Sep 11, 2023, 9:00:22 AM

Start : Sep 11, 9:00:16.653 AM

End : Sep 11, 9:00:22.119 AM

Duration : 5.466 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 5
FAILED - 5
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Manage Program Validation</u>	5.466 s	5	0	5	0	15	5	5	5

#	Feature Name	Scenario Name
1	<u>Manage Program Validation</u>	<u>Validate landing in Program page</u>
2		<u>Validate the heading</u>
3		<u>Validate the text and pagination icon below the data table</u>
4		<u>Validate the footer</u>
5		<u>Validating the default state of Delete button</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Manage Program Validation</u>	5	0	5	0	5.466 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Manage Program Validation</u>	<u>Validate landing in Program page</u>	3	1	1	1	3.769 s
2		<u>Validate the heading</u>	3	1	1	1	0.357 s
3		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.516 s
4		<u>Validate the footer</u>	3	1	1	1	0.329 s
5		<u>Validating the default state of Delete button</u>	3	1	1	1	0.316 s

Manage Program Validation

FAILED	DURATION - 5.466 s	Scenarios		Steps	
/ 9:00:16.653 AM // 9:00:22.119 AM /		Total - 5		Total - 15	
		Pass - 0		Pass - 5	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 5	



Validate landing in Program page

<div>FAILED</div> <div>DURATION - 3.769 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:00:16.656 AM // 9:00:20.425 AM /</div>				
<div>Manage Program Validation</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.908 s
2	When Admin clicks "Program" on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@value='program']"} (Session info: chrome=116.0.5845.111) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [b33666209b4afbcbfa03461a5e3bd08a, findElement {using=xpath, value=//input[@value='program']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.111, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\Sumod\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10535}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10535/devtoo..., se:cdpVersion: 116.0.5845.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b33666209b4afbcbfa03461a5e3bd08a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.054 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.lms.ui.pageObjets.Program_obj.clickProgramLink(Program_obj.java:20) at com.lms.ui.stepDefinitions.Program_SD.admin_clicks_on_the_navigation_bar(Program_SD.java:24) at ?.Admin clicks "Program" on the navigation bar(file:///C:/Users/Sumod/git/LMS_T16_QualityEncore/LMS_T16_QualityEncore/src/test/resources/Features/Program/01_Manage_Program_Validation.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see URL with "Manage Program"	SKIPPED	0.002 s

Validate the heading

FAILED		DURATION - 0.357 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>			
/ 9:00:20.551 AM // 9:00:20.908 AM /								
Manage Program Validation								

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.335 s
2	When Admin clicks "Program" on the navigation bar	FAILED	0.015 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@value='program']"} (Session info: chrome=116.0.5845.111) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [b33666209b4afbbcf03461a5e3bd08a, findElement {using=xpath, value=//input[@value='program']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.111, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\Sumod\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10535}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10535/devtoo..., se:cdpVersion: 116.0.5845.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>		

#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b33666209b4afbbcf03461a5e3bd08a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.lms.ui.pageObjects.Program_obj.clickProgramLink(Program_obj.java:20) at com.lms.ui.stepDefinitions.Program_SD.admin_clicks_on_the_navigation_bar(Program_SD.java:24) at ?.Admin clicks "Program" on the navigation bar(file:///C:/Users/Sumod/git/LMS_T16_QualityEncore/LMS_T16_QualityEncore/src/test/resources/Features/Program/01_Manage_Program_Validation.feature:11) * Not displayable characters are replaced by '?'. </p>		
3	Then Admin should see a heading with text "Manage Program" on the page	SKIPPED	0.001 s



Validate the text and pagination icon below the data table

<div>FAILED</div> <div>DURATION - 0.516 s</div>		<div><table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>0.5</td></tr><tr><td>2</td><td>0.1</td></tr><tr><td>3</td><td>0.0</td></tr></tbody></table></div>	Step	Count	1	0.5	2	0.1	3	0.0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div>3</div></div>
Step	Count											
1	0.5											
2	0.1											
3	0.0											
<div>/ 9:00:20.921 AM // 9:00:21.437 AM /</div>												
<div>Manage Program Validation</div>												

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.492 s
2	When Admin clicks "Program" on the navigation bar	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration
	<p>{ "method": "xpath", "selector": "//input[@value='program']" } (Session info: chrome=116.0.5845.111) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b33666209b4afbbcfa03461a5e3bd08a, findElement {using=xpath, value="//input[@value='program']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.111, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\Sumod\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10535}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10535/devtoo..., se:cdpVersion: 116.0.5845.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b33666209b4afbbcfa03461a5e3bd08a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.lms.ui.pageObjets.Program_obj.clickProgramLink(Program_obj.java:20) at com.lms.ui.stepDefinitions.Program_SD.admin_clicks_on_the_navigation_bar(Program_SD.java:24) at ?.Admin clicks "Program" on the navigation bar(file:///C:/Users/Sumod/git/LMS_T16_QualityEncore/LMS_T16_QualityEncore/src/test/resources/Features/Program/01_Manage_Program_Validation.feature:16) * Not displayable characters are replaced by '?'. </p>		
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table.	SKIPPED	0.001 s



Validate the footer

<div>FAILED</div> <div>DURATION - 0.329 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:00:21.459 AM // 9:00:21.788 AM /</div>				
<div>Manage Program Validation</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.304 s
2	When Admin clicks "Program" on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@value='program']"} (Session info: chrome=116.0.5845.111) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b33666209b4afbbcf03461a5e3bd08a, findElement {using=xpath, value=//input[@value='program']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.111, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\Sumod\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10535}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10535/devtoo..., se:cdpVersion: 116.0.5845.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b33666209b4afbbcf03461a5e3bd08a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.lms.ui.pageObjets.Program_obj.clickProgramLink(Program_obj.java:20) at com.lms.ui.stepDefinitions.Program_SD.admin_clicks_on_the_navigation_bar(Program_SD.java:24) at ?.Admin clicks "Program" on the navigation bar(file:///C:/Users/Sumod/git/LMS_T16_QualityEncore/LMS_T16_QualityEncore/src/test/	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	resources/Features/Program/01_Manage_Program_Validation.feature:21) * Not displayable characters are replaced by '?'. 3 Then Admin should see the footer as "In total there are z programs".		
3	Then Admin should see the footer as "In total there are z programs".	SKIPPED	0.001 s

Validating the default state of Delete button

FAILED		DURATION - 0.316 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:00:21.803 AM // 9:00:22.119 AM /						
Manage Program Validation						

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.248 s
2	When Admin clicks "Program" on the navigation bar	FAILED	0.064 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@value='program']"} (Session info: chrome=116.0.5845.111) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [b33666209b4afbbcf03461a5e3bd08a, findElement {using=xpath, value=//input[@value='program']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.111, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\Sumod\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10535}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10535/devtoo..., se:cdpVersion: 116.0.5845.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b33666209b4afbbcf03461a5e3bd08a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.lms.ui.pageObjets.Program_obj.clickProgramLink(Program_obj.java:20) at com.lms.ui.stepDefinitions.Program_SD.admin_clicks_on_the_navigation_bar(Program_SD.java:24) at ?.Admin clicks "Program" on the navigation bar(file:///C:/Users/Sumod/git/LMS_T16_QualityEncore/LMS_T16_QualityEncore/src/test/ resources/Features/Program/01_Manage_Program_Validation.feature:26) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see a Delete button on the top left hand side as Disabled	SKIPPED	0.001 s