



PROJECT REPORT

# HIAS

Hall Invigilator Allocation System

St. Xavier's Catholic College of Engineering (Autonomous), Nagercoil

Developed by **Anushath S, Akhil Koska A** and **Harish S**  
Version 1.1.0 · Windows desktop application

# Contents

---

|    |                                           |
|----|-------------------------------------------|
| 1  | Abstract                                  |
| 2  | Problem statement and objectives          |
| 3  | Features                                  |
| 4  | System architecture                       |
| 5  | Technology stack                          |
| 6  | Database design                           |
| 7  | Allocation algorithm and validation rules |
| 8  | Testing and quality                       |
| 9  | Screenshots                               |
| 10 | Limitations and future work               |
| 11 | Conclusion                                |

# 1. Abstract

---

Allocating invigilators to examination halls is a recurring, manual task in every college. Done by hand, it is slow and error-prone: the same person can be sent to the same hall repeatedly while others are not, a hall can be double-booked, and there is no record to check fairness against afterwards.

**HIAS (Hall Invigilator Allocation System)** is a Windows desktop application that automates this task. For every exam session it assigns each on-duty staff member to a hall using a **rotation algorithm** that remembers each person's previous halls, validates the result against seven rules, allows controlled manual edits (swaps between two invigilators, checked for both) with an audit trail, and produces printable PDF allocation sheets and reports. It runs completely offline with an embedded SQLite database, so it can be installed on any college computer without a server or internet connection.

## 2. Problem statement and objectives

---

### Problem

- Manual allocation for each session takes significant time for the examination cell.
- Fair rotation is hard to guarantee by memory or spreadsheets: staff may repeat halls before others have had a turn.
- Mistakes such as one hall assigned to two people, or one person to two halls, are easy to make and are found late.
- There is no reliable history to answer "Who was in hall H104 on 3 November?" or to justify an allocation.

### Objectives

1. Generate a complete, fair hall allocation for a session in one click.
2. Rotate halls across sessions and exam series so nobody repeats a hall before completing the rotation.
3. Validate every allocation automatically before it is finalised.
4. Allow justified manual changes while keeping a record of what was changed and why.
5. Produce printable, college-branded reports.
6. Work offline on an ordinary Windows computer with simple installation and backup.

## 3. Features

---

### Master data

Departments, halls (code, block, floor, capacity, active flag) and staff, including bulk import from Excel with row-by-row error reporting.

### Allocation batches

A three-step wizard creates an exam series from calendar dates, marks Sundays as holidays in every year (and refuses past dates), and sets FN/AN sessions with timings.

### One-click allocation

Choose the staff and halls for a session by ticking, by searching (staff by name or Staff ID, halls by code or block), by uploading an Excel duty list, or by copying the selection of an earlier session; the rotation engine assigns everyone a hall afresh.

### Rule validation

Seven rules (R1–R7) are checked before confirmation; violations are explained by name.

### Controlled edits

A manual change swaps two invigilators' halls, is offered only when the rules hold for both, and is recorded as "Admin Edited".

### Reports and PDF

Session allocation sheet, staff-wise duties, date-wise hall sheet, complete timetable grid and rotation audit, all exportable to PDF with the college letterhead.

### History and audit


Search past allocations by batch, session, staff or hall; key actions are written to an audit log.

### Offline and safe

No internet or server needed; one-click backup and restore; destructive actions require typed confirmation.

## 4. System architecture

HIAS is an **Electron** application with three layers. The user interface never touches the database directly; every operation goes through a narrow, typed IPC bridge to the main process, which owns the business logic and the database file.



- **Security:** the UI runs with `contextIsolation` on and Node integration off; it can only call the functions the preload bridge exposes.
- **Data safety:** multi-step operations (confirming an allocation, deleting a batch) run inside database transactions, and the database file is written to disk after every committed change.
- **Offline:** fonts and all assets are bundled; the packaged app makes no network requests (verified during testing).

- **Web build:** the same UI can also be built as a browser application ( `npm run build:web` ) that stores data in the browser; the desktop application is the supported deployment.

## 5. Technology stack

---

| Area            | Technology                                                                 |
|-----------------|----------------------------------------------------------------------------|
| Desktop shell   | Electron 32, packaged as a Windows NSIS installer with electron-builder    |
| Build tooling   | electron-vite (Vite 5), TypeScript 5 (strict mode)                         |
| User interface  | React 18, React Router 6, Tailwind CSS 3, Lucide icons, bundled Inter font |
| State           | Zustand                                                                    |
| Database        | SQLite via sql.js (WebAssembly; no native compilation needed)              |
| Reports         | jsPDF and jspdf-autotable (PDF), SheetJS xlsx (Excel import)               |
| Security        | bcryptjs password hashing (web build), Electron context isolation          |
| Testing         | Vitest (unit and integration), scripted end-to-end run of the packaged app |
| Version control | Git and GitHub, collaborative development through pull requests            |

## 6. Database design

---

The database is a single SQLite file ( `%APPDATA%\eias\eias.db` ) with foreign keys and cascading deletes. Schema changes are applied through versioned migrations at start-up.

| Table            | Purpose                                                                                                                                                 | Key columns                                                                                                                      |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| departments      | Academic departments                                                                                                                                    | code (unique), name                                                                                                              |
| users            | Staff/invigilators and the administrator                                                                                                                | staff_id (unique), name, department_id, role, is_active                                                                          |
| halls            | Examination halls                                                                                                                                       | hall_code (unique), block, floor, capacity, sort_order, is_active                                                                |
| exam_cycles      | Allocation batches (exam series)                                                                                                                        | name, academic_year, status                                                                                                      |
| exam_sessions    | One FN/AN session on a date; rotation_step is the confirmation order (unconfirmed sessions are kept in date order; confirmed ones are never renumbered) | cycle_id, exam_date, session_type, rotation_step, timings, status                                                                |
| allocations      | Staff-to-hall assignments per session                                                                                                                   | session_id, user_id, hall_id, generated_hall_id, is_manually_edited, edit_reason; unique per (session, user) and (session, hall) |
| rotation_history | Confirmed assignments over time; the memory used by the rotation                                                                                        | user_id, session_id, hall_id, global_order                                                                                       |
| settings         | College profile and default timings                                                                                                                     | key, value                                                                                                                       |
| audit_log        | Record of key actions (edits, confirmations, rotation restarts, deletions)                                                                              | action, description, payload, created_at                                                                                         |
| notifications    | In-app notices for staff (web build)                                                                                                                    | user_id, title, message, session_id, is_read                                                                                     |

## 7. Allocation algorithm and validation rules

### Rotation algorithm

1. The halls selected for a session form its **hall pool**.
2. For each selected staff member, HIAS reads their confirmed hall history from `rotation_history`.
3. From that history HIAS works out each person's **current rotation cycle**: replaying their visits from oldest to newest, every hall of the pool they visit is crossed off, and once every hall of the pool has been crossed off the cycle is complete and starts again. Halls not yet crossed off are the ones still open to them.
4. Every (staff, hall) pair gets a cost made of four parts: a very large penalty if the hall is already crossed off in the person's current cycle (rule R1); how often they have had that hall in total, so less-visited halls are preferred; a small penalty if it is the hall they had last time, so nobody gets the same hall twice in a row when a new cycle starts; and a **random draw** between 0 and 1, which is smaller than every other part and so only decides between otherwise equal choices.
5. All staff of the session are assigned **together** by finding the minimum-cost perfect matching (the **Hungarian algorithm**,  $O(n^3)$ ). Because the R1 penalty outweighs everything else, no rule is broken

whenever a valid assignment exists. Which of their open halls each person gets is decided by the random draw, so assignments do not follow a fixed "next hall" sequence, and every cycle is drawn afresh.

6. **Seeded draw.** The random draw is seeded from the batch, the session (its id and creation time) and the selected staff and halls. Regenerating the same draft without changing the selection gives exactly the same result, whatever order the staff and halls were ticked in; a different session, batch or selection gives an independent order.
7. **Unavoidable repeats.** When the staff on duty vary, a repeat can be mathematically unavoidable (for example, two people whose only open hall is the same one). The algorithm then uses the minimum possible number of repeats, and the repeated hall is drawn at random from the halls the person has already had in the current cycle, avoiding the one they had most recently. A final check refuses any result that double-books a hall or a person, or has more repeats than the minimum.
8. The result is saved as a **draft**. Only when the administrator **confirms** it is it written to `rotation_history`, inside a transaction, which moves the rotation forward.

Because the rotation history is global rather than per batch, fairness carries over from one exam series to the next. An administrator can reset it deliberately (Restart Rotation), for example at the start of an academic year.

## Validation rules

| Rule | Check                                                                                                                                                                                                                                              |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R1   | No repeated hall within a cycle: a staff member may not return to a hall of the session's pool until they have had every hall of that pool once; the cycle then resets and every hall is open again. Halls outside the session's pool are ignored. |
| R2   | A hall has at most one invigilator in a session.                                                                                                                                                                                                   |
| R3   | A staff member has at most one hall in a session.                                                                                                                                                                                                  |
| R4   | Rotation integrity: every earlier session of the batch must be confirmed first. Sessions not yet confirmed are kept in date order.                                                                                                                 |
| R5   | Staff must be active.                                                                                                                                                                                                                              |
| R6   | Halls must be active.                                                                                                                                                                                                                              |
| R7   | The number of staff equals the number of halls.                                                                                                                                                                                                    |

R1 is enforced strictly with one exception: if an allocation has no more repeats than the proven minimum for the staff and halls of that session, the repeats are shown to the administrator as **warnings** ("unavoidable repeat") instead of blocking the session. A manual edit is a **swap**: the invigilator of the chosen hall takes the edited person's hall, and R1 is checked for **both** people, because a swap that is fine for one can hand the other a hall they already had in their cycle. The edit dialog only offers swaps that keep the allocation valid. Copying another session's selection copies only which staff and halls are ticked, never who had which hall, so the engine always draws the halls afresh.

## Why a matching algorithm

An earlier version assigned halls one person at a time. Fairness testing showed that this worked perfectly for a fixed team but failed badly when more staff than halls take turns (the normal case in a college): two people

competed for the same "next" hall and one was pushed into a recently used hall, so the system rejected its own allocation. With 10 staff sharing 6 halls, only 5 of 60 sessions could be confirmed; with a random duty list of 6 out of 12 staff, 9 of 80. Assigning everyone together as an optimal matching fixed this: all sessions in every tested scenario now confirm.

## 8. Testing and quality

---

### Automated tests

**159 automated tests** (Vitest, 16 files) run against in-memory and on-disk databases and all pass. They cover:

- The rotation algorithm: rotation cycles (no hall repeats until every hall of the pool has been visited, then the cycle resets), the seeded random draw (the same selection gives the same draft; different sessions give different orders), staff who join later, pools smaller than the total number of halls, and reading history in the correct order across batches.
- Every validation rule, including a regression test for a full-cycle restart that an earlier version wrongly blocked.
- The allocation lifecycle: generate, swap (with R1 checked for both people), confirm strictly in order, keep unconfirmed sessions in date order, delete draft sessions, permanent staff deletion, rotation restart, whole-batch deletion (from Settings, confirmed by typing the batch name plus the name and Staff ID of an active person in the Staff list, checked against the database, and kept in a permanent record of deleted batches; the rotation history is retained so completed duties still count), and batch status updates.
- A **fairness suite** of 30 multi-session scenarios run through the real engine, validator and database (below).
- The selection window and output: copying a previous session's selection (identifiers only; the allocation generated afterwards is a fresh draw, also across batches), the staff and hall search, report row order, department validation, and HTML escaping of the printable duty slip.
- Offline operation: the complete administrator workflow and PDF generation with every network function disabled, creation of a fresh database, opening a database from the first version with all its records, and backup and restore, including refusing a file that is not a HIAS backup.

### Fairness testing

Each scenario generates and confirms every session in turn and checks that no hall or person is double-booked. "Hall spread" is, for the worst-off person, the difference between the hall they had most often and least often.

| Scenario                                          | Sessions confirmed | Unavoidable repeats             | Same hall twice in a row | Hall spread                    |
|---------------------------------------------------|--------------------|---------------------------------|--------------------------|--------------------------------|
| Fixed team: 6 staff, 6 halls (also 2, 3, 5 and 9) | 36 / 36            | 0                               | 0                        | 0 (every hall exactly 6 times) |
| 10 staff taking turns in 6 halls                  | 60 / 60            | 4–11 of 360 duties (limit 4.6%) | 0–1                      | 0–2 (limit 3)                  |
| Random duty list: 6 of 12 staff each session      | 120 / 120          | 10 of 720 duties                | 1                        | 1                              |
| Random duty list: 8 of 15 staff (3 runs)          | 240 / 240          | 19 of 1,920                     | 0                        | 1                              |
| New staff join half-way                           | 24 / 24            | 0                               | 0                        | 0                              |
| A hall closes for 10 sessions and reopens         | 28 / 28            | 10                              | 0                        | 2                              |
| Manual swap by the administrator                  | 12 / 12            | 0                               | 0                        | 0                              |
| Rotation continues across two batches             | 12 / 12            | 0                               | 0                        | 0                              |
| Restart rotation part-way                         | 16 / 16            | 0                               | 0                        | 0                              |
| Same team morning and afternoon every day         | 20 / 20            | 0                               | 0                        | 0                              |
| Large college: 30 of 60 staff, 30 halls           | 60 / 60            | 0–4 of 1,800                    | 0                        | 1–2 (6–22 ms per session)      |

With 10 staff taking turns in 6 halls, a few repeats are unavoidable. This is inherent to the staff/hall ratio, not a defect: each person's cycle is drawn independently, so the halls the six people on duty still need do not always line up into a repeat-free assignment. The engine then makes the minimum number of repeats and warns the administrator. Over 20 independent draws the worst case was 11 of 360 duties (3.1%); the test allows up to 4.6%, and a hall spread of up to 3, the same limit used for random duty lists.

A second set of 17 scenarios covers messier situations, edge cases and attempts to break the rules. All pass:

| Scenario                                                                                                       | Result                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A different number of halls each day (3 to 8)                                                                  | 60 / 60 confirmed; hall counts within 2 on the halls open every day                                                                                                    |
| A different set of halls each session (5 of 8)                                                                 | 80 / 80 confirmed in every run; 12–30 unavoidable repeats in 400 duties; hall spread 2–4                                                                               |
| A hall added permanently; a teacher on long leave returns                                                      | All confirmed; newcomers and returners slot in within 1–3                                                                                                              |
| A single hall                                                                                                  | All confirmed, no false warnings                                                                                                                                       |
| Regenerating a draft several times                                                                             | Identical result every time; nothing recorded until confirmed                                                                                                          |
| Ticking staff and halls in a different order                                                                   | Same person gets the same hall                                                                                                                                         |
| Confirming sessions out of order (including skipping a pending one); mismatched counts; inactive staff or hall | Refused with R4, R7, R5 and R6                                                                                                                                         |
| History built so that a repeat is forced                                                                       | Exactly one repeat (the minimum), drawn at random from the halls already used in the person's current cycle, avoiding their most recent hall; confirmed with a warning |
| A swap that would repeat a hall for either person, or a hall outside the session                               | Refused; nothing changes                                                                                                                                               |
| Deleting a draft part-way                                                                                      | The deleted draft leaves nothing in the rotation history; the next session is valid, and after 10 sessions everyone has had every hall exactly twice                   |
| 300 sessions with a fixed team                                                                                 | Every hall exactly 50 times each, no repeats                                                                                                                           |
| Two batches running side by side; 20 newcomers starting together                                               | No repeats; everyone has every hall exactly 4 times (batches) or twice (newcomers)                                                                                     |
| Very large college: 100 of 150 staff, 100 halls                                                                | All confirmed, about 0.1 s per session                                                                                                                                 |

Figures given as a range (10 staff taking turns, large college, a different set of halls each session) are the lowest and highest values over 20 independent runs, each with a different random draw and, where the duty list is random, a different duty list. All other figures are from a single run with a fixed seed, not a measured worst case.

With a stable team, every person has every hall exactly once per cycle, in a randomly drawn order, with no repeats. When staff take turns or the duty list is random, every session still confirms, but a few repeats can be unavoidable; they are kept to the proven minimum and each person's hall counts stay within 1–4 of each other. How many duties each person gets depends on who the administrator puts on duty, which the engine does not choose.

TypeScript runs in strict mode and the whole code base type-checks without errors ( `npm run typecheck` ).

## End-to-end verification

The packaged Windows application (the version 1.1.0 installer) was driven automatically with `npm run test:e2e` against a separate test data folder, with every host name made unresolvable so that any network use would fail. All 24 steps passed:

| Check                                                                                                         | Result                            |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------|
| Opens straight to the Dashboard with no login; a fresh install creates an empty database                      | Passed                            |
| Departments, halls and staff by form and by Excel import, with problem rows reported                          | Passed                            |
| Batch wizard; choosing staff and halls (including the hall search); generating an allocation                  | All 7 rules passed                |
| A manual edit as a swap, through the edit dialog and directly, then undone                                    | Exactly two rows change; restored |
| Confirmation and the session PDF; copying the previous session's selection                                    | Ticks copied; nothing generated   |
| Allocation history, all four reports and their PDFs, staff duty history                                       | Passed                            |
| Settings, the college name on screens and PDFs, the sidebar switch at 1024 px                                 | Passed                            |
| Backup; restart with all data intact; restore (a non-backup file refused, safety copy kept); rotation restart | Passed                            |
| Network access while running                                                                                  | None (fully offline)              |

A separate large-data run of the packaged application used 200 staff, 100 halls and 50 sessions with a random 100 staff on duty in each (5,000 allocations). Every session generated (on average in 178 ms, at most 347 ms) and confirmed (on average in 13 ms) with no hall repeat and no back-to-back repeat. The History page listed every record in about 1.4 s, the largest report PDFs (132 to 201 pages) exported in about 1.5 s, the swap dialog for a 100-hall session opened in 0.1 s, and the 0.86 MB database reopened with every allocation intact.

The quality-assurance pass before this release found and fixed, among others: a confirmed session that could still be regenerated or edited; manual edits that could never change a hall (now swaps, checked for both people); sessions that could be confirmed out of order; sessions added later that were placed out of date order; Afternoon listed before Forenoon in two reports; an unescaped name in the printable duty slip; and several smaller display issues.

# 9. Screenshots

MAIN

Dashboard

Allocation Batches

Allocation History

Reports

MASTER DATA

Staff / Invigilators

Halls

Departments

SYSTEM

Settings

← Back

November 2026 End Semester Exams

2026-27 · Allocation Workspace

02 Nov 2026 FN

02 Nov 2026 AN

03 Nov 2026 FN

04 Nov 2026 FN

+ Add Session

Date: Mon, 02 Nov 2026

Session: Forenoon (FN)

Report: 09:30 AM

Exam: 10:00 AM – 01:00 PM

Confirmed

Export PDF

Edit Schedule & Timings

| # | STAFF ID | NAME     | DEPARTMENT | ASSIGNED HALL | TYPE           |  |
|---|----------|----------|------------|---------------|----------------|--|
| 1 | STF001   | Anitha R | CSE        | H101          | Auto-generated |  |
| 2 | STF004   | Dinesh K | CSE        | H104          | Auto-generated |  |
| 3 | STF002   | Bala S   | ECE        | H102          | Auto-generated |  |
| 4 | STF005   | Esther J | ECE        | H105          | Auto-generated |  |
| 5 | STF003   | Chitra M | MECH       | H103          | Auto-generated |  |
| 6 | STF006   | Faizal A | MECH       | H106          | Auto-generated |  |

6 invigilators · 0 admin-edited

Allocation workspace: a confirmed session with its generated hall assignments.

MAIN

Dashboard

Allocation Batches

Allocation History

Reports

MASTER DATA

Staff / Invigilators

Halls

Departments

SYSTEM

Settings

← Back

Reports

Generate and export allocation reports with your college letterhead

Staff-Wise Duty Report

Date-Wise Allocation Sheet

Complete Timetable Grid

Rotation Audit Report

Allocation Batch \*

November 2026 End Semester

Generate

Export PDF


Complete Timetable Matrix — November 2026 End Semester Exams

| Staff              | 02 Nov FN | 02 Nov AN | 03 Nov FN | 04 Nov FN |
|--------------------|-----------|-----------|-----------|-----------|
| Anitha R<br>STF001 | H101      | H102      | H103      | H104      |
| Dinesh K<br>STF004 | H104      | H105      | H106      | H101      |
| Gokul P<br>STF007  | —         | —         | —         | —         |
| Imran K<br>STF101  | —         | —         | —         | —         |
| Bala S<br>STF002   | H102      | H103      | H104      | H105      |
| Esther J<br>STF005 | H105      | H106      | H101      | H102      |
| Hema V<br>STF008   | —         | —         | —         | —         |
| Janani L<br>STF102 | —         | —         | —         | —         |

Complete timetable grid: every staff member against every session of a batch.

HIAS – Hall Invigilator Allocation System

Page 12 of 14



Dashboard.

All names shown are sample data used for testing.

## 10. Limitations and future work

### Current limitations

- **Single computer.** Data lives on the computer where HIAS is installed; several computers cannot share it live. Backup and restore move data between computers.
- **No user accounts in the desktop app.** Anyone who can open the app has full access, so it should be installed on a computer used only by the examination cell.
- **Unsigned installer.** Windows shows a SmartScreen warning on first install.
- **Hall order.** Halls are listed in the order they were added and there is no screen to reorder them; the allocation does not depend on this order.

### Possible enhancements

- A shared network database so several computers can work on the same data.
- Optional administrator password for the desktop app.
- Excel export of reports, and SMS or e-mail duty notifications to staff.
- Workload balancing so the number of duties per person evens out across a batch.
- Hall reordering and seat-capacity-based allocation.
- Manual-edit reason entry in the dialog (backend already supports it).

- Turning on Electron's renderer sandbox ( `sandbox: true` ) as further hardening.

## 11. Conclusion

---

HIAS replaces a slow, manual and error-prone process with a reliable tool: an entire session is allocated in one click, fairness is enforced by a rotation that remembers every confirmed duty, mistakes are caught by automatic rule checks before anything is finalised, and every change is recorded. Delivered as an offline Windows application with printable reports, backup and a user guide, it is ready to be used by the examination cell.