

DBT ASSIGNMENT 7 Part1

1. SELECT o.onum,c.cname from orders o JOIN customers c ON o.cnum = c.cnum;

```
D5_Anushree_99253>SELECT o.onum,c.cname from orders o JOIN customers c ON o.cnum = c.cnum;
```

onum	cname
3001	Cisneros
3003	Hoffman
3002	Pereira
3005	Liu
3006	Cisneros
3009	Giovanni
3007	Grass
3008	Clemens
3010	Grass
3011	Clemens

10 rows in set (0.00 sec)

2. SELECT o.onum,c.cname,s.sname FROM orders o JOIN customers c ON o.cnum = c.cnum join salespeople s ON o.snum = s.snum;

```
D5_Anushree_99253>SELECT o.onum,c.cname,s.sname FROM orders o JOIN customers c ON o.cnum = c.cnum join salespeople s ON o.snum = s.snum;
```

onum	cname	sname
3003	Hoffman	Peel
3009	Giovanni	Axelrod
3005	Liu	Serres
3010	Grass	Serres
3007	Grass	Serres
3011	Clemens	Peel
3008	Clemens	Peel
3006	Cisneros	Rifkin
3001	Cisneros	Rifkin
3002	Pereira	Motika

10 rows in set (0.00 sec)

3. SELECT C.cname, s.sname,s.comm FROM customers c JOIN salespeople s ON c.snum = s.snum WHERE s.comm > 0.12;

```
D5_Anushree_99253>SELECT C.cname, s.sname,s.comm FROM customers c JOIN salespeople s ON c.snum = s.snum WHERE s.comm > 0.12;
+-----+-----+-----+
| cname | sname | comm |
+-----+-----+-----+
| Liu   | Serres | 0.13 |
| Grass | Serres | 0.13 |
| Cisneros | Rifkin | 0.15 |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

4. SELECT o.onum, s.comm, (s.comm * o.amt) AS 's.comm * o.amt' FROM orders o JOIN salespeople s ON o.snum = s.snum JOIN customers c ON o.cnum = c.cnum WHERE c.rating > 100;

```
D5_Anushree_99253>SELECT o.onum, s.comm, (s.comm * o.amt) AS 's.comm * o.amt'
-> FROM orders o
-> JOIN salespeople s ON o.snum = s.snum
-> JOIN customers c ON o.cnum = c.cnum
-> WHERE c.rating > 100;
+-----+-----+-----+
| onum | comm | s.comm * o.amt |
+-----+-----+-----+
| 3010 | 0.13 | 40.2935 |
| 3007 | 0.13 | 9.8475 |
| 3005 | 0.13 | 670.8585 |
| 3006 | 0.15 | 164.7240 |
| 3001 | 0.15 | 2.8035 |
| 3009 | 0.10 | 171.3230 |
+-----+-----+-----+
6 rows in set (0.00 sec)
```

5. SELECT s1.sname,
6. -> s2.sname,
7. -> s1.city
8. -> FROM salespeople s1
9. -> JOIN salespeople s2

10. -> ON s1.city = s2.city
11. -> AND s1.sname < s2.sname;

```
D5_Anushree_99253>SELECT s1.sname,  
->      s2.sname,  
->      s1.city  
-> FROM salespeople s1  
-> JOIN salespeople s2  
-> ON s1.city = s2.city  
-> AND s1.sname < s2.sname;  
+-----+-----+-----+  
| sname  | sname | city   |  
+-----+-----+-----+  
| Motika | Peel  | London |  
+-----+-----+-----+  
1 row in set (0.00 sec)
```