

DBT ASSIGNMENT 2

1. SELECT * FROM customers WHERE snum = 1001;

```
mysql> SELECT * FROM customers WHERE snum = 1001;
+-----+
| cnum | cname | city | rating | snum |
+-----+
| 2001 | Hoffman | London | 100 | 1001 |
| 2006 | Clemens | London | 100 | 1001 |
+-----+
2 rows in set (0.00 sec)
```

2. SELECT rating,snum FROM customers WHERE city = 'San Jose';

```
mysql> SELECT rating,snum FROM customers WHERE city = 'San Jose';
+-----+
| rating | snum |
+-----+
| 200 | 1002 |
| 300 | 1007 |
+-----+
2 rows in set (0.01 sec)
```

3. SELECT DISTINCT snum FROM orders;

```
mysql> SELECT DISTINCT snum FROM orders;
+-----+
| snum |
+-----+
| 1007 |
| 1001 |
| 1004 |
| 1002 |
| 1003 |
+-----+
5 rows in set (0.00 sec)
```

4. SELECT * FROM orders WHERE amt > 1000;

```
mysql> SELECT * FROM orders WHERE amt > 1000;
+-----+
| onum | amt | odate | cnum | snum |
+-----+
| 3002 | 1900.10 | 1990-10-03 | 2007 | 1004 |
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |
| 3006 | 1098.16 | 1990-10-03 | 2008 | 1007 |
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |
| 3008 | 4723.00 | 1990-10-04 | 2006 | 1001 |
| 3011 | 9891.88 | 1990-10-04 | 2006 | 1001 |
+-----+
6 rows in set (0.00 sec)
```

5. SELECT sname, city FROM salespeople WHERE city = 'London' AND comm > 0.10;

```
mysql> SELECT * FROM salespeople;
+-----+-----+-----+-----+
| snum | sname | city | comm |
+-----+-----+-----+-----+
| 1001 | Peel | London | 0.12 |
| 1002 | Serres | San Jose | 0.13 |
| 1004 | Motika | London | 0.11 |
| 1007 | Rifkin | Barcelona | 0.15 |
| 1003 | Axelrod | New York | 0.10 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql> SELECT sname, city FROM salespeople WHERE city = 'London' AND comm > 0.10;
+-----+-----+
| sname | city |
+-----+-----+
| Peel | London |
| Motika | London |
+-----+-----+
2 rows in set (0.00 sec)
```

6. SELECT * FROM customers WHERE rating > 100 OR city = 'Rome';

```
mysql> SELECT * FROM customers WHERE rating > 100 OR city = 'Rome';
+-----+-----+-----+-----+-----+
| cnum | cname | city | rating | snum |
+-----+-----+-----+-----+-----+
| 2002 | Giovanni | Rome | 200 | 1003 |
| 2003 | Liu | San Jose | 200 | 1002 |
| 2004 | Grass | Berlin | 300 | 1002 |
| 2008 | Cisneros | San Jose | 300 | 1007 |
| 2007 | Pereira | Rome | 100 | 1004 |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

7. SELECT * FROM Orders WHERE (amt < 1000 OR NOT (odate = '1990-10-03' AND cnum > 2003));

```
mysql> SELECT * FROM Orders WHERE (amt < 1000 OR NOT (odate = '1990-10-03' AND cnum > 2003));
+-----+-----+-----+-----+-----+
| onum | amt | odate | cnum | snum |
+-----+-----+-----+-----+-----+
| 3001 | 18.69 | 1990-10-03 | 2008 | 1007 |
| 3003 | 767.19 | 1990-10-03 | 2001 | 1001 |
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |
| 3007 | 75.75 | 1990-10-04 | 2004 | 1002 |
| 3008 | 4723.00 | 1990-10-04 | 2006 | 1001 |
| 3010 | 309.95 | 1990-10-04 | 2004 | 1002 |
| 3011 | 9891.88 | 1990-10-04 | 2006 | 1001 |
+-----+-----+-----+-----+-----+
8 rows in set (0.00 sec)
```

8. SELECT * FROM Orders WHERE NOT (odate = '1990-10-03' OR snum > 1006) AND amt >= 1500;

```
mysql> SELECT * FROM Orders WHERE NOT (odate = '1990-10-03' OR snum > 1006) AND amt >= 1500;
```

onum	amt	odate	cnum	snum
3009	1713.23	1990-10-04	2002	1003
3008	4723.00	1990-10-04	2006	1001
3011	9891.88	1990-10-04	2006	1001

```
3 rows in set (0.00 sec)
```

9. SELECT snum, sname, city, comm FROM Salespeople WHERE comm BETWEEN 0.12 AND 0.14;

```
mysql> SELECT snum, sname, city, comm FROM Salespeople WHERE comm BETWEEN 0.12 AND 0.14;
```

snum	sname	city	comm
1001	Peel	London	0.12
1002	Serres	San Jose	0.13

```
2 rows in set (0.00 sec)
```

10. SELECT * FROM Orders WHERE NOT (amt < 100);

```
mysql> SELECT * FROM Orders WHERE NOT (amt < 100);
```

onum	amt	odate	cnum	snum
3003	767.19	1990-10-03	2001	1001
3002	1900.10	1990-10-03	2007	1004
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3009	1713.23	1990-10-04	2002	1003
3008	4723.00	1990-10-04	2006	1001
3010	309.95	1990-10-04	2004	1002
3011	9891.88	1990-10-04	2006	1001