

MongoDB

NANDITA SATHE^{1,*}

¹School of Informatics and Computing, Bloomington, IN 47408, U.S.A.

* Corresponding author: nsathe@iu.edu

paper-1, March 25, 2017

The data that Internet and various gadgets generate today has increased manifold than yesterday. This data is voluminous, complex and un-structured. This arises the need of having a flexible, scalable, and robust database that will not only store this data but also provide it as required in lightening speed. Many NoSQL databases came into existence. Out of them, MongoDB is the fastest-growing database ecosystem. It is the next-generation database that helps businesses transform their industries by harnessing the power of data.

© 2017 <https://creativecommons.org/licenses/>. The authors verify that the text is not plagiarized.

Keywords: Cloud, I524

<https://github.com/nsathe/sp17-i524/blob/master/paper1/S17-IO-3017/report.pdf>

This review document is provided for you to achieve your best. We have listed a number of obvious opportunities for improvement. When improving it, please keep this copy untouched and instead focus on improving report.tex. The review does not include all possible improvement suggestions and for each comment you may want to check if it applies elsewhere in the document.

The requirement for the paper is that it is approximately two pages of text (so, not including any figures, references and tables). Your paper is much longer than that. Please, shorten your paper and focus what is most important about MongoDB. This shouldn't be hard since in many places you are including too much detail about fine details that are out of scope for an overview paper.

Abstract: Needs to be redone. Too general and more appropriate for an introduction or a press-release, not an abstract. The abstract needs to tell readers what MongoDB is and why they should care about it. It's the part of the paper that most people will read and will use to determine whether to read the rest of the paper. Currently, it tells them almost nothing about MongoDB, other than it's a NoSQL database. Whether it's fast-growing or not is a relatively minor detail, and needs to be backed up by a reference. MongoDB being "next-generation" that "helps businesses transform their industries by harnessing the power of data" might sit well on a press-release, but is not appropriate for a paper like this. The goal of the paper is to inform the reader about MongoDB in a neutral fashion, not to make big pronouncements about it.

Please, use 80-character lines to make review easier.

Overall, you need to change the tone and content of the paper significantly. The tone needs to be neutral, since in places you use subjective wording. The content in some places is too general and it's not clear how it relates to MongoDB. In other places, you focus too much on fine details and individual functions that are not in scope for an overview paper like this. You also need to review how to use references. Some grammar and term errors as well. Please see below for details.

Assessment: Revisions required. Please address the review comments by end of March.

INTRODUCTION

MongoDB is a non-RDBMS key-value data store. The data to be stored does not necessarily have to follow a fixed schema. In relational database data is stored primarily in tables,

Grammar

whereas in MongoDB data is stored in collections which act as container

Grammar

for a Document. A Document can be compared to a row of a table. The data in MongoDB Document is stored in JSON array like data structure. The database also supports large volume of data storage and offers very high data insert speed due to its schema-less design.

You should provide a reference.

The database system can be used for Big Data applications where volume of incoming data is huge and of varied structure.

Good intro overall.

INFRASTRUCTURE AND PERFORMANCE CONSIDERATIONS

Capacity planning is the most important thing when deciding about production deployments in every environment. Applications may change their percentage of writes versus reads over time. An increase in users typically lead to more queries and a larger working set.

The purpose of the above paragraph is not clear. You need to get to MongoDB more quickly.

System performance and capacity planning are two important topics that should be addressed in any deployment.

This sentences is more or less a restatement of the first sentence in the section.

The planning should involve establishing baselines on data volume, system load, performance (throughput and latency), and capacity utilization. These baselines should reflect the workloads you expect the database to perform in production, and they should be revisited periodically as the number of users, application features, performance SLA,

What is "SLA"? You haven't mentioned it before. Please, explain terms and abbreviations when you introduce them.

or other factors change. Baselines will help you understand when the system is operating as designed, and when issues begin to emerge that may affect the quality of the user experience or other factors critical to the system. The following section discusses key deployment considerations, including hardware, scaling and HA. The section also discusses what you need to monitor to maintain optimum system performance.

These two paragraphs are out of scope for this paper. They are too general and not specific to MongoDB. If you want to state the motivations and requirement for an architecture, you need to be more succinct, and be more explicit why you're talking about this and what it has to do with MongoDB.

Determine working set size

[1]

Please, review how to use references. They should be placed at the end of the statement that refers to them, but before any punctuation.

When prioritizing hardware budget for MongoDB deployments, RAM should be at or near the top of the list.

MongoDB makes extensive use of RAM for low latency database operations. In MongoDB, all data is read and manipulated through memory-mapped files. Reading data from memory is measured in nanoseconds and reading data from disk is measured in milliseconds; and so reading from memory is approximately 100,000 times faster than reading from disk.

Please include a reference.

The set of data and indexes

Please, explain how indices work in MongoDB briefly. If someone is coming to this with only an RDBMS background, it might not be clear to them how NoSQL databases handle data organization and indices.

that are accessed most frequently during normal operations is called the working set, which ideally should fit in RAM. It may be the case that the working set represents a fraction of the entire database, such as applications where data related to recent events or popular products is accessed most commonly.

Page faults occur when MongoDB attempts to access data that has not been loaded in RAM. If there is free memory then the operating system will locate the page on disk and load it into memory directly. However, if there is no free memory the operating system must write a page that is in memory to disk and then read the requested page into memory. This process will be slower than accessing data that is already in memory.

Some operations may inadvertently purge a large percentage of the working set from memory, which adversely affects performance. For example, a query that scans all Documents

"Documents" should not be capitalized in this case.

in the database, where the database is larger than the RAM on the server, will cause documents to be read into memory and the working set to be written out to disk. Ensuring you have defined appropriate index coverage for your queries during the schema design phase of the project will minimize the risk of this happening.

What does this have to do with the architecture? How do you define index coverage? You haven't talked about schemas in MongoDB except to say that MongoDB has schema-less design. This paragraph is out of place.

The MongoDB **explain** method can be used to provide information on your query plan and indexes used.

Out of scope for this paper to focus on a small detail like this.

A useful output resulted from the MongoDB's **serverStatus** command is a **workingSet** document that provides an estimated size of the MongoDB instance's working set. Database Administration team can track the number of pages accessed by the instance over a given period, and the elapsed time from the oldest to newest document in the working set. By tracking these metrics, it is possible to detect when the working set is approaching current RAM limits and proactively take action to ensure the system is scaled.

MongoDB Management Service and **mongostat** command help to monitor memory usage and are discussed in detail below.

This last two paragraphs are out of scope. These are specific details that don't belong in an overview paper.

Storage and Disk I/O

While your MongoDB system should be designed so that its working set fits in memory, disk I/O is still a key performance consideration. MongoDB regularly flushes writes to disk and commits to the journal, so under heavy write load, the underlying disk subsystem may become overwhelmed. The **iostat** command can be used to show high disk utilization and excessive queuing for writes.

Scope

CPU Selection – Speed or Cores?

MongoDB performance is typically not CPU-bound. As MongoDB rarely encounters workloads and is able to leverage large numbers of cores, it is preferable to have servers with faster clock speeds than numerous cores with slower clock speeds.

Scaling your Database

MongoDB provides horizontal scale-out

What is a "horizontal scale-out"? You need to explain.

for databases using a technique called sharding. Sharding distributes data across multiple physical partitions called shards. Sharding allows MongoDB deployments to address the hardware limitations of a single server, such as bottlenecks in RAM or disk I/O, without adding complexity to the application.

Figure 1 shows scaling of database.




Fig. 1. MongoDB database scaling.

Did you create the figure yourself? If not, you need to provide a reference to where it comes from. In addition, "fig:figure1" is not a good name for the figure, in case you decide to change the order of the figures. The name should refer to the content.

MongoDB Auto-Sharding with Application Transparency

It is far easier to implement sharding before the resources of the system become limited.

Why is it easier? If someone is not already familiar with sharding, this would be difficult to understand.

That is why capacity planning and proactive monitoring are important elements in successfully scaling the application.

Users should consider deploying a sharded MongoDB cluster in the following situations:

RAM Limitation: The size of the system's active working set will soon exceed the capacity of the maximum amount of RAM in the system.

Disk I/O Limitation: The system has a large amount of write activity, and the operating system cannot write data fast enough to meet demand; and/or I/O bandwidth limits how fast the writes can be flushed to disk.

Storage Limitation: The data set approaches or exceeds the storage capacity of a single node in the system.

One of the goals of sharding is to uniformly distribute data across multiple servers. If the utilization of server resources is not approximately equal there may be an underlying issue that is problematic for the deployment. For example, a poorly selected shard key can result in uneven data distribution. In this case, most if not all of the queries will be directed to the single mongod that is managing the data. Furthermore, MongoDB may be attempting to redistribute the documents to achieve a more ideal balance across the servers. While redistribution will eventually result in a more desirable distribution of documents,

there is substantial work associated with re-balancing the data and this activity itself may interfere with achieving the desired performance SLA. By running `db.currentOp()` you will be able to determine what work is currently being performed by the cluster, including re-balancing of documents across the shards. In order to ensure data is evenly distributed across all shards in a cluster, it is important to select a good shard key.

Scope. Too much fine detail for an overview paper.

High Availability with MongoDB Replica Sets

MongoDB uses its native replication to maintain multiple copies of data across replica sets. Replica sets help prevent downtime by detecting failures (server, network, OS or database) and automatically initiating failover. It is recommended that all MongoDB deployments should be configured with replication.

Figure 2 shows replica sets maintained by MongoDB.




Fig. 2. MongoDB replica sets.

If you didn't create the figure yourself, you need to include a reference to where it comes from.

FEATURES

These are main features of MongoDB.[2]

- General purpose database, almost as fast as the key:value NoSQL type.
- High availability.
- Scalability: (from a standalone server to distributed architectures of huge clusters). This allows us to shard our database transparently across all our shards. This increases the performance of our data processing.
- Aggregation: batch data processing and aggregate calculations using native MongoDB operations.
- Load Balancing: automatic data movement across different shards for load balancing. The balancer decides when to migrate the data and the destination Shard, so they are evenly distributed among all servers in the cluster. Each shard stores the data for a selected range of our collection according to a partition key.
- Native Replication: syncing data across all the servers at the replica set.
- Security: authentication, authorization, etc.
- Advanced users management.

- Automatic failover: automatic election of a new primary when it has gone down.
- Zero downtime upgrades.
- There are no bottlenecks processing large volumes of data.
- MongoDB uses JSON objects to store and transmit information.
- We can do queries and geospatial operations in 2D and 3D.
- We can utilize Map-Reduce for information processing using JavaScript functions at the server side.
- JavaScript execution: Ability to store JavaScript functions on the server for queries and aggregation functions
- MongoDB Management Service. (MMS) is a powerful web tool that allows us tracking our databases and our machines and also backing up our data.
- Monitoring:
 1. MMS tracks the database and hardware metrics for managing a MongoDB deployment
 2. Performance is visualized in a rich web console to help you optimize your deployment
 3. Custom alerts: Discover issues before your MongoDB instance will be affected
- Backup
 1. Continuous backup with point-in-time recovery of replica sets and sharded clusters
 2. Multiple copies of every backup are archived across data centers (geographically distributed and fault-tolerant)

It is not appropriate to use so many bullet points in a paper. Please rewrite using paragraphs or integrate this information in other relevant parts of the paper.

MONGODB FOR BIGDATA ANALYTICS

At the top level there are 3 Vs that define BigData [3]

Need punctuation.

Volume:

MongoDB supports storage of high volume of data which is complex in nature. The system is designed in such a way that for larger data loads the data can be distributed across multiple clusters, providing new levels of availability and scalability with no downtime.

Variety:

Many a times it so happens that the incoming data is unknown, not adhering to specific schema or sometimes data is ever evolving. This brings in many challenges to the developers as to how to store such data. MongoDB's dynamic schema provides a major advantage for businesses that need to ingest, store, and process rapidly evolving data streams from new sources.

Velocity:

The term velocity refers to high and volatile inbound data, faster query/read operations at low latency. MongoDB by default prefers high insert rates over transaction safety so insertion

of high volume of data takes less time. The read operations on the other hand are also optimized by keeping frequently used data sets in memory rather reading from disk IO which is expensive.

Data Analytics

[4]

Citation

In several scenarios the built-in aggregation functionality provided by MongoDB is sufficient for analyzing your data. However in certain cases, significantly more complex data aggregation may be necessary. This is where Hadoop and Apache Spark can provide a powerful framework for complex analytics.

In this scenario data is pulled from MongoDB and complex processing is performed in Hadoop/Spark, output of the processing can then be written back to MongoDB for later querying and ad-hoc analysis.

To be able to connect efficiently to MongoDB Hadoop and Spark connectors are available and can be configured easily.

The analytics can also be performed in python library **monary** which its developers are claiming to be superfast as opposed to **pymongo** driver.

This subsection can be shortened to a paragraph.

REAL LIFE APPLICATION-PROJECTS USING MONGODB

This section lists some of the prominent companies currently using MongoDB. We will also see why MongoDB is becoming first choice for big data storage.

Addressing Problems using MongoDB

MongoDB can be used in situations where the volume, complexity, velocity of incoming data is huge

Term

due to the underlying nature of data inserts supported by the database system. Analysis of geospatial data becomes easy with MongoDB as it natively supports geospatial queries by which patterns can be identified in neighbourhood making it easy for organisations and government establishments to detect activities proactively.

The database system can be put to analyze and condense larger volume of data into a meaningful result by applying map-reduce mechanism which can efficiently scan through each contained document and return aggregated data. [5]

MongoDB supports horizontal scaling by which data can be scattered across different nodes in turn reducing the hardware cost as multiple machines can act as a single server, the process is called shard clusters. This way organizations need not have to spend heavily on in fracture costs by way of using lower hardware configuration systems as shards.

[6]

Citation

The system is also suitable for deployment to cloud computing platforms, since they support automatic replication and scaling your system to respond to higher user load by adding replicas. Since, they support sharding, you can easily scale up the system to influx of new data by adding shards.

You already discussed at length what you included in the last two paragraphs earlier in the paper.

Use Cases

MongoDB is considered as the next-generation database that helps businesses transform their industries by harnessing the power of data.

This is a subjective statement.

The world's most sophisticated organizations, from cutting-edge startups to the largest companies, use MongoDB to create applications never before possible at a fraction of the cost of legacy databases.

Too general a statement and subjective. Please avoid using terms like "most sophisticated organizations", "cutting-edge", "never before possible", etc. These are more appropriate for a press release or an advertisement than a neutral paper.

MongoDB is the fastest-growing database ecosystem, with over 9 million downloads, thousands of customers, and over 750 technology and service partners. [7]

[8] **Barclays:** Leading consumer, corporate and investment bank replaces three decades of relational databases with MongoDB, for increased agility, scalability, and cost-efficiencies.

Adobe: World's #1 Content Management solution relies on MongoDB for petabyte scale data management in the cloud.

Metlife: One of the largest global providers of insurance builds a single-view of 100M+ customers across 70 systems in just 90 days.

Viacom: Viacom built a data collection tool that integrates into 100+ sites, handles 15,000 1K writes/second, and has nearly zero downtime with MongoDB.

Pearson: Pearson, the global online education leader, has a simple yet grand mission: to educate the world; to have 1 billion students around the globe touching their content on a regular basis. The company has been able to leverage MongoDB for use cases such as:

- Identity and access management for 120 million user accounts, with nearly 50 million per day at peak;
- Adaptive learning and analytics to detect, in near real-time, what content is most effective and identify areas for improvement

Medtronic: Medical equipment maker Medtronic, last year served 9 million patients and this year the company announced that it serves a patient in some way every three seconds. In addition, Medtronic collects more than 30 million data samples about its devices every day.

Bosch: The massive volume and increasingly unstructured nature of IoT data has put new demands on Bosch SI's entire technology stack, especially the underlying database. Rigidly defined RDBMS data models have limited use in IoT. They lack the flexibility, scale and real-time analytics needed to quickly capture, share, process and analyze IoT data. IoT calls for a new mindset, and a new database. MongoDB helped Bosch SI reimagine what's possible. Here's how:

Manage complex data types. IoT data arrives at higher speeds, in greater volumes and variability of structure. MongoDB can easily handle the full spectrum of data: structured, semi-structured, unstructured. Efficient modelling of data using JSON makes it easy to map the information model of the device to its associated document in the database.

Support continuous innovation and business agility. Changes in IoT customer requirements, standards and use cases will require frequent data model changes. MongoDB's dynamic schema supports agile, iterative development methodologies

and makes it simple to evolve an app. Adding new devices, sensors and assets is straightforward, even when you're dealing with multiple versions in the field concurrently. Instead of wasting time dealing with the mismatch between programming language and the database, MongoDB lets developers focus on creating rich, functional apps.

Create a unified view. Creating a single view of an asset or customer with a relational database is complicated. Source schema changes require additional changes to the single view schema. MongoDB makes it easy to aggregate multiple views of related data from different source systems into one unified view.

Power operational insight with real-time analysis. Apps handling fast-moving IoT data can't wait on ETL processes to replicate data to a data warehouse. They need to react and respond in real time. MongoDB's rich indexing and querying capabilities – including secondary, geospatial and text search indexes, the Aggregation Framework and native MapReduce – allow users to ask complex questions of the data, leading to real-time operational insight and business discovery.

Be enterprise-ready. MongoDB complements agility with enterprise-grade availability, security and scalability. Zero downtime with replica sets. Proven database security with authentication, authorization, auditing and encryption. Cost-effective scale-out across commodity hardware with auto-sharding. As IoT data volumes continue to explode, Bosch will be able to efficiently scale without imposing additional complexity on development teams or additional cost on the business.

Many of these examples use language that is more appropriate to a press release than a neutral paper. Please revise. In addition, there are simply too many examples. It's better to focus on a few examples and explain in a little more detail how MongoDB was utilized and why it was a good choice.

COMPARISON

There are various alternatives for MongoDB which are good in their own arena, here we are going to compare 3 most widely used databases Cassandra, Hbase & MongoDB. Please refer Table 1.

What are your conclusions from the table?

Did you create the table entirely by yourself? If not, you need to include a citation.

EDUCATIONAL MATERIAL

To get started on learning MongoDB, following resources can prove helpful.

- Helpful tutorials for beginner developers - <https://www.tutorialspoint.com/mongodb/>
- MongoDB's documents. You will find reference material for everything here - <https://docs.mongodb.com/v3.2/#getting-started>
- Fixed schedule course on MongoDB - <https://university.mongodb.com/>
- MongoDB course specifically for Data Scientists - <https://www.udacity.com/course/data-wrangling-with-mongodb-ud032>

Table 1 shows comparison amongst MongoDB, HBase and Cassandra. [9]

Table 1. MongoDB vs. Cassandra Vs. HBase

Name	Cassandra	HBase	MongoDB
Description	Wide-column store based on ideas of BigTable and DynamoDB	Wide-column store based on Apache Hadoop and on concepts of BigTable	One of the most popular document stores
Supported server operating systems	BSD, Linux, OS X, Windows	Linux, Unix, Windows	Linux, OS X, Solaris, Windows
Datatype support	yes	no	yes
Secondary indexes	restricted	no	yes
APIs and other access methods	CQL and an API based on Apache Thrift	Java RESTful HTTP Thrift	API, API, proprietary protocol using JSON
Server-side scripts	no	yes	JavaScript
Triggers	yes	yes	no
Partitioning methods	Sharding	Sharding	Sharding
Replication methods	selectable replication factor	selectable replication factor	Master-slave replication
MapReduce	Yes	Yes	Yes
Concurrency	Yes	Yes	Yes
In-memory capabilities	No	No	Yes
Privileges	Access rights for users can be defined per object	Access control (ACL)	Control Lists Access rights for users and roles

REFERENCES

- [1] Mat Keep, "Preparing for your first mongodb deployment: Capacity planning and monitoring," Web Page, Oct 2013. [Online]. Available: <https://www.infoq.com/articles/mongodb-deployment-monitoring>
- [2] Cesar Trigo Esteban, "MongoDB: Characteristics and future," Web Page, Aug 2014. [Online]. Available: <http://www.mongodbspain.com/en/2014/08/17/mongodb-characteristics-future/>
- [3] MongoDB, Inc, "Real-time analytics," Web Page. [Online]. Available: <https://www.mongodb.com/use-cases/real-time-analytics>
- [4] —, "Hadoop and mongodb use cases," Web Page. [Online]. Available: <https://docs.mongodb.com/ecosystem/use-cases/hadoop/>
- [5] —, "Map-reduce," Web Page. [Online]. Available: <https://docs.mongodb.com/manual/core/map-reduce/>
- [6] Edmond Lau, "What are the problems that a nosql database tries to solve?" Web Page, Jan 2011. [Online]. Available: <https://www.quora.com/What-are-the-problems-that-a-NoSQL-database-tries-to-solve>
- [7] MongoDB, Inc, "Massive mongodb ecosystem flourishes with world's fastest growing database," Web Page. [Online]. Available: <https://www.mongodb.com/press/massive-mongodb-ecosystem-flourishes-world%E2%80%99s-fastest-growing-database>
- [8] MongoDB, Inc., "Flexible enough to fit any industry," Web Page. [Online]. Available: <https://www.mongodb.com/who-uses-mongodb>
- [9] solid IT, "System properties comparison cassandra vs. hbase vs. mongodb," Web Page. [Online]. Available: <http://db-engines.com/en/system/Cassandra%3BHBase%3BMongoDB>