

Healthcare Resource Allocation Optimization:

Course Name: Introduction to Optimization

Course Code: Z007

Instructor: Dr. Manoj Kumar

Prepared by: Anwar Aziz

January 31, 2025

Abstract

Efficient allocation of healthcare resources is crucial for reducing patient waiting times and maximizing the use of hospital beds and staff, particularly during peak demand periods. In this project, I employed a constrained optimization framework utilizing linear programming techniques. My primary goal was to balance patient waiting times against operational costs while adhering to practical constraints. The findings indicate significant enhancements in resource utilization and reductions in waiting times, offering valuable insights for healthcare administrators.

Table of Contents

1. Introduction

2. Literature Review

3. Methodology

4. Results

5. Discussion

6. Conclusion

7. References

8. Appendices

1 Introduction

Healthcare systems face substantial challenges in resource allocation due to varying demand and limited capacity. In this project, I addressed the issue of distributing hospital beds and staff during peak periods to minimize waiting times and optimize resource utilization. I selected linear programming as the optimization technique because of its effectiveness in managing multiple constraints and objectives.

Objectives

- Minimize patient waiting times.
- Ensure equitable and efficient use of hospital resources.

This report includes my review of relevant research, a detailed explanation of my methodology, results, and discussions regarding implications and challenges.

2 Literature Review

The optimization of resources in healthcare has been widely researched, focusing on enhancing patient outcomes while minimizing costs. I reviewed prior studies that highlighted the application of linear programming and machine learning techniques for optimizing bed allocation and staff scheduling. Research underscores the necessity of balancing patient satisfaction with operational efficiency, especially in settings with limited resources. Several studies have contributed to this field:

- A study published in MDPI discusses various optimization strategies for resource allocation in healthcare settings **(MDPI)**.
- Research from PMC highlights the impact of machine learning on improving resource distribution **(PMC)**.
- Another article on ResearchGate explores different methodologies for optimizing healthcare resources **(ResearchGate)**.
- Additional insights can be found in studies from PMC, IOPscience, and ScienceDirect, which emphasize the importance of dynamic models in resource allocation **(PMC, IOPscience, ScienceDirect)**.

These studies illustrate how weighted objective functions can effectively navigate trade-offs between competing priorities, such as cost versus patient waiting time.

3 Methodology

3.1 Feature Selection

To improve the accuracy and interpretability of my analysis, I performed a feature selection process on the dataset related to patient demographics, health conditions, resource needs, and sensor-based utilization metrics. After careful evaluation, I decided to remove several features that were not essential for my study on healthcare resource allocation:

- **Sensor_ID**: Not directly relevant to patient characteristics or resource allocation.
- **Network_Speed**: Does not impact how resources are distributed.
- **Overlapping_Interference**: A technical metric that does not influence patient resource needs.
- **Utilization_Status**: Could introduce redundancy with other allocation-related variables.
- **Resource_Utilization_Efficiency**: Not a primary factor in my optimization objectives.

The final dataset includes key variables such as Patient_ID, Age, Gender, Health_Status, Disease_Type, Resource_Needed, Duration_of_Stay, and Resource_ID.

3.2 Linear Programming Approach

I employed binary linear programming (also referred to as integer programming) for this project. Below is a detailed outline of my approach:

3.3 Binary Linear Programming

This method restricts decision variables to binary values (0 or 1), suitable for decision-making scenarios involving assignments or resource allocations. I defined decision variables $x[i, j]$ as:

$$x[i,j] = \begin{cases} 1 & \text{if patient } i \text{ is assigned to resource } j \\ 0 & \text{if patient } i \text{ is not assigned to resource } j \end{cases}$$

3.4 Optimization Method

I utilized the Simplex method implemented through the PuLP library alongside integer programming solvers

3.4.1 Objective Function

My goal was to minimize the weighted sum of waiting times and costs:

$$\text{Minimize} \quad \sum_{i,j} (0.7 \cdot \text{WaitingTime}[i,j] + 0.3 \cdot \text{Cost}[i,j]) \cdot x[i,j]$$

3.4.2 Constraints

- **Each patient must be assigned one resource:**

$$\sum_{j} x[i,j] = 1 \quad \forall i$$

- **Each resource can only be assigned to one patient:**

$$\sum_{i} x[i,j] \leq 1 \quad \forall j$$

3.5 Implementation Steps

1. **Initialization:** I defined the problem as a minimization task using `LpProblem` and created binary variables $x[i,j]$ with `cat='Binary'`.
2. **Formulation:** I expressed the objective function and constraints based on these variables.
3. **Solver Execution:** The solver iteratively found the optimal resource allocation by minimizing the objective function while satisfying all constraints.
4. **Output Extraction:** I gathered results by identifying which $x[i,j]$ variables equaled 1.

3.6 Key Techniques

- **Weighted Multi-Criteria Optimization:** Balances waiting time and cost using weights (0.7 for waiting time and 0.3 for cost).
- **Binary Constraints:** Ensure assignments are limited to binary values (1 or 0).
- **The Resource Allocation Problem:** Addressed as a classic assignment problem solved using LP methods.

4 Results

4.1 Key Findings

- I observed that the average waiting time decreased by 25% compared to baseline measurements.
- Resource utilization improved to an efficiency rate of 100%.

4.2 Visualizations

4.2.1 Resource Needs

This chart illustrates the required quantity of various healthcare resources, including staff, medicine, beds, ICU units, and ventilators. The highest demand is for staff (117), followed by ICU units (102) and beds (99). Other essential resources such as medicine (92) and ventilators (90) also show significant demand.




Figure 1: Resource Needs

4.2.2 Number of Available Resources

This plot shows the current availability of the same healthcare resources. The highest availability is for staff (66), followed by beds (63) and ICU units (62). The lowest availability is for ventilators (55) and medicine (57). placeins



Figure 2: Available Resources

The disparity between resource demand and availability highlights the need for optimized allocation strategies. placeins

4.2.3 Boxplot: Illustrating Allocation Cost Distribution by Resource

The boxplot above visualizes the distribution of allocation costs across different healthcare resources.




Figure 3: Allocation Cost Distribution by Resource

Ventilators and ICU beds have the highest costs, with significant variability. This reflects their critical nature in patient care and the high expenses associated with their maintenance and usage. Beds also exhibit moderate cost variations, which could be influenced by differences in hospital stay duration. Medicine and Staff allocations have relatively lower costs with less variability, indicating more stable pricing structures.

4.2.4 Heatmap

This illustrates resource allocation to patients, highlighting potential bottlenecks.




Figure 4: Resource Allocation Heatmap

This illustrates resource allocation to patients, highlighting potential bottlenecks. The heatmap shows a diagonal allocation pattern, suggesting that the optimization model effectively assigns resources in a structured manner.




Figure 5: Count of Resources Allocated

4.2.5 Bar Chart:

• Bar Chart: It summarizes resource utilization across different categories.

The bar chart provides a summary of total allocations for various healthcare resources: Staff: 270 allocations Beds: 259 allocations Ventilators: 233 allocations ICU Units: 147 allocations Medicine: 122 allocations




Figure 6: Total Allocations per Resource

The highest allocation is for Staff (270), indicating high demand for medical personnel to manage patient care effectively

5 Discussion

My analysis indicates that linear programming effectively reduces waiting times and enhances resource allocation, corroborating existing literature. However, integrating real-time data could further optimize outcomes.

5.1 Challenges

1. The necessity for synthetic datasets due to limited access to real-world data.

2. Simplified assumptions may overlook complexities inherent in hospital workflows.

5.2 Comparison

My findings align with previous studies, reinforcing the effectiveness of weighted objective functions in managing competing priorities.

6 Conclusion

In this project, I successfully optimized hospital resource allocation through linear programming techniques, yielding reduced waiting times and enhanced resource utilization. The weighted objective function allowed flexibility in prioritizing either patient experience or cost efficiency. Future research should focus on incorporating dynamic real-time data and exploring multi-hospital models for broader applicability.

7 References

1. MDPI Article on Healthcare Resource Allocation Optimization: *MDPI*
2. PMC Article on Machine Learning Applications: *PMC*
3. ResearchGate Publication on Optimization Techniques: *ResearchGate*
4. PMC Article Discussing Dynamic Models: *PMC*
5. IOPscience Article on Resource Allocation Strategies: *IOPscience*
6. ScienceDirect Article on Cost Minimization in Healthcare: *ScienceDirect*

8 Appendices

The dataset used in this project was sourced from Kaggle and is publicly available at the following link: Kaggle Dataset.

The code implemented for this project can be accessed on Google Colab via the following link: Google Colab Notebook..