Python For Data Science *Cheat Sheet*

Python Basics

Learn More Python for Data Science Interactively at www.datacamp.com

Variables and Data Types

Variable Assignment

```
>>> x=5
>>> x
 5
```

Calculations With Variables

`>>> x+2` → `7`	Sum of two variables
`>>> x-2` → `3`	Subtraction of two variables
`>>> x*2` → `10`	Multiplication of two variables
`>>> x**2` → `25`	Exponentiation of a variable
`>>> x%2` → `1`	Remainder of a variable
`>>> x/float(2)` → `2.5`	Division of a variable

Types and Type Conversion

`str()`	`'5', '3.45', 'True'`	Variables to strings
`int()`	`5, 3, 1`	Variables to integers
`float()`	`5.0, 1.0`	Variables to floats
`bool()`	`True, True, True`	Variables to booleans

Asking For Help

```
>>> help(str)
```

Lists

Also see NumPy Arrays

```
>>> a = 'is'
>>> b = 'nice'
>>> my_list = ['my', 'list', a, b]
>>> my_list2 = [[4,5,6,7], [3,4,5,6]]
```

Selecting List Elements

Index starts at 0

Subset	
`>>> my_list[1]`	Select item at index 1
`>>> my_list[-3]`	Select 3rd last item
Slice	
`>>> my_list[1:3]`	Select items at index 1 and 2
`>>> my_list[1:]`	Select items after index 0
`>>> my_list[:3]`	Select items before index 3
`>>> my_list[:]`	Copy my_list
Subset Lists of Lists	
`>>> my_list2[1][0]`	my_list[list][itemOfList]
`>>> my_list2[1][:2]`	

List Operations

```
>>> my_list + my_list
['my', 'list', 'is', 'nice', 'my', 'list', 'is', 'nice']
>>> my_list * 2
['my', 'list', 'is', 'nice', 'my', 'list', 'is', 'nice']
>>> my_list2 > 4
True
```

List Methods

`>>> my_list.index(a)`	Get the index of an item
`>>> my_list.count(a)`	Count an item
`>>> my_list.append('!')`	Append an item at a time
`>>> my_list.remove('!')`	Remove an item
`>>> del(my_list[0:1])`	Remove an item
`>>> my_list.reverse()`	Reverse the list
`>>> my_list.extend('!')`	Append an item
`>>> my_list.pop(-1)`	Remove an item
`>>> my_list.insert(0,'!')`	Insert an item
`>>> my_list.sort()`	Sort the list

Libraries

Import libraries

```
>>> import numpy
>>> import numpy as np
```

Selective import

```
>>> from math import pi
```

pandas — Data analysis

learn — Machine learning

NumPy — Scientific computing

matplotlib — 2D plotting

Install Python

ANACONDA — Leading open data science platform powered by Python

spyder — Free IDE that is included with Anaconda

jupyter — Create and share documents with live code, visualizations, text, ...

Numpy Arrays

Also see Lists

```
>>> my_list = [1, 2, 3, 4]
>>> my_array = np.array(my_list)
>>> my_2darray = np.array([[1,2,3],[4,5,6]])
```

Selecting Numpy Array Elements

Index starts at 0

Subset	
`>>> my_array[1]` → `2`	Select item at index 1
Slice	
`>>> my_array[0:2]` → `array([1, 2])`	Select items at index 0 and 1
Subset 2D Numpy arrays	
`>>> my_2darray[:,0]` → `array([1, 4])`	my_2darray[rows, columns]

Numpy Array Operations

```
>>> my_array > 3
array([False, False, False,  True], dtype=bool)
>>> my_array * 2
array([2, 4, 6, 8])
>>> my_array + np.array([5, 6, 7, 8])
array([6, 8, 10, 12])
```

Numpy Array Functions

`>>> my_array.shape`	Get the dimensions of the array
`>>> np.append(other_array)`	Append items to an array
`>>> np.insert(my_array, 1, 5)`	Insert items in an array
`>>> np.delete(my_array,[1])`	Delete items in an array
`>>> np.mean(my_array)`	Mean of the array
`>>> np.median(my_array)`	Median of the array
`>>> my_array.corrcoef()`	Correlation coefficient
`>>> np.std(my_array)`	Standard deviation

Strings

```
>>> my_string = 'thisStringIsAwesome'
>>> my_string
'thisStringIsAwesome'
```

String Operations

```
>>> my_string * 2
'thisStringIsAwesomethisStringIsAwesome'
>>> my_string + 'Innit'
'thisStringIsAwesomeInnit'
>>> 'm' in my_string
True
```

String Operations

Index starts at 0

```
>>> my_string[3]
>>> my_string[4:9]
```

String Methods

`>>> my_string.upper()`	String to uppercase
`>>> my_string.lower()`	String to lowercase
`>>> my_string.count('w')`	Count String elements
`>>> my_string.replace('e', 'i')`	Replace String elements
`>>> my_string.strip()`	Strip whitespaces

Python For Data Science *Cheat Sheet*

Jupyter Notebook

Learn More Python for Data Science Interactively at www.DataCamp.com

Saving/Loading Notebooks



Writing Code And Text

Code and text are encapsulated by 3 basic cell types: markdown cells, code cells, and raw NBConvert cells.

Edit Cells



Insert Cells



Working with Different Programming Languages

Kernels provide computation and communication with front-end interfaces like the notebooks. There are three main kernels:

IPython IRkernel IJulia

Installing Jupyter Notebook will automatically install the IPython kernel.



Widgets

Notebook widgets provide the ability to visualize and control changes in your data, often as a control like a slider, textbox, etc.

You can use them to build interactive GUIs for your notebooks or to synchronize stateful and stateless information between Python and JavaScript.



Command Mode:

Edit Mode:

1. Save and checkpoint
2. Insert cell below
3. Cut cell
4. Copy cell(s)
5. Paste cell(s) below
6. Move cell up
7. Move cell down
8. Run current cell
9. Interrupt kernel
10. Restart kernel
11. Display characteristics
12. Open command palette
13. Current kernel
14. Kernel status
15. Log out from notebook server

Executing Cells



View Cells



Asking For Help



Python For Data Science *Cheat Sheet*

NumPy Basics

Learn Python for Data Science **Interactively** at www.DataCamp.com

NumPy

The **NumPy** library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.

Use the following import convention:

```
>>> import numpy as np
```

NumPy Arrays

1D array

2D array



3D array



Creating Arrays

```
>>> a = np.array([1,2,3])
>>> b = np.array([(1.5,2,3), (4,5,6)], dtype = float)
>>> c = np.array([[(1.5,2,3), (4,5,6)], [(3,2,1), (4,5,6)]],
                 dtype = float)
```

Initial Placeholders

```
>>> np.zeros((3,4))                    Create an array of zeros
>>> np.ones((2,3,4),dtype=np.int16)    Create an array of ones
>>> d = np.arange(10,25,5)             Create an array of evenly
                                       spaced values (step value)
>>> np.linspace(0,2,9)                 Create an array of evenly
                                       spaced values (number of samples)
>>> e = np.full((2,2),7)               Create a constant array
>>> f = np.eye(2)                      Create a 2X2 identity matrix
>>> np.random.random((2,2))            Create an array with random values
>>> np.empty((3,2))                    Create an empty array
```

I/O

Saving & Loading On Disk

```
>>> np.save('my_array', a)
>>> np.savez('array.npz', a, b)
>>> np.load('my_array.npy')
```

Saving & Loading Text Files

```
>>> np.loadtxt("myfile.txt")
>>> np.genfromtxt("my_file.csv", delimiter=',')
>>> np.savetxt("myarray.txt", a, delimiter=" ")
```

Data Types

```
>>> np.int64       Signed 64-bit integer types
>>> np.float32     Standard double-precision floating point
>>> np.complex     Complex numbers represented by 128 floats
>>> np.bool        Boolean type storing TRUE and FALSE values
>>> np.object      Python object type
>>> np.string_     Fixed-length string type
>>> np.unicode_    Fixed-length unicode type
```

Inspecting Your Array

```
>>> a.shape             Array dimensions
>>> len(a)              Length of array
>>> b.ndim              Number of array dimensions
>>> e.size              Number of array elements
>>> b.dtype             Data type of array elements
>>> b.dtype.name        Name of data type
>>> b.astype(int)       Convert an array to a different type
```

Asking For Help

```
>>> np.info(np.ndarray.dtype)
```

Array Mathematics

Arithmetic Operations

```
>>> g = a - b                          Subtraction
  array([[-0.5,  0. ,  0. ],
         [-3. , -3. , -3. ]])
>>> np.subtract(a,b)                   Subtraction
>>> b + a                              Addition
  array([[ 2.5,  4. ,  6. ],
         [ 5. ,  7. ,  9. ]])
>>> np.add(b,a)                        Addition
>>> a / b                              Division
  array([[ 0.66666667,  1.        ,  1.        ],
         [ 0.25      ,  0.4       ,  0.5       ]])
>>> np.divide(a,b)                     Division
>>> a * b                              Multiplication
  array([[  1.5,   4. ,   9. ],
         [  4. ,  10. ,  18. ]])
>>> np.multiply(a,b)                   Multiplication
>>> np.exp(b)                          Exponentiation
>>> np.sqrt(b)                         Square root
>>> np.sin(a)                          Print sines of an array
>>> np.cos(b)                          Element-wise cosine
>>> np.log(a)                          Element-wise natural logarithm
>>> e.dot(f)                           Dot product
  array([[ 7.,  7.],
         [ 7.,  7.]])
```

Comparison

```
>>> a == b                             Element-wise comparison
  array([[False,  True,  True],
         [False, False, False]], dtype=bool)
>>> a < 2                              Element-wise comparison
  array([True, False, False], dtype=bool)
>>> np.array_equal(a, b)               Array-wise comparison
```

Aggregate Functions

```
>>> a.sum()                            Array-wise sum
>>> a.min()                            Array-wise minimum value
>>> b.max(axis=0)                      Maximum value of an array row
>>> b.cumsum(axis=1)                   Cumulative sum of the elements
>>> a.mean()                           Mean
>>> b.median()                         Median
>>> a.corrcoef()                       Correlation coefficient
>>> np.std(b)                          Standard deviation
```

Copying Arrays

```
>>> h = a.view()          Create a view of the array with the same data
>>> np.copy(a)            Create a copy of the array
>>> h = a.copy()          Create a deep copy of the array
```

Sorting Arrays

```
>>> a.sort()              Sort an array
>>> c.sort(axis=0)        Sort the elements of an array's axis
```

Subsetting, Slicing, Indexing

Also see Lists

Subsetting


```
>>> a[2]
  3
```

Select the element at the 2nd index


```
>>> b[1,2]
  6.0
```

Select the element at row 1 column 2 (equivalent to `b[1][2]`)

Slicing


```
>>> a[0:2]
  array([1, 2])
```

Select items at index 0 and 1


```
>>> b[0:2,1]
  array([ 2.,  5.])
```

Select items at rows 0 and 1 in column 1


```
>>> b[:1]
  array([[1.5, 2., 3.]])
```

Select all items at row 0 (equivalent to `b[0:1, :]`)

```
>>> c[1,...]
  array([[[ 3.,  2.,  1.],
          [ 4.,  5.,  6.]]])
```

Same as `[1,:,:]`

```
>>> a[ : :-1]
  array([3, 2, 1])
```

Reversed array `a`

Boolean Indexing


```
>>> a[a<2]
  array([1])
```

Select elements from `a` less than 2

Fancy Indexing

```
>>> b[[1, 0, 1, 0],[0, 1, 2, 0]]
  array([ 4. , 2. , 6. , 1.5])
```

Select elements $(1,0)$, $(0,1)$, $(1,2)$ and $(0,0)$

```
>>> b[[1, 0, 1, 0]][:,[0,1,2,0]]
  array([[ 4. , 5. , 6. , 4. ],
         [ 1.5, 2. , 3. , 1.5],
         [ 4. , 5. , 6. , 4. ],
         [ 1.5, 2. , 3. , 1.5]])
```

Select a subset of the matrix's rows and columns

Array Manipulation

Transposing Array

```
>>> i = np.transpose(b)        Permute array dimensions
>>> i.T                        Permute array dimensions
```

Changing Array Shape

```
>>> b.ravel()                  Flatten the array
>>> g.reshape(3,-2)            Reshape, but don't change data
```

Adding/Removing Elements

```
>>> h.resize((2,6))            Return a new array with shape (2,6)
>>> np.append(h,g)             Append items to an array
>>> np.insert(a, 1, 5)         Insert items in an array
>>> np.delete(a,[1])           Delete items from an array
```

Combining Arrays

```
>>> np.concatenate((a,d),axis=0)        Concatenate arrays
  array([ 1,  2,  3, 10, 15, 20])
>>> np.vstack((a,b))                    Stack arrays vertically (row-wise)
  array([[ 1. ,  2. ,  3. ],
         [ 1.5,  2. ,  3. ],
         [ 4. ,  5. ,  6. ]])
>>> np.r_[e,f]                          Stack arrays vertically (row-wise)
>>> np.hstack((e,f))                    Stack arrays horizontally (column-wise)
  array([[ 7.,  7.,  1.,  0.],
         [ 7.,  7.,  0.,  1.]])
>>> np.column_stack((a,d))              Create stacked column-wise arrays
  array([[ 1, 10],
         [ 2, 15],
         [ 3, 20]])
>>> np.c_[a,d]                          Create stacked column-wise arrays
```

Splitting Arrays

```
>>> np.hsplit(a,3)                      Split the array horizontally at the 3rd index
  [array([1]),array([2]),array([3])]
>>> np.vsplit(c,2)                      Split the array vertically at the 2nd index
[array([[[ 1.5,  2. ,  1. ],
         [ 4. ,  5. ,  6. ]]]),
 array([[[ 3.,  2.,  3.],
         [ 4.,  5.,  6.]]])]
```

Python For Data Science *Cheat Sheet*

Pandas Basics

Learn Python for Data Science Interactively at www.DataCamp.com

Pandas

The **Pandas** library is built on NumPy and provides easy-to-use **data structures** and **data analysis** tools for the Python programming language.

Use the following import convention:

```
>>> import pandas as pd
```

Pandas Data Structures

Series

A **one-dimensional** labeled array capable of holding any data type




```
>>> s = pd.Series([3, -5, 7, 4], index=['a', 'b', 'c', 'd'])
```

DataFrame



A **two-dimensional** labeled data structure with columns of potentially different types

```
>>> data = {'Country': ['Belgium', 'India', 'Brazil'],
            'Capital': ['Brussels', 'New Delhi', 'Brasília'],
            'Population': [11190846, 1303171035, 207847528]}

>>> df = pd.DataFrame(data,
                      columns=['Country', 'Capital', 'Population'])
```

Asking For Help

```
>>> help(pd.Series.loc)
```

Selection

Also see NumPy Arrays

Getting

```
>>> s['b']
 -5

>>> df[1:]
   Country    Capital  Population
 1   India  New Delhi  1303171035
 2  Brazil   Brasília   207847528
```

Get one element

Get subset of a DataFrame

Selecting, Boolean Indexing & Setting

By Position

```
>>> df.iloc[[0],[0]]
 'Belgium'
>>> df.iat([0],[0])
 'Belgium'
```

Select single value by row & column

By Label

```
>>> df.loc[[0], ['Country']]
 'Belgium'
>>> df.at([0], ['Country'])
 'Belgium'
```

Select single value by row & column labels

By Label/Position

```
>>> df.ix[2]
Country      Brazil
Capital    Brasília
Population  207847528
```

Select single row of subset of rows

```
>>> df.ix[:,'Capital']
0     Brussels
1    New Delhi
2     Brasília
```

Select a single column of subset of columns

```
>>> df.ix[1,'Capital']
 'New Delhi'
```

Select rows and columns

Boolean Indexing

```
>>> s[~(s > 1)]
>>> s[(s < -1)  |  (s > 2)]
>>> df[df['Population']>1200000000]
```

Series `s` where value is not >1
`s` where value is <-1 or >2
Use filter to adjust DataFrame

Setting

```
>>> s['a'] = 6
```

Set index `a` of Series `s` to 6

Dropping

```
>>> s.drop(['a', 'c'])
>>> df.drop('Country', axis=1)
```

Drop values from rows (axis=0)
Drop values from columns(axis=1)

Sort & Rank

```
>>> df.sort_index()
>>> df.sort_values(by='Country')
>>> df.rank()
```

Sort by labels along an axis
Sort by the values along an axis
Assign ranks to entries

Retrieving Series/DataFrame Information

Basic Information

```
>>> df.shape
>>> df.index
>>> df.columns
>>> df.info()
>>> df.count()
```

(rows,columns)
Describe index
Describe DataFrame columns
Info on DataFrame
Number of non-NA values

Summary

```
>>> df.sum()
>>> df.cumsum()
>>> df.min()/df.max()
>>> df.idxmin()/df.idxmax()
>>> df.describe()
>>> df.mean()
>>> df.median()
```

Sum of values
Cummulative sum of values
Minimum/maximum values
Minimum/Maximum index value
Summary statistics
Mean of values
Median of values

Applying Functions

```
>>> f = lambda x: x*2
>>> df.apply(f)
>>> df.applymap(f)
```

Apply function
Apply function element-wise

Data Alignment

Internal Data Alignment

NA values are introduced in the indices that don't overlap:

```
>>> s3 = pd.Series([7, -2, 3], index=['a', 'c', 'd'])
>>> s + s3
  a     10.0
  b      NaN
  c      5.0
  d      7.0
```

Arithmetic Operations with Fill Methods

You can also do the internal data alignment yourself with the help of the fill methods:

```
>>> s.add(s3, fill_value=0)
  a    10.0
  b    -5.0
  c    5.0
  d    7.0
>>> s.sub(s3, fill_value=2)
>>> s.div(s3, fill_value=4)
>>> s.mul(s3, fill_value=3)
```

I/O

Read and Write to CSV

```
>>> pd.read_csv('file.csv', header=None, nrows=5)
>>> df.to_csv('myDataFrame.csv')
```

Read and Write to Excel

```
>>> pd.read_excel('file.xlsx')
>>> pd.to_excel('dir/myDataFrame.xlsx', sheet_name='Sheet1')
```

Read multiple sheets from the same file

```
>>> xlsx = pd.ExcelFile('file.xls')
>>> df = pd.read_excel(xlsx, 'Sheet1')
```

Read and Write to SQL Query or Database Table

```
>>> from sqlalchemy import create_engine
>>> engine = create_engine('sqlite:///:memory:')
>>> pd.read_sql("SELECT * FROM my_table;", engine)
>>> pd.read_sql_table('my_table', engine)
>>> pd.read_sql_query("SELECT * FROM my_table;", engine)
```

`read_sql()` is a convenience wrapper around `read_sql_table()` and `read_sql_query()`

```
>>> pd.to_sql('myDf', engine)
```

Python For Data Science *Cheat Sheet*

Pandas

Learn Python for Data Science **Interactively** at www.DataCamp.com

Reshaping Data

Pivot

```
>>> df3= df2.pivot(index='Date',
                   columns='Type',
                   values='Value')
```

Spread rows into columns

	Date	Type	Value
0	2016-03-01	a	11.432
1	2016-03-02	b	13.031
2	2016-03-01	c	20.784
3	2016-03-03	a	99.906
4	2016-03-02	a	1.303
5	2016-03-03	c	20.784

Type	a	b	c
Date			
2016-03-01	11.432	NaN	20.784
2016-03-02	1.303	13.031	NaN
2016-03-03	99.906	NaN	20.784

Pivot Table

```
>>> df4 = pd.pivot_table(df2,
                         values='Value',
                         index='Date',
                         columns='Type'])
```

Spread rows into columns

Stack / Unstack

```
>>> stacked = df5.stack()
>>> stacked.unstack()
```

Pivot a level of column labels
Pivot a level of index labels

		0	1
1	5	0.233482	0.390959
2	4	0.184713	0.237102
3	3	0.433522	0.429401

Unstacked

1	5	0	0.233482
		1	0.390959
2	4	0	0.184713
		1	0.237102
3	3	0	0.433522
		1	0.429401

Stacked

Melt

```
>>> pd.melt(df2,
            id_vars=["Date"],
            value_vars=["Type", "Value"],
            value_name="Observations")
```

Gather columns into rows

	Date	Type	Value
0	2016-03-01	a	11.432
1	2016-03-02	b	13.031
2	2016-03-01	c	20.784
3	2016-03-03	a	99.906
4	2016-03-02	a	1.303
5	2016-03-03	c	20.784

	Date	Variable	Observations
0	2016-03-01	Type	a
1	2016-03-02	Type	b
2	2016-03-01	Type	c
3	2016-03-03	Type	a
4	2016-03-02	Type	a
5	2016-03-03	Type	c
6	2016-03-01	Value	11.432
7	2016-03-02	Value	13.031
8	2016-03-01	Value	20.784
9	2016-03-03	Value	99.906
10	2016-03-02	Value	1.303
11	2016-03-03	Value	20.784

Iteration

```
>>> df.iteritems()
>>> df.iterrows()
```

(Column-index, Series) pairs
(Row-index, Series) pairs

Advanced Indexing

Also see NumPy Arrays

Selecting

```
>>> df3.loc[:,(df3>1).any()]
>>> df3.loc[:,(df3>1).all()]
>>> df3.loc[:,df3.isnull().any()]
>>> df3.loc[:,df3.notnull().all()]
```

Select cols with any vals >1
Select cols with vals > 1
Select cols with NaN
Select cols without NaN

Indexing With isin

```
>>> df[(df.Country.isin(df2.Type))]
>>> df3.filter(items="a","b"])
>>> df.select(lambda x: not x%5)
```

Find same elements
Filter on values
Select specific elements

Where

```
>>> s.where(s > 0)
```

Subset the data

Query

```
>>> df6.query('second > first')
```

Query DataFrame

Setting/Resetting Index

```
>>> df.set_index('Country')
>>> df4 = df.reset_index()
>>> df = df.rename(index=str,
                   columns={"Country":"cntry",
                            "Capital":"cptl",
                            "Population":"ppltn"})
```

Set the index
Reset the index
Rename DataFrame

Reindexing

```
>>> s2 = s.reindex(['a','c','d','e','b'])
```

Forward Filling

```
>>> df.reindex(range(4),
               method='ffill')
```

	Country	Capital	Population
0	Belgium	Brussels	11190846
1	India	New Delhi	1303171035
2	Brazil	Brasília	207847528
3	Brazil	Brasília	207847528

Backward Filling

```
>>> s3 = s.reindex(range(5),
                   method='bfill')
```

0	3
1	3
2	3
3	3
4	3

MultiIndexing

```
>>> arrays = [np.array([1,2,3]),
              np.array([5,4,3])]
>>> df5 = pd.DataFrame(np.random.rand(3, 2), index=arrays)
>>> tuples = list(zip(*arrays))
>>> index = pd.MultiIndex.from_tuples(tuples,
                                      names=['first', 'second'])
>>> df6 = pd.DataFrame(np.random.rand(3, 2), index=index)
>>> df2.set_index(["Date", "Type"])
```

Duplicate Data

```
>>> s3.unique()
>>> df2.duplicated('Type')
>>> df2.drop_duplicates('Type', keep='last')
>>> df.index.duplicated()
```

Return unique values
Check duplicates
Drop duplicates
Check index duplicates

Grouping Data

Aggregation

```
>>> df2.groupby(by=['Date','Type']).mean()
>>> df4.groupby(level=0).sum()
>>> df4.groupby(level=0).agg({'a':lambda x:sum(x)/len(x),
                              'b': np.sum})
```

Transformation

```
>>> customSum = lambda x: (x+x%2)
>>> df4.groupby(level=0).transform(customSum)
```

Missing Data

```
>>> df.dropna()
>>> df3.fillna(df3.mean())
>>> df2.replace("a", "f")
```

Drop NaN values
Fill NaN values with a predetermined value
Replace values with others

Combining Data

data1

	X1	X2
a		11.432
b		1.303
c		99.906

data2

	X1	X3
a		20.784
b		NaN
d		20.784

Merge

```
>>> pd.merge(data1,
             data2,
             how='left',
             on='X1')
```

	X1	X2	X3
a		11.432	20.784
b		1.303	NaN
c		99.906	NaN

```
>>> pd.merge(data1,
             data2,
             how='right',
             on='X1')
```

	X1	X2	X3
a		11.432	20.784
b		1.303	NaN
d		NaN	20.784

```
>>> pd.merge(data1,
             data2,
             how='inner',
             on='X1')
```

	X1	X2	X3
a		11.432	20.784
b		1.303	NaN

```
>>> pd.merge(data1,
             data2,
             how='outer',
             on='X1')
```

	X1	X2	X3
a		11.432	20.784
b		1.303	NaN
c		99.906	NaN
d		NaN	20.784

Join

```
>>> data1.join(data2, how='right')
```

Concatenate

Vertical

```
>>> s.append(s2)
```

Horizontal/Vertical

```
>>> pd.concat([s,s2],axis=1, keys=['One','Two'])
>>> pd.concat([data1, data2], axis=1, join='inner')
```

Dates

```
>>> df2['Date']= pd.to_datetime(df2['Date'])
>>> df2['Date']= pd.date_range('2000-1-1',
                               periods=6,
                               freq='M')
>>> dates = [datetime(2012,5,1), datetime(2012,5,2)]
>>> index = pd.DatetimeIndex(dates)
>>> index = pd.date_range(datetime(2012,2,1), end, freq='BM')
```

Visualization

Also see Matplotlib

```
>>> import matplotlib.pyplot as plt
```

```
>>> s.plot()
>>> plt.show()
```



```
>>> df2.plot()
>>> plt.show()
```



Python For Data Science *Cheat Sheet*

Matplotlib

Learn Python Interactively at www.DataCamp.com

Matplotlib

Matplotlib is a Python 2D plotting library which produces publication-quality figures in a variety of hardcopy formats and interactive environments across platforms.

matplotlib

1 Prepare The Data

Also see Lists & NumPy

1D Data

```
>>> import numpy as np
>>> x = np.linspace(0, 10, 100)
>>> y = np.cos(x)
>>> z = np.sin(x)
```

2D Data or Images

```
>>> data = 2 * np.random.random((10, 10))
>>> data2 = 3 * np.random.random((10, 10))
>>> Y, X = np.mgrid[-3:3:100j, -3:3:100j]
>>> U = -1 - X**2 + Y
>>> V = 1 + X - Y**2
>>> from matplotlib.cbook import get_sample_data
>>> img = np.load(get_sample_data('axes_grid/bivariate_normal.npy'))
```

2 Create Plot

```
>>> import matplotlib.pyplot as plt
```

Figure

```
>>> fig = plt.figure()
>>> fig2 = plt.figure(figsize=plt.figaspect(2.0))
```

Axes

All plotting is done with respect to an `Axes`. In most cases, a subplot will fit your needs. A subplot is an axes on a grid system.

```
>>> fig.add_axes()
>>> ax1 = fig.add_subplot(221) # row-col-num
>>> ax3 = fig.add_subplot(212)
>>> fig3, axes = plt.subplots(nrows=2,ncols=2)
>>> fig4, axes2 = plt.subplots(ncols=3)
```

Plot Anatomy & Workflow

Plot Anatomy



Figure

Workflow

The basic steps to creating plots with matplotlib are:

1 Prepare data 2 Create plot 3 Plot 4 Customize plot 5 Save plot 6 Show plot

```
>>> import matplotlib.pyplot as plt
>>> x = [1,2,3,4]                          Step 1
>>> y = [10,20,25,30]
>>> fig = plt.figure()                     Step 2
>>> ax = fig.add_subplot(111)              Step 3
>>> ax.plot(x, y, color='lightblue', linewidth=3)   Step 3, 4
>>> ax.scatter([2,4,6],
               [5,15,25],
               color='darkgreen',
               marker='^')
>>> ax.set_xlim(1, 6.5)
>>> plt.savefig('foo.png')
>>> plt.show()                             Step 6
```

4 Customize Plot

Colors, Color Bars & Color Maps

```
>>> plt.plot(x, x, x, x**2, x, x**3)
>>> ax.plot(x, y, alpha = 0.4)
>>> ax.plot(x, y, c='k')
>>> fig.colorbar(im, orientation='horizontal')
>>> im = ax.imshow(img,
                   cmap='seismic')
```

Markers

```
>>> fig, ax = plt.subplots()
>>> ax.scatter(x,y,marker=".")
>>> ax.plot(x,y,marker="o")
```

Linestyles

```
>>> plt.plot(x,y,linewidth=4.0)
>>> plt.plot(x,y,ls='solid')
>>> plt.plot(x,y,ls='--')
>>> plt.plot(x,y,'--',x**2,y**2,'-.')
>>> plt.setp(lines,color='r',linewidth=4.0)
```

Text & Annotations

```
>>> ax.text(1,
            -2.1,
            'Example Graph',
            style='italic')
>>> ax.annotate("Sine",
                xy=(8, 0),
                xycoords='data',
                xytext=(10.5, 0),
                textcoords='data',
                arrowprops=dict(arrowstyle="->",
                                connectionstyle="arc3"),)
```

Mathtext

```
>>> plt.title(r'$sigma_i=15$', fontsize=20)
```

Limits, Legends & Layouts

Limits & Autoscaling

```
>>> ax.margins(x=0.0,y=0.1)                  Add padding to a plot
>>> ax.axis('equal')                         Set the aspect ratio of the plot to 1
>>> ax.set(xlim=[0,10.5],ylim=[-1.5,1.5])    Set limits for x-and y-axis
>>> ax.set_xlim(0,10.5)                      Set limits for x-axis
```

Legends

```
>>> ax.set(title='An Example Axes',          Set a title and x-and y-axis labels
           ylabel='Y-Axis',
           xlabel='X-Axis')
>>> ax.legend(loc='best')                    No overlapping plot elements
```

Ticks

```
>>> ax.xaxis.set(ticks=range(1,5),           Manually set x-ticks
                 ticklabels=[3,100,-12,"foo"])
>>> ax.tick_params(axis='y',                 Make y-ticks longer and go in and out
                   direction='inout',
                   length=10)
```

Subplot Spacing

```
>>> fig3.subplots_adjust(wspace=0.5,         Adjust the spacing between subplots
                         hspace=0.3,
                         left=0.125,
                         right=0.9,
                         top=0.9,
                         bottom=0.1)
>>> fig.tight_layout()                       Fit subplot(s) in to the figure area
```

Axis Spines

```
>>> ax1.spines['top'].set_visible(False)     Make the top axis line for a plot invisible
>>> ax1.spines['bottom'].set_position(('outward',10))   Move the bottom axis line outward
```

3 Plotting Routines

1D Data

```
>>> fig, ax = plt.subplots()
>>> lines = ax.plot(x,y)                     Draw points with lines or markers connecting them
>>> ax.scatter(x,y)                          Draw unconnected points, scaled or colored
>>> axes[0,0].bar([1,2,3],[3,4,5])           Plot vertical rectangles (constant width)
>>> axes[1,0].barh([0.5,1,2.5],[0,1,2])      Plot horiontal rectangles (constant height)
>>> axes[1,1].axhline(0.45)                  Draw a horizontal line across axes
>>> axes[0,1].axvline(0.65)                  Draw a vertical line across axes
>>> ax.fill(x,y,color='blue')                Draw filled polygons
>>> ax.fill_between(x,y,color='yellow')      Fill between y-values and o
```

Vector Fields

```
>>> axes[0,1].arrow(0,0,0.5,0.5)             Add an arrow to the axes
>>> axes[1,1].quiver(y,z)                    Plot a 2D field of arrows
>>> axes[0,1].streamplot(X,Y,U,V)            Plot a 2D field of arrows
```

Data Distributions

```
>>> ax1.hist(y)                              Plot a histogram
>>> ax3.boxplot(y)                           Make a box and whisker plot
>>> ax3.violinplot(z)                        Make a violin plot
```

2D Data or Images

```
>>> fig, ax = plt.subplots()
>>> im = ax.imshow(img,                      Colormapped or RGB arrays
                   cmap='gist_earth',
                   interpolation='nearest',
                   vmin=-2,
                   vmax=2)
```

```
>>> axes2[0].pcolor(data2)                   Pseudocolor plot of 2D array
>>> axes2[0].pcolormesh(data)                Pseudocolor plot of 2D array
>>> CS = plt.contour(Y,X,U)                  Plot contours
>>> axes2[2].contourf(data1)                 Plot filled contours
>>> axes2[2]= ax.clabel(CS)                  Label a contour plot
```

5 Save Plot

Save figures

```
>>> plt.savefig('foo.png')
```

Save transparent figures

```
>>> plt.savefig('foo.png', transparent=True)
```

6 Show Plot

```
>>> plt.show()
```

Close & Clear

```
>>> plt.cla()                                Clear an axis
>>> plt.clf()                                Clear the entire figure
>>> plt.close()                              Close a window
```

Python For Data Science *Cheat Sheet*

Seaborn

Learn Data Science Interactively at www.DataCamp.com

Statistical Data Visualization With Seaborn

The Python visualization library **Seaborn** is based on matplotlib and provides a high-level interface for drawing attractive statistical graphics.

Make use of the following aliases to import the libraries:

```
>>> import matplotlib.pyplot as plt
>>> import seaborn as sns
```

The basic steps to creating plots with Seaborn are:

1. Prepare some data
2. Control figure aesthetics
3. Plot with Seaborn
4. Further customize your plot

```
>>> import matplotlib.pyplot as plt
>>> import seaborn as sns
>>> tips = sns.load_dataset("tips")                    Step 1
>>> sns.set_style("whitegrid")                         Step 2
>>> g = sns.lmplot(x="tip",                            Step 3
                   y="total_bill",
                   data=tips,
                   aspect=2)
>>> g = (g.set_axis_labels("Tip","Total bill(USD)").
set(xlim=(0,10),ylim=(0,100)))                         Step 4
>>> plt.title("title")
>>> plt.show(g)                                        Step 5
```

1 Data

Also see Lists, NumPy & Pandas

```
>>> import pandas as pd
>>> import numpy as np
>>> uniform_data = np.random.rand(10, 12)
>>> data = pd.DataFrame({'x':np.arange(1,101),
                         'y':np.random.normal(0,4,100)})
```

Seaborn also offers built-in data sets:

```
>>> titanic = sns.load_dataset("titanic")
>>> iris = sns.load_dataset("iris")
```

2 Figure Aesthetics

Also see Matplotlib

```
>>> f, ax = plt.subplots(figsize=(5,6))
```
Create a figure and one subplot

Seaborn styles

```
>>> sns.set()
>>> sns.set_style("whitegrid")
>>> sns.set_style("ticks",
                  {"xtick.major.size":8,
                   "ytick.major.size":8})
>>> sns.axes_style("whitegrid")
```
(Re)set the seaborn default
Set the matplotlib parameters
Set the matplotlib parameters

Return a dict of params or use with `with` to temporarily set the style

Context Functions

```
>>> sns.set_context("talk")
>>> sns.set_context("notebook",
                    font_scale=1.5,
                    rc={"lines.linewidth":2.5})
```
Set context to `"talk"`
Set context to `"notebook"`, scale font elements and override param mapping

Color Palette

```
>>> sns.set_palette("husl",3)
>>> sns.color_palette("husl")
>>> flatui = ["#9b59b6","#3498db","#95a5a6","#e74c3c","#34495e","#2ecc71"]
>>> sns.set_palette(flatui)
```
Define the color palette
Use with `with` to temporarily set palette
Set your own color palette

3 Plotting With Seaborn

Axis Grids

```
>>> g = sns.FacetGrid(titanic,
                      col="survived",
                      row="sex")
>>> g = g.map(plt.hist,"age")
```
Subplot grid for plotting conditional relationships

```
>>> sns.factorplot(x="pclass",
                   y="survived",
                   hue="sex",
                   data=titanic)
```
Draw a categorical plot onto a Facetgrid

```
>>> sns.lmplot(x="sepal_width",
               y="sepal_length",
               hue="species",
               data=iris)
```
Plot data and regression model fits across a FacetGrid

```
>>> h = sns.PairGrid(iris)
>>> h = h.map(plt.scatter)
>>> sns.pairplot(iris)
```
Subplot grid for plotting pairwise relationships
Plot pairwise bivariate distributions

```
>>> i = sns.JointGrid(x="x",
                      y="y",
                      data=data)
>>> i = i.plot(sns.regplot,
               sns.distplot)
```
Grid for bivariate plot with marginal univariate plots

```
>>> sns.jointplot("sepal_length",
                  "sepal_width",
                  data=iris,
                  kind='kde')
```
Plot bivariate distribution

Categorical Plots

Scatterplot

```
>>> sns.stripplot(x="species",
                  y="petal_length",
                  data=iris)
```
Scatterplot with one categorical variable

```
>>> sns.swarmplot(x="species",
                  y="petal_length",
                  data=iris)
```
Categorical scatterplot with non-overlapping points

Bar Chart

```
>>> sns.barplot(x="sex",
                y="survived",
                hue="class",
                data=titanic)
```
Show point estimates and confidence intervals with scatterplot glyphs

Count Plot

```
>>> sns.countplot(x="deck",
                  data=titanic,
                  palette="Greens_d")
```
Show count of observations

Point Plot

```
>>> sns.pointplot(x="class",
                  y="survived",
                  hue="sex",
                  data=titanic,
                  palette={"male":"g",
                           "female":"m"},
                  markers=["^","o"],
                  linestyles=["-","--"])
```
Show point estimates and confidence intervals as rectangular bars

Boxplot

```
>>> sns.boxplot(x="alive",
                y="age",
                hue="adult_male",
                data=titanic)
```
Boxplot

```
>>> sns.boxplot(data=iris,orient="h")
```
Boxplot with wide-form data

Violinplot

```
>>> sns.violinplot(x="age",
                   y="sex",
                   hue="survived",
                   data=titanic)
```
Violin plot

Regression Plots

```
>>> sns.regplot(x="sepal_width",
                y="sepal_length",
                data=iris,
                ax=ax)
```
Plot data and a linear regression model fit

Distribution Plots

```
>>> plot = sns.distplot(data.y,
                        kde=False,
                        color="b")
```
Plot univariate distribution

Matrix Plots

```
>>> sns.heatmap(uniform_data,vmin=0,vmax=1)
```
Heatmap

4 Further Customizations

Also see Matplotlib

Axisgrid Objects

```
>>> g.despine(left=True)
>>> g.set_ylabels("Survived")
>>> g.set_xticklabels(rotation=45)
>>> g.set_axis_labels("Survived",
                      "Sex")
```
Remove left spine
Set the labels of the y-axis
Set the tick labels for x
Set the axis labels

```
>>> h.set(xlim=(0,5),
          ylim=(0,5),
          xticks=[0,2.5,5],
          yticks=[0,2.5,5])
```
Set the limit and ticks of the x-and y-axis

Plot

```
>>> plt.title("A Title")
>>> plt.ylabel("Survived")
>>> plt.xlabel("Sex")
>>> plt.ylim(0,100)
>>> plt.xlim(0,10)
>>> plt.setp(ax,yticks=[0,5])
>>> plt.tight_layout()
```
Add plot title
Adjust the label of the y-axis
Adjust the label of the x-axis
Adjust the limits of the y-axis
Adjust the limits of the x-axis
Adjust a plot property
Adjust subplot params

5 Show or Save Plot

Also see Matplotlib

```
>>> plt.show()
>>> plt.savefig("foo.png")
>>> plt.savefig("foo.png",
                transparent=True)
```
Show the plot
Save the plot as a figure
Save transparent figure

Close & Clear

Also see Matplotlib

```
>>> plt.cla()
>>> plt.clf()
>>> plt.close()
```
Clear an axis
Clear an entire figure
Close a window

Python For Data Science *Cheat Sheet*

SciPy - Linear Algebra

Learn More Python for Data Science Interactively at www.datacamp.com

SciPy

The **SciPy** library is one of the core packages for scientific computing that provides mathematical algorithms and convenience functions built on the NumPy extension of Python.

Interacting With NumPy

Also see NumPy

```
>>> import numpy as np
>>> a = np.array([1,2,3])
>>> b = np.array([(1+5j,2j,3j), (4j,5j,6j)])
>>> c = np.array([[(1.5,2,3), (4,5,6)], [(3,2,1), (4,5,6)]])
```

Index Tricks

```
>>> np.mgrid[0:5,0:5]          Create a dense meshgrid
>>> np.ogrid[0:2,0:2]          Create an open meshgrid
>>> np.r_[[3,[0]*5,-1:1:10j]   Stack arrays vertically (row-wise)
>>> np.c_[b,c]                 Create stacked column-wise arrays
```

Shape Manipulation

```
>>> np.transpose(b)            Permute array dimensions
>>> b.flatten()                Flatten the array
>>> np.hstack((b,c))           Stack arrays horizontally (column-wise)
>>> np.vstack((a,b))           Stack arrays vertically (row-wise)
>>> np.hsplit(c,2)             Split the array horizontally at the 2nd index
>>> np.vpslit(d,2)             Split the array vertically at the 2nd index
```

Polynomials

```
>>> from numpy import poly1d
>>> p = poly1d([3,4,5])        Create a polynomial object
```

Vectorizing Functions

```
>>> def myfunc(a):
        if a < 0:
          return a*2
        else:
          return a/2
>>> np.vectorize(myfunc)       Vectorize functions
```

Type Handling

```
>>> np.real(c)                 Return the real part of the array elements
>>> np.imag(c)                 Return the imaginary part of the array elements
>>> np.real_if_close(c,tol=1000)  Return a real array if complex parts close to 0
>>> np.cast['f'](np.pi)        Cast object to a data type
```

Other Useful Functions

```
>>> np.angle(b,deg=True)       Return the angle of the complex argument
>>> g = np.linspace(0,np.pi,num=5)  Create an array of evenly spaced values
                                    (number of samples)
>>> g [3:] += np.pi
>>> np.unwrap(g)               Unwrap
>>> np.logspace(0,10,3)        Create an array of evenly spaced values (log scale)
>>> np.select([c<4],[c*2])     Return values from a list of arrays depending on
                               conditions
>>> misc.factorial(a)          Factorial
>>> misc.comb(10,3,exact=True)  Combine N things taken at k time
>>> misc.central_diff_weights(3)  Weights for Np-point central derivative
>>> misc.derivative(myfunc,1.0)  Find the n-th derivative of a function at a point
```

Linear Algebra

Also see NumPy

You'll use the `linalg` and `sparse` modules. Note that `scipy.linalg` contains and expands on `numpy.linalg`.

```
>>> from scipy import linalg, sparse
```

Creating Matrices

```
>>> A = np.matrix(np.random.random((2,2)))
>>> B = np.asmatrix(b)
>>> C = np.mat(np.random.random((10,5)))
>>> D = np.mat([[3,4], [5,6]])
```

Basic Matrix Routines

Inverse

```
>>> A.I                        Inverse
>>> linalg.inv(A)              Inverse
>>> A.T                        Tranpose matrix
>>> A.H                        Conjugate transposition
>>> np.trace(A)                Trace
```

Norm

```
>>> linalg.norm(A)             Frobenius norm
>>> linalg.norm(A,1)           L1 norm (max column sum)
>>> linalg.norm(A,np.inf)      L inf norm (max row sum)
```

Rank

```
>>> np.linalg.matrix_rank(C)   Matrix rank
```

Determinant

```
>>> linalg.det(A)              Determinant
```

Solving linear problems

```
>>> linalg.solve(A,b)          Solver for dense matrices
>>> E = np.mat(a).T            Solver for dense matrices
>>> linalg.lstsq(D,E)          Least-squares solution to linear matrix
                               equation
```

Generalized inverse

```
>>> linalg.pinv(C)             Compute the pseudo-inverse of a matrix
                               (least-squares solver)
>>> linalg.pinv2(C)            Compute the pseudo-inverse of a matrix
                               (SVD)
```

Creating Sparse Matrices

```
>>> F = np.eye(3, k=1)         Create a 2X2 identity matrix
>>> G = np.mat(np.identity(2)) Create a 2x2 identity matrix
>>> C[C > 0.5] = 0
>>> H = sparse.csr_matrix(C)   Compressed Sparse Row matrix
>>> I = sparse.csc_matrix(D)   Compressed Sparse Column matrix
>>> J = sparse.dok_matrix(A)   Dictionary Of Keys matrix
>>> E.todense()                Sparse matrix to full matrix
>>> sparse.isspmatrix_csc(A)   Identify sparse matrix
```

Sparse Matrix Routines

Inverse

```
>>> sparse.linalg.inv(I)       Inverse
```

Norm

```
>>> sparse.linalg.norm(I)      Norm
```

Solving linear problems

```
>>> sparse.linalg.spsolve(H,I)  Solver for sparse matrices
```

Sparse Matrix Functions

```
>>> sparse.linalg.expm(I)      Sparse matrix exponential
```

Matrix Functions

Addition

```
>>> np.add(A,D)                Addition
```

Subtraction

```
>>> np.subtract(A,D)           Subtraction
```

Division

```
>>> np.divide(A,D)             Division
```

Multiplication

```
>>> np.multiply(D,A)           Multiplication
>>> np.dot(A,D)                Dot product
>>> np.vdot(A,D)               Vector dot product
>>> np.inner(A,D)              Inner product
>>> np.outer(A,D)              Outer product
>>> np.tensordot(A,D)          Tensor dot product
>>> np.kron(A,D)               Kronecker product
```

Exponential Functions

```
>>> linalg.expm(A)             Matrix exponential
>>> linalg.expm2(A)            Matrix exponential (Taylor Series)
>>> linalg.expm3(D)            Matrix exponential (eigenvalue
                               decomposition)
```

Logarithm Function

```
>>> linalg.logm(A)             Matrix logarithm
```

Trigonometric Tunctions

```
>>> linalg.sinm(D)             Matrix sine
>>> linalg.cosm(D)             Matrix cosine
>>> linalg.tanm(A)             Matrix tangent
```

Hyperbolic Trigonometric Functions

```
>>> linalg.sinhm(D)            Hypberbolic matrix sine
>>> linalg.coshm(D)            Hyperbolic matrix cosine
>>> linalg.tanhm(A)            Hyperbolic matrix tangent
```

Matrix Sign Function

```
>>> np.sigm(A)                 Matrix sign function
```

Matrix Square Root

```
>>> linalg.sqrtm(A)            Matrix square root
```

Arbitrary Functions

```
>>> linalg.funm(A, lambda x: x*x)  Evaluate matrix function
```

Decompositions

Eigenvalues and Eigenvectors

```
>>> la, v = linalg.eig(A)      Solve ordinary or generalized
                               eigenvalue problem for square matrix
>>> l1, l2 = la                Unpack eigenvalues
>>> v[:,0]                     First eigenvector
>>> v[:,1]                     Second eigenvector
>>> linalg.eigvals(A)          Unpack eigenvalues
```

Singular Value Decomposition

```
>>> U,s,Vh = linalg.svd(B)     Singular Value Decomposition (SVD)
>>> M,N = B.shape
>>> Sig = linalg.diagsvd(s,M,N)  Construct sigma matrix in SVD
```

LU Decomposition

```
>>> P,L,U = linalg.lu(C)       LU Decomposition
```

Sparse Matrix Decompositions

```
>>> la, v = sparse.linalg.eigs(F,1)  Eigenvalues and eigenvectors
>>> sparse.linalg.svds(H, 2)         SVD
```

Asking For Help

```
>>> help(scipy.linalg.diagsvd)
>>> np.info(np.matrix)
```

Python For Data Science *Cheat Sheet*

Scikit-Learn

Learn Python for data science Interactively at www.DataCamp.com

Scikit-learn

Scikit-learn is an open source Python library that implements a range of machine learning, preprocessing, cross-validation and visualization algorithms using a unified interface.

A Basic Example

```
>>> from sklearn import neighbors, datasets, preprocessing
>>> from sklearn.model_selection import train_test_split
>>> from sklearn.metrics import accuracy_score
>>> iris = datasets.load_iris()
>>> X, y = iris.data[:, :2], iris.target
>>> X_train, X_test, y_train, y_test = train_test_split(X, y, random_state=33)
>>> scaler = preprocessing.StandardScaler().fit(X_train)
>>> X_train = scaler.transform(X_train)
>>> X_test = scaler.transform(X_test)
>>> knn = neighbors.KNeighborsClassifier(n_neighbors=5)
>>> knn.fit(X_train, y_train)
>>> y_pred = knn.predict(X_test)
>>> accuracy_score(y_test, y_pred)
```

Loading The Data

Also see NumPy & Pandas

Your data needs to be numeric and stored as NumPy arrays or SciPy sparse matrices. Other types that are convertible to numeric arrays, such as Pandas DataFrame, are also acceptable.

```
>>> import numpy as np
>>> X = np.random.random((10,5))
>>> y = np.array(['M','M','F','F','M','F','M','M','F','F','F'])
>>> X[X < 0.7] = 0
```

Training And Test Data

```
>>> from sklearn.model_selection import train_test_split
>>> X_train, X_test, y_train, y_test = train_test_split(X,
                                                        y,
                                                        random_state=0)
```

Create Your Model

Supervised Learning Estimators

Linear Regression

```
>>> from sklearn.linear_model import LinearRegression
>>> lr = LinearRegression(normalize=True)
```

Support Vector Machines (SVM)

```
>>> from sklearn.svm import SVC
>>> svc = SVC(kernel='linear')
```

Naive Bayes

```
>>> from sklearn.naive_bayes import GaussianNB
>>> gnb = GaussianNB()
```

KNN

```
>>> from sklearn import neighbors
>>> knn = neighbors.KNeighborsClassifier(n_neighbors=5)
```

Unsupervised Learning Estimators

Principal Component Analysis (PCA)

```
>>> from sklearn.decomposition import PCA
>>> pca = PCA(n_components=0.95)
```

K Means

```
>>> from sklearn.cluster import KMeans
>>> k_means = KMeans(n_clusters=3, random_state=0)
```

Model Fitting

Supervised learning	
`>>> lr.fit(X, y)`	Fit the model to the data
`>>> knn.fit(X_train, y_train)`	
`>>> svc.fit(X_train, y_train)`	
Unsupervised Learning	
`>>> k_means.fit(X_train)`	Fit the model to the data
`>>> pca_model = pca.fit_transform(X_train)`	Fit to data, then transform it

Prediction

Supervised Estimators	
`>>> y_pred = svc.predict(np.random.random((2,5)))`	Predict labels
`>>> y_pred = lr.predict(X_test)`	Predict labels
`>>> y_pred = knn.predict_proba(X_test)`	Estimate probability of a label
Unsupervised Estimators	
`>>> y_pred = k_means.predict(X_test)`	Predict labels in clustering algos

Preprocessing The Data

Standardization

```
>>> from sklearn.preprocessing import StandardScaler
>>> scaler = StandardScaler().fit(X_train)
>>> standardized_X = scaler.transform(X_train)
>>> standardized_X_test = scaler.transform(X_test)
```

Normalization

```
>>> from sklearn.preprocessing import Normalizer
>>> scaler = Normalizer().fit(X_train)
>>> normalized_X = scaler.transform(X_train)
>>> normalized_X_test = scaler.transform(X_test)
```

Binarization

```
>>> from sklearn.preprocessing import Binarizer
>>> binarizer = Binarizer(threshold=0.0).fit(X)
>>> binary_X = binarizer.transform(X)
```

Encoding Categorical Features

```
>>> from sklearn.preprocessing import LabelEncoder
>>> enc = LabelEncoder()
>>> y = enc.fit_transform(y)
```

Imputing Missing Values

```
>>> from sklearn.preprocessing import Imputer
>>> imp = Imputer(missing_values=0, strategy='mean', axis=0)
>>> imp.fit_transform(X_train)
```

Generating Polynomial Features

```
>>> from sklearn.preprocessing import PolynomialFeatures
>>> poly = PolynomialFeatures(5)
>>> poly.fit_transform(X)
```

Evaluate Your Model's Performance

Classification Metrics

Accuracy Score

```
>>> knn.score(X_test, y_test)
```
Estimator score method

```
>>> from sklearn.metrics import accuracy_score
>>> accuracy_score(y_test, y_pred)
```
Metric scoring functions

Classification Report

```
>>> from sklearn.metrics import classification_report
>>> print(classification_report(y_test, y_pred))
```
Precision, recall, f1-score and support

Confusion Matrix

```
>>> from sklearn.metrics import confusion_matrix
>>> print(confusion_matrix(y_test, y_pred))
```

Regression Metrics

Mean Absolute Error

```
>>> from sklearn.metrics import mean_absolute_error
>>> y_true = [3, -0.5, 2]
>>> mean_absolute_error(y_true, y_pred)
```

Mean Squared Error

```
>>> from sklearn.metrics import mean_squared_error
>>> mean_squared_error(y_test, y_pred)
```

R^2 Score

```
>>> from sklearn.metrics import r2_score
>>> r2_score(y_true, y_pred)
```

Clustering Metrics

Adjusted Rand Index

```
>>> from sklearn.metrics import adjusted_rand_score
>>> adjusted_rand_score(y_true, y_pred)
```

Homogeneity

```
>>> from sklearn.metrics import homogeneity_score
>>> homogeneity_score(y_true, y_pred)
```

V-measure

```
>>> from sklearn.metrics import v_measure_score
>>> metrics.v_measure_score(y_true, y_pred)
```

Cross-Validation

```
>>> from sklearn.cross_validation import cross_val_score
>>> print(cross_val_score(knn, X_train, y_train, cv=4))
>>> print(cross_val_score(lr, X, y, cv=2))
```

Tune Your Model

Grid Search

```
>>> from sklearn.grid_search import GridSearchCV
>>> params = {"n_neighbors": np.arange(1,3),
              "metric": ["euclidean", "cityblock"]}
>>> grid = GridSearchCV(estimator=knn,
                        param_grid=params)
>>> grid.fit(X_train, y_train)
>>> print(grid.best_score_)
>>> print(grid.best_estimator_.n_neighbors)
```

Randomized Parameter Optimization

```
>>> from sklearn.grid_search import RandomizedSearchCV
>>> params = {"n_neighbors": range(1,5),
              "weights": ["uniform", "distance"]}
>>> rsearch = RandomizedSearchCV(estimator=knn,
                                 param_distributions=params,
                                 cv=4,
                                 n_iter=8,
                                 random_state=5)
>>> rsearch.fit(X_train, y_train)
>>> print(rsearch.best_score_)
```

Python For Data Science *Cheat Sheet*

Bokeh

Learn Bokeh Interactively at www.DataCamp.com, taught by Bryan Van de Ven, core contributor

Plotting With Bokeh

The Python interactive visualization library **Bokeh** enables high-performance visual presentation of large datasets in modern web browsers.

Bokeh's mid-level general purpose `bokeh.plotting` interface is centered around two main components: data and glyphs.



The basic steps to creating plots with the `bokeh.plotting` interface are:

1. Prepare some data:

Python lists, NumPy arrays, Pandas DataFrames and other sequences of values

2. Create a new plot
3. Add renderers for your data, with visual customizations
4. Specify where to generate the output
5. Show or save the results

```
>>> from bokeh.plotting import figure
>>> from bokeh.io import output_file, show
>>> x = [1, 2, 3, 4, 5]                          Step 1
>>> y = [6, 7, 2, 4, 5]
>>> p = figure(title="simple line example",      Step 2
              x_axis_label='x',
              y_axis_label='y')
>>> p.line(x, y, legend="Temp.", line_width=2)   Step 3
>>> output_file("lines.html")                    Step 4
>>> show(p)                                      Step 5
```

1 Data

Also see Lists, NumPy & Pandas

Under the hood, your data is converted to Column Data Sources. You can also do this manually:

```
>>> import numpy as np
>>> import pandas as pd
>>> df = pd.DataFrame(np.array([[33.9,4,65, 'US'],
                                [32.4,4,66, 'Asia'],
                                [21.4,4,109, 'Europe']]),
                      columns=['mpg','cyl', 'hp', 'origin'],
                      index=['Toyota', 'Fiat', 'Volvo'])
```

```
>>> from bokeh.models import ColumnDataSource
>>> cds_df = ColumnDataSource(df)
```

2 Plotting

```
>>> from bokeh.plotting import figure
>>> p1 = figure(plot_width=300, tools='pan,box_zoom')
>>> p2 = figure(plot_width=300, plot_height=300,
                x_range=(0, 8), y_range=(0, 8))
>>> p3 = figure()
```

3 Renderers & Visual Customizations

Glyphs



Scatter Markers

```
>>> p1.circle(np.array([1,2,3]), np.array([3,2,1]),
              fill_color='white')
>>> p2.square(np.array([1.5,3.5,5.5]), [1,4,3],
              color='blue', size=1)
```



Line Glyphs

```
>>> p1.line([1,2,3,4], [3,4,5,6], line_width=2)
>>> p2.multi_line(pd.DataFrame([[1,2,3],[5,6,7]]),
                  pd.DataFrame([[3,4,5],[3,2,1]]),
                  color="blue")
```

Customized Glyphs

Also see Data

Selection and Non-Selection Glyphs

```
>>> p = figure(tools='box_select')
>>> p.circle('mpg', 'cyl', source=cds_df,
             selection_color='red',
             nonselection_alpha=0.1)
```

Hover Glyphs

```
>>> from bokeh.models import HoverTool
>>> hover = HoverTool(tooltips=None, mode='vline')
>>> p3.add_tools(hover)
```

Colormapping

```
>>> from bokeh.models import CategoricalColorMapper
>>> color_mapper = CategoricalColorMapper(
                   factors=['US', 'Asia', 'Europe'],
                   palette=['blue', 'red', 'green'])
>>> p3.circle('mpg', 'cyl', source=cds_df,
             color=dict(field='origin',
                        transform=color_mapper),
             legend='Origin')
```

Legend Location

Inside Plot Area

```
>>> p.legend.location = 'bottom_left'
```

Outside Plot Area

```
>>> from bokeh.models import Legend
>>> r1 = p2.asterisk(np.array([1,2,3]), np.array([3,2,1])
>>> r2 = p2.line([1,2,3,4], [3,4,5,6])
>>> legend = Legend(items=[("One" ,[p1, r1]),("Two",[r2])],
                    location=(0, -30))
>>> p.add_layout(legend, 'right')
```

Legend Orientation

```
>>> p.legend.orientation = "horizontal"
>>> p.legend.orientation = "vertical"
```

Legend Background & Border

```
>>> p.legend.border_line_color = "navy"
>>> p.legend.background_fill_color = "white"
```

Rows & Columns Layout

Rows

```
>>> from bokeh.layouts import row
>>> layout = row(p1,p2,p3)
```

Columns

```
>>> from bokeh.layouts import columns
>>> layout = column(p1,p2,p3)
```

Nesting Rows & Columns

```
>>>layout = row(column(p1,p2), p3)
```

Grid Layout

```
>>> from bokeh.layouts import gridplot
>>> row1 = [p1,p2]
>>> row2 = [p3]
>>> layout = gridplot([[p1,p2],[p3]])
```

Tabbed Layout

```
>>> from bokeh.models.widgets import Panel, Tabs
>>> tab1 = Panel(child=p1, title="tab1")
>>> tab2 = Panel(child=p2, title="tab2")
>>> layout = Tabs(tabs=[tab1, tab2])
```

Linked Plots

Linked Axes

```
>>> p2.x_range = p1.x_range
>>> p2.y_range = p1.y_range
```

Linked Brushing

```
>>> p4 = figure(plot_width = 100,
                tools='box_select,lasso_select')
>>> p4.circle('mpg', 'cyl', source=cds_df)
>>> p5 = figure(plot_width = 200,
                tools='box_select,lasso_select')
>>> p5.circle('mpg', 'hp', source=cds_df)
>>> layout = row(p4,p5)
```

4 Output & Export

Notebook

```
>>> from bokeh.io import output_notebook, show
>>> output_notebook()
```

HTML

Standalone HTML

```
>>> from bokeh.embed import file_html
>>> from bokeh.resources import CDN
>>> html = file_html(p, CDN, "my_plot")
```

```
>>> from bokeh.io import output_file, show
>>> output_file('my_bar_chart.html', mode='cdn')
```

Components

```
>>> from bokeh.embed import components
>>> script, div = components(p)
```

PNG

```
>>> from bokeh.io import export_png
>>> export_png(p, filename="plot.png")
```

SVG

```
>>> from bokeh.io import export_svgs
>>> p.output_backend = "svg"
>>> export_svgs(p, filename="plot.svg")
```

5 Show or Save Your Plots

```
>>> show(p1)
>>> save(p1)
```

```
>>> show(layout)
>>> save(layout)
```

Python For Data Science *Cheat Sheet*

Importing Data

Learn Python for data science Interactively at www.DataCamp.com

Importing Data in Python

Most of the time, you'll use either **NumPy** or **pandas** to import your data:

```
>>> import numpy as np
>>> import pandas as pd
```

Help

```
>>> np.info(np.ndarray.dtype)
>>> help(pd.read_csv)
```

Text Files

Plain Text Files

```
>>> filename = 'huck_finn.txt'
>>> file = open(filename, mode='r')
>>> text = file.read()
>>> print(file.closed)
>>> file.close()
>>> print(text)
```

Open the file for reading
Read a file's contents
Check whether file is closed
Close file

Using the context manager `with`

```
>>> with open('huck_finn.txt', 'r') as file:
        print(file.readline())
        print(file.readline())
        print(file.readline())
```

Read a single line

Table Data: Flat Files

Importing Flat Files with numpy

Files with one data type

```
>>> filename = 'mnist.txt'
>>> data = np.loadtxt(filename,
                      delimiter=',',
                      skiprows=2,
                      usecols=[0,2],
                      dtype=str)
```

String used to separate values
Skip the first 2 lines
Read the 1st and 3rd column
The type of the resulting array

Files with mixed data types

```
>>> filename = 'titanic.csv'
>>> data = np.genfromtxt(filename,
                         delimiter=',',
                         names=True,
                         dtype=None)
```

Look for column header

```
>>> data_array = np.recfromcsv(filename)
```

The default `dtype` of the `np.recfromcsv()` function is `None`.

Importing Flat Files with pandas

```
>>> filename = 'winequality-red.csv'
>>> data = pd.read_csv(filename,
                       nrows=5,
                       header=None,
                       sep='\t',
                       comment='#',
                       na_values[""])
```

Number of rows of file to read
Row number to use as col names
Delimiter to use
Character to split comments
String to recognize as NA/NaN

Excel Spreadsheets

```
>>> file = 'urbanpop.xlsx'
>>> data = pd.ExcelFile(file)
>>> df_sheet2 = data.parse('1960-1966',
                           skiprows=[0],
                           names=['Country',
                                  'AAM: War(2002)'])
>>> df_sheet1 = data.parse(0,
                           parse_cols=[0],
                           skiprows=[0],
                           names=['Country'])
```

To access the sheet names, use the `sheet_names` attribute:

```
>>> data.sheet_names
```

SAS Files

```
>>> from sas7bdat import SAS7BDAT
>>> with SAS7BDAT('urbanpop.sas7bdat') as file:
        df_sas = file.to_data_frame()
```

Stata Files

```
>>> data = pd.read_stata('urbanpop.dta')
```

Relational Databases

```
>>> from sqlalchemy import create_engine
>>> engine = create_engine('sqlite://Northwind.sqlite')
```

Use the `table_names()` method to fetch a list of table names:

```
>>> table_names = engine.table_names()
```

Querying Relational Databases

```
>>> con = engine.connect()
>>> rs = con.execute("SELECT * FROM Orders")
>>> df = pd.DataFrame(rs.fetchall())
>>> df.columns = rs.keys()
>>> con.close()
```

Using the context manager `with`

```
>>> with engine.connect() as con:
        rs = con.execute("SELECT OrderID FROM Orders")
        df = pd.DataFrame(rs.fetchmany(size=5))
        df.columns = rs.keys()
```

Querying relational databases with pandas

```
>>> df = pd.read_sql_query("SELECT * FROM Orders", engine)
```

Exploring Your Data

NumPy Arrays

```
>>> data_array.dtype
>>> data_array.shape
>>> len(data_array)
```

Data type of array elements
Array dimensions
Length of array

pandas DataFrames

```
>>> df.head()
>>> df.tail()
>>> df.index
>>> df.columns
>>> df.info()
>>> data_array = data.values
```

Return first DataFrame rows
Return last DataFrame rows
Describe index
Describe DataFrame columns
Info on DataFrame
Convert a DataFrame to an a NumPy array

Pickled Files

```
>>> import pickle
>>> with open('pickled_fruit.pkl', 'rb') as file:
        pickled_data = pickle.load(file)
```

HDF5 Files

```
>>> import h5py
>>> filename = 'H-H1_LOSC_4_v1-815411200-4096.hdf5'
>>> data = h5py.File(filename, 'r')
```

Matlab Files

```
>>> import scipy.io
>>> filename = 'workspace.mat'
>>> mat = scipy.io.loadmat(filename)
```

Exploring Dictionaries

Accessing Elements with Functions

```
>>> print(mat.keys())
>>> for key in data.keys():
        print(key)
meta
quality
strain
>>> pickled_data.values()
>>> print(mat.items())
```

Print dictionary keys
Print dictionary keys

Return dictionary values
Returns items in list format of (key, value) tuple pairs

Accessing Data Items with Keys

```
>>> for key in data ['meta'].keys()
        print(key)
Description
DescriptionURL
Detector
Duration
GPSstart
Observatory
Type
UTCstart
>>> print(data['meta']['Description'].value)
```

Explore the HDF5 structure

Retrieve the value for a key

Navigating Your FileSystem

Magic Commands

```
!ls
%cd ..
%pwd
```

List directory contents of files and directories
Change current working directory
Return the current working directory path

`os` Library

```
>>> import os
>>> path = "/usr/tmp"
>>> wd = os.getcwd()
>>> os.listdir(wd)
>>> os.chdir(path)
>>> os.rename("test1.txt",
              "test2.txt")
>>> os.remove("test1.txt")
>>> os.mkdir("newdir")
```

Store the name of current directory in a string
Output contents of the directory in a list
Change current working directory
Rename a file

Delete an existing file
Create a new directory