1. Create MY_EMPLOYEE table with the following structure

```
create table MY_EMPLOYEE ( ID number(4), Last_name Varchar (25),
                           first_name varchar(25), userid varchar(25),
                           Salary number (9,2));
```

NAME	NULL?	TYPE
ID	Not null	Number(4)
Last_name		Varchar(25)
First_name		Varchar(25)
Userid		Varchar(25)
Salary		Number(9,2)

2. Add the first and second rows data to MY_EMPLOYEE table from the following sample data.

ID	Last_name	First_name	Userid	salary
1	Patel	Ralph	rpatel	895
2	Dancs	Betty	bdancs	860
3	Biri	Ben	bbiri	1100
4	Newman	Chad	Cnewman	750
5	Ropebur	Audrey	aropebur	1550

```
insert into MY_EMPLOYEE VALUES (1,'patel','Ralph','rpatel',895)
insert into MY_EMPLOYEE VALUES (2,'Dancs','Betty','bdancs',860)
```

3. Display the table with values.

```
Select * from MY_EMPLOYEE;
```

4. Populate the next two rows of data from the sample data. Concatenate the first letter of the first_name with the first seven characters of the last_name to produce Userid.

```
insert into MY_EMPLOYEE VALUES (3,'Anya','Mahi','Manya',750);
insert into MY_EMPLOYEE VALUES (4,'Akshaya','Bask','BAkshaya',999);
```

5. Delete Betty dancs from MY _EMPLOYEE table.

```
Delete from MY_EMPLOYEE where Last_name = 'Dancs' and
                              first_name = 'betty';
```

6. Empty the fourth row of the emp table.

delete from MY_EMPLOYEE where id = 4 ;

7. Make the data additions permanent.

commit ;

8. Change the last name of employee 3 to Drexler.

updata my_EMPLOYEE SET Last_name = 'Drexler' where id = 3 ;

9. Change the salary to 1000 for all the employees with a salary less than 900.

updata MY_EMPLOYEE SET Salary = 1000 where Salary < 900 ;

Evaluation Procedure	Marks awarded
Query(5)	5
Execution (5)	5
Viva(5)	5
Total (15)	15
Faculty Signature	