EduPulse SMT Technical System Summary For Counsel

Purpose

This document is a lawyer-facing technical summary of how EduPulse SMT operates as a business and software system. It is written to support business incorporation, intellectual-property positioning, contract drafting, and Ghana data-protection analysis.

It focuses especially on:

1. The overall operating model of EduPulse SMT
2. How Paystack payment categorization and historical route metadata work
3. How external KYB provider screening is used for school verification and compliance gating
4. How cryptography is used inside the application and in the documented AWS production architecture
5. Which parts appear to be proprietary workflow and control logic
6. How anonymized multi-school analytics is intended to be separated from identifiable operational data

Companion Counsel Docs

Use these together with this summary:

1. `LAWYER_EXECUTIVE_BRIEF.md` for the shortest counsel-ready overview
2. `IP_ASSET_INVENTORY.md` for the main protectable-asset inventory
3. `GHANA_DATA_PROTECTION_TECHNICAL_BRIEF.md` for the privacy and compliance control mapping

Business Name

The business name used in this system documentation is:

EduPulse SMT

Where relevant, `SMT` refers to **Smart School Management Technology**.

Ready-To-Send Email Draft

Subject: EduPulse SMT Technical Summary for Incorporation, IP, and Data Protection Review

Hello Counsel,

I am sharing a technical summary of EduPulse SMT so you can understand how the platform operates and how its payment, security, and data-protection architecture work in practice.

The main reasons for sharing this are:

1. To help you frame the business correctly during incorporation
2. To identify which technical workflows may be protectable as intellectual property, trade secrets, know-how, or contractual confidential information
3. To support data-protection structuring for Ghana, especially around payment handling, student/guardian data, audit trails, and encryption controls

4. To confirm that the planned anonymized analytics program is contractually and technically described in a defensible way

Please pay particular attention to:

1. The Paystack payment-categorization and reconciliation design
2. The cryptographic controls used for sensitive data and ledger integrity
3. The multi-tenant school architecture and role-based controls
4. The parts of the workflow that may be stronger candidates for confidentiality protection, software licensing language, or internal control language in policy documents
5. The anonymization, aggregation, and disclosure guardrails for any cross-school analytics product

I have included a detailed technical summary below.

Best regards, Daniel Asare Anyinam EduPulse SMT

Executive Summary

EduPulse SMT is a multi-tenant SaaS platform for basic schools in Ghana. Each school operates as a logically separated tenant inside one platform. The system combines:

1. Academic operations
2. Payment and fee oversight
3. Subscription billing and school-plan management
4. Proprietor visibility and governance controls
5. Audit logging and tamper-evident ledgering

From a legal and IP perspective, the platform is not only a school-management application. It is a coordinated operating system for school workflows with a strong emphasis on:

1. Role-gated control flows
2. Payment verification and routing
3. External KYB-driven school verification with automatic outcomes and exception handling
4. Tenant isolation
5. Tamper-evident financial records
6. Encrypted storage of sensitive personal and banking data
7. A planned analytics layer for de-identified benchmarking and educational trend reporting

Anonymized Multi-School Analytics Positioning

EduPulse SMT is intended to evolve from a workflow SaaS tool into a data-intelligence platform for schools. The legally important point is that any cross-school benchmarking, yearly performance reporting, curriculum-gap analysis, or national trend reporting should rely on de-identified and aggregated data rather than identifiable student records or named-school disclosures.

The intended architecture is:

1. The live transactional system stores identified tenant data for school operations
2. A controlled extract or ETL process removes student identifiers and direct school identifiers where they are not needed

3. A separate analytical layer stores only the broad attributes needed for statistics, such as region, school type, cohort, subject, year, and score bands
4. Reports are generated in aggregated form for dashboards, white papers, or premium benchmarking products

Counsel should confirm that the customer-facing contracts and DPC-facing materials accurately describe this split, avoid overstating anonymization, and preserve the controller-processor position for identifiable school records.

System Operation Overview

1. Multi-Tenant Model

The platform is designed so that each school is treated as a separate tenant identified by a school ID. The system uses tenant guards and role-based controls so one school should not access another school's data.

In practical terms, EduPulse SMT supports:

1. Separate school organizations
2. School-specific branding and settings
3. School-specific financial records
4. School-specific payment routing
5. School-specific users and permissions

2. Main User Roles

The platform recognizes multiple user roles, including:

1. Proprietor
2. Headmaster
3. Teacher
4. Finance
5. Admin

These roles matter legally because the software encodes separation-of-duty rules. For example, certain financial actions are intentionally separated between recording and approval to reduce fraud risk and strengthen audit defensibility.

3. Core Functional Areas

EduPulse SMT combines several functions in one operating environment:

1. Student records and attendance
2. Grades, report generation, and approvals
3. School billing and plan management
4. Parent/guardian-linked payment flows
5. Proprietor monitoring and governance
6. Internal audit and ledger verification

End-To-End Operational Flow

At a high level, the system operates as follows:

1. A school registers and selects a plan
2. If the plan is paid, the system initializes Paystack payment
3. Once payment is verified, the school subscription is activated
4. The proprietor can submit school verification details for external KYB screening
5. Clean KYB outcomes auto-verify while flagged outcomes route to review-required status
6. School users log in under role-based access controls
7. Staff carry out academic and finance workflows
8. Certain finance events create ledger entries that are cryptographically chained
9. Sensitive data is encrypted at the application layer before being stored
10. In production, the documented AWS deployment posture injects secrets through managed secret storage and recommends encrypted storage and backups

This combination of payments, tenant separation, approval flow, and tamper-evident finance records is one of the strongest parts of the system from an IP and compliance standpoint.

Paystack Architecture

1. Two Distinct Payment Contexts

EduPulse SMT uses Paystack in at least two important contexts:

1. Subscription and plan payments for schools themselves
2. Fee-collection routing for school-specific payments such as tuition, feeding, uniform, transport, and similar categories

These are related but not identical.

A. School Subscription Payments

When a school chooses a paid plan, the system initializes a Paystack transaction and redirects the school to Paystack checkout. After Paystack confirms success, the platform activates the school's subscription.

The system also keeps payment references and reconciliation logic so successful payments that fail to write locally can later be recovered.

B. School Fee Categorization By Payment Type

For school operations, the current system uses stable learner payment identity plus structured references to classify payments by type. The operational idea is:

1. The platform generates a structured reference tied to school, learner, and intended payment category
2. Parents or payers use that reference during payment
3. Paystack returns the reference and transaction metadata in the callback flow
4. The system classifies the payment using the structured reference and school payment rules
5. Reconciliation logic can later recover successful transactions that were not fully written locally

This is commercially important because it lets the platform automate payment classification and audit recovery without depending on new fee-route or split setup.

2. What “Paystack Split” Means In This System

In EduPulse SMT, the Paystack “split” idea is now mostly a historical label for older routing-and-settlement context rather than an active product setup.

The relevant implementation concepts are:

1. EduPulse now uses a stable learner payment identity plus structured references as the active categorization model
2. Legacy route records may still exist and store route labels, provider markers, destination details, or other older routing identifiers
3. Historical webhook payloads can still contain route-related context that is preserved in ledger metadata for audit interpretation
4. Settlement or reconciliation metadata can still appear in older ledger metadata

This means the software preserves historical route metadata where it already exists, but current payment classification is centered on structured references and school-controlled payment-category rules.

3. Legacy Paystack Fee Route Account Logic

The platform can still contain legacy route records with fields such as:

1. School ID
2. Payment type
3. Route identifier or provider marker
4. Business name for the route
5. Virtual bank account details
6. Mobile-money provider information
7. Percentage charge metadata

These records document a previously supported school-by-school payment-routing layer. As of the current product model, new fee-route virtual-account setup is retired and the reference-first flow is the supported behavior.

4. Paystack Checkout Initialization

When EduPulse SMT initializes a payment, it generates:

1. A unique reference
2. The payer email
3. The amount in pesewas
4. School and student metadata
5. Payment-type metadata
6. A callback URL

If a school has preserved legacy route metadata for the payment type, that metadata may still appear in the payload or related audit trail. That branch reflects backward compatibility for older records, not the active payment model.

That legacy-route branch is now compatibility behavior rather than the active product path. The current operational path is reference-first payment classification.

5. Webhook Security

Paystack webhooks are protected using HMAC SHA-512 signature verification against the raw request body and the Paystack secret key.

That matters legally because it shows the system is not blindly trusting external payment callbacks. It cryptographically verifies that the callback originated from an entity holding the shared Paystack secret context.

6. Payment Idempotency And Duplicate Prevention

Before writing a Paystack finance payment, the system checks whether a payment with the same reference already exists. If so, it returns a duplicate outcome instead of recording the payment again.

This is important from a compliance and accounting perspective because it reduces the risk of duplicate posting caused by repeated webhook delivery or reconciliation replay.

7. Reconciliation And Recovery

EduPulse SMT also includes reconciliation logic that can fetch successful Paystack transactions over a lookback window and recover transactions that succeeded at Paystack but were not fully recorded locally.

This is operationally important because it shows the platform is engineered not only for happy-path payment success, but also for failure recovery and ledger completeness.

Cryptography And Data Protection Architecture

1. Application-Layer Encryption Of Sensitive Fields

The platform defines an `EncryptedString` type backed by the Python `cryptography` library's `Fernet` implementation.

In production:

1. The application requires a `DATA_ENCRYPTION_KEY`
2. Startup is blocked if that key is missing
3. Values are encrypted before being written to the database
4. Values are decrypted when read back through the ORM

This means certain sensitive fields are protected at the application layer even before considering disk encryption.

2. Which Data Is Encrypted In The Application

The current models show encryption being applied to data such as:

1. Saved bank details
2. Certain school email fields

3. Guardian and parent names
4. Parent phone numbers
5. Parent email addresses

This matters for Ghana data protection because the platform handles personal data relating to students, guardians, school staff, and school finance.

3. Tamper-Evident Financial Ledger

Separate from field encryption, the platform uses a cryptographic ledger chain for financial records.

The ledger design works as follows:

1. Each confirmed finance event becomes a ledger entry
2. Each entry includes the previous hash
3. A new HMAC-SHA256 hash is computed over the entry payload plus the previous hash
4. The chain starts from a genesis value if no prior entry exists
5. If any stored finance record is altered later, the verification chain can reveal the tampering

The ledger uses a dedicated `LEDGER_SECRET_KEY`, and production startup is blocked if that key is missing.

From an IP and legal perspective, this is not just general logging. It is a structured tamper-evident finance-control mechanism that strengthens trust, internal controls, and forensic defensibility.

4. Separation Between Encryption And Integrity

It is important to distinguish two different cryptographic uses:

1. **Encryption** protects confidentiality of sensitive stored values
2. **HMAC ledger chaining** protects integrity and tamper detection for finance events

These are distinct protections serving different legal and operational functions.

AWS Production Cryptography And Secret Handling

1. What Is Implemented At Application Level Today

The code already enforces the presence of production keys for:

1. `JWT_SECRET_KEY`
2. `DATA_ENCRYPTION_KEY`
3. `LEDGER_SECRET_KEY`

The application is therefore designed to depend on environment-provided secrets in production rather than hardcoded values.

2. Documented AWS Deployment Posture

The production deployment documentation describes an AWS-oriented deployment model that uses:

1. ECS task definitions
2. Secret injection from AWS Secrets Manager

3. Encrypted storage recommendations for EBS-backed volumes
4. Encrypted backups to S3 using SSE-KMS

The deployment documentation specifically references Secrets Manager ARNs for critical values such as:

1. Database URL
2. JWT secret
3. Flask secret
4. Mail password

The broader security documentation also recommends:

1. Encrypted EBS volumes
2. Private database exposure only
3. S3 backup encryption using SSE-KMS
4. Restricted IAM access to encrypted storage and secrets

3. Legal Meaning Of “AWS Cryptography” In This System

When describing AWS cryptography for counsel, the most accurate formulation is:

1. EduPulse SMT performs **application-layer cryptography** itself for confidential data and tamper-evident ledgering
2. EduPulse SMT is designed to be deployed in an AWS environment where **secret storage and infrastructure encryption** are handled using AWS-managed services and encrypted storage controls
3. The software and the infrastructure therefore work together: the application encrypts data fields and signs ledger chains, while AWS is the recommended secret-hosting and storage-encryption environment in production

That distinction is important so counsel does not overstate which protections come from application code and which come from the cloud environment.

Proprietary And Potentially Protectable Elements

The strongest candidates for trade-secret, confidential-know-how, contractual confidentiality, or software-licensing protection appear to be:

1. The multi-tenant school-control workflow as a whole
2. The role-gated approval structure across school operations and finance
3. The structured-reference payment categorization architecture plus preserved legacy route metadata
4. The reconciliation and audit rules that interpret route metadata only where older records already contain it
5. The reconciliation-and-recovery logic for missing payment writes
6. The tamper-evident financial ledger design tied to school-specific finance events
7. The combination of encrypted PII storage, audit chaining, and school-specific payment-classification logic in a single Ghana-school operating platform

Any incorporation, employment, contractor, partner, or reseller documents should likely preserve these elements as confidential system design and proprietary implementation know-how.

Ghana Data Protection Relevance

From a Ghana data-protection perspective, the technically relevant points are:

1. The system processes student, parent, guardian, staff, school-owner, and billing data
2. Sensitive personal and banking fields are encrypted at the application layer
3. Financial actions are logged in a tamper-evident chain
4. Production architecture is designed to avoid hardcoded secrets and instead rely on managed secret injection
5. The system uses role controls and tenant isolation to reduce unauthorized cross-school access
6. Payment verification relies on authenticated gateway callbacks rather than unauthenticated trust

These features do not replace legal compliance, but they provide strong factual support for technical and organizational measures in a Ghana data-protection analysis.

Counsel Review Questions

The following are useful legal review questions for counsel:

1. Which parts of this payment-routing and control architecture should be treated as trade secret or confidential know-how?
2. How should contractor, employee, and vendor agreements describe ownership of EduPulse SMT workflows, code, payment logic, and data models?
3. Should the incorporation documents or internal governance records explicitly mention that EduPulse SMT operates a multi-tenant school-management and payment-governance platform?
4. What filings, policies, or contractual terms are needed in Ghana to support the handling of student, guardian, and financial data?
5. How should the legal documents distinguish between EduPulse SMT as software vendor and each school as controller or user of school-originated personal data?
6. What contractual language should protect the payment categorization logic, reconciliation logic, and tamper-evident ledger design from misuse by employees, contractors, or implementation partners?

Short Technical Positioning Statement

EduPulse SMT is not only a school record system. It is a multi-tenant governance and payment-control platform for schools, combining role-gated academic operations, Paystack-linked fee routing, school subscription billing, encrypted sensitive-data handling, and tamper-evident financial ledgering.

That combined workflow architecture is a central part of the business value and should be treated as a core proprietary asset.