

Quiz 1: Semantic Web

* Required

1. Email address *

2. Write Your name. *

3. Write your Registration Number. *

4. Select section. *

Mark only one oval.

☐ A/B

☐ C

Solve MCQs

Total questions = 22
Total Time = 25 mins

5. Agents fully aware of a layer should also be able to interpret and use information written at lower levels.

1 point

Mark only one oval.

☐ Downward compatibility

☐ Upward compatibility

☐ Upward Incompatibility

☐ Downward Incompatibility

6. _____, developed as a mechanism for Gleaning Resource Descriptions from Dialects of Languages. 1 point

Mark only one oval.

- ☐ RDFa
- ☐ RDFS
- ☐ GRDL
- ☐ GRDDL

7. _____ is a query language for the graph-based data model for RDF. 1 point

Mark only one oval.

- ☐ SQL
- ☐ DPARQL
- ☐ SPARQL
- ☐ PLSQL

8. Which language defines standard syntax for interchanging rules? 1 point

Mark only one oval.

- ☐ SKOS
- ☐ OWL Full
- ☐ RDFS
- ☐ RIF

9. _____ is a data model that uses keywords to describe resources. 1 point

Mark only one oval.

- ☐ OWL DL
- ☐ RIF
- ☐ SWRL
- ☐ SKOS

10. Which language defines desirable computational properties for reasoning systems. 1 point

Mark only one oval.

- ☐ OWL 2
- ☐ OWL DL
- ☐ OWL Lite
- ☐ OWL Full

11. If HTML and the Web made all the online documents look like one huge 1 point

Mark only one oval.

- ☐ Internet
- ☐ Book
- ☐ Table
- ☐ Website

12. RDF, schema, and inference languages will make all the data in the world look like one huge 1 point

Mark only one oval.

- ☐ Database
- ☐ Data Table
- ☐ Data Book
- ☐ Data Structure

13. RDFS Statements are built with 1 point

Mark only one oval.

- ☐ Without any rules
- ☐ With rules
- ☐ With proper rules
- ☐ Syntax rules

14. Syntax of a language defines the rules for building the language

1 point

Mark only one oval.

- ☐ Statements
- ☐ Classes
- ☐ Objects
- ☐ Structures

15. Complete the formula semantics + web + _____ = more useful web

1 point

Mark only one oval.

- ☐ Semantic Intelligence
- ☐ Artificial Intelligence
- ☐ Web Engineering
- ☐ Semantic

16. Semantic annotation is _____

1 point

Mark only one oval.

- ☐ Function
- ☐ Structural Distrubance
- ☐ Additional Information
- ☐ Constructor Call

17. Basic Web architecture depends upon _____

1 point

Mark only one oval.

- ☐ Platform-independent Interface
- ☐ Transport Layer
- ☐ Addressing Schema
- ☐ Most of the above

18. Large number of _____ were taken in developing the semantic web. 1 point

Mark only one oval.

- ☐ Analysis Decisions
- ☐ Testing Decisions
- ☐ Design decisions
- ☐ All of the above

19. Pick the odd one out which is not included to evolve semantic web. 1 point

Mark only one oval.

- ☐ Digial Logic Design
- ☐ Natural Language processing
- ☐ Relative Databases
- ☐ Theorem Proving

20. Enables efficient query answering over large instance populations. 1 point

Mark only one oval.

- ☐ OWL2QL
- ☐ OWL2EL
- ☐ OWL2
- ☐ SPARQL

21. Where you will define taxonomies in the layered structure of semantic web. 1 point

Mark only one oval.

- ☐ XMLS
- ☐ RDFS
- ☐ OWL
- ☐ RIF/SWRL

22. If information about plants, insects, soil types were stored in RDF files, intelligent web applications could collect information from many different sources, combine information, and present it to users in a meaningful way. 1 point

Mark only one oval.

- ☐ True
- ☐ False
- ☐ Not always True
- ☐ Not always False

23. RDF was developed by people with academic background in 1 point

Mark only one oval.

- ☐ Programming Languages
- ☐ Web Designing
- ☐ Human Computer Interaction
- ☐ Logic and Artificial Intelligence

24. Often RDF files describe other 1 point

Mark only one oval.

- ☐ XSL files
- ☐ XML files
- ☐ RDF files
- ☐ OWL files

25. Sense of _____ in web will make smarter web. 1 point

Mark only one oval.

- ☐ Secured layer
- ☐ Logic inference
- ☐ Data components
- ☐ All of the above

26. OWL language provides at least _____ different dialects.

1 point

Mark only one oval.

- ☐ 9
- ☐ 3
- ☐ 7
- ☐ 6

This content is neither created nor endorsed by Google.

Google Forms